



SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>89119 - Anisaldehyde extrapure, 99% - [123-11-5]</b>
<b>Batch No</b>	<b>7442232</b>
<b>Analysis Date</b>	06-Jul-2023
<b>Date of Manufacture</b>	July 2023
<b>Expiry Date/Re-Test Date</b>	July 2028
<b>Molecular Formula</b>	C <sub>8</sub> H <sub>8</sub> O <sub>2</sub>
<b>Molecular Weight</b>	136.15

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless to pale yellow	Slight Yellow Tinge
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.50%
Density (g/ml) @ 20°C	1.120-1.127	1.123
Refractive Index (20°C)	1.571-1.574	1.571
Acidity (C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> )	max. 0.5%	0.42%

FRM/82/11/2/89119 Rev No. 1 Date 01/11/2015

Prepared by Sanket

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)