



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>31477 - n-Valeric Acid pure, C5-99% (GC) - [109-52-4]</b>
<b>Batch No</b>	<b>9266647</b>
<b>Analysis Date</b>	23-Apr-2023
<b>Date of Manufacture</b>	April 2023
<b>Expiry Date/Re-Test Date</b>	April 2028
<b>Molecular Formula</b>	C5H10O2
<b>Molecular Weight</b>	102.13

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC-C5)	min. 99%	99.67%
Density (g/ml) @ 20°C	0.937-0.939	0.937
Refractive Index (20°C)	1.407-1.408	1.407
Boiling Range	184-186°C	Passes

FRM/82/11/2/31477 Rev No. 1 Date 12/23/2017

Prepared by Sanket

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.