


23 24

CATALOGUE

SRL® **SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

- General Laboratory Chemicals & Solvents
- Bioreagents, Biochemicals & Speciality Fine Chemicals
- Animal Cell Culture
- Nanopowders & Carbon Nanotubes (CNTs)
- Dehydrated Culture Media Products
- BioLit® DNA & Protein Tools and Kits
- Laboratory Accessories
- Bio-Indenta®

endless **PROCESS** of science...




Quality Policy

We, at Sisco Research Laboratories Pvt. Ltd., shall always strive to provide the best quality Laboratory Reagents and Biochemicals, Microbiological Culture Media, Supplements & Kits, and BioLit™ range of protein and DNA tools required for teaching, research, analysis and manufacture of high quality products for better quality of life.

We shall always maintain and upgrade our products and services to meet the highest International Quality Standards.

It is our constant endeavor to achieve maximum customer satisfaction by implementing an efficient customer relationship management system to meet the requirements and expectations of our valued customers.

To achieve our goals, we have instituted a quality management system conforming to ISO 9001:2015, ISO 17025:2017, CE Certification for our Microbiology range of products and an FDA Approval for select range of Pharmacopoeial products; and are firmly committed to continually improving its effectiveness through technological advancement, enhancement of skills, cultivation of a suitable work environment and dedicated team work



An ISO 9001:2015 Company

Dear Scientists and Trade Partners,

We have entered 2023-24 with new hopes and aspirations for our scientific community. The global scientific research market is projected to reach \$3.2 trillion this year, with a forecasted compound annual growth rate (CAGR) of about 5-6%. India along with the Asia Pacific region is expected to be the fastest-growing market due to increasing investments in life-sciences research, biotechnology & healthcare infrastructure.

One of the main drivers of growth in scientific research is the increasing demand for solutions to complex problems. Governments, private organizations and individuals are investing heavily in R&D to address issues such as climate change, disease, and energy efficiency. International collaborations and partnerships are blossoming like never before using advanced technologies & processing power.

As always, there exist challenges such as funding constraints, increasing competition for resources and geopolitical risks. Researchers must also navigate ever-increasing complexities of regulatory & ethical environments when conducting research.

Our Company operations are also expanding and so is our thirst for rapid growth. SRL has strengthened the brand in the European markets and participated in some of the world's largest trade shows like the Analytica (Munich, Germany), Achema (Frankfurt, Germany) and Medica (Dusseldorf, Germany), in addition to more than 50 conferences and seminars globally.

In our latest 2023-24 catalogue, we have launched our *Part L: Laboratory Accessories*, which carries our foray into high-quality porcelain-ware and plastic-ware for routine laboratory applications. These microcentrifuge tubes, spin columns, crucibles, buchner funnels, evaporating dishes and mortar & pestle are an extension to an already exhaustive product range. We have also introduced many specialized biochemicals, specialty reagents and biotechnology offerings all of which are found in this manual.

We thank all our customers and trade partners for their support, trust and loyalty in making brand SRL the gold standard and preferred choice in their laboratories.



S. K. Agarwal

Chairman
1st April 2023



Quality Control

Quality control facilities in our manufacturing plants

- Anaerobic Culture Jars
- Analytical Balances
- Antibiotic Zone Reader
- Atomic Absorption Spectrophotometer (AAS)
- Autoclaves
- Bacteriological Incubator
- B.O.D. Incubator
- Calorimeter
- Conductivity Meters
- Colony Counter
- Cyclomixer
- Electrophoresis Equipments
- FTIR Spectrophotometer
- Gas Chromatograph (w/Head space)
- Gel-Strength Indicator
- High Speed Centrifuges
- HPLC Instrument
- Hot Air Ovens
- IR Spectrophotometer
- Karl-Fischer Apparatus
- Kjeldhal's Apparatus
- Lab Furnace
- Laminar Air Flow Bench
- Melting Point Apparatus
- Micro-Ovens
- Microscopes
- pH Meters
- Polarograph
- Potentiometric Titrator
- Refractive Index Apparatus
- Rotary Flask Shaker
- TLC Equipments
- Transilluminator
- Turbidometer
- UV Cabinet
- UV Spectrophotometers
- Viscometer
- other support instruments

It is the precise instrumental, chemical, biochemical and microbiological analysis which enables **SRL** to guarantee that its products shall always meet the highest international standards.



Contents

15

Part A
General Laboratory Chemicals & Solvents

71

Part B
Bioreagents, Biochemicals &
Speciality Fine Chemicals

141

Part B1
Animal Cell Culture

145

Part C Nanopowders & Carbon Nanotubes (CNTs)
(Carbon Nanotubes, Nanodispersants and
Nanodispersions, Nanowires, Nanofilms and Nanopowders)

151

Part D Dehydrated Culture Media
• Product Listing • Media Supplements
• ChroMed™ • Media Kits

187

Part E BioLit®
• DNA & Protein Tools

213

Part L Laboratory Accessories

219

Bio-Indenta™
Global searching station for Unlisted Compounds

International Business

You will find the **SRL** brand in 6 different regions around the world and in more than 100 countries. Our main motive has always been to provide our products to customers in different corners of the world, wherever there is an industry or an institution that is working on improving the quality of our lives through research, innovation, quality control and manufacturing. Having more than 40 authorized agents and distributors and more than 100 trade partners, **SRL** is always on the

lookout to make brighter and long lasting partnerships with companies that have a similar goal in mind, i.e. to be the best in their business. Before we appoint trade partners, we make it a point to conduct systematic checks to ensure that our partners are in a position to offer better sales support and post-sales services to their valued customers who choose an **SRL** product. We welcome new partnerships for growth and prosperity.

Our global reach

Europe & Eurasia	Africa	Middle East	North & South America	East Asia & Pacific
<ul style="list-style-type: none">• Austria• Azerbaijan• Belgium• Bulgaria• Cyprus• Czech Republic• Denmark• Finland• France• Germany• Greece• Hungary• Ireland• Italy• Malta• Moldova• Netherlands• Norway• Poland• Portugal• Russia• Spain• Sweden• Switzerland• Turkey• Turkmenistan• United Kingdom• Uzbekistan	<ul style="list-style-type: none">• Benin• Botswana• Chad• Cameroon• Djibouti• Ethiopia• Ghana• Kenya• Madagascar• Malawi• Mali• Mauritius• Mozambique• Namibia• Nigeria• Rwanda• Seychelles• South Africa• Tanzania• Uganda• Zambia• Zimbabwe	<ul style="list-style-type: none">• Bahrain• Egypt• Jordan• Kuwait• Lebanon• Morocco• Oman• Qatar• Saudi Arabia• Tunisia• United Arab Emirates <p>Central Asia</p> <ul style="list-style-type: none">• Bangladesh• Bhutan• Kazakhstan• Maldives• Nepal• Srilanka• Tajikstan	<ul style="list-style-type: none">• Argentina• Brazil• Canada• Chile• Costa Rica• Ecuador• Guatemala• Jamaica• Mexico• Peru• Trinidad & Tobago• Venezuela• United States of America	<ul style="list-style-type: none">• Australia• Brunei• Burma• Cambodia• China• Fiji• Indonesia• Japan• Laos• Malaysia• Mongolia• New Zealand• Philippines• Singapore• South Korea• Thailand• Vietnam



overseas customers can reach us at export@srlichem.com

Depots

Hyderabad

123/124, Murthy Building,
Prashanti Nagar, Kukatpally,
Hyderabad 500 072.
Telangana, India.
Telefax: +91-40-2307 0166
e-mail: hyderabad@srchem.com

Chennai

Plot No.: 8B,
Self Help Industrial Estate,
Keeelkattalai, Kovilambakkam,
Chennai 600 117,
Tamil Nadu, India.
Telephone: +91-9962005587 /
+91-44-22682215
Email: chennai@srchem.com

Delhi

69/6A, (Part A)
Rama Road Industrial Area,
Najafgarh Road,
New Delhi 110 015, India.
Tele Fax: +91-11-4591 4530
Email: delhi@srchem.com

Mumbai

Raj Rajeshwari Logistic Park,
Gala No. 3-8, Bldg.No. B-4,
Behind Mini Punjab Grill,
Vehale, Bhatala,
Bhiwandi 421 302,
Maharashtra, India.
Telephone: +91-93229 31625 /
96191 47231
Email: bhiwandi@srchem.com

Kolkata

46, N.S.C. Bose Road,
P.O. Malancha Mahinagar,
District: South 24 Paraganas,
Before Malancha Bazaar
Kolkata 700 145,
West Bengal, India.
Telephone: +91-8334800445
Email: kolkata@srchem.com





Administrative Office:
608-B, Satellite Gazebo,
Near Solitaire Corporate Park,
Andheri Ghatkopar Link Road,
Chakala, Andheri (East), Mumbai 400 099. India
Tel.: +91-22-4268 5800
E-mail: marketing@srchem.com



Website: www.srchem.com

Label Explanation


for Laboratory & Research Chemicals

<p>Sisco Research Laboratories Pvt. Ltd. Plant Site 2: H-4, MIDC, Talaja - 410 208, Maharashtra, India. ☎ +91-22-42685800. email: customercare@srlchem.com</p> <p>Net Content: 100 g</p>  <p>Batch No: Mfg. Date:</p> <p><small>Important: No Liability accepted for accidents arising in handling or use. *Packed for servicing industry (including industrial quality control laboratories academic and research institutions universities etc.)</small></p>	<p>35825 (1944318) [151-21-3]</p> <p>Sodium Lauryl Sulphate High purity (sodium dodecyl sulphate, SDS)</p> <p>$C_{12}H_{25}SO_4Na$ M.W. 288.38</p>  <p>www.srlchem.com</p>	<p>Specifications Assay min 99.5% pH(1% aq soln) 6.0-7.5 A10% aq. 210nm max 0.1 220nm max 0.06 230nm max 0.04 260nm max 0.02</p> <p>Maximum Limits of Impurities Loss on drying 1% Chloride (Cl) 0.01% Iron (Fe) 0.0001% Phosphate(PO₄) 0.0001% Heavy metals (Pb) 0.0002%</p>	<p>For Laboratory Use Only</p>
--	---	--	--------------------------------

for Dehydrated Culture Media, Ingredients, Supplements & Kits

<p>Sisco Research Laboratories Pvt. Ltd. Plant Site 1: D-88/2, MIDC, Turbhe-400705, New Mumbai, India. ☎ +91-22-42685800. email: customercare@srlchem.com</p> <p></p> <p>Net Content : 100 gms</p> <p>Received on dt : _____</p> <p>Opened on dt : _____</p> <p>Batch No : Mfg. Date : Best Before :</p> <p><small>Important: No Liability accepted for accidents arising in handling or use. *Packed for servicing industry (including industrial quality control laboratories academic and research institutions universities etc.)</small></p>	<p>REF 76875 (MM 011) MacConkey Agar</p> <p>For the selective isolation, cultivation and differentiation of coliforms and enteric pathogens based on the ability to ferment lactose.</p>  <p>www.srlchem.com</p>	<p>Composition gm/lit.</p> <table border="1"> <tr><td>Peptone</td><td>17.00</td></tr> <tr><td>Agar</td><td>13.50</td></tr> <tr><td>Lactose</td><td>10.00</td></tr> <tr><td>Sodium chloride</td><td>5.00</td></tr> <tr><td>Bile salts</td><td>1.50</td></tr> <tr><td>Proteose peptone</td><td>3.00</td></tr> <tr><td>Neutral Red</td><td>0.03</td></tr> <tr><td>Crystal Violet</td><td>0.001</td></tr> </table> <p>Final pH at 25°C : 7.1 ± 0.2 <small>Formula standardized/adjusted to meet performance criteria.</small></p>	Peptone	17.00	Agar	13.50	Lactose	10.00	Sodium chloride	5.00	Bile salts	1.50	Proteose peptone	3.00	Neutral Red	0.03	Crystal Violet	0.001	<p>Directions :</p> <ul style="list-style-type: none"> ● Add 50.03 gm powder to distilled/ deionized water. ● Bring volume to 1.0 liter and mix thoroughly. ● Gently heat and bring to boiling. ● Autoclave at 15 psi pressure at 121°C for 15 minutes. 	<p>For Laboratory Use Only</p>
Peptone	17.00																			
Agar	13.50																			
Lactose	10.00																			
Sodium chloride	5.00																			
Bile salts	1.50																			
Proteose peptone	3.00																			
Neutral Red	0.03																			
Crystal Violet	0.001																			

for BioLit™ DNA & Protein Tools

<p> BioLit™ 92972(BLL001) 50 µg</p> <p>lot:5416089</p>	<p>92972 (BLL001) ProxiO 100bp DNA Ladder</p>  <p><small>Sisco Research Laboratories Pvt. Ltd. B-Plot Ind Estate, QF-8, 2nd, Andheri (E), Mumbai (S) India. ☎ +91 22 4268 5800 email: customercare@srlchem.com</small></p>	<p>Description : (This product includes 6x Orange DNA Loading Dye)</p> <p>The 100bp ladder is ideal for determining the size of double-stranded DNA from 100 to 1500 base pairs. The ladder consists of 11 linear double-stranded fragments. The 500bp fragment is present at increased intensity to allow easy identification. All fragments are precisely quantified and mixed during the production. For 5 µl loading, all fragments except 500bp are 40ng. The 500bp fragment is 100ng. This ladder is pre-mixed with loading dye and is ready to use.</p> <p>Recommended Loading: 5 µl/lane</p> <p>Composition: ProxiO: 100 µg/lane Orange DNA Loading Dye: 40 µg/lane</p> <p>Approximate Fragmentation: 100, 200, 300, 400, 500, 600, 700, 800, 900, 1000, 1100, 1200, 1300, 1400, 1500 bp</p> <p>Concentration: 10 µg/µl</p> <p>Storage: 1 year from manufacturing date in the unopened vial at 2-8°C.</p>
--	---	---



Website



Stock Check

Online COA

Consistently we follow in all aspects of our products and services continues even more comprehensively on our website. Some of the most revolutionary information we offer,

1. Interactive Product Pages

- Technical product specifications & print-ready Product Data sheets
 - (containing technical & application for each product)
- LIVE Stock Checks
 - Check the stocks of your desired product packing in real time at each of our
 - Manufacturing Sites
 - Distribution Depots
- Avail prices in more than 17 Global Currencies
- Access to H.S. Codes & MSDS of all products

2. Quick Links for viewing and downloads

- Product search by keywords, CAS, application, grade
- Certificate of Analysis (COA)
- Material Safety Data Sheet (MSDS)
- Latest Catalog Download
- Technical Product Brochures
- Picture gallery for product packaging

3. Online Transactions

- Get quotations
- Place Orders
- Ask us a Technical Query
- Apply for a position with us

4. Locate your nearest SRL Stockists & Distributor

- Indian Stockist network provided City-wise & State-wise
- Global Distributors provided country-wise

5. Multi-Lingual Display

- Read content in more than 80 Global languages of your \ preference

6. News and Information

- Follow our developments and road shows
- Path-breaking research developments in the Bioscience industry
- Latest SRL product offerings and highlights

7. Regulatory Certifications, now available online.

- Click and Download our
- ISO 9001-2015 Quality Management Certificate
 - FDA (Food & Drug Association) Certificate
 - CE (European Conformity) Certificate
 - GMP (Good Manufacturing Practices) Certificate

www.srlchem.com is ideal for researchers, scientists and customers who are always looking for new molecules, product information and availabilities at the click of a button!

Order your **CD** today...



Trademark & Grades of **SRL**

No part of this book may be reproduced by any mechanical, photographic or electronic process or in the form of a phonographic audio/audio visual recording, nor may it be stored in a retrieval system, transmitted or otherwise copied for public or private use, without written permission from the publisher.

Trademarks owned by Sisco Research Laboratories Pvt Ltd

Registered Trademarks

SRL[®] **Bio-Indenta**[®] **BioLit**[®] **SafeDye**[™] **ChroMed**[®]
Seralose[®] **FluroBronze**[®] **Seralite**[®] **Serabeads**[®] **ExiPlus**[®]

"All trademarks mentioned in the catalogue other than those mentioned here, are not property/owned by Sisco Research Laboratories Pvt. Ltd. (SRL)"

Grades of Purity

SRL products adhere to highest grades of quality. However, we understand that our multiple grades may tend to overlap and disorient users. The explanations below give an approximate representation of the **SRL** grades and most closely suited applications of our products.

AAS	Products for Atomic Absorption Spectroscopy specially suited for AAS instrumentation.
ACS/AR/Reagent Grade	Complying with the specifications of American Chemical Society (ACS) reference manuals/ANALAR specifications, for critical laboratory analysis and quality production applications.
Dried/Specially Dried	Containing highly reduced water content for 'anhydrous' reactions, synthesis and assay studies.
Cell Culture	Low endotoxin products specially suited for cell culture DNA, RNA, Genetics applications.
Electronic Grade	Very low ionic impurities and suited for electronics and high-end applications.
ExiPlus [™]	Complying with the compendial specifications of USP (United States Pharmacopoeia) or BP (British Pharmacopoeia) or Ph.Eur (European Pharmacopoeia) or all. For production, quality control and laboratory applications.
Extrapure	Purified grade suited for general laboratory or synthesis.
GC-HS	For Gas Chromatography assay. Suited for use in GC instrumentation with Head Space.
High Purity/Ultrapur	Having very high levels of assay/purity (typically 3N (99.9%), 4N (99.99%), 5N (99.999%) or more) as compared to similar products in their class/category. Specially synthesized and purified for critical applications with low elemental impurities.
HPCL/UV	For High Pressure Liquid Chromatography or Ultra Violet Spectroscopy. Suited for use in HPLC or UV instrumentation.
Microbiology/Bacteriology	For microbiological application and bacteriological studies.
Microscopy	Typically dyes, stains and indicators (powders and solutions) used for microscopy and histological applications.
Molecular Biology	For molecular biology, cell culture, tissue culture, genetics, and all such applications, tested 'non-detected' for DNase, RNase and Protease.
NMR Spectroscopy	Solvents for NMR studies suited to most advanced NMR instrumentation.
OAS	Organic Analytical Standard for reference studies.
Pure/Technical/Practical/Grade	General, commercial grade for synthesis and routine applications.
OAS/CHR/Reference Standard Grade	Organic Analytical Standard/Chromatographically Harmonized Reagent to be used as in reference studies as an analytically pure standard.
Scintillation	Ideal for scintillation studies.
Tissue Culture	Ideal for plant tissue culture application & studied.

For Pharmaceutical Grade Labelled Products

IP	Indian Pharmacopoeia.
BP	British Pharmacopoeia.
USP-NF	United States Pharmacopoeia & The National Formulary.

For Dehydrated Culture Media

Harmonized	Dehydrated media prepared as mentioned in ICH Guidelines.
Bacteriology	For microbiological application and bacteriological studies.
BactoBio/Bacto	For microbiological preparation and cell culture media.
(I/P)	Dehydrated media prepared as mentioned in IP (Indian Pharmacopoeia).
(U/P)	Dehydrated media prepared as mentioned in USP (United States Pharmacopoeia).
(B/S)	Dehydrated media prepared as mentioned in BIS (Bureau Of Indian Standards).
(I)	Dehydrated media prepared as mentioned in ISO (International Standards Organization) Guidelines.



Production Capabilities

We invite you to tour and audit our plant and discuss any queries with our technical team

Our Bulk Manufacturing facilities follow cutting edge bio-techniques for producing many of our specialized products in bulk volumes. Multi-purpose process vessels and unit operations ensure consistent high quality batch-after-batch in a timely manner.



Our production facilities include –

- SS & Glass-lined Reactors with distillation columns
- All Glass Reactors
- SS Centrifuges
- SS Nutsche Filters
- SS Sparkler Filters
- SS Pulverizers, Sifters and Blenders
- Vacuum Tray Dryers
- SS Rotocone Vacuum Dryers, etc.

To support these unit operations, our utilities include –

- Chilled Brine Plant
- Cooling Water and Chilled Water Plant
- Boiler and Oil Heating System
- High Pressure Vacuum System
- Micron-filter Air Purification System
- DM Water Plant, Nitrogen Plant, Scrubbers, etc.

Contact info@srlchem.com for more info.

Keeping strong the  quality promise.



Bulk Manufacturing & Custom Synthesis (BMCS) Business

Developing bulk specialty chemicals and customized new molecules in compliance with your in-house specifications supported by complete tech-packs.

Today, **SRL** is not only known for its high quality laboratory chemicals, but it is also been recognized as an important supplier of various fine chemicals as raw materials. Our company is manufacturing reagents and powders in bulk scale to meet the critical requirements of several industries that we serve. As a supplier of key technologies, we want to grow along with our customers in the pharmaceutical and biopharmaceutical industries. This expansion of capacity and modernization is our response to the growing global demand for and high requirements placed on quality and product safety for final pharmaceutical and biopharmaceutical formulations. SRL has an extensive product range and supports its customers in all phases of the drug manufacturing process, from research, quality control and commercial production, through to providing service in concrete safety and regulatory issues.

SRL's Bulk Manufacturing and Custom Synthesis (BMCS) business has broadened its production at our Talaja MIDC site to include existing and new bulk fine chemicals which are being manufactured at commercial scales. Production of the raw materials have been on since 2011 at this site and complements the existing offering of highly regulated active and non-active pharmaceutical ingredients manufactured here. Most of the products manufactured at the Talaja MIDC bulk plant facility meet and exceed IP, BP, USP & Ph. Eur regulation; follow Current Good Manufacturing Practices (cGMPs) for biopharmaceutical production; and comply with International Consortium for Innovation and Quality in Pharmaceutical Development.



Target Audience:

- Active Pharmaceutical Ingredients (API) (Human & Veterinary)
- Antibodies
- Biosimilars
- Biocides, Insecticides & Crop Sciences
- Bio-Fermentation (Upstream & Downstream)
- Blood Plasma
- Diagnostic Kit
- Excipients & Intermediates (Organic & Inorganic)
- Formulations (New & Generic)
- Home Care & Sanitation
- Hormones
- Injectables
- Neutraceuticals
- Peptides
- Personal Care Products
- Protein Purification
- Vaccines (Human & Veterinary)
- Carboxylation
- Cryogenic Reaction
- Cyclization
- Cyclo Addition (4 + 2, 4 + 3) Reaction
- Dehydration
- Esterification
- Formylation
- Friedel – Craft
- Grignard Reaction
- Heck Reaction
- Hydrochloride preparation
- Iodination
- Ion exchange Reactions
- Jones Oxidation
- Lithiation Chemistry
- Mignonac Reaction
- Mitsunobu Esterification
- Nitration
- Nitrosation
- Oximation
- Pachmann Condensation
- Perkin Reaction
- Sandmeyer Reaction
- Sonogashira Coupling
- Sulfonation
- Suzuki Coupling
- Swern Oxidation
- Williamson's Ether Synthesis
- Wittig-Homer Reaction

Reaction Capabilities:

- Acid Chloride Preparations
- Aldol & Crossed Aldol Reaction
- Assymmetric Reduction
- Bromination

We offer:

The BMCS division at the MIDC Talaja facility include difficult-to-source materials available from research-to commercial-scale volumes. The program takes advantage of SRL's purification, re-crystallization and distillation competencies to manufacture a short list of catalog products in the commercial product segment.

You will find our ExiPlus grade of products that are complying to the compendia specifications of Indian Pharmacopoeia (IP), British Pharmacopoeia (BP), United States Pharmacopoeia (USP), National Formulatory (NF) and European Pharmacopoeia (Ph. Eur). We are well versed in providing these products for production requirements. Alternately, our highly researched ACS and AR grades are anyway much better and stringent in their impurity limits and are also being used as raw materials in various industries. We also are highly skilled in providing additional value through quality documentation packages, readily-available inventory and multiple batches to support customer qualification activities



Tech-packs:

SRL not only provides the raw materials through its BMCS program, but we also cater to the strict documentation requirements which our customers ask. Since the last decade, India has become a hub for the regulated as well as the non-regulated pharmaceutical markets, and to serve them we offer complete vendor questionnaire documents with all the technical, commercial and ethical information that we can provide.

* Document support:

- Aflatoxin free statement
- Allergen free certificate
- Brief description of manufacturing locations, capabilities
- Certificate of analysis (COA) / Method of analysis (MOA)
- Company Organogram
- Dioxan free certificate
- GC, HPLC, NMR graphs
- Gluten free certificate
- Kosher & Halal certificate
- Latex free statement
- List of equipment and instrumentation
- Material safety data sheet (MSDS)
- Melamine free certificate
- Metal catalyst statement
- Microbial contamination certificate
- Quality management certificate (QMS)
- Residual solvent & impurity profiling
- Route of synthesis (ROS) / Process flow chart
- Stability data
- TSE/BSE Declaration
- Vendor Questionnaire (VQ)

Post Sales Support:

We at **SRL** take special care to value our customers with utmost seriousness post-sales. Customers requiring additional services of more document support, pre-shipment sampling for repeat orders, production planning for scale-up and addressing non-conformity issues are some of the areas which we address. In times of product rejections due to storage or any other issues, we provide a complete CAPA (Corrective And Preventive Action) analysis document and such documents are recorded for future product improvements.

Today we provide a helping hand to the world's top 100 pharmaceutical companies to file successful ANDA (Abbreviated New Drug Application) filings in both regulated and non-regulated markets. We are ready to partner with you, so do get in touch with us on marketing@srlchem.com



* Document support provided depends on individual product and its chemistry. Not all documents are available for all BMCS products.



ExiPlus Range

(Products confirming to the reagent specifications of USP, BP & Ph. EUR)

ExiPlus range of products has been carefully designed to meet the requirements of scientists working in the manufacture of drugs, active pharmaceutical ingredients, bio-pharmaceutical & nutraceutical products in semi-bulk or bulk scale. ExiPlus products are the safest and most reliable products to meet the needs of students, researchers working in quality control, research and development laboratories in premier institutions all over the world.

Offering more than 300 ExiPlus World-class reagents and biochemicals, that are manufactured in compliance with the reagent specifications of various pharmacopeia such as United States Pharmacopeia (USP), British Pharmacopeia (BP), European Pharmacopeia (Ph.Eur).

Take the ExiPlus advantage, why loose a good chance:

- ExiPlus for use as an excipient
- ExiPlus for use as an active pharmaceutical ingredient
- ExiPlus for use in biopharmaceutical production
- ExiPlus for use in nutraceutical production
- ExiPlus for use in critical research and development

The quality of our raw materials and our extensive documentation support enable you to do your work quickly and cost-effectively. With ExiPlus SRL provides its customers with a high level of safety in QC, R&D and production activities. We provide you with all necessary technical documents such as Product Data Sheets, CoA, MoA and other documentary support can be made available upon request.

ExiPlus will simplify your life so let's make life simple.

ACS Grade Reagents

(Products confirming to the reagent specifications set by the American Chemical Society Committee)

Our ACS grade of reagents and chemicals are manufactured and tested to meet the specifications set by the American Chemical Society (ACS) Committee on Analytical Reagents. The specifications listed in this catalog are based on the ACS Reagent Chemicals Tenth Edition.

SRL offers more than 200 reagents and chemicals complying with ACS grade reagent specifications of very high quality for use in laboratory for both quality control in academics and industries. They are superior grade reagents that are contaminant-free that are being preferred world-wide because of the stringent specifications set by the American Chemical Society (ACS) committee. Many customers of SRL want to purchase an ACS grade product instead of an AR grade product, however both grades of products are considered to be superior for routine analytical testing applications.

Some common Application of ACS grade products:

- ACS reagents for industrial cleaning purposes
- ACS reagents for routine quality control
- ACS reagents for chemical process development
- ACS reagents for commercial scale-up of manufacture
- ACS reagents for analytical applications wherein UV absorption is not critical
- ACS reagents for the metal & steel industry

We provide you with all necessary technical documents such as Product Data Sheets, CoA, MoA and other documentary support can be made available upon request. We provide many products in various pack sizes and also at affordable prices so that students and scientists can benefit from the ultrapure purity of the ACS grade reagent manufactured, tested and packed for the most stress-free and reliable experience.

Come and try our ACS grade, because it's worth it!

New Introductions

Part A - General Laboratory Chemicals & Solvents

Acetone VLSI Semiconductor Grade
40% Acrylamide / Bis-acrylamide Mix Solution (Ratio: 37.5:1)
Allantoin ExiPlus
Diallylamine
Ammonium Pyrrolidine Dithiocarbamate (APDC)
Barbituric Acid
Boron Trioxide Anhydrous (Boric Anhydride)
Boron Trioxide Anhydrous Granular (Boric Anhydride)
n-Butyl Chloride (1-Chlorobutane)
n-Butyl Chloride (1-Chlorobutane) for HPLC & UV Spectroscopy
Ceric Sulphate Tetrahydrate specially purified
Decane Sulphonic Acid Sodium Salt Anhydrous
Decane Sulphonic Acid Sodium Salt Monohydrate for HPLC
EDTA Trisodium Salt Hydrate
Ferrous Sulphide Fused Sticks
Gold Chloride Sodium
Gold Chloride Solution 30% in HCl
1-Hexadecene (Cetene)
DL-Histidine
Holmium (III) Oxide ultrapure
Isooctane GC-HS
Isopropanol (IPA) VLSI Semiconductor Grade
Lacto Fuchsin Staining Solution
Lactophenol Cotton Blue Solution
Lactophenol Mountant Solution
Lead (II) Nitrate AR, ACS
Lead (II) Oxide (Lead Monoxide, Litharge) & AR, ACS
Mercury (II) Amidochloride
1-Naphtholbenzein
Orthophosphoric Acid for HPLC & UV Spectroscopy
Potassium Pyrosulphate (Potassium Disulfate)
Rubidium (I) Chloride ultrapure
Silicone Oil
Silver Oxide
Sodium Dithionite
Sodium Formate, AR, ACS
Strontium Bromide (Strontium Dibromide)
Sulphanilamide ExiPlus
Sulphanilic Acid
Thioanisole
2-Thiobarbituric Acid (TBA)
Zinc Chloride AR, ACS
Zinc Metal Dust
Zinc Stearate

Part B - Bioreagents, Biochemicals & Specialty Fine Chemicals

Acriflavine Hydrochloride for molecular biology
Adrenaline Bitartrate (Epinephrine Bitartrate)
L-Adrenaline (L-Epinephrine)
Anthrone pure, 95%
Arachidic Acid
1-Cyclohexene-1-Carboxaldehyde
3-(Carbamimidoylthio)-1-Propanesulfonic Acid
1-Cyclohexene-1-Carboxylic Acid
3-Cyclohexene-1-Carboxaldehyde
Behenic Acid, 85%
Behenic Acid, 99%
Carbazole
Cefpodoxime (CFPD) free acid
2-Chloro-4-Nitrophenyl 4-O-b-D-Galactopyranosylmaltoside (Gal-G2-a-CNP, Gal CNPG2)
2-Chloro-3-Nitrotoluene
Diosgenine
Dithizone Reagent
Ethylhexyl Triazone
2-Fluoro-3-Nitrotoluene
4-Fluoro-3-Nitrotoluene extrapure, 98%
1,1,1,3,3,3-Hexafluoro-2-Propanol (HFIP)
Isobutyryl Chloride specially purified
Mecillinam (MCL)
Mesitriene
6-Methylmercaptopurine
Pentadecylic Acid
Polyguluronic Acid
Resazurin Sodium, 20-30%
Saponin ex. Gypsophila Roots for molecular biology
Sodium DL-Mandelate extrapure, 99%
Sulfacetamide Sodium Monohydrate extrapure, 99%-101%
Sulfadiazine Sodium Salt (SFD Sodium) extrapure, 99%
Sulpholane Anhydrous extrapure AR, 99%
Tert-Dodecylmercaptan (mix. of isomers) extrapure, 98.5%
1,2,4-Triazole Sodium extrapure, 98%



Part C - Nanopowders & Carbon Nanotubes

MXene Nanoflakes, Multilayer, 100-200nm

MXene Nanoflakes, 1-10 layers

Part D - Dehydrated Culture Media

Tryptone Soya Agar (TSA) w/Lecithin and Polysorbate 80 (SCDA Lecithin & Tween 80)

Part E - BioLit (DNA & Protein Tools)

Tth DNA Ligase Swift (5U/ul) Thermostable

Autoinduction Medium (AIM) Solution

Universal Restriction Enzyme Buffer (10X)

Express Coating Buffer (1X, pH 8.5) for Antigens and Antibodies

BioLit Plant DNA Extraction Mini Kit (Research)

Part L - Laboratory Accessories

Crucible Porcelain, Wide with Lid (2ml, 8ml, 17ml, 30ml, 50ml,

Crucible Porcelain, Tall with Lid (5ml, 10ml, 15ml, 30ml, 40ml)

Dish Evaporating Porcelain, (20ml, 40ml, 100ml)

Funnel Buchner, Porcelain, (35mm, 50mm, 60mm, 75mm)

Mortar & Pestle Set, (60ml, 100ml, 150ml, 275ml)

Part A

General Laboratory Chemicals & Solvents



Cell Culture Reagents

Amino Acids

- L-Alanine
- L-Arginine
- L-Asparagine Monohydrate
- L-Cysteine
- L-Cystine
- L-Glutamic Acid
- L-Lysine (free base) Anhydrous
- L-Proline
- L-Serine
- L-Threonine
- L-Tryptophan
- L-Tyrosine
- L-Valine

Antibiotics

- Ampicillin Sodium Salt (AMP-Na)
- Blastidicin S Hydrochloride
- Carbenicillin Disodium Salt
- Chloramphenicol (CFP)
- β -Cyclodextrin, base (BCD)
- Cycloheximide
- Erythromycin
- G-418 Sulphate (Geneticin)
- Gentamicin Sulphate (GM)
- Hygromycin B (HGR)
- Kanamycin Monosulphate (KM)
- Streptomycin Sulphate
- Tetracycline Hydrochloride (TC)

Buffers

- Glycine
- HEPES Buffer
- HEPES Sodium Salt
- Imidazole
- MES Hydrate Buffer
- PIPES Buffer
- Sodium Acetate Trihydrate

Carbohydrates & Derivatives

- Agar powder
- D-Fructose
- Gelrite Gellan Gum
- Lactose Monohydrate
- D-Maltose
- D-Mannose
- D-Ribose
- D-Sorbitol Powder
- Sucrose
- D-Trehalose Dihydrate

Dyes, Stains & Indicators

- Acridine Orange hemi (Zinc Chloride) Salt
- Alcian Blue
- Alizarin Red S
- DAPI Dihydrochloride (4,6-Diamidino-2-Phenylindole Dihydrochloride)
- New Methylene Blue N Zinc Chloride Double Salt
- Toluidine Blue O
- Trypan Blue
- Thiazolyl Blue Tetrazolium Bromide (MTT)

Enzyme Substrates

- 5-Bromo-4-Chloro-3-Indolyl-b-D Galactopyranoside (X-Gal)
- 5-Bromo-4-Chloro-3-Indolyl-B-D Glucuronide Cyclohexylammonium Salt
- 5-Bromo-4-Chloro-3-Indolyl-b-D Glucopyranoside (X-Glu, X-Glc)
- 5-Bromo-4-Chloro-3-Indolyl Phosphate Disodium Salt (BCIP)
- Nitro Blue Tetrazolium Chloride (Nitro BT) (NBT)

Inorganic Reagents

- Ammonium Chloride
- Ammonium Sulphate
- Calcium Chloride Dihydrate
- Ferrous Sulphate
- Magnesium Chloride Anhydrous
- Magnesium Chloride Hexahydrate
- Magnesium Sulphate Heptahydrate
- Potassium Acetate
- Potassium Chloride
- Potassium Dihydrogen Orthophosphate
- Potassium Phosphate Dibasic Anhydrous
- Potassium Sulphate
- Silver Nitrate
- Sodium Bicarbonate
- Sodium Chloride
- Sodium Phosphate Monobasic Anhydrous
- Zinc Chloride
- Zinc Sulphate Heptahydrate

Organic Reagents

- Adenine Sulphate
- Citric Acid Anhydrous
- Ferric Citrate Trihydrate
- Glutathione Oxidized (GSSG)
- Glutathione Reduced (GSH)
- Lactic Acid
- Polysorbate 20 (Tween 20)
- Putrescine Dihydrochloride
- Urea

Plant Growth Regulators

- Abscisic Acid
- DICAMBA (3,6-Dichloro-2-Methoxybenzoic Acid; 3,6-Dichloro-o Anisic Acid)
- 2,4-Dichlorophenoxyacetic Acid (2,4-D)
- EDTA Disodium Salt Dihydrate
- Gibberellic Acid (Ga3)
- Indole-3-Acetic Acid (IAA)
- Indole-3-Butyric Acid (IBA)
- Kinetin
- Naphthalene-1-Acetic Acid extrapure
- Thidiazuron (TDZ)
- Zeatin mixed Isomers

Proteins & Enzymes

- Albumin Bovine (pH 6.5-7.5) fraction V for tissue culture (Bovine Serum Albumin, BSA), 98%
- r-Albumin Human - Type LL ex. Yeast, 99% (Low Lipid)
- r-Albumin Human - Type Standard ACF ex. Plants, 97% (Animal Component Free)
- r-Albumin Human - Type EG ex. Yeast, 99% (Excipient use)
- r-Albumin Human - Type LE ex. Yeast, 98% (Low Endotoxin)
- r-CRP ex. E.Coli (Recombinant C-reactive protein)
- r-Insulin ex. Human
- r-Trypsin 1x Solution with EDTA in Phosphate Buffer for cell culture (AOF), 150U/ml
- r-Trypsin - Type Standard ACF ex. Porcine, 800U/mg

Vitamins

- L-Ascorbic Acid (Vitamin C)
- D-Biotin (Vitamin H)
- Folic Acid (Vitamin M)
- Inositol (Vitamin B8)
- Thiamine Hydrochloride (Vitamin B1 hydrochloride)
- DL- α -Tocopherol Acetate (Vitamin E Acetate)
- Vitamin B12 (Cyanocobalamin)

Code	Name	Packing	Price	Code	Name	Packing	Price
95237 [60-35-5]	Acetamide pure, 98%	500 Gms	750	12972 [666-52-4]	Acetone-d6 for NMR spectroscopy, 99.5 Atom %D	10 ml	10800
81658 [103-84-4]	Acetanilide extrapure, 99%	500 Gms	1250	75185 [666-52-4]	Acetone-d6 (with 1% TMS) for NMR spectroscopy, 99.5 Atom %D	10 ml	11250
68175 [103-84-4]	Acetanilide ExiPlus, Multi-Compendial, 99% meets compendial specs of USP	500 Gms	1530	49967 [75-05-8]	Acetonitrile (ACN) extrapure, 99%	500 ml 2500 ml 25 Ltr	670 2980 27480
18439 [64-19-7]	Acetic Acid 1N Aq. Solution	1000 ml	610	84578 [75-05-8]	Acetonitrile (ACN) extrapure AR, 99.5%	500 ml 2500 ml	700 3130
72690 [64-19-7]	Acetic Acid 2.5M Aq. Solution	1000 ml	650	82745 [75-05-8]	Acetonitrile (ACN) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 ml 2500 ml	820 3270
90868 [64-19-7]	Acetic Acid Glacial extrapure, 99.5%	500 ml 2500 ml 25 Ltr	240 1100 9000	90135 [75-05-8]	Acetonitrile (ACN) GC-HS, 99.9%	250 ml 500 ml 1000 ml	690 1040 1950
85801 [64-19-7]	Acetic Acid Glacial extrapure AR, 99.9%	500 ml 2500 ml	260 1250	58209 [75-05-8]	Acetonitrile (ACN) for HPLC & UV Spectroscopy, 99.9%	500 ml 2500 ml	920 3730
93602 [64-19-7]	Acetic Acid Glacial extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of USP, BP, Ph.Eur	500 ml 2500 ml	290 1350	24899 [75-05-8]	Acetonitrile (ACN) Gradient grade for HPLC, 99.9%	1000 ml 2500 ml	1950 4240
73215 [64-19-7]	Acetic Acid Dried, 99.9%, water 0.05%	500 ml 1000 ml	380 740	62006 [75-05-8]	Acetonitrile (ACN) for molecular biology, 99.9%	250 ml 500 ml	720 1080
32532 [64-19-7]	Acetic Acid for HPLC, 99.9%	500 ml 1000 ml	520 980	62076 [75-05-8]	Acetonitrile (ACN) for DNA synthesis, 99.9%	1000 ml 2500 ml	2230 5260
59788 [64-19-7]	Acetic Acid Glacial for molecular biology, 99.9%	100 ml 500 ml	520 1600	26483 [2206-26-0]	Acetonitrile-d3 for NMR spectroscopy, 99.8 Atom %D	10 Gms	13000
31566 [67-64-1]	Acetone pure, 99%	500 ml 2500 ml 25 Ltr	270 1100 10000	67418	Aceto Orcein	100 ml	440
66951 [67-64-1]	Acetone extrapure, 99%	500 ml 2500 ml	285 1150	15873 [98-86-2]	Acetophenone extrapure, 99%	500 ml 2500 ml	690 3030
15168 [67-64-1]	Acetone extrapure AR, 99.5%	500 ml 2500 ml	310 1250	22506 [98-86-2]	Acetophenone extrapure AR, 99.5%	500 ml 2500 ml	850 3570
27648 [67-64-1]	Acetone extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 ml 2500 ml	340 1350	96169 [123-54-6]	Acetylacetone extrapure, 99%	500 ml 2500 ml	900 4000
35007 [67-64-1]	Acetone Dried, 99%, water 0.005%	500 ml 2500 ml	380 1500	24212 [123-54-6]	Acetylacetone extrapure AR, 99.5%	250 ml 1000 ml	600 1750
89140 [67-64-1]	Acetone GC-HS, 99.9%	250 ml 500 ml 1000 ml	450 700 1050	39522 [3244-88-0]	Acid Fuchsin (C.I. No. 42685, Acid Violet 19, Fuchsin S, Fuchsin Acid, Rubine S)	25 Gms 100 Gms	650 2160
11340 [67-64-1]	Acetone for HPLC & UV Spectroscopy, 99.9%	500 ml 1000 ml 2500 ml	500 800 1550	50190 [123334-10-1]	Acid Fuchsin Calcium Salt (Acid Rubin), 60% (C.I. No. 42685) (Acid Magenta, Rubin S)	25 Gms 100 Gms	3610 13220
12312 [67-64-1]	Acetone electronic grade, 99.9%	1000 ml 2500 ml	850 1900	22794 [79-06-1]	Acrylamide extrapure, 99%	500 Gms 5 Kg	700 5760
55245 [67-64-1]	Acetone VLSI Semiconductor Grade, 99.5%	1000 ml 2500 ml	6000 13500	89314 [79-06-1]	Acrylamide 1x cryst. extrapure, 99.5%	100 Gms 500 Gms	500 1680
27498 [67-64-1]	Acetone for molecular biology, 99.8%	500 ml 2500 ml	550 2200	15657 [79-06-1]	Acrylamide 3x cryst. extrapure AR, 99.9%	100 Gms 500 Gms 1 Kg	700 2600 5000

Code	Name	Packing	Price	Code	Name	Packing	Price
61346 [79-06-1]	Acrylamide 3x cryst. for molecular biology, 99.9%	100 Gms	800	50683 [56-41-7]	L-Alanine ExiPlus, Multi-Compendial, 99%	100 Gms	740
		500 Gms	3200			500 Gms	2400
		1 Kg	5700			5 Kg	17500
29787 [79-06-1]	Acrylamide 40% aq. solution for molecular biology	250 ml	3000		meets compendial specs of USP, BP		
		500 ml	5400	87279	Alberts Stain A Solution	125 ml	160
24263	Acrylamide / Bis-acrylamide Premix Powder, Ratio 19:1	30 Gms	1140			500 ml	410
		200 Gms	5970	35652	Alberts Stain B Solution	125 ml	160
10762	Acrylamide / Bis-acrylamide Premix Powder, Ratio 29:1	30 Gms	1140			500 ml	410
		200 Gms	5970	17996 [63393-96-4]	Aliquat 336, 88% (Tricaprylylmethylammonium chloride)	250 ml	1870
74379	Acrylamide / Bis-acrylamide Premix Powder, Ratio 37.5:1	30 Gms	1140			1000 ml	7270
67394	30% Acrylamide / Bis-acrylamide Mix Solution (Ratio 29:1)	100 ml	1100	43805 [97-59-6]	Allantoin ExiPlus, 98.5% (5-Ureidohydantoin, Glyoxylic Acid Diureide)	100 Gms	500
		500 ml	4200			500 Gms	2000
92035	40% Acrylamide / Bis-acrylamide Mix Solution (Ratio: 37.5:1)	100 ml	1100			5 Kg	18500
		500 ml	4200	99564 [2244-11-3]	Alloxan Monohydrate extrapure, 98% (2,4,5,6-Tetraoxypyrimidine, 5,6-Dioxyuracil)	10 Gms	370
60452 [79-10-7]	Acrylic Acid (Stabilized) pure, 99%	500 ml	790			25 Gms	810
		2500 ml	3780	19093 [107-18-6]	Allyl Alcohol extrapure, 99%	100 Gms	3000
41666 [107-13-1]	Acrylonitrile (Stabilized) pure, 99%	500 ml	590			500 ml	920
		2500 ml	2580			2500 ml	4380
60064 [124-04-9]	Adipic Acid pure, 99%	500 Gms	580	69098 [107-11-9]	Allylamine pure, 99% (2-Propen-1-Ylamine, 3-Amino-1-Propene)	25 ml	1010
						100 ml	1570
38573 [124-04-9]	Adipic Acid ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms	700			250 ml	3130
				45953 [124-02-7]	Diallylamine extrapure, 99%	100 ml	1200
19661 [9002-18-0]	Agar powder regular grade for bacteriology	100 Gms	1030			500 ml	4400
		250 Gms	2220	73056 [106-95-6]	Allyl Bromide pure, 98% (3-Bromo-1-Propene)	250 ml	2500
		500 Gms	4260			500 ml	4800
		1 Kg	8400	92459 [107-05-1]	Allyl Chloride pure, 98% (3-Chloro-1-Propene)	500 ml	700
		5 Kg	40830			2500 ml	3350
85473 [9002-18-0]	Agar powder for tissue culture	100 Gms	1400	45262 [8007-69-0]	Almond Oil pure	500 ml	6810
		250 Gms	2450	54568 [142-03-0]	Aluminium Acetate Basic Hydrate (Aluminium Subacetate) extrapure, 98% (Aluminum Hydroxide Acetate Hydrate)	100 Gms	1180
		500 Gms	4670			500 Gms	2880
		5 Kg	44330	64132 [7784-26-1]	Aluminium Ammonium Sulphate Dodecahydrate pure, 99% (Ammonium Alum, Alum Ammonia, Ammonium Aluminium Sulphate)	500 Gms	260
24970 [9002-18-0]	Agar powder Bacto grade	100 Gms	1640				
26741 [8001-99-8]	Ajowan Seed Oil extrapure (Ajwain Oil)	100 ml	1290	83147 [7784-26-1]	Aluminium Ammonium Sulphate Dodecahydrate extrapure AR, 99.5% (Ammonium Alum, Alum Ammonia, Ammonium Aluminium Sulphate)	500 Gms	370
		500 ml	5330				
48863 [107-95-9]	β-Alanine extrapure CHR, 99%	25 Gms	300	61315 [7784-26-1]	Aluminium Ammonium Sulphate Dodecahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Ammonium Alum, Alum Ammonia, Ammonium Aluminium Sulphate) meets compendial specs of USP	500 Gms	400
		100 Gms	1010			5 Kg	3900
		1 Kg	8630	93606	Aluminium AAS Standard Solution in 1N HCl	100 ml	1500
71178 [56-41-7]	L-Alanine extrapure CHR, 99%	100 Gms	540			250 ml	2400
		500 Gms	1800	90015 [7784-13-6]	Aluminium Chloride Hexahydrate pure, 97%	500 Gms	750
		1 Kg	3300				
		5 Kg	14500	23700 [7784-13-6]	Aluminium Chloride Hexahydrate extrapure AR, 99%	500 Gms	800
71777 [56-41-7]	L-Alanine for tissue culture, 99%	100 Gms	650				
		500 Gms	2200				

Code	Name	Packing	Price	Code	Name	Packing	Price
35543 [21645-51-2]	Aluminium Hydroxide Gel extrapure AR, ExiPlus, Multi-Compendial	500 Gms 5 Kg	420 3600	55745 [915-67-3]	Amaranth (Acid Red 27) (C.I. 16185), 85-95%	25 Gms 100 Gms	180 630
	meets compendial specs of IP			57432 [83-07-8]	4-Aminoantipyrine (Amprone) extrapure AR, 99% (4-Amino-2,3-Dimethyl-1-Phenyl-3-Pyrazolin-5-One)	25 Gms 100 Gms 250 Gms	1190 4600 11100
12283 [555-31-7]	Aluminium Isopropoxide (powder) extrapure, 98% (AIP, Aluminum Isopropylate, Aluminum Triisopropoxide, 2-Propanol Aluminium Salt)	500 Gms 5 Kg	850 8200	82623 [60-32-2]	6-Aminocaproic Acid extrapure, 99% (6-Aminohexanoic Acid)	25 Gms 100 Gms 500 Gms	1190 3780 18360
57395 [7429-90-5]	Aluminium Metal powder, 99%, -325 mesh	500 Gms	740	85996 [60-32-2]	Aminocaproic Acid IP (6-Aminohexanoic Acid, 6-Aminocaproic Acid IP)	1 Kg 5 Kg	32000 150000
92309 [7784-27-2]	Aluminium Nitrate Nonahydrate extrapure, 98%	500 Gms 5 Kg	380 3200	99093 [60-32-2]	Aminocaproic Acid BP, 98.5-101% (6-Aminohexanoic Acid, 6-Aminocaproic Acid BP)	1 Kg 5 Kg	32000 150000
19302 [7784-27-2]	Aluminium Nitrate Nonahydrate extrapure AR, ACS, 98.5%	500 Gms	800	50445 [60-32-2]	Aminocaproic Acid USP, 98.5-101% (6-Aminohexanoic Acid, 6-Aminocaproic Acid USP)	1 Kg 5 Kg	36000 160000
58095 [24304-00-5]	Aluminium Nitride (AlN) pure, 98%, ~635 mesh	5 Gms 50 Gms 250 Gms	3000 4080 19200	78719 [1336-21-6]	Ammonia Solution extrapure AR, 25% (Ammonium Hydroxide 25%)	500 ml 2500 ml	210 640
66289 [1344-28-1]	Aluminium Oxide Activated (Acidic) (Alumina)	500 Gms 5 Kg 25 Kg	540 5150 24720	14388 [1336-21-6]	Ammonia Solution extrapure AR, 30% (Ammonium Hydroxide 30%)	500 ml 2500 ml	250 710
71461 [1344-28-1]	Aluminium Oxide Activated (Acidic) (Alumina) ExiPlus, Multi-Compendial meets compendial specs of USP, BP	500 Gms 5 Kg	560 5460	44683 [631-61-8]	Ammonium Acetate extrapure AR, 98%	500 Gms	310
34321 [1344-28-1]	Aluminium Oxide Activated (Basic) (Alumina)	500 Gms 5 Kg 25 Kg	430 4010 18920	62778 [631-61-8]	Ammonium Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, BP, Ph.Eur	500 Gms	340
61492 [1344-28-1]	Aluminium Oxide Activated (Basic) (Alumina) ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	500 Gms 5 Kg	460 4150	78844 [631-61-8]	Ammonium Acetate for HPLC, 99%	500 Gms	630
39882 [1344-28-1]	Aluminium Oxide activated (Neutral) (Alumina)	500 Gms 5 Kg 25 Kg	450 4230 20170	37829 [631-61-8]	Ammonium Acetate for molecular biology, 98%	100 Gms 500 Gms	310 870
62690 [1344-28-1]	Aluminium Oxide G (Neutral) (Alumina G)	500 Gms 5 Kg	600 5670	26757 [1066-33-7]	Ammonium Bicarbonate extrapure AR (Ammonium Hydrogen Carbonate), 99%	500 Gms 5 Kg	280 2700
34641 [7784-24-9]	Aluminium Potassium Sulphate Dodecahydrate extrapure, 99% (Potash Alum, Potassium Aluminium Sulphate)	500 Gms 2.5 Kg	240 1020	38586 [7789-09-5]	Ammonium Dichromate pure, 98% (Ammonium Bichromate)	500 Gms 5 Kg	880 8500
42889 [7784-24-9]	Aluminium Potassium Sulphate Dodecahydrate extrapure AR, 99.5% (Potash Alum, Potassium Aluminium Sulphate)	500 Gms 2.5 Kg	280 1320	67077 [7789-09-5]	Ammonium Dichromate extrapure AR, ACS, 99.5% (Ammonium Bichromate)	500 Gms 5 Kg	960 9250
42550 [7784-24-9]	Aluminium Potassium Sulphate Dodecahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Potash Alum, Potassium Aluminium Sulphate) meets compendial specs of USP, BP	500 Gms 2.5 Kg	325 1600	13664 [1341-49-7]	Ammonium Bifluoride pure, 98%	500 Gms 5 Kg	570 4900
53016 [7784-31-8]	Aluminium Sulphate Octadecahydrate extrapure, 98%	500 Gms	220	95407 [31886-41-6]	Ammonium Bismuth Citrate extrapure AR, 43-46% Bi	100 Gms 500 Gms	1480 5650
11820 [569-58-4]	Aluminon extrapure (Aurintricarboxylic Acid Ammonium Salt, ATA, Ammonium Aurintricarboxylate)	10 Gms 25 Gms	420 960	46813 [12124-97-9]	Ammonium Bromide pure, 99%	500 Gms 5 Kg	1100 10500
				40553 [16774-21-3]	Ammonium Ceric Nitrate extrapure AR, 99% (Ammonium Cerium (IV) Nitrate, Ceric Ammonium Nitrate)	100 Gms 250 Gms	1100 2430

Code	Name	Packing	Price	Code	Name	Packing	Price
42077 [16774-21-3]	Ammonium Ceric Nitrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Ammonium Cerium (IV) Nitrate, Ceric Ammonium Nitrate) meets compendial specs of BP	100 Gms	1460	27858 [540-69-2]	Ammonium Formate extrapure AR, 98% (Formic Acid Ammonium Salt)	500 Gms	370
		250 Gms	3030			5 Kg	3500
42725 [16774-21-3]	Ammonium Ceric Nitrate 0.05N Solution	500 ml	370	50504 [540-69-2]	Ammonium Formate extrapure AR, ExiPlus, Multi-Compendial, 98% (Formic Acid Ammonium Salt) meets compendial specs of BP, Ph.Eur	500 Gms 5 Kg	410 3900
38134 [10378-47-9]	Ammonium Ceric Sulphate Dihydrate extrapure AR, 99% (Ammonium Cerium (IV) Sulphate Dihydrate)	100 Gms	1370	51775 [12027-06-4]	Ammonium Iodide extrapure, 99%	50 Gms	2400
		500 Gms	4120			100 Gms	4300
23757 [10378-47-9]	Ammonium Ceric Sulphate Dihydrate extrapure AR, ACS, 99% (Ammonium Cerium (IV) Sulphate Dihydrate)	100 Gms	1610			250 Gms	9900
		500 Gms	4480	23185 [7803-55-6]	Ammonium Metavanadate extrapure, 98%	100 Gms 500 Gms	900 4300
25103 [12125-02-9]	Ammonium Chloride extrapure AR, 99.5%	500 Gms	290	15068 [7803-55-6]	Ammonium Metavanadate extrapure AR, 99%	100 Gms	1050
		5 Kg	2700			500 Gms	4500
		25 Kg	12980	94314 [7803-55-6]	Ammonium Metavanadate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP	100 Gms 500 Gms	1160 4600
96452 [12125-02-9]	Ammonium Chloride extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms	340	69429 [12054-85-2]	Ammonium Molybdate Tetrahydrate pure, 98% (Ammonium Heptamolybdate)	100 Gms	1600
16992 [12125-02-9]	Ammonium Chloride for molecular biology, 99.5%	500 Gms	660			250 Gms	3950
		35309 [12125-02-9]	Ammonium Chloride for tissue culture, 99.5%			500 Gms 5 Kg	420 2900
11505 [3458-72-8]	Ammonium Citrate Tribasic (Triammonium Hydrogen Citrate) extrapure AR, 98.5%	500 Gms	910	10299 [12054-85-2]	Ammonium Molybdate Tetrahydrate extrapure AR, 99% (Ammonium Heptamolybdate)	100 Gms	1800
35442 [1185-57-5]	Ammonium Ferric Citrate pure, 16.5-22.5% (Ammonium Iron (III) Citrate)	500 Gms	550			250 Gms	4300
		5 Kg	5100	500 Gms	8450		
63571 [7783-83-7]	Ammonium Ferric Sulphate Dodecahydrate extrapure, 98% (Ammonium Iron (III) Sulphate Dodecahydrate, Ferric Alum)	500 Gms	310	82615 [12054-85-2]	Ammonium Molybdate Tetrahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Ammonium Heptamolybdate) meets compendial specs of USP, BP, Ph.Eur	100 Gms 250 Gms 500 Gms	1900 4400 8700
29168 [7783-83-7]	Ammonium Ferric Sulphate Dodecahydrate extrapure AR, ACS, 99% (Ammonium Iron (III) Sulphate Dodecahydrate, Ferric Alum)	500 Gms	370	32910 [27546-07-2]	Ammonium Dimolybdate extrapure, 99%, 56.5% Mo	100 Gms	2000
		89944 [7783-85-9]	Ammonium Ferrous Sulphate Hexahydrate extrapure, 98% (Diammonium Iron (II) Sulphate Hexahydrate)			500 Gms 1 Kg 5 Kg	220 390 1840
61732 [7783-85-9]	Ammonium Ferrous Sulphate Hexahydrate extrapure AR, ACS, 99% (Diammonium Iron (II) Sulphate Hexahydrate)	500 Gms	330	85044 [7785-20-8]	Ammonium Nickel Sulphate Hexahydrate pure, 98% (Diammonium Nickel (II) Sulphate Hexahydrate)	500 Gms	1450
		5 Kg	3030			55517 [7785-20-8]	Ammonium Nickel Sulphate Hexahydrate extrapure AR, 98% (di-Ammonium nickel (II) sulphate hexahydrate)
11605 [13826-83-0]	Ammonium Fluoroborate pure, 98% (Ammonium fluoroborate, Ammonium tetrafluoroborate)	100 Gms	750	85084 [6009-70-7]	Ammonium Oxalate Monohydrate extrapure, 98%	500 Gms	350
		500 Gms	1700			72913 [6009-70-7]	Ammonium Oxalate Monohydrate extrapure AR, 99%
49813 [12125-01-8]	Ammonium Fluoride pure, 98%	500 Gms	950	53621 [6009-70-7]	Ammonium Oxalate Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms	440
38431 [12125-01-8]	Ammonium Fluoride ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of USP	500 Gms	1310			82381 [7727-54-0]	Ammonium Persulphate (APS) pure, 98% (Ammonium Peroxodisulphate)
		25142 [540-69-2]	Ammonium Formate pure, 98% (Formic Acid Ammonium Salt)	500 Gms 5 Kg	345 3300	84569 [7727-54-0]	Ammonium Persulphate (APS) extrapure AR, 99% (Ammonium Peroxodisulphate)

Code	Name	Packing	Price	Code	Name	Packing	Price
29534 [7727-54-0]	Ammonium Persulphate (APS) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Ammonium Peroxodisulphate) meets compendial specs of BP, Ph.Eur	500 Gms	450	82126 [7783-20-2]	Ammonium Sulphate for molecular biology, 99.5%	250 Gms	720
		5000 Gms	4350			500 Gms	1410
						5 Kg	13010
28575 [7727-54-0]	Ammonium Persulphate (APS) for electrophoresis, 99% (Ammonium Peroxodisulphate)	25 Gms	220	95876 [3164-29-2]	Ammonium Tartrate Dibasic pure, 99%	250 Gms	670
		100 Gms	680			500 Gms	1280
65553 [7727-54-0]	Ammonium Persulphate (APS) for molecular biology, 99% (Ammonium peroxodisulphate)	25 Gms	240	56357 [3164-29-2]	Ammonium Tartrate Dibasic extrapure AR, 99%	250 Gms	720
		100 Gms	600			500 Gms	1400
		500 Gms	1950				
30468 [7783-28-0]	Ammonium Phosphate Dibasic extrapure AR, 99% (Diammonium Hydrogen Orthophosphate)	500 Gms	520	81016 [1762-95-4]	Ammonium Thiocyanate extrapure AR, 99%	500 Gms	690
		5 Kg	5000				
65984 [7783-28-0]	Ammonium Phosphate Dibasic extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Diammonium Hydrogen Orthophosphate) meets compendial specs of USP, Ph.Eur	500 Gms	590	70158 [1762-95-4]	Ammonium Thiocyanate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms	720
		5 Kg	5700				
61563 [7722-76-1]	Ammonium Phosphate Monobasic extrapure AR, 99% (Ammonium Dihydrogen Orthophosphate)	500 Gms	500	67550 [123-92-2]	Amyl Acetate pure, 98% (Isoamyl Acetate)	500 ml	560
		5 Kg	4850			2500 ml	1920
58611 [7722-76-1]	Ammonium Phosphate Monobasic extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Ammonium Dihydrogen Orthophosphate) meets compendial specs of USP	500 Gms	570	28605 [71-41-0]	n-Amyl Alcohol (1-Pentanol) pure, 99%	500 ml	850
		5 Kg	5500			2500 ml	3800
24678 [7722-76-1]	Ammonium Phosphate Monobasic for HPLC, 99%	500 Gms	1200	31906 [71-41-0]	n-Amyl Alcohol (1-Pentanol) extrapure AR, ACS, 99%	500 ml	1100
						2500 ml	4300
96648 [5108-96-3]	Ammonium Pyrrolidine Dithiocarbamate (APDC) extrapure, 99% (1-Pyrrolidinecarbodithioic Acid Ammonium Salt, Ammonium pyrrolidinecarbodithioate, PDC)	10 Gms	2300	83344 [28983-56-4]	Aniline Blue (water soluble) (Methyl Blue) (Acid Blue 93)	25 Gms	700
		25 Gms	5100			100 Gms	2430
50012 [7773-06-0]	Ammonium Sulphamate (High Purity) ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	100 Gms	500	22285 [62-53-3]	Aniline extrapure AR, 99.5%	500 ml	560
		500 Gms	2410			2500 ml	2560
62419 [7773-06-0]	Ammonium Sulphamate (High Purity) extrapure AR, 99.5%	100 Gms	650	46774 [142-04-1]	Aniline Hydrochloride pure, 99%	250 Gms	710
		500 Gms	2970			500 Gms	1260
88064 [7783-20-2]	Ammonium Sulphate extrapure AR, 99.5%	500 Gms	250	69980 [542-16-5]	Aniline Sulphate pure, 98% (Aminobenzene, Phenylamine, Benzenamine)	250 Gms	780
		5 Kg	1950			500 Gms	1450
		25 Kg	9630				
88004 [7783-20-2]	Ammonium Sulphate for tissue culture, 99.5%	500 Gms	260	36381 [104-94-9]	p-Anisidine pure, 98% (4-Aminoanisole, 4-Methoxyaniline)	100 Gms	330
		5 Kg	1950			500 Gms	1510
26339 [7783-20-2]	Ammonium Sulphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 Gms	270	41010 [120-12-7]	Anthracene extrapure, 99%	25 Gms	840
		5 Kg	2160			100 Gms	2640
92567 [7783-20-2]	Ammonium Sulphate Enzyme grade, 99.5%	250 Gms	370	61273 [120-12-7]	Anthracene (High Purity) scintillation grade, 99.7% (Anthracene extrapure scintillation grade)	250 Gms	1550
		1 Kg	1310			100 Gms	5800
						250 Gms	14210
				78531 [84-65-1]	Anthraquinone pure, 98% (9,10-Anthraquinone, Anthradione)	25 Gms	340
						500 Gms	1160
				97400	Antimony AAS Standard Solution in 2N HCl	100 ml	1500
						250 ml	2400
				66105 [7440-36-0]	Antimony Metal Lumps, 98%	100 Gms	900
				12042 [7440-36-0]	Antimony Metal Powder extrapure, 99%, -200 mesh	250 Gms	2390
				67577 [7440-36-0]	Antimony Metal Ingots ultrapure, 99.999%	10 Gms	5570
						25 Gms	11450
				47448 [28300-74-5]	Antimony Potassium Tartrate Hemihydrate pure, 98%	250 Gms	1240
						500 Gms	2310
				83896 [28300-74-5]	Antimony Potassium Tartrate Hemihydrate extrapure AR, 99.5%	100 Gms	620
						500 Gms	2540

Code	Name	Packing	Price	Code	Name	Packing	Price
60274 [10025-91-9]	Antimony Trichloride pure, 98%	100 Gms 500 Gms	750 3400	84025 [56-84-8]	L-Aspartic Acid extrapure CHR, 99%	100 Gms 500 Gms 1 Kg 5 Kg	400 1500 2400 11000
63365 [10025-91-9]	Antimony Trichloride extrapure AR, 99%	100 Gms 500 Gms	820 3550	81245 [56-84-8]	L-Aspartic Acid ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	100 Gms 1 Kg	460 2700
97628 [10025-91-9]	Antimony Trichloride extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms 500 Gms	1060 3800	78087 [2465-27-2]	Auramine O (C.I. No. 41000, Basic Yellow 2)	25 Gms 100 Gms 500 Gms	170 440 1620
37157 [1309-64-4]	Antimony Trioxide extrapure, 99%	100 Gms 500 Gms	700 3000	16411 [67-52-7]	Barbituric Acid extrapure, 99% (2,4,6-Trihydroxypyrimidine, Malonylurea)	100 Gms 500 Gms	800 3000
98063 [1309-64-4]	Antimony Trioxide extrapure AR, 99%	100 Gms 500 Gms	800 3300	21154 [67-52-7]	Barbituric Acid extrapure AR, 99% (2,4,6-Trihydroxypyrimidine, Malonylurea)	25 Gms 100 Gms	340 1350
82829 [1345-04-6]	Antimony Trisulfide pure, 98%	500 Gms	3670	10013 [543-80-6]	Barium Acetate extrapure, 98%	500 Gms 5 Kg	1000 9000
24766 [68425-36-5]	Arachis Oil pure (Peanut Oil)	250 ml 500 ml	1280 2040	16985 [543-80-6]	Barium Acetate extrapure AR, 99%	500 Gms 5 Kg	1300 12000
66637 [74-79-3]	L-Arginine (free base) extrapure CHR, 99%	100 Gms 1 Kg 5 Kg	600 5000 23500	45569 [543-80-6]	Barium Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	500 Gms	1500
16178 [74-79-3]	L-Arginine for tissue culture, 99%	100 Gms 1 Kg	720 5330	56009	Barium AAS Standard Solution in 0.5N HNO3	100 ml 250 ml	1500 2400
17863 [74-79-3]	L-Arginine (free base) ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	25 Gms 100 Gms 1 Kg 5 Kg	300 880 6000 27500	32005 [7791-28-8]	Barium Bromide Dihydrate extrapure, 98%	500 Gms	1600
55453 [1119-34-2]	L-Arginine Hydrochloride extrapure CHR, 99%	100 Gms 1 Kg 5 Kg	600 4800 21000	35145 [513-77-9]	Barium Carbonate pure, 98.5%	500 Gms	400
23006 [50-81-7]	L-Ascorbic Acid extrapure AR, 99.7% (Vitamin C)	100 Gms 500 Gms 5 Kg	330 940 7600	58434 [513-77-9]	Barium Carbonate extrapure AR, 99%	500 Gms	1050
40704 [50-81-7]	L-Ascorbic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.7% (Vitamin C) meets compendial specs of BP	100 Gms 500 Gms 5 Kg	390 1050 9200	66323 [513-77-9]	Barium Carbonate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	500 Gms	1200
14116 [50-81-7]	L-Ascorbic Acid for molecular biology, 99.7% (Vitamin C)	25 Gms 100 Gms 500 Gms	240 540 1400	78118 [10326-27-9]	Barium Chloride Dihydrate pure, 99%	500 Gms 5 Kg	300 2600
32488 [50-81-7]	L-Ascorbic Acid for tissue culture, 99.7% (Vitamin C)	100 Gms 500 Gms	450 1250	68554 [10326-27-9]	Barium Chloride Dihydrate extrapure AR, 99%	500 Gms 5 Kg	380 3600
12535 [5743-28-2]	L-Ascorbic Acid Calcium Salt Dihydrate extrapure, 99% (Calcium-L-Ascorbate Dihydrate)	100 Gms 500 Gms	900 3500	92996 [10326-27-9]	Barium Chloride Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms 5 Kg	420 3900
65265 [134-03-2]	L-Ascorbic Acid Sodium Salt extrapure, 99% (Sodium-L-Ascorbate, Vitamin C Sodium Salt)	100 Gms 500 Gms	380 1850	49669 [10294-40-3]	Barium Chromate pure, 98%	500 Gms	1620
64848 [617-45-8]	DL-Aspartic Acid extrapure CHR, 99%	100 Gms 500 Gms 1 Kg	560 2600 4500	86732 [7787-32-8]	Barium Fluoride pure, 97%	500 Gms	1540
				85499 [12230-71-6]	Barium Hydroxide Octahydrate pure, 98%	500 Gms 5 Kg	300 2800
				43469 [12230-71-6]	Barium Hydroxide Octahydrate extrapure AR, 98%	500 Gms	430

Code	Name	Packing	Price	Code	Name	Packing	Price
84482 [12230-71-6]	Barium Hydroxide Octahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, BP, Ph.Eur	500 Gms 5 Kg	580 5600	31332 [1076-43-3]	Benzene-d6 for NMR spectroscopy, 99.5 Atom %D	10 ml	9500
10290 [10022-31-8]	Barium Nitrate extrapure, 98%	500 Gms 5 Kg	600 5600	27094 [121-54-0]	Benzethonium Chloride extrapure, 98% (Hyamine 1622, (Diisobutylphenoxyethoxyethyl)dimethyl benzylammonium Chloride, Phemerol Chloride)	25 Gms 100 Gms 250 Gms	1400 3000 6500
88030 [10022-31-8]	Barium Nitrate extrapure AR, ACS, 99%	500 Gms	850	36805 [65-85-0]	Benzoic Acid pure, 99.5%	500 Gms 5 Kg	350 2900
80355 [7727-43-7]	Barium Sulphate extrapure, 97%	500 Gms 5 Kg	270 2400	64239 [65-85-0]	Benzoic Acid extrapure AR, 99.9%	500 Gms 5 Kg	430 3900
90115 [7727-43-7]	Barium Sulphate extrapure AR, 98%	500 Gms 5 Kg	410 3900	10105 [65-85-0]	Benzoic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of BP	500 Gms 5 Kg	500 4100
40251 [7727-43-7]	Barium Sulphate extrapure AR, ExiPlus, Multi-Compendial, 98% meets compendial specs of Ph.Eur	500 Gms 5 Kg	480 4500	56626 [93-97-0]	Benzoic Anhydride pure, 98%	100 Gms 500 Gms	1800 7500
24031 [8012-89-3]	Bees Wax pure	500 Gms	800	56518 [119-53-9]	Benzoin extrapure, 99%	100 Gms 250 Gms	500 770
82949	Benedict's Reagent Quantitative	500 ml 2500 ml	380 1750	51448 [119-61-9]	Benzophenone extrapure, 99% (Diphenylketone)	500 Gms	1200
35003	Benedict's Reagent Qualitative	500 ml 2500 ml	280 750	42810 [119-61-9]	Benzophenone ExiPlus, Multi-Compendial, 99% (Diphenylketone) meets compendial specs of USP, BP, Ph.Eur	500 Gms	1400
92118 [1302-78-9]	Bentonite pure (Aluminium Silicate Hydrate)	500 Gms 5 Kg	220 2080	98101 [95-14-7]	Benzotriazole pure, 97%	100 Gms 250 Gms 1 Kg	450 900 3000
37278 [100-52-7]	Benzaldehyde pure, 99%	500 ml 2500 ml 25 Ltr	500 2200 18000	92300 [100-51-6]	Benzyl Alcohol extrapure, 99%	500 ml 1000 ml 2500 ml 25 Ltr	500 900 2000 19000
34087 [100-52-7]	Benzaldehyde extrapure AR, 99%	500 ml 2500 ml	620 2500	97005 [100-51-6]	Benzyl Alcohol extrapure AR, 99%	500 ml 1000 ml 2500 ml	620 1050 2200
82149 [100-52-7]	Benzaldehyde extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	500 ml 2500 ml	750 2800	84758 ① [100-51-6]	Benzyl Alcohol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.7%, aldehyde 100ppm meets compendial specs of USP, Ph.Eur	500 ml 2500 ml	1040 4000
43648 [68391-01-5]	Benzalkonium Chloride (BKC), 50% soln in water	500 ml 5 Ltr	420 3200	84199 [120-51-4]	Benzyl Benzoate pure, 99%	500 ml 2500 ml	700 3200
87688 [55-21-0]	Benzamide pure, 98%	100 Gms 500 Gms	300 1200	28482 [100-44-7]	Benzyl Chloride extrapure, 99%	500 ml 2500 ml	470 1890
99515 [71-43-2]	Benzene extrapure (Sulphur free), 99%	500 ml 2500 ml 25 Ltr	210 850 8200	41322 [5892-10-4]	Bismuth (III) Carbonate Basic pure, 80% (Bismuth Subcarbonate)	100 Gms	1130
16410 [71-43-2]	Benzene extrapure AR, 99.7%	500 ml 2500 ml	250 1020	51451 [7787-60-2]	Bismuth (III) Chloride pure, 99% (Bismuth Trichloride)	100 Gms	1870
58857 [71-43-2]	Benzene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.7% meets compendial specs of USP, BP, Ph.Eur	500 ml 2500 ml	280 1180	82797 [99-26-3]	Bismuth (III) Gallate Basic ExiPlus, Multi-Compendial, 52-57% (Bismuth Subgallate, Gallic Acid Bismuth Basic Salt) meets compendial specs of USP	100 Gms 500 Gms	1400 6000
95582 [71-43-2]	Benzene GC-HS, 99.9%	500 ml 1000 ml	500 950				
36823 [71-43-2]	Benzene for HPLC & UV Spectroscopy, 99.8%	500 ml 1000 ml	380 700				
69981 [71-43-2]	Benzene Dried, 99.7%, water 0.005%	1000 ml	770				

Code	Name	Packing	Price	Code	Name	Packing	Price
80053 [7440-69-9]	Bismuth Metal Lumps, 99.5%	100 Gms 500 Gms	650 2500	49617 [633-03-4]	Brilliant Green (Cl No. 42040)	25 Gms 100 Gms 1 Kg	240 700 5990
24008 [7440-69-9]	Bismuth Metal Ingots ultrapure, 99.99%	10 Gms 50 Gms	1800 6000	93883 [9002-92-0]	Brij-30® (Polyethylene Glycol Dodecyl Ether, Brij-L4)	500 ml 1000 ml	1250 2300
72217 [7440-69-9]	Bismuth Metal Powder extrapure, 99%, -325 mesh	100 Gms 500 Gms	1600 6000	89429 [9002-92-0]	Brij-35® (Main Component) (Polyoxyethylene Lauryl Ether, Brij-L23)	250 Gms 500 Gms	750 1300
29444	Bismuth AAS Standard Solution in 0.5N HNO₃	100 ml 250 ml	1500 2400	97698 [9002-92-0]	Brij-35® (30% Aq. solution) (Polyoxyethylene Lauryl Ether, Brij-L23)	100 ml 500 ml	610 970
72918 [10035-06-0]	Bismuth (III) Nitrate Pentahydrate extrapure, 98% (Bismuth Trinitrate Pentahydrate)	100 Gms 500 Gms	530 2300	43808 [9004-95-9]	Brij-58® (Polyethylene Glycol Cetyl Ether, Cetomacrogol 1000, C16H20)	500 Gms	1200
19737 [10035-06-0]	Bismuth (III) Nitrate Pentahydrate extrapure AR, 98.5% (Bismuth Trinitrate Pentahydrate)	100 Gms 500 Gms	650 2900	64062 [76-60-8]	Bromocresol Green (BCG) extrapure AR	5 Gms 25 Gms	760 3590
84869 [10035-06-0]	Bismuth (III) Nitrate Pentahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 98.5% (Bismuth Trinitrate Pentahydrate) meets compendial specs of BP, Ph.Eur	100 Gms 500 Gms	720 3200	52512 [76-60-8]	Bromocresol Green (BCG) ACS, ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	5 Gms 25 Gms	820 3840
89049 [1304-76-3]	Bismuth (III) Oxide extrapure, 99% (Dibismuth Trioxide)	100 Gms 500 Gms	900 3300	11456 [62625-32-5]	Bromocresol Green Sodium Salt (water soluble) ACS (3',3',5',5'-Tetrabromo-m-Cresolsulfonophthalein Sodium Salt)	5 Gms 25 Gms	700 2940
32915 [1304-85-4]	Bismuth (III) Nitrate Basic extrapure AR, 79% BiNO₃ (Bismuth (III) Subnitrate, Bismuth (III) Oxynitrate)	100 Gms 500 Gms	1200 5000	17375 [115-40-2]	Bromocresol Purple	5 Gms 25 Gms	300 1020
18473 [7787-68-0]	Bismuth (III) Sulphate pure, 90% (Bismuth Trisulphate)	100 Gms 500 Gms	1000 4200	24836 [62625-30-3]	Bromocresol Purple Sodium Salt for molecular biology (5,5-Dibromo-o-Cresolsulfonophthalein Sodium Salt)	5 Gms 25 Gms	300 750
17798 [108-19-0]	Biuret extrapure AR, 97% (Allophanic Acid Amide, Carbamoylurea)	25 Gms 100 Gms	1150 4100	55551 [115-40-2]	Bromocresol Purple ACS, ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	5 Gms 25 Gms	390 1150
18952 [10043-35-3]	Boric Acid extrapure, 99.5%	500 Gms 5 Kg	350 3300	77644 [75-25-2]	Bromoform extrapure, 98% (Tribromomethane)	250 ml	7000
80266 [10043-35-3]	Boric Acid extrapure AR, 99.5%	500 Gms 5 Kg	500 4420	44669 [75-25-2]	Bromoform Specially Purified extrapure, 99% (Tribromomethane)	250 ml	7500
61871 [10043-35-3]	Boric Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms 5 Kg	550 5000	11458 [115-39-9]	Bromophenol Blue extrapure AR	5 Gms 25 Gms	220 810
22311 [10043-35-3]	Boric Acid for molecular biology, 99.5%	250 Gms 500 Gms 1 Kg	590 980 1820	93676 [115-39-9]	Bromophenol Blue ACS, ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	5 Gms 25 Gms	280 980
64765	Boron AAS Standard Solution in H₂O	100 ml 250 ml	1500 2400	42888 [16574-43-9]	Bromopyrogallol Red extrapure AR (Dibromopyrogallolsulfonphthaleine)	1 Gms 5 Gms 10 Gms	820 3200 6130
52519 [109-63-7]	Boron Trifluoride Diethyl Etherate pure, 45-50% BF₃ (Boron Trifluoride Ethyl Etherate)	500 ml 2500 ml	1200 5750	48214 [76-59-5]	Bromothymol Blue	5 Gms 25 Gms	350 1330
25529 [1303-86-2]	Boron Trioxide Anhydrous (Boric Anhydride) extrapure AR, 99% (di-Boron Trioxide, Boric Oxide)	100 Gms 250 Gms 1 Kg	1800 3500 12000	72752 [76-59-5]	Bromothymol Blue ACS, ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	5 Gms 25 Gms	400 1380
24167 [1303-86-2]	Boron Trioxide Anhydrous Granular (Boric Anhydride) extrapure, 97%, -60 mesh (di-Boron Trioxide, Boric Oxide)	100 Gms 250 Gms 500 Gms	1550 2800 5200	44798 [76-59-5]	Bromothymol Blue Solution	100 ml 500 ml	140 420
82076 ✓	Bouins Picro Formal Fixing Solution (Bouins Fluid & Reagent)	100 ml 500 ml	160 520	45899	Buffer solution pH 4	500 ml	350

Code	Name	Packing	Price	Code	Name	Packing	Price
97409	Buffer solution pH 7	500 ml	350	70816	tert-Butyl Alcohol extrapure AR, 99.5%	500 ml	300
52031	Buffer solution pH 9.2	500 ml	350	[75-65-0]	(2-Methyl-2-Propanol Trimethyl Carbinol)	2500 ml	1350
74887	Butane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	5 Gms	570	41609	Tert-Butyl Alcohol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	340
[2386-54-1]		25 Gms	1390	[75-65-0]	(2-Methyl-2-Propanol Trimethyl Carbinol)	2500 ml	1500
		100 Gms	5280		meets compendial specs of USP		
		250 Gms	11310	90248	tert-Butyl Alcohol for HPLC, 99.7%	1000 ml	1400
99919	Butane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%	5 Gms	550	[75-65-0]			
[2386-54-1]		25 Gms	1330	76035	n-Butylamine pure, 99%	500 ml	450
		100 Gms	5030	[109-73-9]		2500 ml	2000
		250 Gms	11120	54997	n-Butylamine extrapure AR, 99%	500 ml	580
28118	Butyl Acetate pure, 99%	500 ml	350	[109-73-9]		2500 ml	2500
[123-86-4]		2500 ml	1400	12302	tert-Butylamine pure, 99%	500 ml	600
		25 Ltr	13000	[75-64-9]		2500 ml	2700
80870	Butyl Acetate extrapure AR, 99.5%	500 ml	450	55005	tert-Butylamine extrapure AR, 99.5%	500 ml	700
[123-86-4]		2500 ml	1700	[75-64-9]		2500 ml	3200
30389	Butyl Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	520	60004	Butylated Hydroxyanisole (BHA) ExiPlus, Multi-Compendial, 98%	100 Gms	850
[123-86-4]		2500 ml	1950	[25013-16-5]	(2-tert-Butyl-4-Methoxyphenol)	500 Gms	2620
	meets compendial specs of USP, BP, Ph.Eur				meets compendial specs of USP, BP		
78487	Butyl Acetate GC-HS, 99.9%	250 ml	700	32227	n-Butyl Chloride (1-Chlorobutane) extrapure, 99%	500 ml	800
[123-86-4]		500 ml	1250	[109-69-3]		2500 ml	3900
		1000 ml	2200	95594	n-Butyl Chloride (1-Chlorobutane) for HPLC & UV Spectroscopy, 99.5%	500 ml	2800
47364	n-Butyl Acrylate pure, 99%	500 ml	550	[109-69-3]		2500 ml	5200
[141-32-2]		2500 ml	2500	38033	Butylated Hydroxytoluene (BHT) pure, 99%	500 Gms	930
19147	n-Butyl Alcohol (1-butanol, n-butanol) pure, 99%	500 ml	220	[128-37-0]	(2,6-di-tert-Butyl-p-Cresol)	5 Kg	8940
[71-36-3]		2500 ml	1100	82010	Butylated Hydroxytoluene (BHT) ExiPlus, Multi-Compendial, 99%	500 Gms	1010
		25 Ltr	10000	[128-37-0]	(2,6-di-tert-Butyl-p-Cresol)	5 Kg	9810
72768	n-Butyl Alcohol (1-butanol, n-butanol) extrapure AR, 99.5%	500 ml	280		meets compendial specs of BP		
[71-36-3]		2500 ml	1300	32701	tert-Butyl Hydroquinone (TBHQ) extrapure AR, 98%	250 Gms	1370
15612	n-Butyl Alcohol (1-butanol, n-butanol) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	330	[1948-33-0]		2.5 Kg	13080
[71-36-3]		2500 ml	1550	79927	tert-Butyl Methyl Ether pure, 98%	500 ml	340
	meets compendial specs of BP, Ph.Eur			[1634-04-4]		2500 ml	1400
83903	n-Butyl Alcohol (1-butanol, n-butanol) GC-HS, 99.9%	250 ml	400	19465	tert-Butyl Methyl Ether extrapure AR, 99.5%	500 ml	400
[71-36-3]		1000 ml	1100	[1634-04-4]		2500 ml	1700
43706	n-Butyl Alcohol (1-butanol, n-butanol) for HPLC & UV Spectroscopy, 99.9%	500 ml	500	65701	tert-Butyl Methyl Ether extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	480
[71-36-3]		1000 ml	950	[1634-04-4]		2500 ml	2050
95725	sec-Butyl Alcohol extrapure, 99%	500 ml	450		meets compendial specs of USP		
[78-92-2]	(2-Butanol, sec-Butanol)	2500 ml	1750	91087	tert-Butyl Methyl Ether for HPLC, 99.5%	1000 ml	1050
		25 Ltr	16350	[1634-04-4]		2500 ml	2400
58308	sec-Butyl Alcohol extrapure AR, 99.5%	500 ml	500	81503	n-Butyric Acid extrapure, C4-99% (GC)	500 ml	530
[78-92-2]	(2-Butanol, sec-Butanol)	2500 ml	1970	[107-92-6]		2500 ml	2150
99336	Sec-Butyl Alcohol extrapure AR, ExiPlus, Multi-Compendial, 99.5%	500 ml	550	55964	n-Butyric Acid extrapure AR, C4-99.5% (GC)	250 ml	320
[78-92-2]	(2-Butanol, sec-Butanol)	2500 ml	2180	[107-92-6]		1000 ml	990
	meets compendial specs of BP, Ph.Eur			82749	Cadmium Acetate Dihydrate pure, 98%	100 Gms	450
21835	tert-Butyl Alcohol extrapure, 99%	500 ml	260	[5743-04-4]		500 Gms	1700
[75-65-0]	(2-Methyl-2-Propanol Trimethyl Carbinol)	2500 ml	1200				
		25 Ltr	10000				

Code	Name	Packing	Price	Code	Name	Packing	Price
84627 [5743-04-4]	Cadmium Acetate Dihydrate extrapure AR, 99%	100 Gms 500 Gms	530 1980	21606 [5743-26-0]	Calcium Acetate Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP	500 Gms	1300
98469	Cadmium AAS Standard Solution in 0.5N HNO ₃	100 ml 250 ml	1500 2400	58056 [114460-21-8]	Calcium Acetate Hydrate extrapure AR, 99%	500 Gms 5 Kg	380 3600
25442 [513-78-0]	Cadmium Carbonate pure, 97%	100 Gms 500 Gms	470 1970	60934 [114460-21-8]	Calcium Acetate Hydrate ultrapure, 99.9965%	5 Gms	5000
15411 [10108-64-2]	Cadmium Chloride Dried Anhydrous pure, 97%	100 Gms 500 Gms	1500 6500	96493 [9005-35-0]	Calcium Alginate ex. Brown Algae pure 18% ash, 15% moisture (Alginic Acid Calcium Salt)	100 Gms 500 Gms 5 Kg	350 1300 11000
99643 [10108-64-2]	Cadmium Chloride Dried Anhydrous ACS, 99%	100 Gms 500 Gms	2000 8000	36920	Calcium AAS Standard Solution in 0.5N HNO ₃	100 ml 250 ml	1500 2400
48076 [35658-65-2]	Cadmium Chloride Monohydrate extrapure, 99%	100 Gms 500 Gms	510 2280	67162 [471-34-1]	Calcium Carbonate extrapure, 98%	500 Gms 5 Kg	200 1460
87355 [7790-80-9]	Cadmium Iodide pure, 99%	25 Gms 100 Gms 500 Gms	1000 3500 16500	87293 [471-34-1]	Calcium Carbonate extrapure AR, 99%	500 Gms 5 Kg 25 Kg	250 1690 7020
48392 [7440-43-9]	Cadmium Metal Rods, 99%	100 Gms	550	37683 [471-34-1]	Calcium Carbonate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms 5 Kg	500 3930
85545 [7440-43-9]	Cadmium Metal Powder extrapure, 99.5%, -200 mesh	25 Gms 100 Gms	1500 5200	70650 [10035-04-8]	Calcium Chloride Dihydrate extrapure AR, 99.5%	500 Gms 5 Kg	360 2800
70434 [10022-68-1]	Cadmium Nitrate Tetrahydrate extrapure AR, ACS, 99%	500 Gms	1500	31944 [10035-04-8]	Calcium Chloride Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms 5 Kg	560 4400
29996 [1306-19-0]	Cadmium Oxide pure, 99%	100 Gms 250 Gms 500 Gms	460 1080 2040	97080 [10035-04-8]	Calcium Chloride Dihydrate for molecular biology, 99.5%	100 Gms 500 Gms	310 1420
39818 [1306-19-0]	Cadmium Oxide extrapure AR, 99.7%	100 Gms 250 Gms	700 1400	56949 [10035-04-8]	Calcium Chloride Dihydrate for tissue culture, 99.5%	500 Gms 5 Kg	460 4200
15806 [7790-84-3]	Cadmium Sulphate 8/3Hydrate pure, 98%	100 Gms 500 Gms	520 2100	84336 [10043-52-4]	Calcium Chloride Fused pure, 90-95%	500 Gms 5 Kg	210 1500
43019 [7790-84-3]	Cadmium Sulphate 8/3Hydrate ACS, 98%	100 Gms 500 Gms	660 2500	77838 [5785-44-4]	Calcium Citrate Tribasic Tetrahydrate pure, 98%	500 Gms	550
98002 [1306-23-6]	Cadmium Sulphide Orange extrapure, 99%	100 Gms 500 Gms	900 2280	97388 [5785-44-4]	Calcium Citrate Tribasic Tetrahydrate ExiPlus, Multi-Compendial, 98% meets compendial specs of USP	500 Gms	620
22905 [1306-23-6]	Cadmium Sulphide Orange ultrapure, 99.995%	5 Gms 25 Gms	6000 12120	57055 [7789-75-5]	Calcium Fluoride extrapure, 97% (Fluorite, Fluorospar)	100 Gms 500 Gms	310 1140
19267 [58-08-2]	Caffeine anhydrous pure, 98%	100 Gms 250 Gms 500 Gms 5 Kg	900 2000 3300 30000	52434 [544-17-2]	Calcium Formate pure, 98% (Formic Acid Calcium Salt)	500 Gms	570
47633 [58-08-2]	Caffeine Anhydrous ExiPlus, Multi-Compendial, 98.5% meets compendial specs of BP, Ph.Eur, USP	100 Gms 250 Gms 2.5 Kg	1050 2200 17000	85610 [1305-62-0]	Calcium Hydroxide extrapure AR, 96%	500 Gms 5 Kg	530 4150
44509 [8011-96-9]	Calamine pure, 98%	500 Gms 1 Kg	650 1230	74471 [1305-62-0]	Calcium Hydroxide extrapure AR, ACS, ExiPlus, Multi-Compendial, 96% meets compendial specs of USP, BP, Ph.Eur	500 Gms 5 Kg	750 5560
28162 [8011-96-9]	Calamine ExiPlus, Multi-Compendial, 98% meets compendial specs of BP, USP	500 Gms	910	31549 [7789-80-2]	Calcium Iodate Anhydrous (Lautarite) pure, 98%	100 Gms 250 Gms	2300 4800
70214 [5743-26-0]	Calcium Acetate Monohydrate extrapure AR, 99%	500 Gms	1200				

Code	Name	Packing	Price	Code	Name	Packing	Price
96342 [7440-70-2]	Calcium Metal Granular (10-20mesh) extrapure, 98%	100 Gms	550	34883 [67-56-1]	Carbinol for molecular biology, 99.5%	500 ml	910
		500 Gms	2400			1000 ml	1640
94212 [10102-68-8]	Calcium Iodide Tetrahydrate pure, 98%	10 Gms	3000	39058 [4197-24-4]	Carbol Fuchsin	2500 ml	3510
		25 Gms	4000			25 Gms	380
56571 [71626-98-7]	Calcium Iodide Hydrate pure, 98%	25 Gms	3200	93049 [9003-01-4]	Carbopol 934 (Carboxy Vinyl Polymer 934) extrapure	100 Gms	1020
		100 Gms	8300			500 Gms	1250
79225 [13477-34-4]	Calcium Nitrate Tetrahydrate extrapure AR, ACS, 99%	500 Gms	310	93049 [9003-01-4]	Carbopol 934 (Carboxy Vinyl Polymer 934) extrapure	1 Kg	2400
16807 [1305-78-8]	Calcium Oxide Powder pure, 95%	500 Gms	240			5 Kg	11000
51007 [10031-30-8]	Calcium Phosphate Monobasic Monohydrate extrapure, 95% (Calcium Tetrahydrogen Diorthophosphate Monohydrate)	500 Gms	690	51159 [9003-01-4]	Carbopol 940 (Carboxy Vinyl Polymer 940) extrapure	500 Gms	1250
						1 Kg	2400
34878 [7758-87-4]	Calcium Phosphate Tribasic, 90% (Tricalcium Phosphate)	500 Gms	530	93797 [9004-32-4]	Carboxymethyl Cellulose Sodium Salt (CMC Sodium), Medium Viscosity 250-350CPS (Carmellose Sodium)	500 Gms	750
		5 Kg	4950			5 Kg	6500
59781 [4075-81-4]	Calcium Propionate pure, 97%	500 Gms	490	59938 [9004-32-4]	Carboxymethyl Cellulose Sodium Salt (CMC Sodium), High Viscosity 400-800 CPS (Carmellose Sodium)	500 Gms	800
94044 [10101-41-4]	Calcium Sulphate Dihydrate pure, 98%	500 Gms	310			5 Kg	7500
69095 [10101-41-4]	Calcium Sulphate Dihydrate extrapure AR, ACS, 99%	500 Gms	440	35298 [9004-32-4]	Carboxymethyl Cellulose Sodium Salt (CMC Sodium), High Viscosity 1100-1900 CPS (Carmellose Sodium)	500 Gms	980
						5 Kg	9200
64813 [76-22-2]	Camphor pure, 96%	100 Gms	560	97048 [1390-65-4]	Carmine (C.I. No. 75470)	5 Gms	750
		500 Gms	2730			25 Gms	3530
23764 [334-48-5]	Capric Acid (n-Decanoic Acid) pure, C10-99% (n-Capric Acid, n-Decoic Acid)	250 ml	1100	32385 [11114-20-8]	Carrageenan (Kappa) Refined ex. Eucheuma Cottonii (k-Carrageenan, Irish Moss)	25 Gms	1300
		500 ml	1800			100 Gms	2600
		2500 ml	8500			500 Gms	8100
51840 [110-42-9]	Capric Acid Methyl Ester (Methyl Decanoate) extrapure, 99% (Methyl Caprate)	250 ml	1820	16145 [8001-79-4]	Castor Oil pure	500 ml	590
		1000 ml	5830			2500 ml	2570
89028 [142-62-1]	Caproic Acid extrapure, C6-99% (n-Hexanoic Acid)	100 ml	300	26080 [120-80-9]	Catechol (Pyrocatechol) extrapure, 99%	100 Gms	450
		500 ml	950			500 Gms	1080
		2500 ml	4000				
88889 [124-07-2]	Caprylic Acid pure, C8-99% (GC)	500 ml	1100	31018 [8000-27-9]	Cedarwood Oil Natural for microscopy (Immersion Oil)	30 ml	730
		2500 ml	4800			125 ml	1980
15343 [67-56-1]	Carbinol pure, 99%	500 ml	250	60705 [1562-90-9]	Celestine Blue, 98%-102%	5 Gms	3150
		2500 ml	670				
		25 Ltr	5750				
82911 [67-56-1]	Carbinol extrapure AR, 99.8%	500 ml	270	82523 [91053-39-3]	Celite 545, size 20-40 micrometer	500 Gms	500
		1000 ml	520			1 Kg	940
		2500 ml	730				
85902 [67-56-1]	Carbinol GC-HS, 99.9%	500 ml	730	23505 [1306-38-3]	Ceric Oxide extrapure AR, 99.9% (Cerium (IV) Oxide)	100 Gms	1480
		1000 ml	1400			500 Gms	6150
63713 [67-56-1]	Carbinol for HPLC & UV Spectroscopy, 99.8%	500 ml	370	92425 [10294-42-5]	Ceric Sulphate Tetrahydrate extrapure AR, 80% (Ceric (IV) Sulfate Tetrahydrate, Cerium Disulfate Tetrahydrate)	25 Gms	770
		1000 ml	500			100 Gms	2300
		2500 ml	970			500 Gms	9200
68990 [67-56-1]	Carbinol electronic grade, 99.8%	2500 ml	1190	10731 [10294-42-5]	Ceric Sulphate Tetrahydrate specially purified, 98% (Ceric (IV) Sulfate Tetrahydrate, Cerium Disulfate Tetrahydrate)	25 Gms	7800
						100 Gms	24000
12903 [67-56-1]	Carbinol Dried extrapure AR, 99.8%	500 ml	360	61414 [13590-82-4]	Ceric Sulphate 0.1N Solution	500 ml	620
		1000 ml	500				
				66676 [18618-55-8]	Cerous Chloride Heptahydrate extrapure AR, 99% (Cerium (III) Chloride Heptahydrate)	25 Gms	690
						100 Gms	1960
						500 Gms	5870

Code	Name	Packing	Price	Code	Name	Packing	Price
57320 [10294-41-4]	Cerous Nitrate Hexahydrate extrapure AR, 99.9% (Cerium (III) Nitrate Hexahydrate, Cerium Trinitrate Hexahydrate)	100 Gms 500 Gms	1400 5290	96764 [67-66-3]	Chloroform for molecular biology, 99.8%	100 ml 500 ml	450 1800
81586 [1119-97-7]	Cetrimide extrapure AR (Tetradecyltrimethyl ammonium bromide), 99% (Tetradecyltrimethyl Ammonium Bromide)	100 Gms 500 Gms 5 Kg	750 2490 22430	30792 [67-66-3]	Chloroform for HPLC & UV Spectroscopy, 99.8%	500 ml 1000 ml 2500 ml	450 650 1400
33001 [8005-44-5]	Cetostearyl Alcohol pure	500 Gms 5 Kg	820 8000	14423 [67-66-3]	Chloroform GC-HS, 99.9%	250 ml 500 ml 1000 ml	550 900 1500
40629 [36653-82-4]	Cetyl Alcohol pure, 97% (1-Hexadecanol)	500 Gms 5 Kg	580 5450	51126 [67-66-3]	Chloroform Dried, 99.5%, water 0.005%	500 ml 1000 ml 2500 ml	500 970 2180
83438 [7440-44-0]	Charcoal Activated (280) extrapure AR, ACS, ExiPlus, Multi-Compendial (Activated Carbon) meets compendial specs of USP, BP, Ph.Eur	100 Gms 500 Gms 5 Kg	240 510 4360	90603 [865-49-6]	Chloroform-d (w/o TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D	100 ml	8800
48088 [7440-44-0]	Charcoal Activated (950) Granular extrapure (Activated Carbon)	500 Gms 5 Kg	550 4910	20996 [865-49-6]	Chloroform-d (with 1% TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D	100 ml	9400
64905 [7080-50-4]	Chloramine-T Trihydrate extrapure AR, 98% (N-Chloro-p-Toluenesulphonamide Sodium Salt)	100 Gms 250 Gms 500 Gms 2.5 Kg	450 900 1750 8000	57034 [865-49-6]	Chloroform-d (with 0.03% TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D	100 ml	9100
29611 [95-51-2]	o-Chloroaniline extrapure, 99% (2-Chloroaniline)	500 ml 2500 ml	710 3400	39657 [937-14-4]	3-Chloroperoxybenzoic Acid (mCPBA) pure, 55-75%	25 Gms 100 Gms 500 Gms	580 1940 7620
89370 [108-90-7]	Chlorobenzene (MCB) extrapure, 99% (Monochlorobenzene)	500 ml 2500 ml 25 Ltr	440 1850 16500	59271 [128-09-6]	N-Chlorosuccinimide extrapure, 98%	100 Gms 250 Gms 1 Kg	670 1280 4260
46364 [108-90-7]	Chlorobenzene (MCB) extrapure AR, 99.5% (Monochlorobenzene)	500 ml 2500 ml	600 2100	47048 [1667-99-8]	Chromezurol S (Chromazurol S) (Mordant Blue 29)	10 Gms 25 Gms	1460 2470
10124 [108-90-7]	Chlorobenzene (MCB) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Monochlorobenzene) meets compendial specs of USP, BP	500 ml 2500 ml	660 2500	86183	Chromium AAS Standard Solution in 0.5N HNO3	100 ml 250 ml	1500 2400
35680 [3114-55-4]	Chlorobenzene-d5 for NMR spectroscopy, 99 Atom %D	1 ml 5 ml	5000 22460	72232 [10060-12-5]	Chromium (III) Chloride Hexahydrate extrapure AR, 98% (Chromic Chloride, Chromium Trichloride)	500 Gms	700
33023 [59-50-7]	p-Chloro-m-Cresol (PCMC) pure, 98%	250 Gms 500 Gms	1090 1820	74767 [7789-02-8]	Chromium (III) Nitrate Nonahydrate pure, 96-98% (Chromic Nitrate Nonahydrate)	500 Gms	1200
80908 [88-04-0]	4-Chloro-3,5-Dimethylphenol (PCMX) extrapure, 99% (4-Chloro-3,5-Xylenol, Chloroxylenol, p-Chloro-m-Xylenol)	100 Gms 500 Gms	880 3060	21295 [39380-78-4]	Chromium (III) Sulphate Basic extrapure, 22.5% Cr (Chromosal B, Basic Chromic Sulphate)	500 Gms 2.5 Kg	380 1750
96712 [67-66-3]	Chloroform extrapure, 99%	500 ml 2500 ml 25 Ltr	300 980 7500	57555 [7440-47-3]	Chromium Powder, 99% -100 mesh	100 Gms 500 Gms	1100 5000
84155 [67-66-3]	Chloroform extrapure AR, 99.5%	500 ml 2500 ml	340 1100	21817 [1333-82-0]	Chromium (VI) Oxide (Chromium Trioxide) pure, 99% (Chromic Acid, Chromic Anhydride)	500 Gms 1 Kg	850 1600
32022 [67-66-3]	Chloroform extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.8% meets compendial specs of USP, BP, Ph.Eur	500 ml 2500 ml	400 1200	61365 [1333-82-0]	Chromium (VI) Oxide (Chromium Trioxide) ACS, ExiPlus, Multi-Compendial, 99% (Chromic Acid, Chromic Anhydride) meets compendial specs of USP, Ph.Eur	500 Gms 1 Kg	900 1750
				36505 [4438-16-8]	Chrysoidine R (Basic Orange 1, Methylchrysoidine) (C.I. No. 11320)	25 Gms 100 Gms	210 590

Code	Name	Packing	Price	Code	Name	Packing	Price
31126 [532-82-1]	Chrysoidine Y (4-Phenylazo-m-Phenylenediamine Monohydrochloride, Basic Orange 2, Chrysoidine G)(C.I. No. 11270)	25 Gms	210	14386 [7440-48-4]	Cobalt Metal Powder, 99.5%, -325mesh	100 Gms	3200
		100 Gms	590			250 Gms	7000
29955 [140-10-3]	Cinnamic Acid extrapure, 99%	250 Gms	870	14941 [10026-22-9]	Cobalt (II) Nitrate Hexahydrate extrapure, 97% (Cobaltous Nitrate Hexahydrate)	100 Gms	960
		1 Kg	3150			500 Gms	4080
23277 [140-10-3]	Cinnamic Acid extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	250 Gms	1400	85942 [10026-22-9]	Cobalt (II) Nitrate Hexahydrate extrapure AR, ACS, 99% (Cobaltous Nitrate Hexahydrate)	100 Gms	1140
		1 Kg	3500			250 Gms	2520
78213 [77-92-9]	Citric Acid Anhydrous extrapure, 99%	500 Gms	320	21722 [1308-06-1]	Cobalt (II,III) Oxide pure, 99% (Tricobalt Tetraoxide)	250 Gms	3000
		5 Kg	2200			500 Gms	6600
		25 Kg	9500			500 Gms	12000
36890 [77-92-9]	Citric Acid Anhydrous for tissue culture, 99%	500 Gms	360	25710 [10026-24-1]	Cobalt (II) Sulphate Heptahydrate pure, 98% (Cobaltous Sulphate Heptahydrate)	100 Gms	900
		5 Kg	2500			500 Gms	3840
16842 [77-92-9]	Citric Acid Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur, USP	500 Gms	380	42752 [10026-24-1]	Cobalt (II) Sulphate Heptahydrate extrapure AR, 99% (Cobaltous Sulphate Heptahydrate)	100 Gms	960
		5 Kg	2700			250 Gms	2300
49897 [5949-29-1]	Citric Acid Monohydrate extrapure, 99.5%	500 Gms	300	46069	Cocktail 'O' scintillation grade	1000 ml	910
		5 Kg	2000			2500 ml	1820
		25 Kg	9000			1000 ml	850
43667 [5949-29-1]	Citric Acid Monohydrate extrapure AR, 99.7%	500 Gms	340	48656	Cocktail 'T' scintillation grade	2500 ml	1760
		5 Kg	2250			1000 ml	1860
		25 Kg	10000			2500 ml	4340
53884 [5949-29-1]	Citric Acid Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.7% meets compendial specs of BP, Ph.Eur, USP	500 Gms	360	38087	Cocktail 'W' scintillation grade	500 ml	2020
		5 Kg	2400			100 ml	1500
49393 [6147-53-1]	Cobalt (II) Acetate Tetrahydrate extrapure AR, 99% (Cobaltous Acetate Tetrahydrate)	100 Gms	1400	57380	Copper AAS Standard Solution in 1N HNO3	250 ml	2400
		250 Gms	3100			500 Gms	2180
		500 Gms	5600			100 Gms	500
75141 [6147-53-1]	Cobalt (II) Acetate Tetrahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Cobaltous Acetate Tetrahydrate) meets compendial specs of BP	100 Gms	1600	72033 [7440-50-8]	Copper Metal powder extrapure, 99.5%, -200 mesh	500 Gms	2180
		250 Gms	3400			100 Gms	500
		500 Gms	6000			500 Gms	2000
66112	Cobalt AAS Standard Solution in 0.5N HCl	100 ml	2000	28007 [95-48-7]	o-Cresol pure, 98%	500 ml	840
		250 ml	3500			2500 ml	4000
37917 [12602-23-2]	Cobalt (II) Carbonate Basic pure, 45-50% Co (Cobaltous Carbonate)	100 Gms	2100	77744 [108-39-4]	m-Cresol pure, 98% (3-Methylphenol)	500 ml	1400
		250 Gms	4800			2500 ml	6300
		500 Gms	8800			500 ml	1800
99412 [7791-13-1]	Cobalt (II) Chloride Hexahydrate pure, 99% (Cobaltous Chloride Hexahydrate)	100 Gms	1080	48620 [108-39-4]	m-Cresol extrapure AR, 99% (3-Methylphenol)	500 ml	1800
		500 Gms	5040			500 ml	950
36018 [7791-13-1]	Cobalt (II) Chloride Hexahydrate extrapure AR, 99% (Cobaltous Chloride Hexahydrate)	100 Gms	1140	63997 [106-44-5]	p-Cresol pure, 98.5%	2500 ml	4400
		500 Gms	5280			5 Gms	230
88282 [7791-13-1]	Cobalt (II) Chloride Hexahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Cobaltous Chloride Hexahydrate) meets compendial specs of USP, BP, Ph.Eur	100 Gms	1260	89599 [1733-12-6]	Cresol Red	25 Gms	230
		500 Gms	5460			25 Gms	690
		100 Gms	1080			1 Gms	680
99412 [7791-13-1]	Cobalt (II) Chloride Hexahydrate pure, 99% (Cobaltous Chloride Hexahydrate)	500 Gms	5040	21442 [10510-54-0]	Cresyl Violet Acetate, 70%	5 Gms	3000
		100 Gms	1140			25 Gms	660
36018 [7791-13-1]	Cobalt (II) Chloride Hexahydrate extrapure AR, 99% (Cobaltous Chloride Hexahydrate)	100 Gms	1140	28376 [548-62-9]	Crystal Violet (Gention Violet) (Methyl Violet 10B, C.I. No. 42555)	100 Gms	2510
		500 Gms	5280			500 Gms	11990
		100 Gms	1260			25 Gms	660
88282 [7791-13-1]	Cobalt (II) Chloride Hexahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Cobaltous Chloride Hexahydrate) meets compendial specs of USP, BP, Ph.Eur	500 Gms	5460	17610 [548-62-9]	Crystal Violet (Gention Violet) ACS, ExiPlus, Multi-Compendial (Methyl Violet 10B, C.I. No. 42555) meets compendial specs of BP, Ph.Eur	100 Gms	2840
		100 Gms	1260			500 Gms	13630
		500 Gms	5460			25 Gms	770

Code	Name	Packing	Price	Code	Name	Packing	Price
94666 [17455-13-9]	18-Crown-6-Ether pure, 99%	25 Gms	800	93095 [7681-65-4]	Cuprous Iodide extrapure AR, 99% (Copper (I) Iodide)	25 Gms	700
		100 Gms	2500			100 Gms	2500
		500 Gms	11000			500 Gms	12000
74472 [8014-13-9]	Cumin Seed Oil extrapure, aldehyde 28%	100 ml	3230	83086 [1317-39-1]	Cuprous Oxide pure, 86% Cu (Copper (I) Oxide)	100 Gms	300
		500 ml	14910			500 Gms	1200
87431 [6046-93-1]	Cupric Acetate Monohydrate pure, 98% (Copper (II) Acetate Monohydrate)	100 Gms	360	97461 [458-37-7]	Curcumin (Turmeric Yellow)	5 Gms	660
		500 Gms	1590			10 Gms	1200
67912 [6046-93-1]	Cupric Acetate Monohydrate extrapure AR, 99% (Copper (II) Acetate Monohydrate)	250 Gms	1370	20259 [110-82-7]	Cyclohexane extrapure, 99%	500 ml	300
						2500 ml	1200
						25 Ltr	11000
57060 [6046-93-1]	Cupric Acetate Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Copper (II) Acetate Monohydrate) meets compendial specs of BP, Ph.Eur	250 Gms	1890	46616 [110-82-7]	Cyclohexane extrapure AR, 99.5%	500 ml	370
						2500 ml	1300
11204 [7789-45-9]	Cupric Bromide pure, 99% (Copper (II) Bromide)	100 Gms	1380	23292 [110-82-7]	Cyclohexane GC-HS, 99.9%	250 ml	420
		500 Gms	5870			1000 ml	1200
13945 [12069-69-1]	Cupric Carbonate Basic pure, 95% (Copper (II) Carbonate Basic, Copper (II) Hydroxide Carbonate)	500 Gms	1560	46300 [110-82-7]	Cyclohexane for HPLC & UV Spectroscopy, 99.9%	500 ml	550
		5 Kg	14400			1000 ml	880
						2500 ml	1700
92315 [7447-39-4]	Cupric Chloride pure, 98% (Copper (II) Chloride)	500 Gms	1100	92604 [110-82-7]	Cyclohexane Dried, 99.5%, water 0.005%	500 ml	480
		1 Kg	2100			1000 ml	930
89797 [10125-13-0]	Cupric Chloride Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Copper (II) Chloride Dihydrate) meets compendial specs of BP, Ph.Eur, USP	500 Gms	980	34781 [110-82-7]	Cyclohexane extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 ml	440
		1 Kg	1950			2500 ml	1400
92272 [10125-13-0]	Cupric Chloride 0.3M Solution	500 ml	700	31726 [108-94-1]	Cyclohexanone extrapure, 99%	500 ml	350
		1000 ml	1250			2500 ml	1600
87367 [10031-43-3]	Cupric Nitrate Trihydrate extrapure, 98% (Copper (II) Nitrate Trihydrate)	250 Gms	430	89635 [108-94-1]	Cyclohexanone extrapure AR, 99.5%	500 ml	420
		500 Gms	800			2500 ml	2000
46704 [10031-43-3]	Cupric Nitrate Trihydrate extrapure AR, ACS, 99.5% (Copper (II) Nitrate Trihydrate)	500 Gms	1050	12183 [108-91-8]	Cyclohexylamine pure, 99% (Aminocyclohexane)	500 ml	400
						2500 ml	1800
51120 [1317-38-0]	Cupric Oxide pure, 79% Cu (Copper (II) Oxide)	100 Gms	420	45658 [108-91-8]	Cyclohexylamine extrapure AR, 99.5% (Aminocyclohexane)	500 ml	430
		500 Gms	1700			2500 ml	2100
		5 Kg	16000				
38869 [7758-99-8]	Cupric Sulphate Pentahydrate pure, 99% (Copper (II) Sulphate Pentahydrate)	500 Gms	700	85606 [91771-62-9]	Cypriol Oil extrapure, 99% (Cyperus Root Oil (Cyperus Scariosus), Nagarmotha Oil)	100 ml	8000
		5 Kg	6500				
61298 [7758-99-8]	Cupric Sulphate Pentahydrate extrapure AR, 99.5% (Copper (II) Sulphate Pentahydrate)	500 Gms	760	95322 [52-90-4]	L-Cysteine extrapure CHR, 99%	25 Gms	410
		5 Kg	7300			100 Gms	1360
						500 Gms	5800
71244 [7758-99-8]	Cupric Sulphate Pentahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Copper (II) Sulphate Pentahydrate) meets compendial specs of BP, Ph.Eur	500 Gms	800			5 Kg	54000
		5 Kg	7600				
90445 [7758-99-8]	Cupric Sulphate 0.1M Solution	1000 ml	530	25961 [52-90-4]	L-Cysteine for tissue culture, 99%	25 Gms	600
						100 Gms	1400
29497 [7787-70-4]	Cuprous Bromide pure, 98.5% (Copper (I) Bromide)	100 Gms	670	69029 [7048-04-6]	L-Cysteine Hydrochloride Monohydrate ExiPlus, Multi-Compendial, 99%	100 Gms	950
		500 Gms	3150			500 Gms	3570
						1 Kg	6250
26375 [7758-89-6]	Cuprous Chloride pure, 96% (Copper (I) Chloride, Copper Monochloride)	500 Gms	1100			5 Kg	30000
				35751 [56-89-3]	L-Cystine extrapure CHR, 99%	25 Gms	450
						100 Gms	1100
						1 Kg	8500
						5 Kg	40000

Code	Name	Packing	Price	Code	Name	Packing	Price
83172 [56-89-3]	L-Cystine for tissue culture, 99%	25 Gms	520	63462 [107-06-2]	1,2-Dichloroethane Dried, 99.5%, water 0.005% (Ethylene Dichloride)	1000 ml	950
		100 Gms	1190				
		500 Gms	5340				
10323 [71-30-7]	Cytosine ExiPlus, Multi-Compendial, 99%	25 Gms	700	79126 [76-54-0]	2,7-Dichlorofluorescein (DCF) extrapure AR, ACS, 90%	5 Gms	600
		100 Gms	2500			25 Gms	2500
		500 Gms	8000				
	meets compendial specs of BP, Ph.Eur						
56096 [13419-61-9]	Decane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	25 Gms	1200	56825 [75-09-2]	Dichloromethane (DCM) pure, 99% (Methylene Chloride)	500 ml	270
		100 Gms	4360			2500 ml	1100
		250 Gms	10690			25 Ltr	9700
71801 [13419-61-9]	Decane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%	25 Gms	1200	24532 [75-09-2]	Dichloromethane (DCM) extrapure AR, 99.5% (Methylene Chloride)	500 ml	340
		100 Gms	4360			2500 ml	1300
		250 Gms	10690			25 Ltr	11000
93995 [8049-11-4]	Devardas Alloy (45% Al, 50% Cu, 5% Zn) extrapure	100 Gms	590	45368 [75-09-2]	Dichloromethane (DCM) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Methylene Chloride) meets compendial specs of USP, BP	500 ml	380
		500 Gms	2360			2500 ml	1480
37163 [8049-11-4]	Devardas Alloy (45% Al, 50% Cu, 5% Zn) extrapure AR, ACS	100 Gms	790	29103 [75-09-2]	Dichloromethane (DCM) GC-HS, 99.9% (Methylene Chloride)	250 ml	400
		250 Gms	1690			1000 ml	1550
61500 [9004-53-9]	Dextrin (White) practical	500 Gms	300	58628 [75-09-2]	Dichloromethane (DCM) for HPLC & UV Spectroscopy, 99.9%	500 ml	430
		5 Kg	2800			1000 ml	760
						2500 ml	1500
42738 [50-99-7]	Dextrose extrapure (D-Glucose)	500 Gms	290	43551 [75-09-2]	Dichloromethane (DCM) Dried, 99.5%, water 0.005% (Methylene Chloride)	500 ml	340
		5 Kg	2370			1000 ml	680
51758 [50-99-7]	Dextrose extrapure AR, ACS (D-Glucose)	500 Gms	310	41512 [75-09-2]	Dichloromethane (DCM) for molecular biology, 99.9% (Methylene Chloride)	250 ml	470
		5 Kg	2850			500 ml	800
		25 Kg	12370				
16191 [14431-43-7]	Dextrose Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (D-Glucose Monohydrate) meets compendial specs of USP, BP	500 Gms	270	93075 [1665-00-5]	Dichloromethane-d2 (DCM-d2) for NMR spectroscopy, 99.5 Atom %D (Methylene Chloride)	10 ml	17990
		5 Kg	2490				
		25 Kg	10890				
40799 [3012-65-5]	Diammonium Hydrogen Citrate Anhydrous (Ammonium Citrate Dibasic) ACS, 98%	500 Gms	750	55287 [620-45-1]	2,6-Dichlorophenol Indophenol Sodium Salt extrapure AR, 98%	1 Gms	310
		25 Kg	34560			5 Gms	1200
						25 Gms	4910
81434 [84-74-2]	Dibutyl Phthalate pure, 98%	500 ml	400	35551 [620-45-1]	2,6-Dichlorophenol Indophenol Sodium Salt ACS, ExiPlus, Multi-Compendial, 98%	1 Gms	330
		2500 ml	1800			5 Gms	1340
				25 Gms	5240		
	meets compendial specs of USP						
12088 [79-43-6]	Dichloroacetic Acid pure, 99%	100 ml	2360	31499 [94-75-7]	2,4-Dichlorophenoxyacetic Acid (2,4-D) for tissue culture, 98%	25 Gms	680
		500 ml	6050			100 Gms	1250
		2500 ml	20560			500 Gms	5060
52153 [95-50-1]	1,2-Dichlorobenzene pure, 99% (o-Dichlorobenzene)	500 ml	400	77833 [461-58-5]	Dicyandiamide pure, 98% (1-Cyanoguanidine, Dicyanodiamide)	500 Gms	750
		1000 ml	750				
		2500 ml	1750				
61012 [95-50-1]	1,2-Dichlorobenzene extrapure AR, 99% (o-Dichlorobenzene)	250 ml	320	61335 [77-73-6]	Dicyclopentadiene extrapure (Stabilized with BHT), 93%	100 ml	370
		2500 ml	2000			500 ml	1760
79510 [107-06-2]	1,2-Dichloroethane extrapure, 99% (Ethylene Dichloride)	500 ml	300	71164 [111-42-2]	Diethanolamine pure, 98%	500 ml	350
		2500 ml	900			2500 ml	1400
69566 [107-06-2]	1,2-Dichloroethane extrapure AR, 99.5% (Ethylene Dichloride)	500 ml	330	47001 [111-42-2]	Diethanolamine ACS, ExiPlus, Multi-Compendial, 98.5%	500 ml	450
		2500 ml	1020			2500 ml	1800
	meets compendial specs of BP, Ph.Eur						
87988 [107-06-2]	1,2-Dichloroethane for HPLC & UV Spectroscopy, 99.9% (Ethylene Dichloride)	500 ml	620	59161	5M Diethanolamine Substrate Buffer(5M DEA w/ 2.5mM MgCl2) for phosphatase	100 ml	2250
		1000 ml	1100				

Code	Name	Packing	Price	Code	Name	Packing	Price
31255 [109-89-7]	Diethylamine pure, 99%	500 ml	350	63282 [108-20-3]	Diisopropylether extrapure AR, 99%	500 ml	650
		2500 ml	1500			2500 ml	2700
		25 Ltr	13500				
64912 [109-89-7]	Diethylamine extrapure AR, 99.5%	500 ml	380	89299 [108-20-3]	Diisopropylether Dried, 99%, water 0.0025%	500 ml	950
		2500 ml	1800			1000 ml	1700
28298 [109-89-7]	Diethylamine for HPLC, 99.5%	1000 ml	1600	91837 [7087-68-5]	N,N-Diisopropylethylamine (DIPEA) extrapure, 98% (Ethylene Diisopropylamine, N,N-Ethyldiisopropylamine, DIEA)	100 ml	350
77141 [100-37-8]	2-Diethylaminoethanol (DEAE) extrapure, 99%	500 ml	580			250 ml	800
		2500 ml	2800			1000 ml	3060
59351 [91-66-7]	N,N-Diethylaniline pure, 98%	500 ml	800	61125 [110-71-4]	1,2-Dimethoxyethane (Monoglyme, EGDME) extrapure, 99% (Ethylene Glycol Dimethyl Ether)	500 ml	720
		2500 ml	3700			2500 ml	3350
44369 [91-66-7]	N,N-Diethylaniline extrapure AR, 99%	500 ml	1000	94378 [110-71-4]	1,2-Dimethoxyethane (Monoglyme, EGDME) extrapure AR, 99.5% (Ethylene Glycol Dimethyl Ether)	500 ml	820
		2500 ml	4600			2500 ml	3700
36303 [105-58-8]	Diethyl Carbonate extrapure, 99%	500 ml	500	80675 [127-19-5]	N,N-Dimethylacetamide (DMA) extrapure, 99%	500 ml	400
		2500 ml	2300			2500 ml	1650
						25 Ltr	15000
83040 [111-46-6]	Diethylene Glycol (Digol) pure, 98%	500 ml	300	60991 [127-19-5]	N,N-Dimethylacetamide (DMA) extrapure AR, 99.5%	500 ml	490
		2500 ml	1000			2500 ml	1900
		25 Ltr	8800				
68811 [111-46-6]	Diethylene Glycol (Digol) extrapure AR, 99%	500 ml	350	79220 [127-19-5]	N,N-Dimethylacetamide (DMA) extrapure AR, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 ml	550
		2500 ml	1100			2500 ml	2100
93616 [112-36-7]	Diethylene Glycol Diethyl Ether (Ethyl Diglyme, DEGDEE) pure, 99% (2-Ethoxy Ethyl Ether)	100 ml	750	70926 [127-19-5]	N,N-Dimethylacetamide (DMA) GC-HS, 99.9%	250 ml	500
		500 ml	3200			500 ml	850
						1000 ml	1500
44284 [111-96-6]	Diethylene Glycol Dimethyl Ether (Diglyme, DEGDM) pure, 99% (2-Methoxy Ethyl Ether)	500 ml	900	98189 [127-19-5]	N,N-Dimethylacetamide (DMA) for HPLC, 99.8%	500 ml	700
		2500 ml	4000			1000 ml	1200
		25 Ltr	38000				
20882 [111-90-0]	Diethylene Glycol Monoethyl Ether (DGMEE) pure, 98% (Carbitol, Ethyldiglycol)	500 ml	440	10652 [124-40-3]	Dimethylamine 40% Aq. Solution	500 ml	260
		2500 ml	1900			2500 ml	1000
53422 [96-22-0]	Diethyl Ketone (3-Pentanone) extrapure, 99%	500 ml	1200	14003 [100-10-7]	p-Dimethylaminobenzaldehyde (DMAB) extrapure AR, 99% (Ehrlichs reagent)	100 Gms	1590
						1 Kg	14830
98389 [105-53-3]	Diethyl Malonate extrapure, 99%	500 ml	600	77086 [100-10-7]	p-Dimethylaminobenzaldehyde (DMAB) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Ehrlichs reagent) meets compendial specs of USP, BP, Ph.Eur	100 Gms	1750
		2500 ml	2800			1 Kg	15810
39378 [105-53-3]	Diethyl Malonate extrapure AR, 99.5%	500 ml	700	12566 [121-69-7]	N,N-Dimethylaniline pure, 98%	500 ml	640
		2500 ml	3300			2500 ml	3100
61252 [95-92-1]	Diethyl Oxalate pure, 99%	500 ml	600	20364 [121-69-7]	N,N-Dimethylaniline extrapure AR, 99.5%	500 ml	720
		2500 ml	2700			2500 ml	3400
75995 [6283-63-2]	N,N-Diethyl-p-Phenylenediamine Sulphate Salt (DEPPDA Sulphate) extrapure, 98% (4-Amino-N,N-Diethylaniline Sulfate Salt)	25 Gms	2200	16616 [68-12-2]	N,N-Dimethylformamide (DMF) extrapure, 99%	500 ml	400
		100 Gms	8400			2500 ml	1500
						25 Ltr	14000
16150 [84-66-2]	Diethyl Phthalate pure, 99%	500 ml	360	21974 [68-12-2]	N,N-Dimethylformamide (DMF) extrapure AR, 99.5%	500 ml	440
		2500 ml	1700			2500 ml	1700
78652 [64-67-5]	Diethyl Sulphate extrapure, 99%	500 ml	400	79121 [68-12-2]	N,N-Dimethylformamide (DMF) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.8% meets compendial specs of BP	500 ml	500
		2500 ml	1800			2500 ml	1900
77205 [108-18-9]	Diisopropylamine pure, 98%	500 ml	820	50591 [68-12-2]	N,N-Dimethylformamide (DMF) for HPLC & UV Spectroscopy, 99.9%	500 ml	600
		2500 ml	3800			1000 ml	1000
		25 Ltr	36000				
67519 [108-20-3]	Diisopropylether pure, 98%	500 ml	550				
		2500 ml	2400				

Code	Name	Packing	Price	Code	Name	Packing	Price
46165 [68-12-2]	N,N-Dimethylformamide (DMF) GC-HS, 99.9%	250 ml	510	69545 [2206-27-1]	Dimethyl Sulphoxide-d6 (with 0.03% TMS) (DMSO-d6 w/ 0.03% TMS) for NMR spectroscopy, 99.8 Atom %D	25 Gms	11250
		500 ml	800				
		1000 ml	1420				
93186 [68-12-2]	N,N-Dimethylformamide (DMF) Dried, 99.5%, water 0.005%	500 ml	670	42009 [96-31-1]	N,N-Dimethylurea (1,3-Dimethylurea) extrapure, 99%	500 Gms	510
		1000 ml	1260			5 Kg	4580
24017 [68-12-2]	N,N-Dimethylformamide (DMF) for molecular biology, 99.9%	100 ml	450	43981 [117-81-7]	Diocetyl Phthalate pure, 98%	500 ml	460
		500 ml	850				
52794 [4637-24-5]	N,N-Dimethylformamide Dimethylacetal extrapure, 95% (1,1-Dimethoxy-N,N-Dimethylmethyldiamine)	100 ml	560	56353 [577-11-7]	Diocetyl Sodium Sulfo succinate (DOSS) ExiPlus, Multi-Compendial, 98% (Aerosol OT, Ducusate Sodium) meets compendial specs of USP, BP	500 Gms	1680
		500 ml	1800			5 Kg	15770
81890 [95-45-4]	Dimethylglyoxime extrapure AR, 99% (2,3-Butanedione Dioxime)	100 Gms	650	43324 [123-91-1]	1,4-Dioxane pure, 99%	500 ml	420
		500 Gms	2900			2500 ml	1800
						25 Ltr	17000
19711 [95-45-4]	Dimethylglyoxime extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (2,3-Butanedione Dioxime) meets compendial specs of BP, Ph.Eur	100 Gms	750	88797 [123-91-1]	1,4-Dioxane extrapure AR, 99.5%	500 ml	500
		500 Gms	3200			2500 ml	2000
92574 [75006-64-3]	Dimethylglyoxime Disodium Salt Octahydrate extrapure AR, 99%	250 Gms	1060	95536 [123-91-1]	1,4-Dioxane extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur	500 ml	600
						2500 ml	2400
33158 [80-73-9]	1,3-Dimethyl-2-Imidazolidinone (DMI) pure, 99%	100 ml	1190	29469 [123-91-1]	1,4-Dioxane Dried, 99.5%, water 0.005%	500 ml	630
		500 ml	5030				
		2500 ml	24670				
35161 [80-73-9]	1,3-Dimethyl-2-Imidazolidinone (DMI) GC-HS, 99.9%	100 ml	1390	79218 [123-91-1]	1,4-Dioxane GC-HS, 99.9%	250 ml	610
		500 ml	5300			1000 ml	2190
60496 [80-73-9]	1,3-Dimethyl-2-Imidazolidinone (DMI) ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	100 ml	1580	43294 [123-91-1]	1,4-Dioxane for HPLC & UV Spectroscopy, 99.9%	500 ml	1100
		500 ml	5450			1000 ml	1680
43404 [67-68-5]	Dimethyl Sulphoxide (DMSO) extrapure, 99%	500 ml	1530	65679 [123-91-1]	1,4-Dioxane scintillation grade, 99.5%	500 ml	670
		2500 ml	7250			1000 ml	1280
		25 Ltr	70850			2500 ml	2910
28580 [67-68-5]	Dimethyl Sulphoxide (DMSO) extrapure AR, 99.5%	500 ml	1640	82736 [646-06-0]	1,3-Dioxolane extrapure AR, 99%	500 ml	940
		2500 ml	7360			2500 ml	4200
		25 Ltr	72490				
66444 [67-68-5]	Dimethyl Sulphoxide (DMSO) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of Ph.Eur, USP	500 ml	1800	98342 [122-39-4]	Diphenylamine extrapure AR, 99%	100 Gms	260
		2500 ml	7630			500 Gms	800
12767 [67-68-5]	Dimethyl Sulphoxide (DMSO) GC-HS, 99.9%	250 ml	1040	41149 [122-39-4]	Diphenylamine extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	320
		500 ml	1970			500 Gms	900
		1000 ml	3710				
30239 [67-68-5]	Dimethyl Sulphoxide (DMSO) for HPLC & UV Spectroscopy, 99.8%	500 ml	1910	62567 [538-62-5]	1,5-Diphenylcarbazon (mixture with Diphenylcarbazine) extrapure AR, ACS (Phenylazoformic Acid-2-Phenylhydrazide)	5 Gms	550
		1000 ml	3600			25 Gms	2420
						100 Gms	8770
66120 [67-68-5]	Dimethyl Sulphoxide (DMSO) Dried, 99.5%, water 0.005%	500 ml	1860	75522 [92-71-7]	2,5-Diphenyloxazole scintillation grade (PPO), 99%	25 Gms	1700
						100 Gms	6200
						500 Gms	26000
24075 [67-68-5]	Dimethyl Sulphoxide (DMSO) for molecular biology, 99.8%	100 ml	880	89595 [92-71-7]	2,5-Diphenyloxazole scintillation grade (PPO) ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	100 Gms	7250
		250 ml	1860			500 Gms	34500
		500 ml	3270				
47809 [2206-27-1]	Dimethyl Sulphoxide-d6 (DMSO-d6) for NMR spectroscopy, 99.8 Atom %D	25 Gms	12000	43478 [34590-94-8]	Dipropylene Glycol Monomethyl Ether (Mixture of Isomers) extrapure, 99% (DPM, Dowanol)	500 ml	930
						2500 ml	4360

Code	Name	Packing	Price	Code	Name	Packing	Price
88738 [6106-24-7]	Disodium Tartrate Dihydrate extrapure, 99%	500 Gms	980	74683 [141-43-5]	Ethanolamine (MEA, Monoethanolamine, 2-Aminoethanol) extrapure AR, ACS, ExiPlus, Multi-Compndial, 9 meets compndial specs of BP, USP	500 ml 2500 ml	480 2100
16261 [6106-24-7]	Disodium Tartrate Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compndial, 99% meets compndial specs of USP, BP, Ph.Eur	250 Gms 500 Gms	670 1220	17220 [1239-45-8]	Ethidium Bromide extrapure, 95% (Homidium Bromide)	1 Gms 5 Gms	620 2690
12852 [6106-24-7]	Disodium Tartrate Dihydrate Calibration Standard (For Karl Fischer Titration), 99.5%	100 Gms	5790	93079 [1239-45-8]	Ethidium Bromide for molecular biology, 95% (Homidium Bromide)	1 Gms 5 Gms	670 2940
25821 [2386-53-0]	Dodecane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99% (Sodium 1-Dodecanesulfonate)	5 Gms 25 Gms 100 Gms	820 2080 7090	16201	Ethidium Bromide Solution (10mg/ml)	10 ml	2940
56085 [112-53-8]	1-Dodecanol (Dodecyl Alcohol, Lauryl Alcohol) pure, 98%	500 ml 2500 ml	670 3060	89362 [141-78-6]	Ethyl Acetate pure, 99%	500 ml 2500 ml 25 Ltr	280 1250 11000
93498 [112-53-8]	1-Dodecanol (Dodecyl Alcohol, Lauryl Alcohol) ACS, ExiPlus, Multi-Compndial, 98% (Lauryl Alcohol) meets compndial specs of USP, BP	500 ml	830	66183 [141-78-6]	Ethyl Acetate extrapure AR, 99.5%	500 ml 2500 ml	340 1400
88147	DPX Mountant for histology	250 ml 500 ml 1000 ml	380 720 1240	62952 [141-78-6]	Ethyl Acetate extrapure AR, ACS, ExiPlus, Multi-Compndial, 99.5% meets compndial specs of USP, BP, Ph.Eur	500 ml 2500 ml	380 1600
85675	Dragendorff's Reagent	125 ml	1700	72598 [141-78-6]	Ethyl Acetate Dried, 99.5%, water 0.005%	500 ml 1000 ml	400 770
71867 [67762-27-0]	Emulsifying Wax pure	500 Gms	610	73106 [141-78-6]	Ethyl Acetate GC-HS, 99.9%	500 ml 1000 ml	580 1050
29391 [17372-87-1]	Eosin Yellow (water soluble)	25 Gms 100 Gms 500 Gms	300 860 4190	26614 [141-78-6]	Ethyl Acetate for HPLC & UV Spectroscopy, 99.9%	500 ml 1000 ml 2500 ml	440 850 1850
22115 [106-89-8]	Epichlorohydrin pure, 98% (1-Chloro-2,3-Epoxypropane)	500 ml 2500 ml	550 2610	22636 [141-97-9]	Ethyl Acetoacetate pure, 99%	500 ml 2500 ml	680 2650
73317 [106-89-8]	Epichlorohydrin extrapure AR, 99% (1-Chloro-2,3-Epoxypropane)	500 ml 2500 ml	760 3330	33123 [75-04-7]	Ethylamine Solution 70% in water pure	500 ml 2500 ml	560 2670
40876 [1787-61-7]	Eriochrome Black T extrapure AR	25 Gms 100 Gms	350 1040	37810 [74-96-4]	Ethyl Bromide extrapure, 99%	250 ml 500 ml	1150 2200
76512 [3564-18-9]	Eriochrome Cyanine R	10 Gms 25 Gms	830 1930	87095 [110-80-5]	Ethyl Cellosolve pure, 99% (Ethylene Glycol Monoethyl Ether)	500 ml 2500 ml	380 1700
98188 [3844-45-9]	Erioglaucine Disodium Salt (C.I. No. 42090, Acid Blue 9, Brilliant Blue FCF, Alphazurine FG)	10 Gms 25 Gms	620 1530	30166 [1678-91-7]	Ethylcyclohexane extrapure, 99%	500 ml 2500 ml	1560 6030
69059 [16423-68-0]	Erythrosin B, 90%	25 Gms 100 Gms	900 3380	65428 [107-15-3]	Ethylene Diamine pure, 99% (1,2-Diaminoethane)	500 ml 2500 ml 25 Ltr	700 3200 30000
73961 [8007-09-8]	Eschka's Mixture extrapure AR, 38%	250 Gms 1 Kg	6070 23040	70790 [107-15-3]	Ethylene Diamine extrapure AR, 99.5% (1,2-Diaminoethane)	500 ml 2500 ml	760 3400
40942 [141-43-5]	Ethanolamine (MEA, Monoethanolamine, 2-Aminoethanol) extrapure, 99%	500 ml 2500 ml	350 1600	40648 [60-00-4]	EDTA Free Acid extrapure, 99% (Ethylenediaminetetraacetic Acid Free Acid)	100 Gms 500 Gms 5 Kg	230 880 8500
57100 [141-43-5]	Ethanolamine (MEA, Monoethanolamine, 2-Aminoethanol) extrapure AR, 99%	500 ml 2500 ml	400 1800	18240 [60-00-4]	EDTA Free Acid extrapure AR, 99% (Ethylenediaminetetraacetic Acid Free Acid)	100 Gms 500 Gms 5 Kg	250 1040 9800

Code	Name	Packing	Price	Code	Name	Packing	Price
73816 [60-00-4]	EDTA Free Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Ethylenediaminetetraacetic Acid Free Acid) meets compendial specs of BP, Ph.Eur	500 Gms 5000 Gms	1130 10500	45247 [10378-23-1]	EDTA Tetrasodium Salt Dihydrate for molecular biology, 99.5% (Ethylenediaminetetraacetic Acid Tetrasodium Salt Dihydrate)	100 Gms 500 Gms	900 3000
44478 [25102-12-9]	EDTA Dipotassium Salt pure, 98% (Ethylenediaminetetraacetic Acid Dipotassium Salt)	100 Gms 500 Gms 5 Kg	220 850 8000	24377 [13235-36-4]	EDTA Tetrasodium Salt Tetrahydrate extrapure, 99% (Ethylenediaminetetraacetic Acid Tetrasodium Salt Tetrahydrate)	100 Gms 500 Gms	300 800
62196 [25102-12-9]	EDTA Dipotassium Salt extrapure AR, 99% (Ethylenediaminetetraacetic Acid Dipotassium Salt)	100 Gms 500 Gms 5 Kg	245 990 9500	19950 [85715-60-2]	EDTA Trisodium Salt Hydrate extrapure, 95% (Ethylenediaminetetraacetic Acid Trisodium Hydrate)	100 Gms 500 Gms 5 Kg	1200 3200 22000
12070 [6381-92-6]	EDTA Disodium Salt Dihydrate pure, 98% (Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate)	100 Gms 500 Gms 5 Kg	220 850 8000	47471 [107-21-1]	Ethylene Glycol (MEG, Monoethylene Glycol) pure, 98% (Ethanediol)	500 ml 2500 ml 25 Ltr	250 1000 8500
40088 [6381-92-6]	EDTA Disodium Salt Dihydrate extrapure AR, 99.5% (Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate)	100 Gms 500 Gms 5 Kg	245 990 9500	95361 [107-21-1]	Ethylene Glycol (MEG, Monoethylene Glycol) extrapure AR, 99%	500 ml 2500 ml	250 1100
50027 [6381-92-6]	EDTA Disodium Salt Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate) meets compendial specs of USP	100 Gms 500 Gms 5 Kg	270 1100 10250	27466 [122-99-6]	Ethylene Glycol Monophenylether pure, 99% (Phenyl cellosolve, 2-Phenoxyethanol)	500 ml 2500 ml	460 2300
43272 [6381-92-6]	EDTA Disodium Salt Dihydrate for molecular biology, 99.5% (Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate)	100 Gms 500 Gms 1000 Gms 5 Kg	330 1400 2500 12000	82832 [2807-30-9]	Ethylene Glycol Monopropyl Ether extrapure, 99% (2-Propoxyethanol, Propyl glycol, Propyl Cellosolve)	500 ml 2500 ml	2730 11990
35108 [6381-92-6]	EDTA Disodium Salt Dihydrate for tissue culture, 99.5% (Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate)	100 Gms 500 Gms	310 1350	25049 [60-29-7]	Ethyl Ether pure, 99% (Diethyl ether)	500 ml 2500 ml 25 Ltr	440 1760 14900
96540 [6381-92-6]	EDTA Disodium Salt 0.1M Solution	500 ml 1000 ml	370 670	64665 [60-29-7]	Ethyl Ether extrapure AR, 99.5% (Diethyl ether)	500 ml 2500 ml	500 2050
48960 [6381-92-6]	EDTA Disodium Salt 0.01M Solution	500 ml 1000 ml	350 640	83416 [60-29-7]	Ethyl Ether extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Diethyl ether) meets compendial specs of BP	500 ml 2500 ml	550 2120
35888 [6381-92-6]	EDTA Disodium Salt 0.5M Solution	500 ml 1000 ml	500 950	83131 [60-29-7]	Ethyl Ether Dried, 99.5%, water 0.005% (Diethyl Ether)	500 ml 1000 ml 2500 ml	540 1030 2250
73557 [6381-92-6]	EDTA Disodium Salt 0.05M Solution	500 ml 1000 ml	250 450	68329 [60-29-7]	Ethyl Ether for HPLC & UV Spectroscopy, 99.9%	1000 ml	4120
59389 [15708-41-5]	EDTA Ferric Monosodium Salt extrapure, 12-14% Fe (Ethylenediaminetetraacetic Acid Ferric Monosodium Salt)	100 Gms 500 Gms	220 850	87796 [60-29-7]	Ethyl Ether GC-HS, 99.9%	500 ml 1000 ml	2310 4360
41000 [14402-88-1]	EDTA Magnesium Disodium Complex (EDTA Mg) pure (Ethylenediaminetetraacetic Acid Magnesium Disodium Complex)	100 Gms 500 Gms	200 800	36979 [109-94-4]	Ethyl Formate pure, 98%	500 ml 2500 ml 25 Ltr	500 2200 20000
15078 [10378-23-1]	EDTA Tetrasodium Salt Dihydrate extrapure, 98% (Ethylenediaminetetraacetic Acid Tetrasodium Salt Dihydrate)	100 Gms 500 Gms	320 990	50371 [2390-59-2]	Ethyl Violet (C.I. No. 42600) for microscopy	25 Gms	880
78036 [10378-23-1]	EDTA Tetrasodium Salt Dihydrate extrapure AR, 99% (Ethylenediaminetetraacetic Acid Tetrasodium Salt Dihydrate)	100 Gms 500 Gms	680 2100	89474	Fehling`s solution A	500 ml	400
				12603	Fehling`s solution B	500 ml	600
				72287 [7705-08-0]	Ferric Chloride Anhydrous pure, 98% (Iron (III) Chloride)	500 Gms 5 Kg	280 2330
				18831 [3522-50-7]	Ferric Citrate Trihydrate pure, 18-20% Fe (Iron (III) Citrate Trihydrate)	500 Gms	980

Code	Name	Packing	Price	Code	Name	Packing	Price
92273 [3522-50-7]	Ferric Citrate Trihydrate for tissue culture, 18-20% Fe (Iron (III) Citrate Trihydrate)	500 Gms	1030	68823 [57-48-7]	D-Fructose for tissue culture (D Fructose, D (-) Fructose)	500 Gms	950
72655 [10025-77-1]	Ferric Chloride Hexahydrate ACS, 97% (Iron (III) chloride Hexahydrate)	500 Gms 5 Kg	680 6300	86364 [110-17-8]	Fumaric Acid pure, 99%	500 Gms 5 Kg 25 Kg	400 3800 15000
87144 [7782-61-8]	Ferric Nitrate Nonahydrate extrapure AR, ACS, 98% (Iron (III) Nitrate Nonahydrate)	500 Gms	500	79503 [110-17-8]	Fumaric Acid extrapure AR, 99%	500 Gms 5 Kg	600 5700
69325 [1309-37-1]	Ferric Oxide Red extrapure, 95% (Iron (III) Oxide Red)	500 Gms	440	97328 [110-17-8]	Fumaric Acid extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	500 Gms 5 Kg	800 7500
39102 [15244-10-7]	Ferric Sulphate Hydrate pure, 19-21% Fe (Iron (III) Sulphate Hydrate)	500 Gms 5 Kg	280 2700	14277 [632-99-5]	Fuchsin Basic	25 Gms 100 Gms	280 770
14621 [15244-10-7]	Ferric Sulphate Hydrate extrapure AR, 19-21% Fe (Iron (III) Sulphate Hydrate)	500 Gms 5 Kg	320 3000	62967	Fusion Mixture extrapure	500 Gms	430
74871 [15244-10-7]	Ferric Sulphate Hydrate for tissue culture, 19-21% Fe (Iron (III) Sulphate Hydrate)	500 Gms 5 Kg	420 4000	24016	Fusion Mixture extrapure AR	500 Gms	540
57888 [14634-91-4]	Ferriin solution AR	100 ml	940	13142 [5995-86-8]	Gallic Acid pure, 98% (3,4,5-Trihydroxy Benzoic Acid)	100 Gms 500 Gms	850 3000
37323 [14634-91-4]	Ferriin Solution AR, ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	100 ml	970	42306 [5995-86-8]	Gallic Acid ACS, ExiPlus, Multi-Compendial, 98% (3,4,5-Trihydroxy Benzoic Acid) meets compendial specs of BP	100 Gms 500 Gms	1100 3400
82984 [13478-10-9]	Ferrous Chloride Tetrahydrate extrapure, 98% (Iron (II) Chloride Tetrahydrate)	500 Gms 5 Kg	600 5450	83740 [9000-70-8]	Gelatin Powder ex. Porcine (Type B), 120g Bloom	500 Gms 5 Kg	1500 13000
94185 [1317-37-9]	Ferrous Sulphide Fused Sticks, 23-27% S (Iron(II) Sulfide, Ferrous Sulfide)	1 Kg 5 Kg	800 3850	95110 [77-06-5]	Gibberellic Acid (GA3), 90%	1 Gms 10 Gms 100 Gms	140 1330 10520
93668 [7782-63-0]	Ferrous Sulphate Heptahydrate for tissue culture, 99.5% (Iron (II) Sulphate Heptahydrate)	500 Gms	410	24367 [468-44-0, 510-75-8]	Gibberellic Acid (GA4+7), 90%	1 Gms 5 Gms 25 Gms	800 2600 11000
31929 [7782-63-0]	Ferrous Sulphate Heptahydrate pure, 98% (Iron (II) Sulphate Heptahydrate)	500 Gms 5 Kg	230 1400	94857 [77-06-5]	Gibberellic Acid (GA3) for tissue culture, 90%	1 Gms 10 Gms 100 Gms	160 1490 11280
97868 [7782-63-0]	Ferrous Sulphate Heptahydrate extrapure AR, 99.5% (Iron (II) Sulphate Heptahydrate)	500 Gms 5 Kg	290 2620	45881 [51811-82-6]	Giemsa Stain	25 Gms 100 Gms	600 2290
53072 [75-12-7]	Formamide pure, 98.5% (Methanamide)	500 ml 2500 ml 25 Ltr	440 2100 19000	72402 ✓	Giemsa Stain Solution (Giemsa Azur-Eosin-Methylene Blue Solution)	100 ml 250 ml 500 ml	310 610 1100
71714 [75-12-7]	Formamide extrapure AR, 99.5% (Methanamide)	500 ml 2500 ml	580 2500	20149 [56-86-0]	L-Glutamic Acid extrapure CHR, 99%	100 Gms 250 Gms 1 Kg 5 Kg	350 800 2400 11000
74841 [75-12-7]	Formamide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur	500 ml 2500 ml	650 2800	50277 [56-86-0]	L-Glutamic Acid for tissue culture, 99%	100 Gms 500 Gms	600 1900
30349 [75-12-7]	Formamide for molecular biology, 99.5% (Methanamide)	500 ml 1000 ml	850 1400	18376 [56-86-0]	L-Glutamic Acid ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	100 Gms 250 Gms	380 850
83256 [75-12-7]	Formamide for UV Spectroscopy, 99% (Methanamide)	500 ml 1000 ml	1200 2100	23229 [6106-04-3]	L-Glutamic Acid Monosodium Salt Monohydrate (MSG) extrapure, 99% (Monosodium Glutamate, Monosodium L-Glutamate)	500 Gms 5 Kg 25 Kg	470 4360 19620
62673 [64-18-6]	Formic Acid extrapure AR, 98%	500 ml	610				
42868 [57-48-7]	D-Fructose extrapure (D Fructose, D (-) Fructose)	500 Gms 5 Kg 25 Kg	550 5200 25000				

Code	Name	Packing	Price	Code	Name	Packing	Price		
42595 [56-81-5]	Glycerol (Glycerine) Anhydrous pure, 99%	500 ml	350	84763 [16903-35-8]	Gold Chloride Solution 30% in HCl, 17% Au	5 ml	23000		
		2500 ml	1550			10 ml	40000		
		25 Ltr	14000						
77453 [56-81-5]	Glycerol (Glycerine) Anhydrous extrapure AR, 99.5%	500 ml	430	93281 [13682-61-6]	Gold Potassium Chloride (Potassium Tetrachloroaurate (III)) extrapure, 99.99% (Gold Potassium Chloride)	500 Mg	9920		
		2500 ml	1700			1 Gms	19000		
59991 [56-81-5]	Glycerol (Glycerine) Anhydrous extrapure AR ACS. ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 ml	470	10436	Gram`'s Iodine, 33% I	5 Gms	330		
		2500 ml	1900			25 Gms	900		
						100 Gms	3500		
62417 [56-81-5]	Glycerol (Glycerine) for molecular biology, 99.5%	100 ml	300	59538 [7782-42-5]	Graphite Synthetic (Type 1) pure, 98% C, 50mesh	500 Gms	350		
		500 ml	1050			2.5 Kg	1500		
85916 [60-01-5]	Glycerol Tributyrate (Tributyrin) pure, 97%	100 ml	1200	19123 [7782-42-5]	Graphite Synthetic (Type 2) pure, 97% C, 100mesh	500 Gms	450		
		500 ml	5000			2.5 Kg	2100		
25853 [56-40-6]	Glycine pure, 99%	500 Gms	580	26870 [7782-42-5]	Graphite Synthetic (Type 3) pure, 96% C, 325mesh	500 Gms	550		
		5 Kg	5500			2.5 Kg	2500		
66327 [56-40-6]	Glycine extrapure AR, 99.5%	500 Gms	650	86601 [593-85-1]	Guanidine Carbonate extrapure, 99%	100 Gms	420		
		5 Kg	6200			500 Gms	1600		
		25 Kg	29000			5 Kg	13000		
64072 [56-40-6]	Glycine for molecular biology, 99.5%	100 Gms	240	54542 [50-01-1]	Guanidine Hydrochloride (GHC) pure, 99%	100 Gms	440		
		500 Gms	1100			500 Gms	1420		
		1 Kg	2000			1 Kg	2730		
		5 Kg	8200			5 Kg	13080		
72938 [56-40-6]	Glycine for tissue culture, 99.5%	500 Gms	800	45539 [50-01-1]	Guanidine Hydrochloride (GHC) for molecular biology, 99.5%	100 Gms	700		
		5 Kg	7400			500 Gms	2800		
						1 Kg	4600		
						5 Kg	22000		
52574 [56-40-6]	Glycine for electrophoresis, 99.5%	100 Gms	1400	80272 [593-84-0]	Guanidine Thiocyanate (GTC) for molecular biology, 99%	100 Gms	800		
		500 Gms	6000			500 Gms	3200		
						1 Kg	5400		
69422 [56-40-6]	Glycine extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP	500 Gms	720			5 Kg	26000		
		5 Kg	6800						
40682 [56-40-6]	Glycine IP	1 Kg	1200	20222 [9000-30-0]	Guar Gum extrapure	500 Gms	560		
		5 Kg	5000			5 Kg	4830		
		25 Kg	22500						
74072 [56-40-6]	Glycine BP	1 Kg	1200	90970 [9000-01-5]	Acacia (Gum Acacia) extrapure (Gum Arabic)	500 Gms	560		
		5 Kg	5000			5 Kg	4830		
		25 Kg	22500			25 Kg	23580		
37449 [56-40-6]	Glycine USP	1 Kg	1400	90938 [9000-01-5]	Acacia (Gum Acacia) (enzyme free) extrapure AR (Gum Arabic)	500 Gms	850		
		5 Kg	6250						
		25 Kg	30000						
38063 [79-14-1]	Glycolic Acid extrapure, 70% soln in water	500 ml	950	39758	Hematoxylin solution (Delafield`s) for microscopy	125 ml	490		
		2500 ml	4300						
27194	Gold AAS Standard Solution in 0.5N HCl	100 ml	4000	78631	Hematoxylin solution (Ehrlich) for microscopy	125 ml	490		
		250 ml	7500						
59611 [16961-25-4]	Gold Chloride Hydrate (Tetrachloroauric Acid) ultrapure, 99.99%, ~49% Au	500 Mg	10360	40362	Hematoxylin solution (Harris) for microscopy	125 ml	650		
		1 Gms	17870						
		5 Gms	80000						
12023 [16961-25-4]	Gold Chloride Trihydrate (Tetrachloroauric Acid) pure, ~49% Au	500 Mg	8460	48441	Hematoxylin solution (Mayer`s) for microscopy	100 ml	270		
		1 Gms	16000			19241 [142-82-5]	n-Heptane extrapure, 99%	500 ml	360
		5 Gms	70000					2500 ml	1500
				25 Ltr	14000				
81173 [13874-02-7]	Gold Chloride Sodium	1 Gms	14000	94979 [142-82-5]	n-Heptane extrapure AR, 99%	500 ml	430		
		5 Gms	62000			2500 ml	1800		
						25 Ltr	17000		

Code	Name	Packing	Price	Code	Name	Packing	Price
96979 [142-82-5]	n-Heptane extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 ml	460	49346 [2832-45-3]	Hexane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	25 Gms	1200
		2500 ml	2100			100 Gms	4360
90731 [142-82-5]	n-Heptane for HPLC & UV Spectroscopy, 99.5%	500 ml	600	78597 [207300-91-2]	Hexane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%	250 Gms	10690
		1000 ml	1100			100 Gms	4360
						250 Gms	10690
94373 [22767-50-6]	Heptane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	25 Gms	1200	70389 [107-41-5]	Hexylene Glycol pure, 99%	500 ml	800
		100 Gms	4360			2500 ml	3700
		250 Gms	10690			25 Ltr	35000
55272 [207300-90-1]	Heptane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%	25 Gms	1200	38885 [351-50-8]	D-Histidine extrapure, 99%	5 Gms	3030
		100 Gms	4360			25 Gms	13650
		250 Gms	10690				
55120 [111-70-6]	1-Heptanol extrapure, 98%	500 ml	2250	94495 [71-00-1]	L-Histidine (base) extrapure CHR, 99%	25 Gms	800
		2500 ml	10800			100 Gms	2800
60805 [67-72-1]	Hexachloroethane pure, 99%	500 Gms	910			500 Gms	13000
		5 Kg	7870			1 Kg	24500
36027 [18497-13-7]	Hexachloroplatinic Acid Hexahydrate (Platinum Chloride Hexahydrate) ACS, 38-40% Pt (Platinic Chloride Hexahydrate)	250 Mg	3710	42437 [71-00-1]	L-Histidine ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	25 Gms	1000
		1 Gms	7000			100 Gms	3390
		5 Gms	30000			1 Kg	26000
		25 Gms	140000				
37465 [629-73-2]	1-Hexadecene (Cetene) extrapure, 95%	250 ml	2850	28061 [5934-29-2]	L-Histidine Hydrochloride Monohydrate extrapure CHR, 99%	25 Gms	710
		500 ml	4500			100 Gms	2200
81451 [100-97-0]	Hexamine pure, 99% (Hexamethylenetetramine, HMTA)	500 Gms	380			500 Gms	8000
		5 Kg	3200			1 Kg	14200
92391 [100-97-0]	Hexamine extrapure AR, 99.5%	500 Gms	470			5 Kg	68000
		5 Kg	4200				
91454 [110-54-3]	n-Hexane pure, 95%	500 ml	500	51565 [4998-57-6]	DL-Histidine extrapure, 99%	5 Gms	2000
		2500 ml	2300			25 Gms	8000
		25 Ltr	19000			100 Gms	30000
65764 [110-54-3]	n-Hexane for HPLC, 95%	500 ml	620	40599 [12055-62-8]	Holmium (III) Oxide ultrapure, 99.9%	5 Gms	2000
		1000 ml	1200			10 Gms	3500
		2500 ml	2800			25 Gms	7500
77045 [110-54-3]	n-Hexane pure, 99%	500 ml	600	59764 [68514-28-3]	Humic Acid Potassium Salt (Potassium Humate) pure, 70% Humic, 15% Fulvic	500 Gms	380
		2500 ml	2600			5 Kg	3500
		25 Ltr	24000				
12534 [110-54-3]	n-Hexane extrapure AR, 99%	500 ml	680	53931 [7803-57-8]	Hydrazine Hydrate extrapure, 80% (Hydrazinium Hydroxide)	500 ml	1500
		2500 ml	2800			2500 ml	7000
27226 [110-54-3]	n-Hexane extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 ml	740	99313 [10034-93-2]	Hydrazine Sulphate extrapure, 99%	100 Gms	440
		2500 ml	3000			500 Gms	1950
33823 [110-54-3]	n-Hexane for HPLC, 99%	500 ml	800	33243 [10034-93-2]	Hydrazine Sulphate extrapure AR, 99.5%	100 Gms	550
		1000 ml	1500			500 Gms	2300
		2500 ml	3500				
40501 [110-54-3]	n-Hexane GC-HS, 99.9%	250 ml	820	78110 [10034-93-2]	Hydrazine Sulphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	100 Gms	710
		1000 ml	2700			500 Gms	2610
29114 [110-54-3]	n-Hexane Dried, 99%, water 0.005%	500 ml	1050	21435 [10035-10-6]	Hydrobromic Acid pure, 48-49% in water	500 ml	1290
		1000 ml	2000			2500 ml	6000
				30106 [10035-10-6]	Hydrobromic Acid pure, ~33% in glacial acetic acid	500 ml	1290
						2500 ml	6000

Code	Name	Packing	Price	Code	Name	Packing	Price
99790 [7647-01-0]	Hydrochloric Acid 0.1N Aq. Solution	500 ml 1000 ml	160 290	92379 [6303-21-5]	Hypophosphorous Acid extrapure AR, 50% in water (Phosphinic Acid)	500 ml	3000
62889 [7647-01-0]	Hydrochloric Acid 1N Aq. Solution	500 ml 1000 ml	300 550	64556 [8029-68-3]	Ichthammol pure, 50%	500 Gms	5700
30988 [7647-01-0]	Hydrochloric Acid 0.5N Aq. Solution	500 ml 1000 ml	180 330	65712 [288-32-4]	Imidazole pure, 99%	100 Gms 500 Gms 5 Kg	370 1460 12000
87039 [7647-01-0]	Hydrochloric Acid 2N Aq. Solution	500 ml 1000 ml	330 620	32822 [288-32-4]	Imidazole extrapure AR, 99%	100 Gms 500 Gms 5 Kg 25 Kg	650 2070 19000 84880
80096 [7647-01-0]	Hydrochloric Acid 3N Aq. Solution	500 ml 1000 ml	360 660	78496 [288-32-4]	Imidazole extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms 500 Gms	670 2330
65955 [7647-01-0]	Hydrochloric Acid 4N Aq. Solution	500 ml 1000 ml	390 730	61510 [288-32-4]	Imidazole for molecular biology, 99.5%	25 Gms 100 Gms 500 Gms	800 2500 7040
72775 [7647-01-0]	Hydrochloric Acid 4M Solution in Dioxane	1000 ml 2500 ml	1400 3460	10722 [288-32-4]	Imidazole for tissue culture, 99.5%	100 Gms	1950
34472 [7647-01-0]	Hydrochloric Acid 5N Aq. Solution	500 ml 1000 ml	420 770	73017 [8000-27-9]	Immersion Oil Synthetic for microscopy (Cedarwood Oil Synthetic, Immersion Oil Thickened)	30 ml 125 ml 500 ml 5 Ltr	320 730 2000 18500
17560 [7647-01-0]	Hydrochloric Acid 6N Aq. Solution	500 ml 1000 ml	440 810	63214	Indium AAS Standard Solution in 1N HCl	100 ml 250 ml	1500 2400
79661 [7647-01-0]	Hydrochloric Acid 0.05N Aq. Solution	500 ml 1000 ml	200 360	88318 [87-51-4]	Indole-3-Acetic Acid (IAA) pure, 98%	5 Gms 25 Gms 100 Gms	430 1390 4900
40918 [7647-01-0]	Hydrochloric Acid 0.01M Aq. Solution	500 ml 1000 ml	200 360	96788 [87-51-4]	Indole-3-Acetic Acid (IAA) for tissue culture, 98%	5 Gms 25 Gms 100 Gms	650 2400 7200
56059 [5470-11-1]	Hydroxylamine Hydrochloride pure, 98%	100 Gms 500 Gms	250 750	18676 [771-51-7]	Indole-3-Acetonitrile pure, 98%	5 Gms 25 Gms	1590 5940
66164 [5470-11-1]	Hydroxylamine Hydrochloride extrapure AR, 99%	100 Gms 500 Gms	350 1100	40407 [133-32-4]	Indole-3-Butyric Acid (IBA) pure, 98%	5 Gms 25 Gms 100 Gms	520 1760 5530
65508 [5470-11-1]	Hydroxylamine Hydrochloride extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur, USP	100 Gms 500 Gms	400 1250	60289 [133-32-4]	Indole-3-Butyric Acid (IBA) for tissue culture, 98%	5 Gms 25 Gms 100 Gms	750 2620 8180
47748 [7803-49-8]	Hydroxylamine 50% Soln. in Water	50 ml 100 ml 500 ml	3460 5940 16740	35095 [771-50-6]	Indole-3-Carboxylic Acid pure, 99%	5 Gms 25 Gms	1260 5030
13877 [10039-54-0]	Hydroxylamine Sulphate pure, 99%	100 Gms 500 Gms	230 650	67892 [7790-99-0]	Iodine Monochloride extrapure, 98%	25 Gms 100 Gms 250 Gms	890 2800 6500
83032 [10039-54-0]	Hydroxylamine Sulphate extrapure AR, ACS, 99%	100 Gms 500 Gms	260 830	66098 [7790-99-0]	Iodine Monochloride Solution (1M in Acetic Acid) (Wij's Solution) extrapure (Chloriodide Solution)	250 ml 500 ml	1600 3000
44439 [622-40-2]	4-(2-Hydroxyethyl)morpholine (4-HEM) extrapure, 99% (2-Morpholinoethanol, 4-Morpholineethanol)	100 ml 500 ml	390 1420	40415 [12029-98-0]	Iodine Pentoxide (Iodopentoxide) extrapure AR, 99%	25 Gms 100 Gms	4500 9000
91113 [148-24-3]	8-Hydroxyquinoline (8-Quinolinol) extrapure, 99.5%	100 Gms 500 Gms	930 3930				
23264 [148-24-3]	8-Hydroxyquinoline (8-Quinolinol) extrapure AR, ACS, 99.5%	100 Gms 500 Gms	1070 4500				
26356 [6303-21-5]	Hypophosphorous Acid pure, 30-32% in water (Phosphinic Acid)	500 ml	2600				

Code	Name	Packing	Price	Code	Name	Packing	Price		
52539 [7553-56-2]	Iodine Resublimed AR, 99.8%	100 Gms	2990	52497 [110-19-0]	Isobutyl Acetate extrapure, 98% (Acetic Acid Isobutyl Ester)	500 ml	550		
		500 Gms	14030			2500 ml	2500		
37524 [7553-56-2]	Iodine Resublimed AR, ACS, ExiPlus, Multi-Compendial, 99.8% meets compendial specs of USP, BP, Ph.Eur	100 Gms	3110	41867 [78-84-2]	Isobutyraldehyde extrapure, 99% (2-Methylpropionaldehyde)	25 Ltr	24000		
		500 Gms	14950			500 ml	440		
68017 [7553-56-2]	Iodine 0.01N Solution	500 ml	550	53502 [540-84-1]	Isooctane extrapure, 99%	2500 ml	4120		
		1000 ml	1030			25 Ltr	37060		
59802 [7553-56-2]	Iodine 1N Solution	500 ml	1730	57075 [540-84-1]	Isooctane extrapure AR, 99.5%	500 ml	1080		
12445 [7553-56-2]	Iodine 0.1N Solution	500 ml	1410			2500 ml	4720		
84644 [865-44-1]	Iodine Trichloride extrapure, 97%	25 Gms	3500	81399 [540-84-1]	Isooctane extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP	25 Ltr	40880		
		25 Gms	1600			500 ml	1130		
36388 [75-47-8]	Iodoform pure, 99%	100 Gms	5400	68930 [540-84-1]	Isooctane for HPLC & UV Spectroscopy, 99.5%	2500 ml	5090		
		250 Gms	13000			500 ml	1370		
		5 Gms	400			1000 ml	2420		
70031 [516-12-1]	N-Iodosuccinimide extrapure, 99% (1-Iodo-2,5-Pyrrolidinedione)	25 Gms	1300	15485 [540-84-1]	Isooctane GC-HS, 99.9% (2,2,4-Trimethylpentane)	2500 ml	5090		
		100 Gms	5000			500 ml	3800		
		100 Mg	5500			1000 ml	2060		
22157 [7439-88-5]	Iridium Metal Powder extrapure, 99.9%	500 Mg	24000	98605 [540-84-1]	Isooctane Dried, 99.5%, water 0.005% (2,2,4-Trimethylpentane)	1 Gms	43000		
		1 Gms	43000			67800 [67-63-0]	Isopropanol (IPA) pure, 99%	500 ml	280
		5 Gms	165000					2500 ml	1300
50716 [14996-61-3]	Iridium Trichloride Hydrate extrapure, 99%	1 Gms	35000	62986 [67-63-0]	Isopropanol (IPA) extrapure AR, 99.5%	25 Ltr	12000		
		5 Gms	165000			500 ml	300		
		2500 ml	2300			2500 ml	1450		
84425	Iron AAS Standard Solution in 0.5N HNO3	100 ml	1500	11768 [67-63-0]	Isopropanol (IPA) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 ml	330		
64857 [7439-89-6]	Iron Metal Powder (Electrolytic), 99.5%, mesh ~200	250 ml	2400			2500 ml	1600		
		500 Gms	710			38445 [67-63-0]	Isopropanol (IPA) for molecular biology, 99.8%	100 ml	250
		1 Kg	1000	500 ml	700				
90354 [91-56-5]	Isatin extrapure AR, 99% (2,3-Indolinedione)	5 Kg	4540	10140 [67-63-0]	Isopropanol (IPA) GC-HS, 99.9%	1000 ml	1350		
		25 Gms	1030			500 ml	580		
57020 [123-51-3]	Isoamyl Alcohol (Isopentyl Alcohol) pure, 99%	100 Gms	3540	44036 [67-63-0]	Isopropanol (IPA) for HPLC & UV Spectroscopy, 99.8%	1000 ml	1100		
		500 ml	570			500 ml	480		
69931 [123-51-3]	Isoamyl Alcohol (Isopentyl Alcohol) extrapure AR, 99%	2500 ml	2500	48906 [67-63-0]	Isopropanol (IPA) electronic grade, 99.8%	1000 ml	850		
		500 ml	660			2500 ml	1800		
88719 [123-51-3]	Isoamyl Alcohol (Isopentyl Alcohol) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	2500 ml	2700			62616 [67-63-0]	Isopropanol (IPA) VLSI Semiconductor Grade, 99.8% (2-Propanol)	2500 ml	2400
		500 ml	660	1000 ml	6000				
		69412 [78-83-1]	Isobutanol pure, 99%	2500 ml	1460	13627 [108-22-5]	Isopropenyl Acetate extrapure, 99%	25 Ltr	12320
500 ml	360			100 ml	750				
98646 [78-83-1]	Isobutanol extrapure AR, 99.5%			2500 ml	1760	35858 [75-31-0]	Isopropylamine (MIPA) extrapure, 99% (Monoisopropylamine)	500 ml	520
		500 ml	450	2500 ml	2180				
34159 [78-83-1]	Isobutanol GC-HS, 99.9%	250 ml	560	73716 [110-27-0]	Isopropyl Myristate pure, 90%	500 ml	860		
		500 ml	1010			2500 ml	3940		
		1000 ml	1770						

Code	Name	Packing	Price	Code	Name	Packing	Price
32009 [110-27-0]	Isopropyl Myristate ExiPlus, Multi-Compendial, 90% meets compendial specs of USP, Ph.Eur	500 ml	960	72518 [6080-56-4]	Lead (II) Acetate Trihydrate pure, 99% (Plumbous Acetate Trihydrate, Lead Diacetate)	500 Gms	530
		2500 ml	4240			5 Kg	5000
42822 [110-27-0]	Isopropyl Myristate extrapure AR (0.2um filtered), 98%	500 ml	1820	69586 [10099-74-8]	Lead AAS Standard Solution in 0.5N HNO3	100 ml	1500
		2500 ml	7890			250 ml	2400
36494 [9002-13-5]	Jack Bean Meal ex. Urease extrapure (Crude Urease)	100 Gms	270	69789 [7758-95-4]	Lead (II) Chloride Anhydrous extrapure, 98%	500 Gms	820
		500 Gms	1220				
20489 [2869-83-2]	Janus Green B (JG-B), 65% (Diazin Green, Union Green B)	5 Gms	760	87373 [1309-60-0]	Lead Dioxide (Lead Peroxide) extrapure, 95%	100 Gms	490
		25 Gms	3040			500 Gms	2000
86543 [62851-42-7]	Jenners Stain (Eosin-methylene blue)	25 Gms	630	60843 [7783-46-2]	Lead (II) Fluoride pure, 98% (Plumbous Fluoride)	500 Gms	1200
		100 Gms	2390				
57080 [1332-58-7]	Kaolin Light extrapure	500 Gms	200	64972 [10099-74-8]	Lead (II) Nitrate extrapure, 99% (Plumbous Nitrate, Lead Dinitrate)	500 Gms	600
34469	Karl Fischer Reagent (Pyridine free)	500 ml	3240			5 Kg	5500
		2 x250 ml	3240				
62878 [79-33-4]	L-Lactic Acid for tissue culture, 88% (L-(+)-Lactic Acid)	100 ml	600	68030 [10099-74-8]	Lead (II) Nitrate extrapure AR, ACS, 99.5% (Plumbous nitrate, lead dinitrate)	500 Gms	750
						5 Kg	7200
93762 [79-33-4]	L-Lactic Acid pure, 88% (L-(+)-Lactic Acid)	500 ml	660	50314 [1317-36-8]	Lead (II) Oxide (Lead Monoxide, Litharge) pure, 99%	500 Gms	600
		2500 ml	2800			1 Kg	1100
41242 [79-33-4]	L-Lactic Acid extrapure AR, 88% (L-(+)-Lactic Acid)	500 ml	700	60795 [7446-14-2]	Lead (II) Sulphate extrapure, 98% (Anglesite)	500 Gms	800
		2500 ml	3000				
21206 [79-33-4]	L-Lactic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 88% (L-(+)-Lactic Acid) meets compendial specs of BP, Ph.Eur	500 ml	750	18279 [1317-36-8]	Lead (II) Oxide (Lead Monoxide, Litharge) extrapure AR, ACS, 99%	100 Gms	450
		2500 ml	3300			250 Gms	950
54492 [79-33-4]	L-Lactic Acid 0.1N Solution	500 ml	250	68015	Leishman Staining Solution	250 ml	300
		1000 ml	470				
41158 [79-33-4]	L-Lactic Acid 1N Solution	500 ml	420	82184 [12627-53-1]	Leishman Stain	25 Gms	660
		1000 ml	780			100 Gms	2200
97513	Lacto Fuchsin Staining Solution	100 ml	440	500 Gms	9800		
92598	Lactophenol Cotton Blue Solution	500 ml	300	63007 [61-90-5]	L-Leucine extrapure CHR, 99%	25 Gms	330
20863	Lactophenol Mountant Solution					100 Gms	650
				500 Gms	3000		
25957 [10039-26-6, 64044-51-5]	Lactose Monohydrate extrapure AR	500 Gms	610	1 Kg	5500		
		5 Kg	5800				
33525 [10039-26-6, 64044-51-5]	Lactose Monohydrate for tissue culture	500 Gms	660	75333 [1305-62-0]	Lime Water Saturated Solution	500 ml	280
		5 Kg	6330				
67091 [10039-26-6, 64044-51-5]	Lactose Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial meets compendial specs of USP, BP	500 Gms	620	75105	Lithium AAS Standard Solution in 0.5N HNO3	100 ml	1500
		5 Kg	5850			250 ml	2400
19459	Lanthanum AAS Standard Solution in 2N HNO3	100 ml	1800	31665 [7550-35-8]	Lithium Bromide Anhydrous extrapure, 99%	100 Gms	2000
		250 ml	2700			500 Gms	9000
70514 [143-07-7]	Lauric Acid pure, C12-99% (Dodecanoic Acid)	500 Gms	620	33662 [7550-35-8]	Lithium Bromide Anhydrous ultrapure, 99.999% , -10mesh	5 Gms	5760
		2.5 Kg	2500			25 Gms	19200
90346 [1335-32-6]	Lead Subacetate extrapure, Pb content 33% (Lead (II) Acetate Basic, Lead Hydroxide Acetate, Horne's Compound)	500 Gms	930	73154 [554-13-2]	Lithium Carbonate pure, 98%	100 Gms	3000
		2.5 Kg	4530			250 Gms	7000
		5 Kg	8720			500 Gms	13800
19558 [554-13-2]	Lithium Carbonate extrapure AR, 99%	100 Gms	3100	74884 [554-13-2]	Lithium Carbonate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	100 Gms	3100
		250 Gms	7250			250 Gms	7700

Code	Name	Packing	Price	Code	Name	Packing	Price		
39692 [7447-41-8]	Lithium Chloride Anhydrous pure, 99%	100 Gms	2250	30163 [56-87-1]	L-Lysine (free base) Anhydrous extrapure, 98%	10 Gms	1360		
		250 Gms	5400			25 Gms	3200		
		500 Gms	10500			100 Gms	11840		
76359 [7447-41-8]	Lithium Chloride Anhydrous extrapure AR, 99%	100 Gms	2400	22527 [56-87-1]	L-Lysine (free base) Anhydrous for tissue culture, 98%	10 Gms	1590		
		250 Gms	5700			25 Gms	3710		
58259 [7447-41-8]	Lithium Chloride Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	2600	15942 [56-87-1]	L-Lysine (free base) Anhydrous ExiPlus, Multi-Compendial, 98%	10 Gms	1600		
		500 Gms	12400			100 Gms	12990		
26341 [7447-41-8]	Lithium Chloride 1M Solution in Acetic Acid	250 ml	1150	85187 [39665-12-8]	L-Lysine Monohydrate (base) extrapure for biochemistry, 99%	25 Gms	1970		
20003 [7447-41-8]	Lithium Chloride 1M Solution in Ethanol	250 ml	1350			100 Gms	7030		
		500 Gms	32000						
81034 [7789-24-4]	Lithium Fluoride pure, 98.5%	25 Gms	950	76199 [39665-12-8]	L-Lysine Monohydrate (Base) ExiPlus, Multi-Compendial, 99% meets compendial specs of USP	25 Gms	2110		
		100 Gms	3700			100 Gms	7790		
		500 Gms	17500			500 Gms	34000		
44318 [1310-65-2]	Lithium Hydroxide Anhydrous extrapure, 98%	25 Gms	1550	45976 [39665-12-8]	L-Lysine Monohydrate (base) for molecular biology, 99%	25 Gms	5500		
		100 Gms	3900			89361 [657-27-2]	L-Lysine Monohydrochloride extrapure CHR, 99%	100 Gms	250
		500 Gms	18500					500 Gms	1070
52019 [1310-66-3]	Lithium Hydroxide Monohydrate pure, 99%	100 Gms	3200	77872 [657-27-2]	L-Lysine Monohydrochloride ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	380		
		500 Gms	15500			500 Gms	1310		
48204 [1310-66-3]	Lithium Hydroxide Monohydrate extrapure AR, 99%	100 Gms	3400	35443 [16674-78-5]	Magnesium Acetate Tetrahydrate extrapure, 98%	500 Gms	670		
		500 Gms	16500			5 Kg	5800		
89966 [1310-66-3]	Lithium Hydroxide Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	3500	53888 [16674-78-5]	Magnesium Acetate Tetrahydrate extrapure AR, 99%	500 Gms	800		
		500 Gms	17500			5 Kg	7000		
82712 [7790-69-4]	Lithium Nitrate (High Purity) extrapure AR, 99.5%	100 Gms	3000	64328 [16674-78-5]	Magnesium Acetate Tetrahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms	900		
		500 Gms	14200						
17864 [7790-69-4]	Lithium Nitrate (High Purity) extrapure AR, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP	100 Gms	3300	50488 [16674-78-5]	Magnesium Acetate Tetrahydrate for molecular biology, 99%	100 Gms	400		
		500 Gms	15600			500 Gms	1500		
88181 [10102-25-7]	Lithium Sulphate Monohydrate extrapure AR, 99%	100 Gms	3500	52917	Magnesium AAS Standard Solution in 0.5N HNO3	100 ml	1500		
		250 Gms	8300			250 ml	2400		
		500 Gms	16000						
39478 [10102-25-7]	Lithium Sulphate Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	3700	28935 [13446-53-2]	Magnesium Bromide Hexahydrate pure, 98%	500 Gms	2000		
		250 Gms	8700			63818 [39409-82-0]	Magnesium Carbonate Basic Light, 40-45% MgO (Magnesium Carbonate Light)	250 Gms	430
		500 Gms	17000					500 Gms	760
11373 [12007-60-2]	Lithium Tetraborate extrapure AR, 98% (di-Lithium Tetraborate)	100 Gms	3000	31196 [7786-30-3]	Magnesium Chloride Anhydrous extrapure, 98%	100 Gms	840		
		500 Gms	12000			500 Gms	1320		
78724	Lugols Iodine 1% Solution (Conc) (Iodine-Potassium iodide Solution)	125 ml	380	39750 [7786-30-3]	Magnesium Chloride Anhydrous for tissue culture, 98%	5 Kg	8940		
		500 ml	1300			100 Gms	1220		
42603	Lugols Iodine 5% Solution (Conc)	125 ml	1600	69396 [7791-18-6]	Magnesium Chloride Hexahydrate extrapure AR, 99%	500 Gms	240		
		500 ml	4800			5 Kg	1900		
72349 [7274-88-6]	D-Lysine Hydrochloride extrapure, 99%	1 Gms	2460	54269 [7791-18-6]	Magnesium Chloride Hexahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP	500 Gms	290		
		5 Gms	9250			5 Kg	2200		

Code	Name	Packing	Price	Code	Name	Packing	Price
91417 [7791-18-6]	Magnesium Chloride Hexahydrate for molecular biology, 99.5%	250 Gms	650	15547 [1309-48-4]	Magnesium Oxide Light extrapure, 98%	500 Gms	1380
		500 Gms	900			5 Kg	12650
		5 Kg	8000				
16203 [7791-18-6]	Magnesium Chloride Hexahydrate for tissue culture, 99.5%	500 Gms	720	64741 [2437-29-8]	Malachite Green Oxalate	25 Gms	150
		5 Kg	6500			100 Gms	530
28577 [7791-18-6]	Magnesium Chloride 0.5M Solution	500 ml	230	97890 [110-16-7]	Maleic Acid extrapure AR, 99.5%	100 Gms	230
		1000 ml	430			500 Gms	550
						2.5 Kg	2400
23772 [7791-18-6]	Magnesium Chloride 1M Solution	500 ml	270	68589 [110-16-7]	Maleic Acid extrapure AR, ExiPlus, Multi-Compendial, 99.5%	100 Gms	250
		1000 ml	500			500 Gms	680
58742 [153531-96-5]	Magnesium Citrate Nonahydrate pure, 97%	500 Gms	1550		meets compendial specs of USP, BP		
25349 [7783-40-6]	Magnesium Fluoride pure, 95%	500 Gms	810	17289 [123-33-1]	Maleic Hydrazide extrapure, 98% (1,2-Dihydro-3,6-pyridazinedione, 3,6-Dihydroxypyridazine, Maleic Acid Hydrazide, 3,6-Pyridazinediol)	100 Gms	1050
45149 [7439-95-4]	Magnesium Metal coarse powder, 99.8%, -36 mesh	100 Gms	350	24226 [6915-15-7]	DL-Malic Acid pure, 99%	1 Kg	9000
		500 Gms	1600			500 Gms	630
19684 [7439-95-4]	Magnesium Metal Ribbon extrapure AR, 99.5%	25 Gms	340			5 Kg	6000
94410 [7439-95-4]	Magnesium Metal Turnings, 99.8%	250 Gms	925	73638 ✓ [9050-36-6]	Maltodextrin ExiPlus, Multi-Compendial	500 Gms	310
		500 Gms	1450			5 Kg	2500
		2.5 Kg	7100			25 Kg	11000
					meets compendial specs of BP		
77697 [13446-18-9]	Magnesium Nitrate Hexahydrate extrapure AR, ACS, 99%	500 Gms	420	90827 ✓ [9050-36-6]	Maltodextrin for tissue culture, 16.5-19.5% De	500 Gms	220
						5 Kg	2000
50014 [7487-88-9]	Magnesium Sulphate Dried extrapure AR, 62-70% MgSO4, 99%	500 Gms	520	59338 [6363-53-7]	D-Maltose Monohydrate for bacteriology and biochemistry	100 Gms	270
		2.5 Kg	2400			500 Gms	1080
						5 Kg	10500
64187 [7487-88-9]	Magnesium Sulphate Dried extrapure AR, ExiPlus, Multi-Compendial, 62-70% MgSO4, 99%	500 Gms	560	42844 [6363-53-7]	D-Maltose Monohydrate for tissue culture	100 Gms	330
		2.5 Kg	2600			500 Gms	1350
						5 Kg	12500
	meets compendial specs of USP, BP, Ph.Eur						
85611 [10034-99-8]	Magnesium Sulphate Heptahydrate extrapure AR, 99%	500 Gms	340	97526 [6156-78-1]	Manganese (II) Acetate Tetrahydrate pure, 97% (Manganous Acetate Tetrahydrate)	500 Gms	430
26129 [10034-99-8]	Magnesium Sulphate Heptahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	500 Gms	360				
	meets compendial specs of USP, BP						
74440 [10034-99-8]	Magnesium Sulphate Heptahydrate for molecular biology, 99.5%	500 Gms	1460	78017 [6156-78-1]	Manganese (II) Acetate Tetrahydrate extrapure AR, 99% (Manganous Acetate Tetrahydrate)	500 Gms	500
83890 [10034-99-8]	Magnesium Sulphate Heptahydrate for tissue culture, 99.5%	500 Gms	450	94486	Manganese AAS Standard Solution in 0.5N HCl	100 ml	1500
90046 [10034-99-8]	Magnesium Sulphate 0.1M Solution	500 ml	270			250 ml	2400
		1000 ml	490				
10301 [10034-99-8]	Magnesium Sulphate 0.5M Solution	500 ml	290	45757 [598-62-9]	Manganese (II) Carbonate pure, Mn content 42-46% (Manganous Carbonate)	500 Gms	520
		1000 ml	530				
29811 [10034-99-8]	Magnesium Sulphate 1M Solution	500 ml	310	75113 [13446-34-9]	Manganese (II) Chloride Tetrahydrate extrapure, 97% (Manganous Chloride Tetrahydrate)	500 Gms	590
		1000 ml	560			5 Kg	5400
78222 [557-04-0]	Magnesium Stearate ExiPlus, Multi-Compendial (Stearic Acid Magnesium Salt)	500 Gms	550	12551 [13446-34-9]	Manganese (II) Chloride Tetrahydrate extrapure AR, ACS, 99% (Manganous Chloride Tetrahydrate)	500 Gms	720
	meets compendial specs of USP, BP, Ph.Eur					5 Kg	6600
85850 [1309-48-4]	Magnesium Oxide Heavy extrapure, 98%	500 Gms	1090				
		5 Kg	10350	73970 [7439-96-5]	Manganese Metal Powder pure, 99%, ~325 mesh	250 Gms	700
				58011 [10034-96-5]	Manganese (II) Sulphate Monohydrate pure, 98% (Manganous Sulphate Monohydrate)	500 Gms	430
						5 Kg	3740
				12386 [10034-96-5]	Manganese (II) Sulphate Monohydrate extrapure AR, 99% (Manganous Sulphate Monohydrate)	500 Gms	700
						5 Kg	6400

Code	Name	Packing	Price	Code	Name	Packing	Price
78822 [10034-96-5]	Manganese (II) Sulphate Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Manganous Sulphate Monohydrate) meets compendial specs of USP, BP, Ph.Eur	500 Gms	840	93383 [7774-29-0]	Mercuric Iodide Red extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Mercury (II) Iodide) meets compendial specs of USP, Ph.Eur	25 Gms	1500
		5 Kg	7550			100 Gms	5500
38593 [1313-13-9]	Manganese (IV) Oxide pure, 80% (Manganese Dioxide)	500 Gms	400	68434 [7783-34-8]	Mercuric Nitrate Monohydrate extrapure, 98% (Mercury (II) Nitrate Monohydrate)	25 Gms	1620
		5 Kg	3500			100 Gms	6120
24248 [69-65-8]	D-Mannitol extrapure, 98.5%	500 Gms	940	89168 [7783-34-8]	Mercuric Nitrate Monohydrate extrapure AR, ACS, 98.5% (Mercury (II) Nitrate Monohydrate)	25 Gms	1740
		1 Kg	1800			100 Gms	6360
		5 Kg	8700			250 Gms	15600
79887 [69-65-8]	D-Mannitol extrapure AR, 99%	250 Gms	520	62847 [21908-53-2]	Mercuric Oxide Red extrapure, 99% (Mercury (II) Oxide)	25 Gms	1200
		500 Gms	1020			100 Gms	4410
		5 Kg	9100			250 Gms	10680
21304 [69-65-8]	D-Mannitol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	500 Gms	1160	60178 [21908-53-2]	Mercuric Oxide Red ACS, ExiPlus, Multi-Compendial, 99% (Mercury (II) Oxide) meets compendial specs of Ph.Eur	25 Gms	1210
		5 Kg	10920			100 Gms	4610
64370 [2216-51-5]	Menthol Synthetic pure	100 Gms	950	86666 [21908-53-2]	Mercuric Oxide Yellow extrapure, 99% (Mercury (II) Oxide)	25 Gms	1200
		250 Gms	2000			100 Gms	4410
69892 [60-24-2]	2-Mercaptoethanol pure, 99%	100 ml	520	37053 [21908-53-2]	Mercuric Oxide Yellow extrapure AR, ACS, 99.3% (Mercury (II) Oxide)	25 Gms	1410
		500 ml	2180			100 Gms	5080
83759 [60-24-2]	2-Mercaptoethanol for molecular biology, 99%	100 ml	770	32543 [7783-35-9]	Mercuric Sulphate pure, 99% (Mercury (II) Sulphate)	25 Gms	1020
		250 ml	1650			100 Gms	3900
		500 ml	2480			250 Gms	9480
79306 [1600-27-7]	Mercuric Acetate pure, 98% (Mercury (II) Acetate)	25 Gms	1180	20846 [7783-35-9]	Mercuric Sulphate extrapure AR, 99% (Mercury (II) Sulphate)	25 Gms	1080
		100 Gms	4560			100 Gms	4020
		250 Gms	10800			250 Gms	9840
80243 [1600-27-7]	Mercuric Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% (Mercury (II) Acetate) meets compendial specs of Ph.Eur	25 Gms	1280	43302 [7783-35-9]	Mercuric Sulphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Mercury (II) Sulphate) meets compendial specs of USP, Ph.Eur	25 Gms	1440
		100 Gms	4860			100 Gms	4260
		250 Gms	11160			250 Gms	10200
58263 [7789-47-1]	Mercuric Bromide extrapure AR, ACS, 99% (Mercury (II) Bromide)	25 Gms	1350	48274 [592-85-8]	Mercuric Thiocyanate extrapure, 98% (Mercury (II) Thiocyanate)	25 Gms	1700
		100 Gms	4480			100 Gms	6000
		250 Gms	11040			250 Gms	21600
25699 [7487-94-7]	Mercuric Chloride extrapure, 98% (Mercury (II) Chloride)	25 Gms	1180	93119 [592-85-8]	Mercuric Thiocyanate extrapure AR, ExiPlus, Multi-Compendial, 98% (Mercury (II) Thiocyanate) meets compendial specs of Ph.Eur	25 Gms	1850
		100 Gms	4560			100 Gms	6400
		250 Gms	11040			250 Gms	21600
29828 [7487-94-7]	Mercuric Chloride extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% (Mercury (II) Chloride) meets compendial specs of USP	25 Gms	1300	47184 [10112-91-1]	Mercurous Chloride pure, 98% (Mercury (I) Chloride, Calomel)	25 Gms	1140
		100 Gms	4800			100 Gms	4410
		250 Gms	11520			250 Gms	21360
98926 [7774-29-0]	Mercuric Iodide Red pure, 99% (Mercury (II) Iodide)	25 Gms	1300	37921 [10112-91-1]	Mercurous Chloride extrapure AR, ACS, 99.5% (Mercury (I) Chloride, Calomel)	25 Gms	1270
		100 Gms	4800			100 Gms	4680
		250 Gms	11500			250 Gms	11500
36881 [7774-29-0]	Mercuric Iodide Red extrapure AR, 99% (Mercury (II) Iodide)	25 Gms	1400	36004 [14836-60-3]	Mercurous Nitrate Dihydrate extrapure, 97% (Mercury (I) Nitrate Dihydrate)	25 Gms	1320
		100 Gms	5200			100 Gms	5160
		250 Gms	12500			250 Gms	12600

Code	Name	Packing	Price	Code	Name	Packing	Price		
44682 [14836-60-3]	Mercurous Nitrate Dihydrate extrapure AR, ACS, 98% (Mercury (I) Nitrate Dihydrate)	25 Gms	1440	21944 ⓘ [811-98-3]	Methanol-d4 for NMR spectroscopy, 99.8 atom%D	10 Gms	9500		
		100 Gms	5520			19305 [63-68-3]	L-Methionine extrapure CHR, 99%	25 Gms	330
		250 Gms	13500					100 Gms	700
		1 Kg	5800						
84229	Mercury AAS Standard Solution in 0.5N HNO3	100 ml	2500	65167 [109-86-4]	Methyl Cellosolve extrapure, 99%	500 ml	530		
		250 ml	3800			2500 ml	2120		
83568 [10124-48-8]	Mercury (II) Amidochloride extrapure, 98% (Ammoniated Mercury)	25 Gms	1300	38200 [109-86-4]	Methyl Cellosolve extrapure AR, 99.5%	500 ml	590		
		100 Gms	5200			1000 ml	970		
		500 Gms	22000			2500 ml	2240		
43665 [108-67-8]	Mesitylene extrapure, 98% (1,3,5-Trimethyl Benzene)	500 ml	1010	60451 [108-87-2]	Methyl Cyclohexane extrapure, 99%	500 ml	550		
		1000 ml	1530			2500 ml	2080		
		2500 ml	3660						
53383 ✓ [7439-97-6]	Mercury Metal extrapure, 99%	250 Gms	12000	46985 [845-10-3]	Methyl Red Sodium Salt (water soluble) ACS, 95% (C.I. No. 13020) (Acid Red 2)	25 Gms	270		
		500 Gms	23000			500 Gms	4790		
86556 [79-41-4]	Methacrylic Acid extrapure, 99%	500 ml	540	38862 [110-26-9]	N,N-Methylene Bisacrylamide (bis-Acrylamide) pure, 98%	100 Gms	1040		
		2500 ml	2600			500 Gms	2910		
87726 [75-75-2]	Methanesulphonic Acid (MSA) pure, 99%	100 ml	220			5 Kg	22000		
		500 ml	950						
		2500 ml	4400						
		25 Ltr	42000						
46989 [124-63-0]	Methanesulphonyl Chloride pure, 98%	100 ml	220	38516 ⓘ [110-26-9]	N,N-Methylene Bisacrylamide (bis-Acrylamide) 3x cryst. extrapure AR, 99.5%	25 Gms	540		
		500 ml	950			100 Gms	1700		
		2500 ml	4400	500 Gms	7020				
		25 Ltr	42000						
46644 [124-63-0]	Methanesulphonyl Chloride extrapure, 99%	100 ml	250	67320 ⓘ [110-26-9]	N,N-Methylene Bisacrylamide 3x cryst. for molecular biology, 99.5% (Bis-Acrylamide)	25 Gms	580		
		500 ml	1100			100 Gms	1820		
		2500 ml	4600			250 Gms	4480		
		25 Ltr	44000			500 Gms	8590		
59029 [67-56-1]	Methanol pure, 99%	500 ml	250	58779 ⓘ [110-26-9]	N,N'-Methylene Bisacrylamide 2% aq. solution for molecular biology	25 ml	3630		
		2500 ml	670			100 ml	9680		
		25 Ltr	5750						
65524 [67-56-1]	Methanol extrapure AR, 99.8%	500 ml	270	60363 [7220-79-3]	Methylene Blue Trihydrate	25 Gms	440		
		1000 ml	520			100 Gms	1640		
		2500 ml	730			500 Gms	8000		
37152 [67-56-1]	Methanol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.8%	500 ml	320	97866	Methylene Blue 1% aq. Solution	125 ml	150		
		1000 ml	540			250 ml	250		
		2500 ml	820	77248 [74-88-4]	Methyl Iodide (Iodomethane) extrapure, 99%	100 ml	6670		
						250 ml	14380		
	meets compendial specs of USP, BP, Ph.Eur			64889 [108-11-2]	Methyl Isobutyl Carbinol extrapure, 98%	500 ml	1040		
						15926 [108-10-1]	Methyl Isobutyl Ketone (MIBK) pure, 98%	500 ml	330
87655 [67-56-1]	Methanol GC-HS, 99.9%	500 ml	700	61929 [108-10-1]	Methyl Isobutyl Ketone (MIBK) extrapure AR, 99.5%			2500 ml	1400
		1000 ml	1230			500 ml	390		
79345 [67-56-1]	Methanol for HPLC & UV Spectroscopy, 99.8%	500 ml	370	10416 [108-10-1]	Methyl Isobutyl Ketone (MIBK) for UV spectroscopy, 99.5%	500 ml	1220		
		1000 ml	500			72387 [109-02-4]	4-Methyl Morpholine pure, 99% (N-Methyl Morpholine)	250 ml	660
		2500 ml	970	500 ml	1260				
10036 [67-56-1]	Methanol electronic grade, 99.8%	2500 ml	1190	70280 [547-58-0]	Methyl Orange	25 Gms	210		
						100 Gms	570		
62456 [67-56-1]	Methanol Dried extrapure AR, 99.8%, water 0.02%	500 ml	360			1 Kg	4800		
		1000 ml	500	51369 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) extrapure, 99.5%	500 ml	800		
96446 [67-56-1]	Methanol for molecular biology, 99.5%	500 ml	910			2500 ml	3400		
		1000 ml	1640						
		2500 ml	3510						

Code	Name	Packing	Price	Code	Name	Packing	Price
86263 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) extrapure AR, 99.5%	500 ml 2500 ml	850 3600	31444 [1313-27-5]	Molybdenum Trioxide extrapure, 99.5%	100 Gms 250 Gms 500 Gms	2100 5000 9800
11118 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 ml 2500 ml	900 3700	72615 [1313-27-5]	Molybdenum Trioxide extrapure AR, ACS, 99.5%	100 Gms 250 Gms 500 Gms	2300 5250 10300
25903 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) GC-HS, 99.9%	250 ml 500 ml 1000 ml	900 1200 2200	49664 [7782-91-4]	Molybdic Acid pure, 85%	100 Gms 250 Gms 500 Gms	1620 3900 7500
10331 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) for HPLC, 99.5%	1000 ml	2000	98466 [7782-91-4]	Molybdic Acid extrapure AR, 85%	100 Gms 250 Gms 500 Gms	1750 4200 8000
89975 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) for molecular biology, 99.5%	250 ml	760	71772 [7782-91-4]	Molybdic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 85% meets compendial specs of USP	100 Gms 250 Gms 500 Gms	2020 4350 8500
44055 [99-76-3]	Methyl-4-Hydroxybenzoate (Methyl Paraben) ExiPlus, Multi-Compendial, 98-102% meets compendial specs of USP, BP	500 Gms 5 Kg	1300 12000	44630 [110-91-8]	Morpholine extrapure, 99%	500 ml 2500 ml 25 Ltr	620 2910 22070
60905 [5026-62-0]	Methyl-4-Hydroxybenzoate Sodium Salt (Methyl Paraben Sodium) ExiPlus, Multi-Compendial, 95-102% meets compendial specs of USP, BP	500 Gms 5 Kg	1190 11520	96740 [110-91-8]	Morpholine extrapure AR, 99.5%	250 ml 500 ml	370 710
49449 [493-52-7]	Methyl Red extrapure AR	25 Gms 100 Gms 1 Kg	250 950 9000	11287 [110-91-8]	Morpholine extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 ml	1090
40431 [493-52-7]	Methyl Red ACS, ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	25 Gms 100 Gms 1 Kg	460 1090 9800	98293 [3051-09-0]	Murexide extrapure AR (Ammonium Purpurate), 98%	5 Gms 25 Gms 100 Gms 500 Gms	260 980 3730 16490
99983 [96-47-9]	2-Methyl Tetrahydrofuran pure, 98%	100 ml 500 ml 2500 ml	330 1400 6000	99571 [3051-09-0]	Murexide extrapure AR, ACS, ExiPlus, Multi-Compendial (Ammonium Purpurate), 98% meets compendial specs of Ph.Eur	5 Gms 25 Gms 100 Gms 500 Gms	310 1090 3910 18070
37689 [8004-87-3]	Methyl Violet	25 Gms 100 Gms	220 520	13280 [91-20-3]	Naphthalene extrapure AR, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	100 Gms 500 Gms 1 Kg	310 550 1040
90121 [55-55-0]	Metol extrapure, 99% (4-Methylaminophenol Sulphate)	100 Gms 500 Gms	980 4200	26320 [91-20-3]	Naphthalene scintillation grade, 99%	100 Gms 500 Gms 1 Kg	360 670 1280
98254 [308080-99-1]	Molecular Sieve 3A (0.3nm) (1.6-3mm Beads)	250 Gms 1 Kg 5 Kg	550 1530 6110	89740 [86-87-3]	Naphthalene-1-Acetic Acid (NAA) extrapure, 99% (1-Naphthylacetic Acid)	25 Gms 100 Gms 500 Gms	210 640 2830
72866 [70955-01-0]	Molecular Sieve 4A (0.4nm) (1.6-3mm Beads)	250 Gms 1 Kg 5 Kg	550 1530 6110	75928 [86-87-3]	Naphthalene-1-Acetic Acid (NAA) for tissue culture, 99% (1-Naphthylacetic Acid)	25 Gms 100 Gms 500 Gms	260 700 3270
75690 [70955-01-0]	Molecular Sieve 5A (0.5nm) (1.6-3mm Beads)	250 Gms 1 Kg 5 Kg	600 1640 6540	84226 [90-15-3]	a-Naphthol pure, 99%	100 Gms 500 Gms	370 1480
27764 [63231-69-6]	Molecular Sieve 13X (2-4mm Beads)	250 Gms 1 Kg 5 Kg	550 1530 6110				
38717	Molybdenum AAS Standard Solution in 0.5N H2SO4	100 ml 250 ml	1500 2400				

Code	Name	Packing	Price	Code	Name	Packing	Price
36309 [90-15-3]	a-Naphthol extrapure AR, 99.5%	25 Gms	210	10081 [7791-20-0]	Nickel (II) Chloride Hexahydrate extrapure AR, ACS, ExiPlus, Multi-Compdial, 99% (Nickelous Chloride Hexahydrate) meets compendial specs of BP	100 Gms	580
		100 Gms	520			500 Gms	2500
		500 Gms	2000				
30585 [90-15-3]	a-Naphthol extrapure AR, ExiPlus, Multi-Compdial, 99.5% meets compendial specs of USP, BP, Ph.Eur	100 Gms	620	75546 [7440-02-0]	Nickel Metal powder extrapure, 99.5%, ~100 mesh	100 Gms	1210
		500 Gms	2200			500 Gms	4680
74770 [135-19-3]	β-Naphthol extrapure AR, 99%	100 Gms	340	57709 [13478-00-7]	Nickel (II) Nitrate Hexahydrate pure, 98% (Nickelous Nitrate Hexahydrate)	500 Gms	1600
		500 Gms	1400				
19261 [135-19-3]	b-Naphthol extrapure AR, ExiPlus, Multi-Compdial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	400	30795 [13478-00-7]	Nickel (II) Nitrate Hexahydrate extrapure AR, 99% (Nickelous Nitrate Hexahydrate)	250 Gms	1120
		500 Gms	1640			500 Gms	2150
77807 [145-50-6]	1-Naphtholbenzein extrapure (a-Naphtholbenzein, p-naphtholbenzein, 4,4'- (a-Hydroxybenzylidene)di-1-naphthol)	5 Gms	850	33568 [13478-00-7]	Nickel (II) Nitrate Hexahydrate extrapure AR, ACS, ExiPlus, Multi-Compdial, 99% (Nickelous Nitrate Hexahydrate) meets compendial specs of Ph. Eur	250 Gms	1300
		25 Gms	3800			500 Gms	2450
86079	Neissers Stain A (Methylene Blue)	125 ml	130	49487 [1313-99-1]	Nickel (II) Oxide pure, 77% Ni (Nickel Monoxide)	100 Gms	1800
20379	Neissers Stain B (Crystal Violet)	125 ml	150			500 Gms	8000
23058	Neissers Stain C (Chrysoidine)	125 ml	130	12125 [10101-98-1]	Nickel (II) Sulphate Heptahydrate pure, 98% (Nickelous Sulphate Heptahydrate)	500 Gms	2000
						5 Kg	19000
36248 [553-24-2]	Neutral Red (High Purity), 85%	10 Gms	950	93377 [10101-98-1]	Nickel (II) Sulphate Heptahydrate extrapure AR, 99% (Nickelous Sulphate Heptahydrate)	500 Gms	2300
		25 Gms	2150			5 Kg	21500
		100 Gms	8200				
90691 [553-24-2]	Neutral Red extrapure AR, 60% (C.I. No. 50040)	10 Gms	500	48105 [10101-98-1]	Nickel (II) Sulphate Heptahydrate extrapure AR, ACS, ExiPlus, Multi-Compdial, 98% (Nickelous Sulphate Heptahydrate) meets compendial specs of USP, BP, Ph.Eur	100 Gms	780
		25 Gms	1100			500 Gms	2600
		100 Gms	3600				
18559 [553-24-2]	Neutral Red (High Purity) ACS, ExiPlus, Multi-Compdial, 85% meets compendial specs of BP	10 Gms	1000	61397 [10101-97-0]	Nickel (II) Sulphate Hexahydrate ACS, 99% (Nickelous Sulphate Heptahydrate)	100 Gms	620
		25 Gms	2300			500 Gms	2600
						5 Kg	24720
73342 [12635-27-7]	Nickel Aluminium Alloy powder, 50% Ni, 50% Al	100 Gms	920	86097 [59-67-6]	Nicotinic Acid (Pyridine-3-Carboxylic Acid) pure, 99%	100 Gms	420
		500 Gms	3480			500 Gms	1530
48615	Nickel AAS Standard Solution in 0.5N HNO3	100 ml	1500	67066 [8005-03-6]	Nigrosin (water soluble)	25 Gms	180
		250 ml	2400			100 Gms	520
42591 [6018-89-9]	Nickel (II) Acetate Tetrahydrate pure, 98% (Nickelous Acetate Tetrahydrate)	100 Gms	740	75529 [11099-03-9]	Nigrosin (alcohol soluble)	25 Gms	200
		500 Gms	2670			100 Gms	530
66489 [958638-02-3]	Nickel (II) Carbonate Basic Hydrate extrapure, 44-47% Ni (Nickelous Carbonate Hydroxide Hydrate, Nickel Hydroxide Carbonate Hydrate)	500 Gms	4940	71131	Nigrosin 10% w/v Solution	100 ml	120
58481 [12607-70-4, 39430-27-8]	Nickel (II) Carbonate Basic Tetrahydrate extrapure, 44-47% Ni (Nickelous Carbonate Hydroxide Tetrahydrate, Nickel Hydroxide Carbonate Tetrahydrate)	500 Gms	2880	36317 [2381-85-3]	Nile Blue Chloride	25 Gms	1340
		5 Kg	26700				
84421 [7791-20-0]	Nickel (II) Chloride Hexahydrate pure, 98% (Nickelous Chloride Hexahydrate)	500 Gms	2100	62887 [3625-57-8]	Nile Blue Sulphate	10 Gms	810
		5 Kg	19900			25 Gms	1640
27303 [7791-20-0]	Nickel (II) Chloride Hexahydrate extrapure AR, 99% (Nickelous Chloride Hexahydrate)	100 Gms	500	47353 [7385-67-3]	Nile Red (Nile Blue A Oxazone)	100 Mg	3000
		500 Gms	2200			1 Gms	16000
						5 Gms	30000
				55058 [485-47-2]	Ninhydrin extrapure AR, 99%	10 Gms	700
						25 Gms	1600
						100 Gms	6200

Code	Name	Packing	Price	Code	Name	Packing	Price		
93940 [485-47-2]	Ninhydrin extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	10 Gms	740	52761 [142-31-4]	Octyl Sulphate Sodium Salt for HPLC, 99% (Sodium Octyl Sulphate, SOS)	5 Gms	2330		
		25 Gms	1700			25 Gms	9880		
		100 Gms	6500						
	meets compendial specs of BP, Ph.Eur								
48081 [139-13-9]	Nitrilotriacetic Acid (NTA) extrapure AR, ACS, 99% (N,N-Bis(carboxymethyl)glycine, Tris(carboxymethyl)amine)	100 Gms	300	87572 [112-80-1]	Oleic Acid extrapure (cis-9-Octadecenoic acid, Elainic acid)	500 ml	490		
		500 Gms	1100			2500 ml	1990		
15319 [88-74-4]	o-Nitroaniline extrapure, 99%	250 Gms	740	28460 [112-80-1]	■ Oleic Acid Reference Standard, 99%(GC)	1 Gms	1800		
34003 [99-09-2]	m-Nitroaniline extrapure, 99%	250 Gms	1750			5 Gms	4270		
99409 [100-01-6]	p-Nitroaniline extrapure, 98%	250 Gms	670	87519 [112-90-3]	Oleilamine pure, 95% (cis-9-Octadecenylamine)	250 ml	710		
69114 [100-01-6]	p-Nitroaniline (High Purity) extrapure AR, 99.5%	25 Gms	340			1000 ml	2360		
		100 Gms	880			2500 ml	5090		
55410 [98-95-3]	Nitrobenzene pure, 98%	500 ml	340	79576 [8001-25-0]	Olive Oil	100 ml	500		
		2500 ml	1500			250 ml	900		
75010 [98-95-3]	Nitrobenzene extrapure AR, 99%	500 ml	380	13756 [1936-15-8]	Orange G	25 Gms	260		
		2500 ml	1700			100 Gms	810		
40208 [98-95-3]	Nitrobenzene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 ml	440	66366 [504-15-4]	Orcinol Anhydrous extrapure (3,5-dihydroxytoluene), 99%	5 Gms	1640		
		2500 ml	1900			25 Gms	4120		
						100 Gms	10280		
20509 [75-52-5]	Nitromethane ACS, 98% (Nitrocarbol, Nitroparaffin)	500 ml	1060	49330 [6153-39-5]	Orcinol Monohydrate extrapure (3,5-dihydroxytoluene monohydrate), 99%	10 Gms	970		
		1000 ml	1870			25 Gms	2300		
		2500 ml	4360			100 Gms	7140		
50337 [100-02-7]	p-Nitrophenol pure, 98% (4-Nitrophenol)	100 Gms	290	36916 [6153-39-5]	Orcinol Monohydrate ExiPlus, Multi-Compendial (3,5-dihydroxytoluene monohydrate), 99% meets compendial specs of USP, BP	10 Gms	1190		
		500 Gms	1350			25 Gms	2670		
						100 Gms	7620		
25170 [100-02-7]	p-Nitrophenol (High Purity) extrapure AR, 99.5%	25 Gms	420	36678 [7664-38-2]	Orthophosphoric Acid extrapure, 85% (Phosphoric Acid)	500 ml	600		
		100 Gms	1190			2500 ml	2800		
		500 Gms	5240			20 Ltr	21000		
59687 [100-02-7]	p-Nitrophenol (High Purity) extrapure AR, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur	25 Gms	480	50056 [7664-38-2]	Orthophosphoric Acid extrapure AR, ACS, 85% (Phosphoric Acid)	500 ml	650		
		100 Gms	1310			2500 ml	3000		
49301 [100-02-7]	p-Nitrophenol for Spectrophotometry, 99.5% (4-Nitrophenol)	5 Gms	1870	38048 [7664-38-2]	Orthophosphoric Acid extrapure for HPLC & UV Spectroscopy, 85%	250 ml	1350		
		25 Gms	4740			1000 ml	4600		
54373 [35192-74-6]	Nonane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 98% (Sodium 1-Nonanesulfonate)	5 Gms	2940	83577 [20816-12-0]	Osmic Acid extrapure, 99%	1 Gms	7560		
		25 Gms	13430						
67956 [5324-84-5]	Octane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	25 Gms	1200	40510 [6153-56-6]	Oxalic Acid extrapure AR, 99.5%	500 Gms	380		
		100 Gms	4360			72425 [6153-56-6]	Oxalic Acid Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 Gms	430
		250 Gms	10690						
72554 [207596-29-0]	Octane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%	25 Gms	1200	64056 [3375-31-3]	Palladium (II) Acetate (Palladium Diacetate) extrapure, 99%, 47% Pd	250 Mg	3600		
		100 Gms	4360			1 Gms	8500		
		250 Gms	10690			5 Gms	42000		
						25 Gms	200000		
38732 [111-87-5]	1-Octanol (1-Octyl Alcohol) pure, 99% (n-Octanol, n-Octyl Alcohol)	500 ml	750	59548 ✓ [14024-61-4]	✓ Palladium (II) Acetylacetonate (Pd(acac)₂) extrapure, 34.7% Pd (Bis(2,4-Pentanedionato) Palladium(II), Bis(Acetylacetonato) Palladium(II))	250 Mg	3300		
		2500 ml	3500			1 Gms	8300		
						5 Gms	32000		
40334 [111-87-5]	1-Octanol (1-Octyl Alcohol) for HPLC & UV Spectroscopy, 99% (n-Octanol, n-Octyl Alcohol)	500 ml	2000	69263	Palladium AAS Standard Solution in 0.5N HCl	100 ml	3000		
		1000 ml	3800			250 ml	5000		

Code	Name	Packing	Price	Code	Name	Packing	Price		
33080 [7647-10-1]	Palladium (II) Chloride pure, 99%, 59-60% Pd (Palladium Dichloride)	250 Mg	5100	60536 [8002-74-2]	Paraffin Yellow pure	500 Gms	620		
		1 Gms	12000			45057 [9000-69-5]	Pectin pure (Poly-D-Galacturonic Acid Methyl Ester)	100 Gms	820
		5 Gms	52000					500 Gms	3300
		25 Gms	250000					1 Kg	5600
96917 [7647-10-1]	Palladium (II) Chloride ACS, ExiPlus, Multi-Compdial, 99%, 59-60% Pd (Palladium Dichloride)	250 Mg	5400	96096 [109-66-0]	n-Pentane extrapure, 99%	500 ml	640		
		1 Gms	14000			2500 ml	3000		
		5 Gms	56000			25 Ltr	25000		
		meets compendial specs of USP, BP		25 Gms	270000	41730 [109-66-0]	n-Pentane extrapure AR, 99%	500 ml	680
19694 [32916-07-7]	Palladium (II) Nitrate Dihydrate extrapure, 99%, 40% Pd (Palladium Dinitrate Dihydrate)	250 Mg	3600	2500 ml	3300				
		1 Gms	8500	94510 [109-66-0]	n-Pentane extrapure AR, ExiPlus, Multi-Compdial, 99%	500 ml	740		
		5 Gms	42000			2500 ml	3500		
92345 [7440-05-3]	Palladium 5% On Asbestos	1 Gms	2640	meets compendial specs of USP, BP, Ph.Eur					
		10 Gms	12000	49135 [109-66-0]	n-Pentane for HPLC & UV Spectroscopy, 99%	500 ml	1200		
57033 [7440-05-3]	Palladium 10% On Asbestos	1 Gms	3360			1000 ml	2200		
		10 Gms	21600	47040 [5343-92-0]	1,2-Pentanediol pure, 98% (1,2-Dihydroxypentane)	25 ml	3000		
44002 [7440-05-3]	Palladium 5% On Activated Carbon	1 Gms	2800			250 ml	11000		
		10 Gms	11000			18486 [22767-49-3]	Pentane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	25 Gms	1200
		50 Gms	47000	100 Gms	4360				
45685 [7440-05-3]	Palladium 5% On Activated Carbon (50% wet)	1 Gms	1800	250 Gms	10690				
		10 Gms	8000	90760 [207605-40-1]	Pentane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%	25 Gms	1200		
		50 Gms	30000			100 Gms	4360		
52944 [7440-05-3]	Palladium 10% On Activated Carbon	1 Gms	3200	250 Gms	10690				
		10 Gms	20000	26312 [10450-60-9]	Periodic Acid extrapure, 99%	25 Gms	950		
		50 Gms	92000			100 Gms	3200		
46494 [7440-05-3]	Palladium 10% On Activated Carbon (50% wet)	1 Gms	1800	11778 [8032-32-4]	Petroleum Ether 40-60 extrapure	500 ml	510		
		10 Gms	12000			2500 ml	2110		
		50 Gms	48000	26440 [8032-32-4]	Petroleum Ether 40-60 extrapure AR	500 ml	580		
40822 [7440-05-3]	Palladium 10% on Calcium Carbonate	1 Gms	2400			2500 ml	2400		
		5 Gms	9800	58415 [8032-32-4]	Petroleum Ether 60-80 pure	500 ml	350		
		32049 [1314-08-5]	Palladium (II) Oxide pure, 85% Pd (Palladium Monoxide)			250 Mg	4500	2500 ml	1310
1 Gms	16000					25 Ltr	11080		
81249 [13566-03-5]	Palladium (II) Sulphate extrapure, 99%			250 Mg	4540	36651 [8032-32-4]	Petroleum Ether 60-80 extrapure AR	500 ml	400
		1 Gms	12000	2500 ml	1460				
18211 [8012-95-1, 8042-47-5]	Paraffin Liquid Light (Mineral Oil Light) extrapure, 25-80mPas	500 ml	270	15340 [8032-32-4]	Petroleum Ether 60-80 for HPLC & UV Spectroscopy	500 ml	640		
		2500 ml	1150			1000 ml	1150		
		25 Ltr	10500			2500 ml	2690		
79167 [8012-95-1, 8042-47-5]	Paraffin Liquid Heavy (Mineral Oil Heavy) extrapure, 110-230mPas	500 ml	300	15590 [8032-32-4]	Petroleum Ether 80-100 pure	500 ml	420		
		2500 ml	1300			2500 ml	1690		
		25 Ltr	12500	52226 [8032-32-4]	Petroleum Ether 100-120 extrapure	500 ml	440		
86715 [8002-74-2]	Paraffin Wax Pellets (Type 1 - 56-58) extrapure	500 Gms	430			2500 ml	1600		
		1000 Gms	790	69031 [136112-00-0]	Phenol:Chloroform:Isoamyl Alcohol (25:24:1) pH 8.0 for molecular biology	100 ml	1520		
47994 [8002-74-2]	Paraffin Wax Pellets (Type 2 - 58-60) extrapure	500 Gms	430			250 ml	3450		
		1000 Gms	790	500 ml		4690			
84381 [8002-74-2]	Paraffin Wax Pellets (Type 3 - 60-62) extrapure	500 Gms	430	17080 [136112-00-0]	Phenol:Chloroform:Isoamyl Alcohol (125:24:1) pH 4.5 for molecular biology	100 ml	2820		
		1000 Gms	790			500 ml	9600		
74193 [8002-74-2]	Paraffin Wax White Soft pure (Petroleum Jelly White)	100 Gms	180	79030 [136112-00-0]	Phenol:Chloroform:Isoamyl Alcohol (49.5:49.5:1) pH 6.7 for molecular biology	100 ml	2950		
		500 Gms	440			500 ml	10110		

Code	Name	Packing	Price	Code	Name	Packing	Price
36976	🔑 Phenol:Chloroform: Isoamyl Alcohol (49.5:49.5:1) pH 8.0 for molecular biology	100 ml	3080	40170	L-Phenylalanine ExiPlus, Multi-Compential, 99% [63-91-2]	100 Gms	650
		500 ml	10880			500 Gms	2500
28104	✔ Phenol Crystalline pure, 99% [108-95-2] (Hydroxybenzene, Carboic Acid)	500 Gms	580			1 Kg	4600
		2.5 Kg	2650			meets compendial specs of BP	
		25 Kg	21740	64975	Phenylhydrazine pure, 98% [100-63-0]	100 ml	600
		500 Gms	650			500 ml	2600
		2.5 Kg	2880			2500 ml	13500
14892	✔ Phenol Crystalline extrapure AR, 99.5% [108-95-2] (Hydroxybenzene, Carboic Acid)	500 Gms	650	31804	Phenylhydrazine extrapure AR, 99% [100-63-0]	100 ml	1100
		2.5 Kg	2880			500 ml	5200
97745	✔ Phenol Crystalline extrapure AR, ACS, ExiPlus, Multi-Compential, 99.5% [108-95-2] (Hydroxybenzene, Carboic Acid) meets compendial specs of USP, BP	500 Gms	720	40555	Phenylhydrazine Hydrochloride pure, 99% [59-88-1]	100 Gms	760
		2.5 Kg	3110			250 Gms	1710
17286	🔑 Phenol Crystalline for molecular biology, 99.5% [108-95-2] (Hydroxybenzene, Carboic Acid)	100 Gms	460	12109	Phenylhydrazine Hydrochloride extrapure AR, 99% [59-88-1]	100 Gms	1010
		500 Gms	1730			250 Gms	2400
47484	🔑 Phenol Equilibrated with 0.1M Citrate Buffer pH 4.5 for molecular biology w/ Stabilizer [108-95-2]	100 ml	1080	26892	Phenylhydrazine Hydrochloride extrapure AR, ExiPlus, Multi-Compential, 99% [59-88-1]	100 Gms	1330
		500 ml	4350			250 Gms	3100
12692	🔑 Phenol Tris Equilibrated for molecular biology w/ Stabilizer [108-95-2] (Hydroxybenzene, Carboic Acid)	60 ml	1480	64732	Phenylhydrazine Hydrochloride Superior extrapure AR, 99% [59-88-1]	5 Gms	900
		100 ml	2010			100 Gms	2360
		500 ml	5490	28022	Phenyltrimethylammonium Chloride (PTMAC) pure, 97% [138-24-9]	100 Gms	620
78348	🔑 Phenol Tris Equilibrated for molecular biology w/o Stabilizer [108-95-2]	100 ml	2010			500 Gms	2810
		500 ml	5490	82322	Phosphomolybdic Acid extrapure AR, ACS, 99% [51429-74-4]	25 Gms	1200
83275	🔑 Phenol Saturated w/ 10% water for molecular biology (Phenol Liquid w/ 10% water), 90% [108-95-2]	100 ml	910			100 Gms	3840
		500 ml	3220			500 Gms	16000
90179	Phenolphthalein extrapure AR, 99% [77-09-8]	50 Gms	390	78861	Phosphorous Acid Crystals (Phosphonic Acid) extrapure, 99% [13598-36-2] (Orthophosphorous Acid)	500 Gms	840
		100 Gms	590			2.5 Kg	4100
		500 Gms	2830	72656	Phosphorus Red pure 97% [7723-14-0]	500 Gms	2360
74785	Phenolphthalein extrapure AR, ACS, ExiPlus, Multi-Compential, 99% [77-09-8]	100 Gms	710			25 Gms	740
		500 Gms	3010			100 Gms	2470
						500 Gms	10500
79563	Phenolphthalein Indicator 1% Soln in Ethanol [77-09-8]	125 ml	160	80653	Phosphotungstic Acid Hydrate extrapure [12501-23-4] (Tungstophosphoric Acid)	25 Gms	740
		500 ml	440			100 Gms	2470
90817	Phenol Red [143-74-8]	25 Gms	620	57855	Phosphotungstic Acid Hydrate extrapure AR [12501-23-4]	25 Gms	900
		100 Gms	2200			100 Gms	3100
						500 Gms	12000
68313	Phenol Red ACS, ExiPlus, Multi-Compential [143-74-8]	25 Gms	670	67397	Phthalic Acid pure, 99% [88-99-3]	500 Gms	680
		100 Gms	2400			500 Gms	430
						5 Kg	3710
59462	Phenol Red Sodium Salt ACS (water soluble), 95% [34487-61-1] (Phenolsulfonephthalein Sodium Salt)	5 Gms	230	32624	Phthalic Anhydride pure, 97% [85-44-9]	500 Gms	430
		25 Gms	650			5 Kg	3710
		100 Gms	2480	93665	Phthalic Anhydride ACS, 99% [85-44-9]	500 Gms	870
						5 Kg	8430
40919	D-Phenylalanine extrapure CHR, 99% [673-06-3]	5 Gms	440	44745	Phytic Acid Sodium Salt Hydrate (InsP6) extrapure, 70% [17211-15-3]	5 Gms	3530
		25 Gms	1750			25 Gms	15850
		100 Gms	6540				
67602	DL-Phenylalanine extrapure CHR, 99% [150-30-1]	25 Gms	710	94847	Picric Acid extrapure, 99% [88-89-1]	100 Gms	370
		100 Gms	2410			500 Gms	1040
85081	L-Phenylalanine extrapure CHR, 99% [63-91-2]	100 Gms	500	47998	Picric Acid extrapure AR, 99.8% [88-89-1]	100 Gms	440
		500 Gms	2200			500 Gms	1400
		1 Kg	3800				
		5 Kg	16000				

Code	Name	Packing	Price	Code	Name	Packing	Price
16462 [52785-06-5]	Platinum (IV) Oxide Hydrate extrapure, 76-80% Pt Platinum Dioxide Hydrate, Adam's Catalyst	1 Gms	14000	23610 [9005-64-5]	Polysorbate 20 (Tween 20) ExiPlus, Multi-Compendial meets compendial specs of BP	500 Gms	1040
		250 Mg	5040			65296 [9005-64-5]	Polysorbate 20 (Tween 20) for molecular biology
41175 [9000-55-9]	Podophyllum Resin pure	25 Gms	6090			500 Gms	2550
		100 Gms	18240	31453 [9005-66-7]	Polysorbate 40 (Tween 40) extrapure	250 Gms	610
79133 [25322-68-3]	Polyethylene Glycol 400 (PEG 400) (Carbowax 400)	500 Gms	500			5 Kg	9500
87919 [25322-68-3]	Polyethylene Glycol 400 (PEG 400) ExiPlus, Multi-Compendial (Carbowax 400) meets compendial specs of BP	500 Gms	590	62539 [9005-66-7]	Polysorbate 40 (Tween 40) ExiPlus, Multi-Compendial meets compendial specs of USP, BP, Ph.Eur	250 Gms	1090
						5 Kg	12500
61213 [25322-68-3]	Polyethylene Glycol 3350 (PEG 3350) ExiPlus, Multi-Compendial	500 Gms	820	12502 [9005-67-8]	Polysorbate 60 (Tween 60) extrapure	100 Gms	480
30970 [25322-68-3]	Polyethylene Glycol 4000 (PEG 4000)	500 Gms	500			500 Gms	1060
		5 Kg	4860			5 Kg	8000
		25 Kg	23040	86878 [9005-67-8]	Polysorbate 60 (Tween 60) ExiPlus, Multi-Compendial meets compendial specs of USP, BP, Ph.Eur	500 Gms	1210
76937 [25322-68-3]	Polyethylene Glycol 4000 (PEG 4000) ExiPlus, Multi-Compendial meets compendial specs of USP	500 Gms	600			5 Kg	9000
		5 Kg	5620	28940 [9005-65-6]	Polysorbate 80 (Tween 80) extrapure	500 Gms	910
67429 [25322-68-3]	Polyethylene Glycol 6000 (PEG 6000)	500 Gms	550			5 Kg	6670
		5 Kg	4800			25 Kg	30320
26029 [25322-68-3]	Polyethylene Glycol 6000 (PEG 6000) ExiPlus, Multi-Compendial meets compendial specs of USP	500 Gms	650	95188 [9005-65-6]	Polysorbate 80 (Tween 80) ExiPlus, Multi-Compendial meets compendial specs of BP	500 Gms	1050
		5 Kg	5670			5 Kg	7890
54866 [25322-68-3]	Polyethylene Glycol 8000 (PEG 8000) for molecular biology (Carbowax 8000)	500 Gms	1750			25 Kg	37590
		5 Kg	15810	41030 [9003-39-8]	Polyvinylpyrrolidone (PVP K-30)	100 Gms	650
94701 [25322-68-3]	Polyethylene Glycol 8000 (PEG 8000) ExiPlus, Multi-Compendial (Carbowax 8000)	500 Gms	760			500 Gms	2700
		5 Kg	7130			5 Kg	26000
64651 [25322-68-3]	Polyethylene Glycol 9000 (PEG 9000) (Carbowax 9000)	500 Gms	1210			25 Kg	110000
				65155 [9003-39-8]	Polyvinylpyrrolidone (PVP K-30) ExiPlus, Multi-Compendial meets compendial specs of BP	100 Gms	750
46505 [25322-68-3]	Polyethylene Glycol 9000 (PEG 9000) ExiPlus, Multi-Compendial (Carbowax 9000)	500 Gms	1460			500 Gms	3000
						5 Kg	28000
75727 [25322-68-3]	Polyethylene Glycol 20000 (PEG 20000)	100 Gms	1500	44333 [127-08-2]	Potassium Acetate pure, 99%	500 Gms	600
		500 Gms	5000			5 Kg	5500
		1 Kg	8500	79156 [127-08-2]	Potassium Acetate extrapure AR, 99%	500 Gms	680
		5 Kg	18000			5 Kg	6400
33817 [25322-68-3]	Polyethylene Glycol 20000 (PEG 20000) ExiPlus, Multi-Compendial meets compendial specs of USP, BP	100 Gms	1800	40480 [127-08-2]	Potassium Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP	500 Gms	730
		500 Gms	5600			5 Kg	6900
		1 Kg	9800			96248 [127-08-2]	Potassium Acetate for molecular biology, 99.5%
41098 [8017-16-1]	Polyphosphoric Acid extrapure, 83-87% P2O5	500 ml	1590			500 Gms	1200
28599 [9005-64-5]	Polysorbate 20 (Tween 20) extrapure	2500 ml	7420	81955 [127-08-2]	Potassium Acetate for tissue culture, 99.5%	100 Gms	300
		500 Gms	850			500 Gms	900
		2.5 Kg	3710	99644 [7758-01-2]	Potassium Bromate pure, 99.5%	500 Gms	1050
		5 Kg	7000			5 Kg	10200
		25 Kg	33350	80823 [7758-02-3]	Potassium Bromide pure, 98.5%	500 Gms	1100
33712 [9005-64-5]	Polysorbate 20 (Tween 20) for tissue culture	500 Gms	1160			5 Kg	10200
				66453 [7758-02-3]	Potassium Bromide extrapure AR, 99.5%	500 Gms	1600
						5 Kg	15000

Code	Name	Packing	Price	Code	Name	Packing	Price
25707 [7758-02-3]	Potassium Bromide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms 5 Kg	1800 17000	80233 [7778-50-9]	Potassium Dichromate extrapure AR, 99.9%	500 Gms 5 Kg	1050 9100
13873 [7758-02-3]	Potassium Bromide Powder for IR & FTIR spectroscopy, 99.5%	100 Gms	4270	55353 [7778-50-9]	Potassium Dichromate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of USP, BP, Ph.Eur	500 Gms 5 Kg	1200 9800
87005	Potassium AAS Standard Solution in 0.5N HCl	100 ml 250 ml	1500 2400	52403 [7778-77-0]	Potassium Dihydrogen Orthophosphate pure, 99%	500 Gms 5 Kg 25 Kg	660 6500 30000
93649 [7758-02-3]	Potassium Bromide 0.1M Solution	500 ml 1000 ml	310 560	50451 [7778-77-0]	Potassium Dihydrogen Orthophosphate extrapure AR, 99.5%	500 Gms 5 Kg	750 7200
79982 [7758-02-3]	Potassium Bromide 0.5M Solution	500 ml 1000 ml	330 610	78297 [7778-77-0]	Potassium Dihydrogen Orthophosphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP	500 Gms 5 Kg	800 7600
29988 [7758-02-3]	Potassium Bromide 1M Solution	500 ml 1000 ml	360 640	54358 [7778-77-0]	Potassium Dihydrogen Orthophosphate for molecular biology, 99.5% (Potassium Phosphate Monobasic)	250 Gms 500 Gms 5 Kg	600 1150 11000
24794 [298-14-6]	Potassium Bicarbonate extrapure, 99% (Potassium Hydrogen Carbonate)	500 Gms	430	30955 [7778-77-0]	Potassium Dihydrogen Orthophosphate for HPLC & UV Spectroscopy, 99.5%	500 Gms 5 Kg	980 9500
57674 [298-14-6]	Potassium Bicarbonate AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Potassium Hydrogen Carbonate) meets compendial specs of BP	500 Gms	470	32360 [7778-77-0]	Potassium Dihydrogen Orthophosphate for tissue culture, 99.5% (Potassium Phosphate Monobasic)	500 Gms 1 Kg 5 Kg	850 1600 7800
87272 [584-08-7]	Potassium Carbonate anhydrous extrapure, 99%	500 Gms 5 Kg	390 3400	77012 [140-89-6]	Potassium Ethyl Xanthate (PEX) extrapure, 98% (O-Ethyl Xanthic Acid Potassium Salt)	100 Gms 500 Gms	1400 5800
83342 [584-08-7]	Potassium Carbonate anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP	500 Gms 5 Kg	450 3890	15766 [13746-66-2]	Potassium Ferricyanide extrapure, 98%	100 Gms 500 Gms 5 Kg	450 1950 18000
38630 [7447-40-7]	Potassium Chloride extrapure AR, 99.5%	500 Gms 5 Kg 25 Kg	310 2290 10690	59558 [13746-66-2]	Potassium Ferricyanide ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, Ph.Eur	250 Gms 500 Gms 5 Kg	1150 2130 19840
50016 [7447-40-7]	Potassium Chloride extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur, USP	500 Gms 5 Kg	340 2620	32294 [14459-95-1]	Potassium Ferrocyanide extrapure AR, 99%	500 Gms	1070
84984 [7447-40-7]	Potassium Chloride for molecular biology, 99.5%	500 Gms 1 Kg	900 1370	12914 [14459-95-1]	Potassium Ferrocyanide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, Ph.Eur	500 Gms	1180
71088 [7447-40-7]	Potassium Chloride for tissue culture, 99.5%	250 Gms	770	97535 [7789-23-3]	Potassium Fluoride Anhydrous pure, 97%	500 Gms	800
84390 [7789-00-6]	Potassium Chromate pure, 99%	500 Gms	920	91489 [16921-30-5]	Potassium Hexachloroplatinate (IV) pure, 40% Pt (Platinum Potassium Chloride, Potassium Chloroplatinate)	250 Mg 1 Gms 5 Gms 25 Gms	3000 7000 30000 140000
93448 [7789-00-6]	Potassium Chromate extrapure AR, 99.5%	500 Gms	1000	42414 [17084-13-8]	Potassium Hexafluorophosphate extrapure, 99%	25 Gms 100 Gms 500 Gms	800 2000 7000
31751 [7789-00-6]	Potassium Chromate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 Gms	1110				
49890 [6100-05-6]	Potassium Citrate Tribasic Monohydrate extrapure AR, 99%	500 Gms 5 Kg	650 6300				
74176 [6100-05-6]	Potassium Citrate Tribasic Monohydrate extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	500 Gms 5 Kg	750 7200				
13250 [7778-50-9]	Potassium Dichromate pure, 99.5%	500 Gms 5 Kg	950 8600				

Code	Name	Packing	Price	Code	Name	Packing	Price
40180 [16919-27-0]	Potassium Hexafluorotitanate pure, 98% (Potassium Fluotitanate, Potassium Titanium Fluoride, Dipotassium hexafluorotitanate, Titanium potas	100 Gms	600	78240 [7681-11-0]	Potassium Iodide pure, 99%	25 Gms	650
		500 Gms	1500			100 Gms	2450
		5 Kg	8000			250 Gms	5900
		500 Gms				500 Gms	11500
37466 [16923-95-8]	Potassium Hexafluorozirconate pure, 97%	100 Gms	1070	27874 [7681-11-0]	Potassium Iodide extrapure AR, 99.8%	25 Gms	700
		500 Gms	2500			100 Gms	2550
39535 [16905-14-9]	Potassium Hexaiodoplatinate (IV) pure, 18-19% Pt	250 Mg	2250			250 Gms	6200
		1 Gms	5750			500 Gms	12250
80633 [877-24-7]	Potassium Hydrogen Phthalate extrapure AR, 99.9%	500 Gms	720	97028 [7681-11-0]	Potassium Iodide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.8%	25 Gms	725
29467 [877-24-7]	Potassium Hydrogen Phthalate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of BP, Ph.Eur	500 Gms	820			100 Gms	2750
						250 Gms	6700
						500 Gms	13000
							meets compendial specs of USP, BP
49017 [877-24-7]	Potassium Hydrogen Phthalate for HPLC & UV Spectroscopy, 99.9%	500 Gms	980	11677 [7681-11-0]	Potassium Iodide 0.1M Solution	500 ml	500
						1000 ml	900
65031 [7646-93-7]	Potassium Hydrogen Sulphate (Potassium Bisulphate) pure, 99%	500 Gms	600	74567 [7681-11-0]	Potassium Iodide 1M Solution	500 ml	2000
		5 Kg	5800			1000 ml	3900
10942 [7646-93-7]	Potassium Hydrogen Sulphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Potassium Bisulphate) meets compendial specs of BP, Ph.Eur	500 Gms	720	26645 [7681-11-0]	Potassium Iodide 3M Solution	500 ml	6000
						1000 ml	11500
76131 [868-14-4]	Potassium Hydrogen Tartrate (Potassium Bitartrate) pure, 99% (Potassium L-Tartrate Monobasic)	500 Gms	850	93842 [4429-42-9]	Potassium Metabisulphite pure, 95%	500 Gms	450
		5 Kg	7900				
84749 [1310-58-3]	Potassium Hydroxide pellets extrapure, 85%	500 Gms	480	13413 [7790-21-8]	Potassium Periodate extrapure AR, 99.8%	100 Gms	2420
		1 Kg	850			500 Gms	11500
		5 Kg	4100	86742 [7790-21-8]	Potassium Periodate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.8% meets compendial specs of USP, BP, Ph.Eur	100 Gms	2650
78269 [1310-58-3]	Potassium Hydroxide Pellets extrapure AR, 85%	500 Gms	520			500 Gms	12650
		1 Kg	1000	77407 [6487-48-5]	Potassium Oxalate Monohydrate pure, 99%	500 Gms	640
		5 Kg	4400			5 Kg	6000
18543 [1310-58-3]	Potassium Hydroxide Pellets extrapure AR, ACS, ExiPlus, Multi-Compendial, 85% meets compendial specs of USP, BP, Ph.Eur	500 Gms	560	40707 [6487-48-5]	Potassium Oxalate Monohydrate extrapure AR, ACS, 99.5%	500 Gms	740
		5 Kg	4800			5 Kg	7000
26035 [1310-58-3]	Potassium Hydroxide Powder extrapure, 85%, 80-100 mesh	500 Gms	500	36903 [7722-64-7]	Potassium Permanganate extrapure, 99%	500 Gms	670
		1 Kg	950			5 Kg	5240
		5 Kg	4200	51470 [7722-64-7]	Potassium Permanganate extrapure AR, 99.5%	500 Gms	730
67864 [7758-05-6]	Potassium Iodate pure, 99.5%	100 Gms	1900			5 Kg	6330
		250 Gms	4600	26500 [7722-64-7]	Potassium Permanganate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms	790
		500 Gms	8800			5 Kg	6540
11041 [7758-05-6]	Potassium Iodate extrapure AR, 99.9%	100 Gms	2000	10322 ⚠ [7727-21-1]	Potassium Persulphate extrapure, 97%	500 Gms	520
		250 Gms	4800				
		500 Gms	9100	52254 ⚠ [7727-21-1]	Potassium Persulphate extrapure AR, 98%	500 Gms	600
10809 [7758-05-6]	Potassium Iodate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of USP, BP, Ph.Eur	100 Gms	2150				
		250 Gms	5100	48319 ⚠ [7727-21-1]	Potassium Persulphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms	660
		500 Gms	9800				
				90654 [7758-11-4]	Potassium Phosphate Dibasic Anhydrous pure, 99%	500 Gms	700
						5 Kg	6400
				27387 [7758-11-4]	Potassium Phosphate Dibasic Anhydrous extrapure AR, 99.5%	500 Gms	820
						5 Kg	7300

Code	Name	Packing	Price	Code	Name	Packing	Price
31964 [7758-11-4]	Potassium Phosphate Dibasic Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP	500 Gms 5 Kg	880 7700	48218 [333-20-0]	Potassium Thiocyanate pure, 97%	500 Gms	780
41295 [7758-11-4]	Potassium Phosphate Dibasic Anhydrous for HPLC, 99.5%	500 Gms	1200	41027 [333-20-0]	Potassium Thiocyanate extrapure AR, 99%	500 Gms	920
57419 [7758-11-4]	Potassium Phosphate Dibasic Anhydrous for tissue culture, 99%	500 Gms 5 Kg	800 7200	59115 [333-20-0]	Potassium Thiocyanate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, Ph.Eur	500 Gms	1150
15914 [7778-53-2]	Potassium Phosphate Tribasic Anhydrous extrapure AR, ACS, 98% (Tripotassium Phosphate)	500 Gms	1200	69285 [9005-25-8]	Potato Starch pure	500 Gms 5 Kg	360 3150
37423 [12208-13-8]	Potassium Pyroantimonate extrapure, 98% (Potassium Hexahydroxoantimonate(V), Potassium Antimonate Trihydrate)	100 Gms 500 Gms	660 3000	95365 [344-25-2]	D-Proline extrapure CHR, 99%	5 Gms 25 Gms	1500 4840
94527 [12208-13-8]	Potassium Pyroantimonate extrapure AR, 99% (Potassium Hexahydroxoantimonate(V), Potassium Antimonate Trihydrate)	100 Gms 500 Gms	800 3500	35139 [147-85-3]	L-Proline extrapure CHR, 99%	25 Gms 100 Gms 1 Kg 5 Kg	300 750 6500 30000
50862 [7320-34-5]	Potassium Pyrophosphate extrapure, 98% Tetra Potassium Pyrophosphate, Potassium diphosphate tetrabasic, Tetrapotassium diphosphate, Potassi	500 Gms	950	56073 [147-85-3]	L-Proline for tissue culture, 99%	25 Gms 100 Gms 500 Gms	350 900 3600
53158 [7790-62-7]	Potassium Pyrosulphate (Potassium Disulfate) extrapure, 97.5%	100 Gms 500 Gms	1800 6500	96877 [147-85-3]	L-Proline ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	100 Gms 1 Kg 5 Kg	1260 8000 36420
86344 [7492-30-0]	Potassium Ricinoleate extrapure (Ricinoleic Acid Potassium Salt, Potassium Ricinolate)	500 Gms 5 Kg	950 9000	61988 [147-85-3]	Proline BP (L-Proline BP)	1 Kg 5 Kg 25 Kg	8000 37500 175000
44277 [7778-80-5]	Potassium Sulphate extrapure, 99%	500 Gms 5 Kg	420 3400	68128 [147-85-3]	L-Proline USP	1 Kg 5 Kg 25 Kg	9200 42500 200000
52182 [7778-80-5]	Potassium Sulphate for tissue culture, 99%	500 Gms	550	39236 [71-23-8]	n-Propanol pure, 99%	500 ml 2500 ml	350 1500
26253 [7778-80-5]	Potassium Sulphate extrapure AR, 99.5%	500 Gms 5 Kg	460 4200	24501 [71-23-8]	n-Propanol extrapure AR, 99.5%	500 ml 2500 ml	400 1700
73900 [7778-80-5]	Potassium Sulphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms 5 Kg	500 4500	53790 [71-23-8]	n-Propanol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur	500 ml 2500 ml	430 1900
66691 [7790-58-1]	Potassium Tellurite Anhydrous extrapure, 98% (Dipotassium Tellurite, Potassium Tellurate, Potassium Tellurium Oxide)	10 Gms 25 Gms 100 Gms	1800 3600 14500	42328 [71-23-8]	n-Propanol GC-HS (1-propanol), 99.9%	250 ml 1000 ml	480 1600
35889 [123333-66-4]	Potassium Tellurite Monohydrate extrapure, 90% (Potassium Tellurate (IV) Hydrate, Dipotassium Tellurite Monohydrate)	10 Gms 25 Gms 100 Gms	1400 3100 12000	45909 [71-23-8]	n-Propanol for HPLC, 99.8%	1000 ml	2200
16273 [10025-99-7]	Potassium Tetrachloroplatinate (II) pure, 47% Pt (Potassium Platinum (II) Chloride)	250 Mg 1 Gms 5 Gms	3120 9600 45600	85994 [71-23-8]	n-Propanol Dried, 99.5%, 0.005% water (1-Propanol)	1000 ml	1500
34570 [14484-69-6]	Potassium Tetrafluoroaluminate pure, 98% (Potassium Aluminium Fluoride, PAF)	500 Gms 5 Kg	900 7200	52111 [123-38-6]	Propionaldehyde (Propanal) pure, 97%	500 ml 2500 ml	390 2000
99928 [14075-53-7]	Potassium Tetrafluoroborate pure, 98% (Potassium Fluoroborate, Potassium Fluoborate, Potassium Borofluoride)	250 Gms 1 Kg	250 900	12931 [79-09-4]	Propionic Acid extrapure, C3-99% (GC)	500 ml 2500 ml	480 2290
				43883 [79-09-4]	Propionic Acid extrapure AR, C3-99.5% (GC)	500 ml 2500 ml	640 2840

Code	Name	Packing	Price	Code	Name	Packing	Price
42263 [79-09-4]	Propionic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, C3-99.5% (GC) meets compendial specs of USP, BP, Ph.Eur	500 ml	700	92665 [110-86-1]	Pyridine AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	250 ml	520
		2500 ml	3380			500 ml	970
52810 [123-62-6]	Propionic Anhydride extrapure, 98%	500 ml	1310	48918 [26299-14-9]	Pyridinium Chlorochromate (PCC) extrapure, 98%	25 Gms	500
		2500 ml	5670			100 Gms	1350
21587 [79-03-8]	Propionyl Chloride extrapure, 99%	100 ml	280			500 Gms	5990
		500 ml	820				
85159 [79-03-8]	Propionyl Chloride extrapure AR (Specially purified), 99.5%	500 ml	1200	13584 [20039-37-6]	Pyridinium Dichromate (Cornforth Reagent, PDC) extrapure, 98%	25 Gms	740
						100 Gms	2020
28849 [107-10-8]	n-Propylamine pure, 99%	500 ml	550			500 Gms	8860
30754 [57-55-6]	Propylene Glycol (1,2-Propanediol) pure, 99%	500 ml	400	71646 [87-66-1]	Pyrogallol extrapure AR, 99%	100 Gms	2000
		2500 ml	1850			500 Gms	9400
		25 Ltr	17000				
53054 [57-55-6]	Propylene Glycol (1,2-Propanediol) extrapure AR, 99.5%	500 ml	460	30205 [87-66-1]	Pyrogallol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	2080
		2500 ml	2100			500 Gms	9750
95961 [57-55-6]	Propylene Glycol (1,2-Propanediol) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 ml	500	58050 [81-88-9]	Rhodamine B (Tetraethylrhodamine, Violet 10)	25 Gms	240
		2500 ml	2400			100 Gms	870
40011 [121-79-9]	Propyl Gallate extrapure, 98%	100 Gms	1090	20707 [7791-11-9]	Rubidium (I) Chloride ultrapure, 99.5%	5 Gms	3600
		500 Gms	4260			25 Gms	17000
47638 [121-79-9]	Propyl Gallate IP	1 Kg	8000	75420 [7440-18-8]	Ruthenium Metal Powder, 99.9%	1 Gms	9530
		5 Kg	37500				
		25 Kg	175000				
14086 [121-79-9]	Propyl Gallate BP	1 Kg	8000	60633 [11103-72-3]	Ruthenium Red Tetrahydrate	1 Gms	5760
		5 Kg	37500			5 Gms	27600
		25 Kg	175000				
16067 [121-79-9]	Propyl Gallate NF	1 Kg	9200	75268 [14898-67-0]	Ruthenium (III) Trichloride Hydrate pure, 38-40% Ru	1 Gms	4600
		5 Kg	42500			5 Gms	19200
		25 Kg	200000				
53898 [94-13-3]	Propyl-4-Hydroxybenzoate (Propyl Paraben) ExiPlus, Multi-Compendial, 98-102% meets compendial specs of USP, BP	500 Gms	1340	77862 [90-02-8]	Salicylaldehyde pure, 99% (2-Hydroxybenzaldehyde, o-Hydroxybenzaldehyde)	100 ml	730
		5 Kg	11890			250 ml	1640
52950 [35285-69-9]	Propyl-4-Hydroxybenzoate Sodium Salt (Propyl Paraben Sodium) ExiPlus, Multi-Compendial, 94-102% meets compendial specs of USP, BP	500 Gms	1820	24922 [90-02-8]	Salicylaldehyde extrapure AR, 99.5% (2-Hydroxybenzaldehyde, o-Hydroxybenzaldehyde)	100 ml	1070
		5 Kg	15160			500 ml	3600
61808 [110-86-1]	Pyridine extrapure, 99%	250 ml	450	63504 [90-02-8]	Salicylaldehyde extrapure AR, ExiPlus, Multi-Compendial, 99.5% (2-Hydroxybenzaldehyde, o-Hydroxybenzaldehyde) meets compendial specs of Ph.Eur	100 ml	990
		500 ml	850			250 ml	2080
		2500 ml	4000			500 ml	4150
51952 [110-86-1]	Pyridine Dried, 99.5%, water 0.01%	500 ml	1300	11453 [69-72-7]	Salicylic Acid pure, 99%	500 Gms	650
83329 [110-86-1]	Pyridine for HPLC & UV Spectroscopy, 99.5%	500 ml	1200			5 Kg	6200
		1000 ml	2180			25 Kg	30000
75453 [110-86-1]	Pyridine (For Karl Fischer Titration), 99.5%	500 ml	1050	42568 [69-72-7]	Salicylic Acid extrapure AR, 99.9%	500 Gms	750
						2.5 Kg	3600
				62657 [69-72-7]	Salicylic Acid extrapure AR, ACS, 99.9%	500 Gms	850
						2.5 Kg	4100
				27769	Selenium AAS Standard Solution in 0.5N HNO3	100 ml	1500
						250 ml	2400
				52228	Seralite SRA-400	250 Gms	580
						500 Gms	1080
				14891	Seralite SRC-120	500 Gms	660

Code	Name	Packing	Price	Code	Name	Packing	Price
89830	Seralite WRC-50	250 Gms	630	38062	Silica Gel GF254 for TLC, 325mesh, w/ Fluorescent Indicator w/ CaSO4 [112926-00-8]	500 Gms	3900
		500 Gms	1220			5 Kg	38000
53457 [312-84-5]	D-Serine extrapure, 99%	5 Gms	300	29774	Silica Gel HF254 for TLC, 325mesh, w/ Fluorescent Indicator w/o CaSO4 [112926-00-8]	500 Gms	3900
		25 Gms	800			5 Kg	38000
		100 Gms	3000				
		500 Gms	10000				
24425 [302-84-1]	DL-Serine extrapure CHR, 99%	25 Gms	600	81618	Silicon Antifoaming Agent 30% (Non-ionic)	100 ml	350
		100 Gms	2000			500 ml	1100
		500 Gms	9000				
84131 [56-45-1]	L-Serine extrapure CHR, 99%	25 Gms	600	72243	Silicone Oil 100 CPS [63148-62-9]	250 ml	850
		100 Gms	1970			1000 ml	3000
		500 Gms	7500			2500 ml	6800
63503 [56-45-1]	L-Serine for tissue culture, 99%	25 Gms	770	82045	Silicone Oil 330-370 CPS [63148-62-9]	250 ml	750
		100 Gms	2290			1000 ml	2600
		500 Gms	8000			2500 ml	6200
84494 [56-45-1]	L-Serine ExiPlus, Multi-Compendial, 99%	25 Gms	820	85160	Silver Acetate pure, 98% [563-63-3]	10 Gms	2600
		100 Gms	2400			25 Gms	6000
		1 Kg	16000			100 Gms	21800
	meets compendial specs of BP						
85148 [112926-00-8]	Silica Gel Blue (Self Indicating) (Coarse), 5-8 mesh	500 Gms	530	32737	Silver AAS Standard Solution in 0.5N HNO3	100 ml	2000
		5 Kg	4990			250 ml	4360
84210 [112945-52-5]	Silica Gel Fumed 200 (Hydrophilic) (Silicon Dioxide amorphous, Aerosil 200)	100 Gms	470	77701	Silver Bromide extrapure, 98% [7785-23-1]	10 Gms	2600
		250 Gms	990			25 Gms	6000
		2.5 Kg	6600			100 Gms	20700
71548 [112926-00-8]	Silica Gel Orange (Self Indicating), 2-5mm	500 Gms	600	90097	Silver Carbonate pure, 99% [534-16-7]	25 Gms	7130
		5 Kg	5800			100 Gms	27600
65856 [112926-00-8]	Silica Gel 60-120 mesh	500 Gms	470	80647	Silver Chloride extrapure AR, 99% [7783-90-6]	25 Gms	7130
		5 Kg	4380			100 Gms	27600
		25 Kg	20580				
40449 [112926-00-8]	Silica Gel 60-200 mesh	500 Gms	560	14417	Silver Diethyldithiocarbamate extrapure AR [1470-61-7]	5 Gms	1810
		5 Kg	5010			25 Gms	7040
95178 [112926-00-8]	Silica Gel 100-200 mesh	500 Gms	470	16810	Silver Diethyldithiocarbamate extrapure AR, ACS, ExiPlus, Multi-Compendial meets compendial specs of USP, BP, Ph.Eur [1470-61-7]	5 Gms	2240
		5 Kg	4380			25 Gms	8920
		25 Kg	20580				
63025 [112926-00-8]	Silica Gel 200-400 mesh	500 Gms	560	86633	Silver Iodate extrapure, 99% [7783-97-3]	10 Gms	2200
		5 Kg	5230			25 Gms	4800
		25 Kg	25030			100 Gms	18000
96671 [112926-00-8]	Silica Gel 230-400 mesh	500 Gms	620	24607	Silver Iodide extrapure AR, 99% [7783-96-2]	10 Gms	2500
		5 Kg	5900			25 Gms	5900
		25 Kg	27810			100 Gms	21000
36834 [112926-00-8]	Silica Gel 400-700 mesh	500 Gms	790	32814	Silver Nitrate extrapure, 99.5% [7761-88-8]	10 Gms	2000
		1 Kg	1460			25 Gms	4700
51849 [112926-00-8]	Silica Gel G for TLC, 325mesh, w/ CaSO4	500 Gms	540	91233	Silver Nitrate for tissue culture, 99.5% [7761-88-8]	10 Gms	2400
		5 Kg	4900			25 Gms	5600
		25 Kg	23370				
52797 [112926-00-8]	Silica Gel H for TLC, 325mesh, w/o CaSO4	500 Gms	540	94118	Silver Nitrate extrapure AR, 99.9% [7761-88-8]	10 Gms	2100
		5 Kg	4900			25 Gms	4900
		25 Kg	23370			100 Gms	19500
						500 Gms	95000

Code	Name	Packing	Price	Code	Name	Packing	Price
96045 [7761-88-8]	Silver Nitrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9%	25 Gms	5200	44981 [6131-90-4]	Sodium Acetate Trihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP	500 Gms	320
		100 Gms	20500			5 Kg	3000
		500 Gms	99000				
	meets compendial specs of USP, BP						
51535 [7761-88-8]	Silver Nitrate 0.1N Solution	500 ml	2450	88035 [6131-90-4]	Sodium Acetate Trihydrate for molecular biology, 99.5%	250 Gms	340
		1000 ml	4760			500 Gms	650
54023 [7761-88-8]	Silver Nitrate 0.02N Solution	500 ml	970	84658 [6131-90-4]	Sodium Acetate Trihydrate for tissue culture, 99.5%	500 Gms	850
		1000 ml	1780				
47262 [7761-88-8]	Silver Nitrate 0.05N Solution	500 ml	1250	56315 [6131-90-4]	Sodium Acetate Trihydrate for HPLC, 99.5%	500 Gms	1500
		1000 ml	2310				
49430 [7761-88-8]	Silver Nitrate 1N Solution	100 ml	5800	21636 [7758-16-9]	Sodium Acid Pyrophosphate (SAPP) extrapure, 95% (Sodium Pyrophosphate Dibasic, Disodium Diphosphate Dibasic, Disodium Dihydrogen Diphosphate)	500 Gms	460
		500 ml	27680				
69668 [20667-12-3]	Silver Oxide pure, 99%	10 Gms	3250	80726 [9005-38-3]	Sodium Alginate LV extrapure, 4-12cps, 30mesh	500 Gms	2200
		25 Gms	7600			5 Kg	21500
		100 Gms	29000				
76610 [20667-12-3]	Silver Oxide extrapure AR, 99%	10 Gms	3600	52775 [9005-38-3]	Sodium Alginate HV extrapure, 1000cps, 100mesh (Alginic Acid Sodium Salt)	500 Gms	3400
		25 Gms	8500			5 Kg	32000
63976 [7784-09-0]	Silver Phosphate extrapure, 98% (Silver Orthophosphate, Trisilver Phosphate)	5 Gms	1600	75063	Sodium AAS Standard Solution in 0.5N HCl	100 ml	1500
		25 Gms	6700			250 ml	2400
86887 [7784-09-0]	Silver Phosphate extrapure AR, 99% (Silver Orthophosphate, Trisilver Phosphate)	5 Gms	2000	84070 [26628-22-8]	Sodium Azide extrapure AR, ACS, 99%	100 Gms	650
		25 Gms	7200			500 Gms	3000
60112 [22199-08-2]	Silver Sulfadiazine ExiPlus, Multi-Compendial, 98% (Silver (I) Sulfadiazine, Sulfadiazine Silver)	5 Gms	4230	17782 [26628-22-8]	Sodium Azide for molecular biology, 99%	100 Gms	800
		25 Gms	12670			500 Gms	3500
17929 [10294-26-5]	Silver Sulphate pure, 98.5%	10 Gms	2760	65171 [532-32-1]	Sodium Benzoate pure, 99%	500 Gms	440
		25 Gms	5930			5 Kg	4000
		100 Gms	23000				
59940 [10294-26-5]	Silver Sulphate extrapure AR, ACS, 99%	10 Gms	2880	56398 [144-55-8]	Sodium Bicarbonate extrapure, 99%	500 Gms	240
		25 Gms	6100			5 Kg	1900
		100 Gms	24150			25 Kg	9000
38119 [8006-28-8]	Soda Lime with Indicator extrapure AR	500 Gms	550	45437 [144-55-8]	Sodium Bicarbonate extrapure AR, 99.5%	500 Gms	280
		5 Kg	5410			5 Kg	2200
31378 [127-09-3]	Sodium Acetate Anhydrous pure, 98%	500 Gms	280			25 Kg	9500
		5 Kg	2600	89399 [144-55-8]	Sodium Bicarbonate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP	500 Gms	310
74537 [127-09-3]	Sodium Acetate Anhydrous extrapure AR, 99%	500 Gms	410			5 Kg	2400
		5 Kg	3300	36328 [144-55-8]	Sodium Bicarbonate for molecular biology, 99.7%	500 Gms	800
51483 [127-09-3]	Sodium Acetate Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms	500	92957 [144-55-8]	Sodium Bicarbonate for tissue culture, 99.7%	500 Gms	700
						5 Kg	6000
22342 [127-09-3]	Sodium Acetate Anhydrous for molecular biology, 99%	250 Gms	520	93982 [16940-66-2]	Sodium Borohydride (powder) extrapure AR, ACS, 98% (Sodium Tetrahydridoborate)	25 Gms	560
		500 Gms	900			100 Gms	1190
70509 [127-09-3]	Sodium Acetate Anhydrous for HPLC & UV Spectroscopy, 99%	500 Gms	1310			500 Gms	5340
						5 Kg	40620
54966 [6131-90-4]	Sodium Acetate Trihydrate extrapure AR, 99.5%	500 Gms	290	43471 [16940-66-2]	Sodium Borohydride (crystals) extrapure, 98% (Sodium Tetrahydridoborate)	25 Gms	590
		5 Kg	2600			100 Gms	1230
						500 Gms	5760
				32769 [7789-38-0]	Sodium Bromate extrapure AR, 99%	100 Gms	270
						500 Gms	900
				43327 [7647-15-6]	Sodium Bromide extrapure, 99%	500 Gms	1150
						5 Kg	10000

Code	Name	Packing	Price	Code	Name	Packing	Price		
84486 [6131-99-3]	Sodium Cacodylate Trihydrate extrapure, 98% (Dimethyl Arsenic Acid Sodium Salt Trihydrate)	10 Gms	3400	43819 [13600-98-1]	Sodium Cobaltinitrite extrapure AR, ACS (Sodium Hexanitrocobaltate III)	25 Gms	1160		
		25 Gms	8250			100 Gms	2700		
		100 Gms	32000			500 Gms	7690		
42215 [1984-06-1]	Sodium Caprylate extrapure, 99% (Caprylic Acid Sodium Salt)	100 Gms	740	12680 [25895-60-7]	Sodium Cyanoborohydride pure, 95% (Sodium Cyanotrihydridoborate, Sodium Borocyanohydride)	5 Gms	820		
		250 Gms	1400			25 Gms	2560		
		500 Gms	2500			100 Gms	9540		
50090 [1984-06-1]	Sodium Caprylate BP, 99-101%	1 Kg	9000	94963 [7789-12-0]	Sodium Dichromate Dihydrate pure, 98%	500 Gms	720		
		5 Kg	43000			5 Kg	6300		
81340 [1984-06-1]	Sodium Caprylate NF, 99-101%	1 Kg	9200	54750 [7789-12-0]	Sodium Dichromate Dihydrate extrapure AR, 99.5%	500 Gms	800		
		5 Kg	42500			5 Kg	7400		
89382 [497-19-8]	Sodium Carbonate Anhydrous pure, 99.5%	500 Gms	240	11996 [7789-12-0]	Sodium Dichromate Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP	500 Gms	900		
		5 Kg	2100			5 Kg	8500		
		25 Kg	10000						
51938 [497-19-8]	Sodium Carbonate Anhydrous extrapure AR, 99%, 80-100mesh	500 Gms	330	11226 [20624-25-3]	Sodium Diethyldithiocarbamate Trihydrate extrapure AR, 99%	100 Gms	610		
		5 Kg	3000			500 Gms	2530		
64079 [497-19-8]	Sodium Carbonate Anhydrous extrapure AR, 99.9%	500 Gms	310	22607 [20624-25-3]	Sodium Diethyldithiocarbamate Trihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	700		
		5 Kg	2670			500 Gms	3100		
		25 Kg	12740						
93857 [497-19-8]	Sodium Carbonate Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of USP, BP, Ph.Eur	500 Gms	350	49653 [7775-14-6]	Sodium Dithionite extrapure, 85% (Sodium Hypodisulphite, Sodium Hydrosulfite)	500 Gms	400		
		5 Kg	3160						
41721 [7647-14-5]	Sodium Chloride extrapure AR, 99.9%	500 Gms	210	10961 [14434-22-1]	Sodium Ferrocyanide Decahydrate extrapure AR, 99% (Sodium Hexacyanoferrate(II), Tetrasodium Hexacyanoferrate Decahydrate)	500 Gms	590		
		1 Kg	400			5 Kg	5670		
		5 Kg	1300						
		25 Kg	6010						
76945 [7647-14-5]	Sodium Chloride extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of USP, BP	500 Gms	220	57010 [7681-49-4]	Sodium Fluoride pure, 98%	500 Gms	880		
		1 Kg	430			5 Kg	8400		
		5 Kg	1350						
33205 [7647-14-5]	Sodium Chloride for molecular biology, 99.9%	500 Gms	660	29821 [7681-49-4]	Sodium Fluoride extrapure AR, 99%	500 Gms	940		
		1 Kg	1200			5 Kg	9000		
		5 Kg	5560						
26416 [7647-14-5]	Sodium Chloride for tissue culture, 99.9%	500 Gms	700	40544 [7681-49-4]	Sodium Fluoride extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP	500 Gms	990		
		1 Kg	1200			5 Kg	9600		
76154 [7647-14-5]	Sodium Chloride for HPLC, 99.9%	500 Gms	480	86307 [141-53-7]	Sodium Formate pure, 98%	500 Gms	180		
						5000 Gms	1500		
83407 [6132-04-3]	Sodium Citrate Tribasic Dihydrate extrapure, 98% (Trisodium Citrate Dihydrate)	500 Gms	440	39728 ⓘ [141-53-7]	Sodium Formate extrapure AR, ACS	500 Gms	400		
		1 Kg	870			84439 ✓ [149-44-0]	Sodium Formaldehyde Sulfoxylate Hydrate (Rongalite) pure, 95% (Monosodium Hydroxymethanesulfinate)	500 Gms	570
		5 Kg	4150						
85919 [6132-04-3]	Sodium Citrate Tribasic Dihydrate extrapure AR, 99%	500 Gms	480	11407 ✓ [149-44-0]	Sodium Formaldehyde Sulfoxylate Hydrate (Rongalite) ExiPlus, Multi-Compendial, 95% (Monosodium Hydroxymethanesulfinate)	500 Gms	690		
		5 Kg	4690						
94968 [6132-04-3]	Sodium Citrate Tribasic Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms	560	54762 [16893-85-9]	Sodium Hexafluorosilicate pure, 99% (Sodium Fluorosilicate, Sodium Silicofluoride)	1 Kg	520		
						5 Kg	2430		
67331 [6132-04-3]	Sodium Citrate Tribasic Dihydrate for molecular biology, 99%	250 Gms	640						

Code	Name	Packing	Price	Code	Name	Packing	Price
32537 [68915-31-1]	Sodium Hexametaphosphate extrapure AR, 65-70% (SHMP, Calgon, Sodium Polyphosphate)	500 Gms	650	99671 [151-21-3]	Sodium Lauryl Sulphate (SDS, SLS) for HPLC, 99% (Sodium Dodecyl Sulphate)	25 Gms	1610
		5 Kg	6000			100 Gms	4410
98060 [10034-88-5]	Sodium Hydrogen Sulphate (Sodium Bisulphate Monohydrate) extrapure AR, 99%	500 Gms	440	32096 [151-21-3]	Sodium Lauryl Sulphate (SDS, SLS) for molecular biology, 99% (Sodium Dodecyl Sulphate)	250 Gms	9100
						1 Kg	22440
96311 [1310-73-2]	Sodium Hydroxide Pellets purified, 97%	500 Gms	290	35825 [151-21-3]	Sodium Lauryl Sulphate (SDS, SLS) High Purity, 99.5% (Sodium Dodecyl Sulphate)	25 Gms	590
		5 Kg	1820			100 Gms	1820
		25 Kg	8670			500 Gms	6010
68151 [1310-73-2]	Sodium Hydroxide Pellets extrapure AR, 98%	500 Gms	310	85369	Sodium Lauryl Sulphate (SDS, SLS) 10% Solution (10% SDS Solution)	100 ml	400
		5 Kg	2240				
13913 [1310-73-2]	Sodium Hydroxide Pellets extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, BP	500 Gms	330	87547	Sodium Lauryl Sulphate (SDS, SLS) 20% Solution (20% SDS Solution)	250 ml	550
		5000 Gms	2610				
39700 [1310-73-2]	Sodium Hydroxide Powder extrapure, 96%, 80-100 mesh	500 Gms	310	34378 [151-21-3]	Sodium Lauryl Sulphate (SDS, SLS) BP, 85% (Sodium Dodecyl Sulphate)	1 Kg	1800
		1 Kg	560			5 Kg	8200
		5 Kg	2060			25 Kg	36000
13994 [1310-73-2]	Sodium Hydroxide 0.1N Solution	500 ml	160	21705 [7681-57-4]	Sodium Metabisulphite extrapure AR, 98%	500 Gms	300
		1000 ml	280			5 Kg	2850
27382 [1310-73-2]	Sodium Hydroxide 0.2N Solution	500 ml	160			25 Kg	13500
		1000 ml	290				
69978 [1310-73-2]	Sodium Hydroxide 1N Solution	500 ml	170	52693 [7681-57-4]	Sodium Metabisulphite extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, BP	500 Gms	330
		1000 ml	310			5 Kg	3150
98760 [7681-55-2]	Sodium Iodate extrapure, 99%	25 Gms	800	51153 [7790-28-5]	Sodium Metaperiodate (Sodium Periodate) pure 99%	100 Gms	1850
		100 Gms	2400			500 Gms	8800
		500 Gms	10200				
71964 [7681-55-2]	Sodium Iodate extrapure AR, 99.5%	25 Gms	950	23621 [7790-28-5]	Sodium Metaperiodate (Sodium Periodate) extrapure AR, 99.5%	100 Gms	2050
		100 Gms	2600			500 Gms	9200
		500 Gms	10800				
77758 [7681-82-5]	Sodium Iodide pure, 99%	25 Gms	720	30037 [7790-28-5]	Sodium Metaperiodate (Sodium Periodate) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	2200
		100 Gms	2750			500 Gms	9400
		250 Gms	6250				
21704 ✓	Sodium Iodide 1M Solution	100 ml	750	94601 [10213-79-3]	Sodium Metasilicate Pentahydrate (Sodium Silicate Hydrated) extrapure	500 Gms	250
		500 ml	2500			1 Kg	420
11004 [9004-82-4]	Sodium Lauryl Ether Sulphate (SLES, AES), 28-30% (Sodium Laureth Sulfate)	1 Ltr	730	20660 [13517-24-3]	Sodium Metasilicate Nonahydrate (Sodium Silicate Hydrated) extrapure	500 Gms	250
		5 Ltr	1950			1 Kg	420
46821 [151-21-3]	Sodium Lauryl Sulphate (SLS, SDS) (Needle-shaped) extrapure, 90% (Sodium Dodecyl Sulphate)	500 Gms	610			5 Kg	2000
		5 Kg	5370				
14374 [151-21-3]	Sodium Lauryl Sulphate (SDS, SLS) ExiPlus, Multi-Compendial, 85% (Sodium Dodecyl Sulphate) meets compendial specs of USP, BP, Ph.Eur	500 Gms	620	41670 [124-41-4]	Sodium Methoxide Powder pure, 98%	500 Gms	730
		5 Kg	5640				
54468 [151-21-3]	Sodium Lauryl Sulphate (SDS, SLS) extrapure AR, ACS, 99% (Sodium Dodecyl Sulphate)	100 Gms	1340	13547 [10102-40-6]	Sodium Molybdate Dihydrate pure, 98%	100 Gms	1500
		250 Gms	2920			250 Gms	3300
		500 Gms	5340			500 Gms	6400
		1 Kg	10310				
18108 [10102-40-6]	Sodium Molybdate Dihydrate extrapure AR, 99%	100 Gms	1600			100 Gms	1600
		250 Gms	3450			250 Gms	3450
		500 Gms	6700			500 Gms	6700

Code	Name	Packing	Price	Code	Name	Packing	Price
70851 [10102-40-6]	Sodium Molybdate Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	100 Gms	1700	87258 [10028-24-7]	Sodium Phosphate Dibasic Dihydrate extrapure AR, 99.5%	500 Gms	620
		250 Gms	3550			5 Kg	5900
		500 Gms	6800				
	meets compendial specs of USP, BP, Ph.Eur			87027 [10028-24-7]	Sodium Phosphate Dibasic Dihydrate for molecular biology, 99.5%	250 Gms	450
						500 Gms	860
						5 Kg	7800
44618 [7631-99-4]	Sodium Nitrate extrapure AR, ACS, 99%	500 Gms	520	86858 [10028-24-7]	Sodium Phosphate Dibasic Dihydrate for HPLC, 99.5%	500 Gms	1050
		5 Kg	4910				
28182 [13755-38-9]	Sodium Nitroprusside Dihydrate pure, 98% (Sodium Nitroferricyanide)	100 Gms	1100	57085 [10039-32-4]	Sodium Phosphate Dibasic Dodecahydrate extrapure AR, 98.5% (Sodium Hydrogen Phosphate Dodecahydrate)	500 Gms	450
		500 Gms	5000			5 Kg	3500
71750 [13755-38-9]	Sodium Nitroprusside Dihydrate extrapure AR, 99%	100 Gms	1200	83417 [10039-32-4]	Sodium Phosphate Dibasic Dodecahydrate extrapure AR, 99% (Sodium Hydrogen Phosphate Dodecahydrate)	500 Gms	500
		500 Gms	5200			5 Kg	4600
58403 [13755-38-9]	Sodium Nitroprusside Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	100 Gms	1300	18134 [7782-85-6]	Sodium Phosphate Dibasic Heptahydrate ACS, 98-102% (Disodium Hydrogen Phosphate Heptahydrate, Disodium Phosphate)	100 Gms	800
	meets compendial specs of BP, Ph.Eur					500 Gms	2200
						2.5 Kg	10200
62381 [10101-89-0]	tri-Sodium Orthophosphate Dodecahydrate pure, 98% (Sodium Phosphate Tribasic Dodecahydrate (Trisodium Phosphate Dodecahydrate))	500 Gms	370	22249 [7558-80-7]	Sodium Phosphate Monobasic Anhydrous extrapure AR, 99%	500 Gms	670
		5 Kg	3360			5 Kg	6300
73670 [10101-89-0]	tri-Sodium Orthophosphate Dodecahydrate extrapure AR, 99% (Sodium Phosphate Tribasic Dodecahydrate, Trisodium Phosphate Dodecahydrate)	500 Gms	450	98336 [7558-80-7]	Sodium Phosphate Monobasic Anhydrous for HPLC, 99% (Sodium Dihydrogen Orthophosphate Anhydrous)	500 Gms	1125
		5 Kg	4340				
69199 [10101-89-0]	tri-Sodium Orthophosphate Dodecahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Sodium Phosphate Tribasic Dodecahydrate, Trisodium Phosphate Dodecahydrate)	500 Gms	540	59443 [7558-80-7]	Sodium Phosphate Monobasic Anhydrous for molecular biology, 99%	250 Gms	1070
	meets compendial specs of USP					500 Gms	1700
				91826 [7558-80-7]	Sodium Phosphate Monobasic Anhydrous for tissue culture, 99%	250 Gms	600
36176 [62-76-0]	Sodium Oxalate pure, 99%	500 Gms	420			1 Kg	1800
57554 [62-76-0]	Sodium Oxalate extrapure AR, 99.9%	500 Gms	460	27092 [13472-35-0]	Sodium Phosphate Monobasic Dihydrate extrapure, 99%	500 Gms	435
36984 [62-76-0]	Sodium Oxalate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9%	500 Gms	540			5 Kg	4000
	meets compendial specs of USP, BP, Ph.Eur			40597 [13472-35-0]	Sodium Phosphate Monobasic Dihydrate extrapure AR, 99%	500 Gms	540
97295 [7775-27-1]	Sodium Persulphate pure, 98% (Sodium Peroxodisulfate)	500 Gms	490			5 Kg	4900
53046 [7558-79-4]	Sodium Phosphate Dibasic Anhydrous extrapure, 99%	500 Gms	630	79088 [13472-35-0]	Sodium Phosphate Monobasic Dihydrate extrapure AR, ExiPlus, Multi-Compendial, 99%	500 Gms	610
		5 Kg	5900		meets compendial specs of USP	5 Kg	5500
66273 [7558-79-4]	Sodium Phosphate Dibasic Anhydrous extrapure AR, 99%	500 Gms	680	93494 [13472-35-0]	Sodium Phosphate Monobasic Dihydrate for molecular biology, 99% (Sodium Hydrogen Phosphate Dihydrate)	500 Gms	825
		5 Kg	6200			5 Kg	7200
45932 [7558-79-4]	Sodium Phosphate Dibasic Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	500 Gms	800	61707 [10049-21-5]	Sodium Phosphate Monobasic Monohydrate extrapure AR, 99% (Sodium Dihydrogen Orthophosphate Monohydrate, Monosodium phosphate, Sodium dihydrogen phosphate mon)	500 Gms	600
	meets compendial specs of USP					5 Kg	5350
21669 [7558-79-4]	Sodium Phosphate Dibasic Anhydrous for molecular biology, 99.5%	250 Gms	830	97768 [10049-21-5]	Sodium Phosphate Monobasic Monohydrate for HPLC, 99% (Sodium Dihydrogen Orthophosphate Monohydrate, Monosodium phosphate, Sodium dihydrogen phosphate mon)	500 Gms	980
		500 Gms	1550				
		5 Kg	14000	78535 [7601-54-9]	Sodium Phosphate Tribasic Anhydrous extrapure, 96% (Sodium Orthophosphate, Trisodium Phosphate)	500 Gms	650
32080 [10028-24-7]	Sodium Phosphate Dibasic Dihydrate extrapure, 99%	500 Gms	480			5 Kg	5900
		5 Kg	4200				

Code	Name	Packing	Price	Code	Name	Packing	Price
63059 [6381-59-5]	Sodium Potassium Tartrate Tetrahydrate pure, 99%	500 Gms 5 Kg	620 6000	19486 [1303-96-4]	Sodium Tetraborate Decahydrate (Borax Decahydrate) extrapure AR, 99.5% (Disodium Tetraborate Decahydrate)	500 Gms 5 Kg	510 4250
18241 [6381-59-5]	Sodium Potassium Tartrate Tetrahydrate extrapure AR, 99%	500 Gms 5 Kg	660 6300	77668 [1303-96-4]	Sodium Tetraborate Decahydrate (Borax Decahydrate) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Disodium Tetraborate Decahydrate) meets compendial specs of BP, Ph.Eur	500 Gms 5 Kg	550 5000
88662 [6381-59-5]	Sodium Potassium Tartrate Tetrahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of Ph.Eur	500 Gms 5 Kg	710 6600	29701 [12179-04-3]	Sodium Tetraborate Pentahydrate (Borax Pentahydrate) extrapure AR, 99.5% (Disodium tetraborate pentahydrate)	500 Gms 5 Kg	420 4000
33650 [137-40-6]	Sodium Propionate pure, 99%	500 Gms	850	58581 [13755-29-8]	Sodium Tetrafluoroborate pure, 98.5% (Sodium Fluoroborate, Sodium Fluoborate)	500 Gms	880
58568 [5323-95-5]	Sodium Ricinoleate extrapure, 45% solids (Ricinoleic Acid Sodium Salt, Sodium Ricinolate)	500 Gms 1000 Gms	380 700	54285 [143-66-8]	Sodium Tetraphenyl Borate (Kalignost) extrapure AR, 99.5% (Sodium Tetraphenyl Boron)	10 Gms 25 Gms 100 Gms	950 2200 8000
43874 [54-21-7]	Sodium Salicylate extrapure, 99% (Salicylic Acid Sodium Salt, 2-Hydrobenzoic Acid Sodium Salt, Sodium-2-Hydrobenzoate)	500 Gms	800	30888 [143-66-8]	Sodium Tetraphenyl Borate (Kalignost) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Sodium Tetraphenyl Boron) meets compendial specs of BP, Ph.Eur	10 Gms 100 Gms	1100 8400
36590 [54-21-7]	Sodium Salicylate extrapure AR, 99.5% (Salicylic Acid Sodium Salt, 2-Hydrobenzoic Acid Sodium Salt, Sodium-2-Hydrobenzoate)	250 Gms 500 Gms	1200 2100	94408 [540-72-7]	Sodium Thiocyanate pure, 98%	500 Gms	480
62399 [13410-01-0]	Sodium Selenate Anhydrous extrapure AR, 99%	25 Gms 100 Gms 500 Gms	500 1500 6000	21444 [540-72-7]	Sodium Thiocyanate extrapure AR, ACS, 98%	500 Gms	600
83627 [9063-38-1]	Sodium Starch Glycolate ex. Maize (SSG) ExiPlus, Multi-Compendial meets compendial specs of USP	500 Gms 5 Kg	480 4600	89728 [7772-98-7]	Sodium Thiosulphate Anhydrous extrapure AR, 99.5%	500 Gms 5 Kg	520 5000
36313 [6106-21-4]	Sodium Succinate Hexahydrate Dibasic extrapure, 99%	100 Gms 500 Gms	190 690	52304 [10102-17-7]	Sodium Thiosulphate Pentahydrate extrapure, 99%	500 Gms 5 Kg 25 Kg	220 2000 9000
87578 [6106-21-4]	Sodium Succinate Hexahydrate Dibasic extrapure AR, 99%	100 Gms 500 Gms	240 950	49479 [10102-17-7]	Sodium Thiosulphate Pentahydrate extrapure AR, 99.5%	500 Gms 5 Kg 25 Kg	270 2500 12000
59977 [7757-82-6]	Sodium Sulphate Anhydrous extrapure AR, 99.5%	500 Gms 1 Kg 5 Kg	230 390 1700	62148 [10102-17-7]	Sodium Thiosulphate Pentahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms 5 Kg	290 2750
74725 [7757-82-6]	Sodium Sulphate Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms 5 Kg	280 2000	33737 [7772-98-7]	Sodium Thiosulphate 0.1N Solution	500 ml 1000 ml	190 330
25365 [27610-45-3]	Sodium Sulphide Flakes extrapure, 60%	500 Gms	280	40023 [7785-84-4]	Sodium Trimetaphosphate (STMP) extrapure AR, 95% (Trisodium Trimetaphosphate, Sodium Cyclotriphosphate)	100 Gms	3040
32246 [7757-83-7]	Sodium Sulphite Anhydrous extrapure AR, 98%	500 Gms 5 Kg	350 2800	85124 [7758-29-4]	Sodium Tripolyphosphate Anhydrous (STPP) extrapure, 57-59% as P₂O₅ (Pentasodium Tripolyphosphate, Sodium Triphosphate Pentabasic)	1000 Gms 5000 Gms	620 2940
29814 [7757-83-7]	Sodium Sulphite Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, BP	500 Gms 5 Kg	400 3300	81499 [10213-10-2]	Sodium Tungstate Dihydrate extrapure, 98%	100 Gms 250 Gms 2.5 Kg	1140 2640 25300
56580 [1330-43-4]	Sodium Tetraborate (Borax Anhydrous) extrapure AR, 99% (Disodium Tetraborate)	100 Gms 500 Gms 2.5 Kg	1350 3040 9910	49110 [10213-10-2]	Sodium Tungstate Dihydrate extrapure AR, 99%	100 Gms 250 Gms	1200 2940
38631 [1303-96-4]	Sodium Tetraborate Decahydrate (Borax Decahydrate) extrapure, 99% (Disodium Tetraborate Decahydrate)	500 Gms 5 Kg	320 2600				

Code	Name	Packing	Price	Code	Name	Packing	Price		
46215 [10213-10-2]	Sodium Tungstate Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	1310	58254 [9005-25-8]	Starch Corn pure	500 Gms	220		
		250 Gms	3200			5 Kg	2000		
85446 [2538-85-4]	Solochrom Dark Blue (Calcon), 50%	5 Gms	340	86106 [9005-84-9]	Starch Hydrolysed extrapure	100 Gms	1030		
		25 Gms	990			500 Gms	4860		
59985 [110-44-1]	Sorbic Acid pure, 98%	500 Gms	1400	14418 [9005-84-9]	Starch Soluble extrapure	500 Gms	1150		
62016 [1338-39-2]	Sorbitan Monolaurate (SPAN 20®) extrapure	100 ml	2000	64698 [9005-84-9]	Starch Soluble extrapure AR	5 Kg	11800		
		500 ml	6000			76601 [9005-84-9]	Starch Soluble extrapure AR, ACS, ExiPlus, Multi-Compendial meets compendial specs of USP	500 Gms	1340
		2500 ml	28000			5 Kg		12800	
78338 [1338-43-8]	Sorbitan Monooleate (SPAN 80®) extrapure	500 ml	890	91944	Strontium AAS Standard Solution in 0.5N HCl	100 ml	1500		
		2500 ml	4200			250 ml	2400		
36179 [1338-41-6]	Sorbitan Monostearate (SPAN 60®) extrapure	500 Gms	750	66731 [10476-81-0]	Strontium Bromide (Strontium Dibromide) extrapure, 99%	5 Gms	2000		
14281 [50-70-4]	D-Sorbitol Powder extrapure, 98%	500 Gms	530			25 Gms	5000		
		1 Kg	1040			100 Gms	12000		
33320 [50-70-4]	D-Sorbitol Powder for tissue culture, 98%	5 Kg	5000	67911 [1633-05-2]	Strontium Carbonate extrapure, 98%	250 Gms	350		
		500 Gms	610			500 Gms	650		
63443 [50-70-4]	D-Sorbitol Powder ExiPlus, Multi-Compendial, 98% meets compendial specs of BP	1 Kg	1100	61832 [10025-70-4]	Strontium Chloride Hexahydrate extrapure, 98%	250 Gms	390		
		500 Gms	620			500 Gms	760		
99103 [50-70-4]	D-Sorbitol Powder for molecular biology, 98%	5 Kg	5340	29563 [10042-76-9]	Strontium Nitrate Anhydrous extrapure, 98%	500 Gms	600		
		500 Gms	1510			96330 [110-15-6]	Succinic Acid extrapure, 99%	100 Gms	300
		1 Kg	2890					500 Gms	570
47886 [23647-14-5]	SPADNS extrapure AR, ACS	5 Kg	9670	85752 [110-15-6]	Succinic Acid extrapure AR, 99.5%	100 Gms	420		
		1 Gms	400			500 Gms	1640		
		5 Gms	1300			62321 [110-15-6]	Succinic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur	100 Gms	460
25 Gms	4000	500 Gms	1860						
30467 [7646-78-8]	Stannic Chloride anhydrous extrapure, 99% (Tin (IV) Chloride, Tin Tetrachloride)	100 ml	2080	10917 [123-56-8]	Succinimide (Butanimide) extrapure AR, 99%	100 Gms	480		
		500 ml	9270			500 Gms	1750		
79862 ✓ [7646-78-8]	Stannic Chloride 1M in Dichloromethane (Tin (IV) Chloride/Tin Tetrachloride in 1M MDC)	100 ml	1240	84973 [57-50-1]	Sucrose pure	500 Gms	290		
		500 ml	4500			5 Kg	1860		
60006 ⚠ [7646-78-8]	Stannic Chloride 1M in Heptane (Tin (IV) Chloride/Tin Tetrachloride in 1M Heptane)	100 ml	2590			90701 [57-50-1]	Sucrose extrapure AR, ACS	25 Kg	8720
		98017 ✓ [7646-78-8]	Stannic Chloride 1M in Toluene (Tin (IV) Chloride/Tin Tetrachloride in 1M Toluene)	500 Gms	440			1 Kg	820
				100 ml	2590			5 Kg	3930
91068 [10025-69-1]	Stannous Chloride Dihydrate pure, 97% (Tin (II) Chloride Dihydrate)	25 Kg	17440	27580 [57-50-1]	Sucrose for molecular biology	500 Gms	600		
		100 Gms	960			1 Kg	1190		
		250 Gms	2350			5 Kg	4520		
23329 [10025-69-1]	Stannous Chloride Dihydrate extrapure AR, 99% (Tin (II) Chloride Dihydrate)	500 Gms	4470	92696 [57-50-1]	Sucrose for tissue culture	500 Gms	440		
		100 Gms	1070			1 Kg	770		
		250 Gms	2460			5 Kg	3270		
89673 [10025-69-1]	Stannous Chloride Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Tin (II) Chloride Dihydrate) meets compendial specs of USP, Ph.Eur	500 Gms	4690	82958 [57-50-1]	Sucrose IP (Non-Parenteral Use)	1 Kg	770		
		100 Gms	1150			5 Kg	3750		
		250 Gms	2620			25 Kg	18000		
		500 Gms	4800						

Code	Name	Packing	Price	Code	Name	Packing	Price
38142 [57-50-1]	Sucrose BP (Non-Parenteral Use)	1 Kg	770	20669 [1643-19-2]	Tetrabutylammonium Bromide (TBAB) pure, 98%	100 Gms	400
		5 Kg	3750			250 Gms	820
		25 Kg	18000			500 Gms	1480
56799 [57-50-1]	Sucrose NF (USP) (Non-Parenteral Use)	1 Kg	1200	57594 [1643-19-2]	Tetrabutylammonium Bromide (TBAB) extrapure AR, ACS, 99%	25 Gms	500
		5 Kg	5500			100 Gms	1600
		25 Kg	25000			500 Gms	7500
57335 [85-83-6]	Sudan IV for microscopy (C.I. No. 26105), 95%	25 Gms	240	54423 [1643-19-2]	Tetrabutylammonium Bromide (TBAB) for HPLC, 99.5%	25 Gms	1400
		100 Gms	600			100 Gms	5200
47256 [4197-25-5]	Sudan Black	10 Gms	600	37256 ⚠ [5574-97-0]	Tetrabutylammonium Dihydrogen Phosphate (TBADP) extrapure AR, 98% (Tetrabutylammonium Phosphate Monobasic)	5 Gms	3300
		25 Gms	1200			25 Gms	12000
		100 Gms	4000				
24073 [5329-14-6]	Sulphamic Acid pure, 99% (Amido Sulphonic Acid)	500 Gms	300	78262 ⚠ [5574-97-0]	Tetrabutylammonium Dihydrogen Phosphate (TBADP) for HPLC, 99% (Tetrabutylammonium phosphate monobasic)	5 Gms	4580
		5 Kg	2490			25 Gms	15590
42773 [5329-14-6]	Sulphamic Acid extrapure AR, 99.5% (Amido Sulphonic Acid)	100 Gms	330	84444 ✓ [5574-97-0]	Tetrabutylammonium Dihydrogen Phosphate, 0.1M in HPLC Water (Tetrabutylammonium Phosphate Monobasic 0.1M in HPLC Water)	100 ml	5200
		500 Gms	1160			500 ml	25000
81645 [5329-14-6]	Sulphamic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Amido Sulphonic Acid) meets compendial specs of BP, Ph.Eur	100 Gms	430	57968 ✓ [5574-97-0]	Tetrabutylammonium Dihydrogen Phosphate, 0.5M in HPLC Water (Tetrabutylammonium Phosphate Monobasic 0.5M in HPLC Water)	10 ml	2000
		500 Gms	1460			100 ml	8000
89762 [63-74-1]	Sulphanilamide pure, 99% (p-Aminobenzenesulphonamide)	100 Gms	800	53856 ✓ [5574-97-0]	Tetrabutylammonium Dihydrogen Phosphate, 1M in HPLC Water (Tetrabutylammonium Phosphate Monobasic 1M in HPLC Water)	50 ml	7500
		500 Gms	3000			100 ml	12000
		5 Kg	28000			500 ml	33000
65404 [63-74-1]	Sulphanilamide extrapure AR, 99% (p-Aminobenzenesulphonamide)	100 Gms	900	50283 [87749-50-6]	Tetrabutylammonium Fluoride Trihydrate extrapure, 98%	25 Gms	1300
		500 Gms	4090			100 Gms	3800
19689 [63-74-1]	Sulphanilamide extrapure AR, ExiPlus, Multi-Compendial, 99% (p-Aminobenzenesulphonamide) meets compendial specs of USP, BP, Ph.Eur	100 Gms	1070	91958 [32503-27-8]	Tetrabutylammonium Hydrogen Sulphate (TBAHS) pure, 98%	100 Gms	620
		500 Gms	4470			250 Gms	1190
15354 [121-57-3]	Sulphanilic Acid pure, 99% (p-Aminobenzenesulphonamide)	100 Gms	200	83955 [32503-27-8]	Tetrabutylammonium Hydrogen Sulphate (TBAHS) extrapure AR, 99%	500 Gms	2100
		500 Gms	700			25 Gms	570
93360 [121-57-3]	Sulphanilic Acid (High Purity) extrapure AR, 99.5%	100 Gms	330	10778 [32503-27-8]	Tetrabutylammonium Hydrogen Sulphate (TBAHS) extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	1640
		500 Gms	1310			500 Gms	7630
97979 [121-57-3]	Sulphanilic Acid (High Purity) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP	100 Gms	470	88383 [32503-27-8]	Tetrabutylammonium Hydrogen Sulphate (TBAHS) for HPLC, 99.5%	25 Gms	660
		500 Gms	1750			100 Gms	1800
44445 [5965-83-3]	5-Sulphosalicylic Acid extrapure, 99%	250 Gms	560	52162 [2052-49-5]	Tetrabutylammonium Hydroxide 0.1N aq. solution extrapure AR	500 ml	1760
		500 Gms	850			28342 [2052-49-5]	Tetrabutylammonium Hydroxide 0.1N in Isopropanol extrapure AR
92635 [14807-96-6]	Talc Powder Fine ExiPlus, Multi-Compendial, -325 mesh (Hydrous Magnesium Silicate, Talcum Powder, Soapstone)	500 Gms	170	94836 [2052-49-5]	Tetrabutylammonium Hydroxide 1M aq. solution ACS		
		5 Kg	1310			500 ml	10500
92101 [1401-55-4]	Tannic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial (Gallotannin, Tannin) meets compendial specs of BP	100 Gms	1210	41728 [2052-49-5]	Tetrabutylammonium Hydroxide 10% aq. solution extrapure	100 ml	1250
		250 Gms	2360			500 ml	5200
		500 Gms	4240				
52931 [1934-21-0]	Tartrazine, 87%	100 Gms	380	15134 [2052-49-5]	Tetrabutylammonium Hydroxide 10% in methanol extrapure	100 ml	1350
		1 Kg	3000				
20428 [100-21-0]	Terephthalic Acid pure, 98%	500 Gms	380				
		5 Kg	3500				

Code	Name	Packing	Price	Code	Name	Packing	Price
41715 [2052-49-5]	Tetrabutylammonium Hydroxide 20% aq. solution extrapure	100 ml	1800	64674 [16873-13-5]	Tetraethylammonium Hydrogen Sulphate (TEAHS) extrapure, 99%	10 Gms	2080
		500 ml	7000			25 Gms	4500
54722 [2052-49-5]	Tetrabutylammonium Hydroxide 25% aq. solution extrapure	100 ml	1900	93314 [78-10-4]	Tetraethyl Orthosilicate (TEOS) extrapure, 98%, 28-28.8% SiO₂ (Silicon Tetraethoxide, Tetraethoxysilane, Tetraethyl Silicate)	100 ml	990
		500 ml	8200			500 ml	1760
2500 ml	6820	21957 [4368-51-8]	Tetraheptyl Ammonium Bromide (THAB) extrapure, 99%			5 Gms	2370
500 ml	14000			25 Gms	8830		
68032 [2052-49-5]	Tetrabutylammonium Hydroxide 40% aq solution pure	100 ml	3100	100 Gms	31990		
		250 ml	7500	82863 [109-99-9]	Tetrahydrofuran (THF) (Stabilized) pure, 99.5%	500 ml	660
		500 ml	14000			2500 ml	3200
30064 [2052-49-5]	Tetrabutylammonium Hydroxide 54-56% aq. solution extrapure AR	100 ml	7500	25 Ltr	30000		
		500 ml	30000	74497 [109-99-9]	Tetrahydrofuran (THF) (Stabilized) extrapure AR, 99.5%	500 ml	700
13656 [2052-49-5]	Tetrabutylammonium Hydroxide 25% in Methanol extrapure	250 ml	4300			2500 ml	3400
		500 ml	8200	83642 [109-99-9]	Tetrahydrofuran (THF) (Stabilized) extrapure AR, ACS, ExiPlus, Multi-Compndial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 ml	760
		100 ml	1900			2500 ml	3700
250 ml	7500	32661 [109-99-9]	Tetrahydrofuran (THF) GC-HS, 99.9%			250 ml	600
500 ml	14000			1000 ml	2000		
40878 [2052-49-5]	Tetrabutylammonium Hydroxide 0.1N in Methanol for non-aqueous titration extrapure AR			500 ml	1700	94842 [109-99-9]	Tetrahydrofuran (THF) for HPLC & UV Spectroscopy, 99.9%
45205 [2052-49-5]	Tetrabutylammonium Hydroxide 0.1N in Methanol/Toluene extrapure AR	500 ml	1520	1000 ml	1800		
44991 [2052-49-5]	Tetrabutylammonium Hydroxide 20% in Methanol/Toluene extrapure	100 ml	2000	2500 ml	4250		
28051 [311-28-4]	Tetrabutylammonium Iodide (TBAI) extrapure AR, 99%	25 Gms	1500	59167 [109-99-9]	Tetrahydrofuran (THF) Dried, 99.5%, 0.005% water	500 ml	950
		100 Gms	5300			1000 ml	1700
62390 [311-28-4]	Tetrabutylammonium Iodide (TBAI) extrapure AR, ExiPlus, Multi-Compndial, 99% meets compendial specs of USP, BP, Ph.Eur	25 Gms	1700	92562 [109-99-9]	Tetrahydrofuran (THF) for molecular biology, 99.8%	250 ml	480
		100 Gms	5600			500 ml	860
26158 [5593-70-4]	Tetra-N-Butyl Orthotitanate (TNBT) extrapure, 23-24% TiO₂ (Tetrabutyl Orthotitanate, Titanium(IV) n-Butoxide, Tetrabutyl Titanate, Orthotitanic Acid Tetrabutyl)	100 ml	900	22698 [1693-74-9]	Tetrahydrofuran-d₈ (THF-d₈) for NMR spectroscopy, 99.5 Atom %D	5 ml	19500
		500 ml	2400			11088 [119-64-2]	1,2,3,4-Tetrahydronaphthalene (Tetralin) pure, 98%
		2500 ml	7000	2500 ml	5200		
69105 [127-18-4]	Tetrachloroethylene pure, 99% (Perchloroethylene)	500 ml	600	91496 [75-59-2]	Tetramethylammonium Hydroxide 10% aq. solution pure	50 ml	810
		2500 ml	2600			250 ml	3100
25058 [127-18-4]	Tetrachloroethylene extrapure AR, 99.5% (Perchloroethylene)	500 ml	760	94620 [75-59-2]	Tetramethylammonium Hydroxide 25% aqueous solution pure	100 ml	2800
		2500 ml	3300			250 ml	5300
500 ml	850	500 ml	9500				
74438 [127-18-4]	Tetrachloroethylene for UV spectroscopy, 99.5% (Perchloroethylene)	500 ml	850	21371 [75-59-2]	Tetramethylammonium Hydroxide 25% in methanol pure	100 ml	3000
48448 [127-18-4]	Tetrachloroethylene GC-HS, 99.9%	1000 ml	1550			250 ml	5000
		250 ml	700	500 ml	8500		
70427 [14937-42-9]	Tetradecylammonium Bromide (TDAB) extrapure AR, 99% (Tetrakis(decyl) Ammonium Bromide)	250 ml	700	42209 [75-59-2]	Tetramethylammonium Hydroxide 0.1N in isopropanol/ methanol extrapure	100 ml	1400
		1000 ml	1900			500 ml	3100
59256 [14937-42-9]	Tetradecylammonium Bromide (TDAB) for HPLC, 99% (Tetrakis(decyl) Ammonium Bromide)	5 Gms	3200	56874 [75-59-2]	Tetramethylammonium Hydroxide 1M aq. solution ACS	100 ml	1100
		25 Gms	12500			250 ml	2600
		67902 [71-91-0]	Tetraethylammonium Bromide (TEAB) pure, 98%	5 Gms	3200	29740 [10424-65-4]	Tetramethylammonium Hydroxide Pentahydrate extrapure, 98%
25 Gms	12500			25 Gms	1460		
100 Gms	490			100 Gms	4920		
67902 [71-91-0]	Tetraethylammonium Bromide (TEAB) pure, 98%	500 Gms	2000	84666 [110-18-9]	N,N,N,N-Tetramethyl Ethylenediamine (TEMED) extrapure AR, 99%	100 ml	840
		500 Gms	2000			250 ml	1390
		1 Kg	3800			500 ml	2280

Code	Name	Packing	Price	Code	Name	Packing	Price
84198 [110-18-9]	N,N,N,N-Tetramethyl Ethylenediamine (TEMED) extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of Ph.Eur	100 ml	960	16994 [62-56-6]	Thiourea Superior extrapure AR, 99%	100 Gms	610
		500 ml	2520			250 Gms	1200
52145 [110-18-9]	N,N,N,N-Tetramethyl Ethylenediamine (TEMED) for molecular biology, 99.5%	25 ml	550	20491 [62-56-6]	Thiourea Superior extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, Ph.Eur	500 Gms	2600
		100 ml	1110			5 Kg	24000
80909 [5810-42-4]	Tetrapropylammonium Chloride extrapure, 98%	10 Gms	5130	27179 [76-61-9]	Thymol Blue	5 Gms	220
		50 Gms	17100			25 Gms	1010
70177 [7722-88-5]	Tetrasodium Pyrophosphate Anhydrous (TSPP anhy) extrapure, 95% (Sodium Diphosphate Tetrabasic, Sodium Pyrophosphate Tetrabasic)	500 Gms	1250	79617 [76-61-9]	Thymol Blue ACS, ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	5 Gms	280
						25 Gms	1210
49473 [13472-36-1]	Tetrasodium Pyrophosphate Decahydrate (TSPP Decahyd) extrapure AR, 99% (Sodium Diphosphate Tetrabasic, Sodium Pyrophosphate Tetrabasic)	500 Gms	2650	40817	Thymol Blue Solution (0.1% in methanol)	125 ml	170
		2.5 Kg	10100				
56135 [58-55-9]	Theophylline anhydrous pure, 99%	25 Gms	370	24474 [125-20-2]	Thymolphthalein ACS, ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	5 Gms	240
		100 Gms	950			25 Gms	1000
17942 [62-55-5]	Thioacetamide extrapure AR, 99%	25 Gms	500			100 Gms	3800
		100 Gms	1700				
		500 Gms	7500				
48979 [62-55-5]	Thioacetamide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	25 Gms	580	19710	Tin AAS Standard Solution in 2N HCl	100 ml	1500
		100 Gms	1900			250 ml	2400
		500 Gms	8700				
42174 [100-68-5]	Thioanisole extrapure, 99% (Methyl Phenyl Sulfide Methylthiobenzene)	25 ml	950	56283 [7440-31-5]	Tin Metal Granular extrapure, 99.5%	100 Gms	1700
		100 ml	2500			250 Gms	3850
		500 ml	9100			500 Gms	7500
75241 [504-17-6]	2-Thioisobutiric Acid (TBA) extrapure AR, 99% (4,6-Dihydroxy-2-Mercaptopyrimidine, 4,6-Dihydroxypyrimidine-2-Thiol)	25 Gms	1100	24737 [7440-31-5]	Tin Metal Granular extrapure AR, 99.7%	100 Gms	1850
		100 Gms	3800			250 Gms	4300
75493 [2390-54-7]	Thioflavin T for microscopy (C.I. No. 49005), 90% (Basic Yellow 1)	5 Gms	1500			500 Gms	8200
		25 Gms	3270				
35357 [68-11-1]	Thioglycolic Acid pure, 80%	500 ml	1800	42780 [7440-31-5]	Tin Metal Powder extrapure AR, 99.9%, ~325 mesh	100 Gms	1550
		2500 ml	8500			250 Gms	3600
74118 [68-11-1]	Thioglycolic Acid ExiPlus, Multi-Compendial, 80% meets compendial specs of USP	500 ml	2100	37139 [31011-57-1]	Titanium (IV) Chloride THF Complex (Tetrachlorobis(Tetrahydrofuran) Titanium)	5 Gms	2790
		2500 ml	9000			25 Gms	10800
80599 [78338-22-4]	Thionin Acetate, 90%	5 Gms	2390	55788 [13463-67-7]	Titanium Dioxide extrapure, 98% (Titanium (IV) Oxide)	500 Gms	540
		25 Gms	9940			1 Kg	1010
74681 [79-19-6]	Thiosemicarbazide pure, 98%	25 Gms	330			5 Kg	4240
		100 Gms	1000				
		500 Gms	4400				
58658 [79-19-6]	Thiosemicarbazide extrapure AR, 99%	25 Gms	520	91482 [3087-36-3]	Titanium Ethoxide (ET) extrapure, 33-35% TiO2 (Tetraethyl Titanate, Titanium (IV) Ethoxide, Tetraethyl Orthotitanate)	100 ml	1600
		100 Gms	1500			250 ml	2200
88196 [62-56-6]	Thiourea pure, 98%	500 Gms	620	56993 [546-68-9]	Titanium Isopropoxide (TTIP) extrapure, 27.8-28.6% TiO2 (Tetraisopropyl Orthotitanate, Titanium (IV) Isopropoxide, Titanium Tetraisopropoxide)	100 ml	610
						500 ml	1180
		5 Kg	5840			2500 ml	5510
				70472 [1829-00-1]	Titan Yellow, 65%	10 Gms	430
						25 Gms	920
						50 Gms	1570
				47556 [108-88-3]	Toluene pure, 99%	500 ml	285
						2500 ml	1100
						25 Ltr	9500
				39984 [108-88-3]	Toluene (Sulphur free) extrapure, 99.5%	500 ml	300
						2500 ml	1200
						25 Ltr	9900

Code	Name	Packing	Price	Code	Name	Packing	Price
85577 [108-88-3]	Toluene extrapure AR, 99.5%	500 ml	350	15886 [6138-23-4]	D-Trehalose Dihydrate for tissue culture	5 Gms	550
		2500 ml	1300			25 Gms	1950
		25 Ltr	10800			100 Gms	4730
95227 [108-88-3]	Toluene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 ml	400	90544 ✓ [76-03-9]	Trichloroacetic Acid extrapure, 99%	100 Gms	200
		2500 ml	1500			500 Gms	650
17213 [108-88-3]	Toluene Dried, 99.5%, 0.005% water	500 ml	390	60677 ✓ [76-03-9]	Trichloroacetic Acid extrapure AR, ACS, 99.5%	100 Gms	290
		1000 ml	740			500 Gms	720
		2500 ml	1400				
80156 [108-88-3]	Toluene Dried Special (Low Benzene, 25ppm), 99.5%, 0.005% water	250 ml	450	31445 [76-03-9]	Trichloroacetic Acid 10% solution	100 ml	200
		1000 ml	1100			500 ml	430
83662 [108-88-3]	Toluene GC-HS, 99.9%	500 ml	750	54290 [76-03-9]	Trichloroacetic Acid 20% solution	500 ml	450
		1000 ml	1350				
29490 [108-88-3]	Toluene for HPLC & UV Spectroscopy, 99.8%	500 ml	470	15106 [79-01-6]	Trichloroethylene extrapure, 99%	500 ml	600
		1000 ml	820			2500 ml	2700
		2500 ml	1450			25 Ltr	23000
85590 [2037-26-5]	Toluene-d8 for NMR spectroscopy, 99.5 Atom %D	10 ml	13630	92390 [79-01-6]	Trichloroethylene extrapure AR, 99.5%	500 ml	650
33635 [108-44-1]	m-Toluidine extrapure, 99% (3-Methylaniline, m-Aminotoluene)	500 ml	570			2500 ml	3000
		2500 ml	2250	25 Ltr	25000		
82225 [70-55-3]	p-Toluenesulfonamide (PTSamide) pure, 98% (4-Toluenesulfonamide)	100 Gms	310	86976 [79-01-6]	Trichloroethylene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur	500 ml	750
		500 Gms	1200			2500 ml	3200
29423 [6192-52-5]	p-Toluenesulphonic Acid Monohydrate pure, 98% (Toluene-4-Sulphonic Acid, PTSA)	500 Gms	520	76338 [79-01-6]	Trichloroethylene electronic grade, 99.5%	500 ml	1000
		5 Kg	3940			2500 ml	4500
77948 [6192-52-5]	p-Toluenesulphonic Acid Monohydrate extrapure AR, ACS, 99% (Toluene-4-Sulphonic Acid, PTSA)	100 Gms	320	97681 [79-01-6]	Trichloroethylene for UV spectroscopy, 99.5%	500 ml	950
		500 Gms	1280			1000 ml	1750
55580 [6192-52-5]	p-Toluenesulphonic Acid Monohydrate (High Purity) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Toluene-4-Sulphonic Acid, PTSA) meets compendial specs of USP, BP, Ph.Eur	100 Gms	620	42943 [79-01-6]	Trichloroethylene Dried, 99.5%, 0.005% water	500 ml	1200
		500 Gms	2240				
86763 [657-84-1]	p-Toluenesulphonic Acid Sodium Salt pure, 98% (Sodium p-Toluenesulfonate, PTSA Sodium)	500 Gms	1850	20779 [102-71-6]	Triethanolamine pure, 98%	500 ml	400
						2500 ml	1600
73222 [102-76-1]	Triacetin pure, 99%	500 ml	810	29306 [121-44-8]	Triethylamine pure, 98%	500 ml	400
		2500 ml	3930			2500 ml	1650
21559 [102-82-9]	Tributylamine extrapure, 99%	250 ml	230	25 Ltr	13500	75198 [121-44-8]	Triethylamine extrapure AR, 99.5%
		1000 ml	800	500 ml	450		
74315 [126-73-8]	Tributylphosphate extrapure, 99%	500 ml	1800	95205 [121-44-8]	Triethylamine extrapure AR, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	1000 ml	1025
		2500 ml	8400			2500 ml	2200
91094 [6138-23-4]	D-Trehalose Dihydrate extrapure CHR	5 Gms	370	67352 [121-44-8]	Triethylamine for HPLC, 99.5%	250 ml	460
		25 Gms	1280			1000 ml	1300
		100 Gms	4250			500 ml	600
		1 Kg	12500	55221 [121-44-8]	Triethylamine for molecular biology, 99.5%	500 ml	600
						37817 [112-27-6]	Triethylene Glycol extrapure, 99%
				2500 ml	1700		
				96475 [112-27-6]	Triethylene Glycol extrapure AR, 99%	500 ml	520
						2500 ml	2000
				86570 [112-24-3]	Triethylenetetramine (mix. of isomers) pure, 97%	500 ml	930
						2500 ml	3930
				81085 [122-51-0]	Triethyl Orthoformate extrapure, 99%	500 ml	600
						2500 ml	2900

Code	Name	Packing	Price	Code	Name	Packing	Price
78984 [76-05-1]	Trifluoroacetic Acid (TFA) pure, 99%	100 ml	1590	55219 [9036-19-5]	Triton X-405 (70% solution) extrapure (Octylphenoethoxylate, Polyethyleneglycol t-Octylphenylether, Polyoxyethylene(40) sooctylphenylether)	100 ml	2420
		500 ml	4990			500 ml	5150
		2500 ml	23450			1000 ml	7870
65415 [76-05-1]	Trifluoroacetic Acid (TFA) extrapure AR, 99.5%	100 ml	2420	64315 [547-57-9]	Tropaeolin O Sodium Salt (Acid Orange 6, Chrysoin)	25 Gms	640
		250 ml	4160			100 Gms	2290
		500 ml	5360				
67869 [76-05-1]	Trifluoroacetic Acid (TFA) extrapure AR, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	100 ml	2820	10233 [54-12-6]	DL-Tryptophan extrapure CHR, 99%	5 Gms	490
		500 ml	5770			25 Gms	2000
82818 [76-05-1]	Trifluoroacetic Acid (TFA) for HPLC & UV Spectroscopy, 99.9%	25 ml	1080	10263 [73-22-3]	L-Tryptophan extrapure CHR, 99%	25 Gms	400
		100 ml	3180			100 Gms	1100
		500 ml	6170			1 Kg	8500
40801 [76-05-1]	Trifluoroacetic Acid (TFA) for molecular biology, 99.9%	100 ml	3350	49102 [73-22-3]	L-Tryptophan for tissue culture, 99%	5 Gms	360
		500 ml	11390			25 Gms	1160
23947 [76-05-1]	Trifluoroacetic Acid (TFA) for HPLC & Sequencing, 99.9%	10 x1 ml	24120	48288 [73-22-3]	L-Tryptophan ExiPlus, Multi-Compendial, 99%	25 Gms	550
						100 Gms	1500
78716 [599-00-8]	Trifluoroacetic Acid-d (TFA-d1) for NMR spectroscopy, 99.5 Atom %D	10 ml	8510			1 Kg	9500
82395 [4574-04-3]	Trimethyltetradecylammonium Chloride extrapure, 99%	25 Gms	4890	26579 [153-94-6]	D-Tryptophan (base) extrapure, 99%	10 Gms	3520
		100 Gms	12460			25 Gms	7670
38476 [519-73-3]	Triphenylmethane pure, 99%	100 Gms	1210	10726	Tungsten AAS Standard Solution in H2O	100 ml	1500
		500 Gms	4960			250 ml	2400
71033 [77-86-1]	Tris Buffer AR, ACS for molecular biology, 99.9% (Tris (Hydroxymethyl) Aminomethane, Tromethamine)	100 Gms	880	71290 [12027-43-9]	Tungstosilicic Acid Hydrate extrapure AR (Silicotungstic Acid Hydrate)	25 Gms	1080
		500 Gms	4150			100 Gms	3900
		5 Kg	34880				
79420 [77-86-1]	Tris Buffer Superior extrapure AR, ACS, 99.9% (Tris (Hydroxymethyl) Aminomethane, Tromethamine)	100 Gms	1040	67134 [12027-43-9]	Tungstosilicic Acid Hydrate extrapure AR, ExiPlus, Multi-Compendial (Silicotungstic Acid Hydrate) meets compendial specs of BP, Ph.Eur	25 Gms	1200
		500 Gms	4580			100 Gms	4300
		5 Kg	39240				
37969 [77-86-1]	Tris Buffer Superior for molecular biology, 99.9% (Tris (Hydroxymethyl) Aminomethane, Tromethamine)	100 Gms	1110	70600 [556-02-5]	D-Tyrosine extrapure, 98%	5 Gms	2000
		500 Gms	5240			25 Gms	7000
		5 Kg	44690				
56995 [77-86-1]	Tris Buffer for HPLC, 99.9% (Tris (Hydroxymethyl) Aminomethane, Tromethamine)	100 Gms	1530	10342 [556-03-6]	DL-Tyrosine extrapure CHR, 99%	5 Gms	730
		500 Gms	6540			25 Gms	3240
16622 [77-86-1]	Tris Buffer USP, 99-101% (Non Injectable Use) (Tris (Hydroxymethyl) Aminomethane, Tromethamine)	1 Kg	8000	16796 [60-18-4]	L-Tyrosine extrapure CHR, 99%	25 Gms	350
		5 Kg	37500			100 Gms	850
99438 [1185-53-1]	Tris Hydrochloride (Tris HCl) extrapure AR, 99% (Tris (Hydroxymethyl) Aminomethane Hydrochloride)	100 Gms	1090	18917 [60-18-4]	L-Tyrosine for tissue culture, 99%	25 Gms	500
		500 Gms	5240			100 Gms	1400
		5 Kg	49050			500 Gms	5000
89781 [1185-53-1]	Tris Hydrochloride (Tris HCl) for molecular biology, 99% (Tris (Hydroxymethyl) Aminomethane Hydrochloride)	100 Gms	1370	91772 [60-18-4]	L-Tyrosine ExiPlus, Multi-Compendial, 99%	25 Gms	400
		500 Gms	6000			100 Gms	1050
		1 Kg	9810			500 Gms	4300
30190 [9002-93-1]	Triton X-100 extrapure for scintillation	500 ml	660	62762 [57-13-6]	Urea extrapure, 99%	500 Gms	350
		2500 ml	3170			5 Kg	3350
64518 [9002-93-1]	Triton X-100 for molecular biology	100 ml	880	69120 [57-13-6]	Urea extrapure AR, 99.5%	500 Gms	620
		500 ml	1310			5 Kg	5800
						25 Kg	27000

Code	Name	Packing	Price	Code	Name	Packing	Price
86854 [57-13-6]	Urea extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms 5 Kg	720 6200	29280 [108-38-3]	m-Xylene pure, 98% (1,3-Dimethylbenzene)	500 ml	620
21113 [57-13-6]	Urea for molecular biology, 99.5%	500 Gms 1 Kg 5 Kg	950 1700 7890	24923 [106-42-3]	p-Xylene pure, 99% (1,4-Dimethylbenzene)	500 ml 2500 ml	640 2790
44255 [57-13-6]	Urea for tissue culture, 99.5%	500 Gms 1 Kg	800 1500	54717 [1330-20-7]	Xylene pure, 99%	500 ml 2500 ml 25 Ltr	360 1480 10850
12859 [72-18-4]	L-Valine extrapure CHR, 99%	25 Gms 100 Gms 1 Kg	300 700 4300	63797 [2650-17-1]	Xylene Cyanol FF (Acid Blue 147, C.I. No. 42135)	5 Gms 25 Gms 100 Gms	1780 6540 17690
55269 [72-18-4]	L-Valine for tissue culture, 99%	5 Gms 100 Gms 500 Gms	410 1250 4980	75122 [2650-17-1]	Xylene Cyanol FF extrapure AR, ExiPlus, Multi-Compendial (Acid Blue 147, C.I. No. 42135) meets compendial specs of USP	5 Gms 25 Gms 100 Gms	1780 6540 20410
42749	Vanadium AAS Standard Solution in 2N H2SO4	100 ml 250 ml	1500 2400	49672 [125-31-5]	p-Xylenol Blue extrapure AR, 95% (p-Xylenosulphonaphthalein)	1 Gms 5 Gms	550 2550
76132 [1314-62-1]	Vanadium Pentoxide extrapure AR, 99.5%	25 Gms 100 Gms 500 Gms	350 1150 5400	49992 [3618-43-7]	Xylenol Orange Tetrasodium Salt extrapure AR	5 Gms 10 Gms	520 900
83822 [1314-62-1]	Vanadium Pentoxide extrapure AR, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP	25 Gms 100 Gms 500 Gms	400 1280 5650	31557 [3618-43-7]	Xylenol Orange Tetrasodium Salt extrapure AR, ACS, ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	10 Gms 25 Gms	1100 2600
83080 [121-34-6]	Vanillic Acid extrapure, 99% (4-Hydroxy-3-Methoxybenzoic Acid)	25 Gms 100 Gms	1280 4370	96240 [1330-20-7]	Xylene Sulphur Free extrapure, 99%	500 ml 2500 ml 25 Ltr	380 1520 11210
98842 [121-33-5]	Vanillin pure, 99% (4-hydroxy-3-Methoxybenzaldehyde)	25 Gms 100 Gms 500 Gms	320 850 3200	90998 [1330-20-7]	Xylene extrapure AR, 99.5%	500 ml 2500 ml	450 1640
20563 [121-33-5]	Vanillin extrapure AR, 99% (4-hydroxy-3-Methoxybenzaldehyde)	25 Gms 100 Gms 500 Gms	340 950 3400	89159 [1330-20-7]	Xylene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP	500 ml 2500 ml	500 1880
49456 [121-33-5]	Vanillin extrapure AR, ExiPlus, Multi-Compendial, 99% (4-hydroxy-3-Methoxybenzaldehyde) meets compendial specs of BP	25 Gms 100 Gms 500 Gms	360 1050 3800	45122 [1330-20-7]	Xylene for molecular biology, 99.5%	250 ml 500 ml 2500 ml	410 730 2180
14553 [127-47-9]	✓ Vitamin A Acetate (Retinyl Acetate, Vitamin B3) for tissue culture (Retinol Acetate)	5 Gms 25 Gms	850 3640	85471 [1330-20-7]	Xylene Dried, 99.5%, 0.005% water	1000 ml	710
76911 [79-81-2]	✓ Vitamin A Palmitate (Retinyl Palmitate) for tissue culture, 1.615-1.860MIU/g	5 Gms 25 Gms	850 3640	46561 [1314-36-9]	Yttrium (III) Oxide extrapure AR, 99.9%	10 Gms 25 Gms	530 1240
92605 [7732-18-5]	Water for HPLC	1000 ml	400	76192 [5970-45-6]	Zinc Acetate Dihydrate extrapure, 98.5%	500 Gms	800
64236 [11138-66-2]	Xanthan Gum ExiPlus, Multi-Compendial meets compendial specs of USP, BP, Ph.Eur	100 Gms 500 Gms	430 1500	76205 [5970-45-6]	Zinc Acetate Dihydrate extrapure AR, 99.5%	500 Gms	870
23749 [95-47-6]	o-Xylene pure, 98% (1,2-Dimethylbenzene)	500 ml 2500 ml	420 1580	53174 [5970-45-6]	Zinc Acetate Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 Gms	970
62231 [95-47-6]	o-Xylene extrapure AR, 99% (1,2-Dimethylbenzene)	500 ml 2500 ml	650 3100	43758	Zinc AAS Standard Solution in 1N HNO3	100 ml 250 ml	1500 2400
				97765 [5263-02-5, 51839-25-9]	Zinc Carbonate Basic pure, 58% Zn (Zinc Hydroxide Carbonate, Carbonic Acid Zinc Salt Basic)	500 Gms	900
				99367 [5990-32-9]	Zinc Citrate Dihydrate pure, 98% (Citric Acid Zinc Salt)	500 Gms	800

Code	Name	Packing	Price	Code	Name	Packing	Price
87288 [7646-85-7]	Zinc Chloride pure, 97%	500 Gms	490	22047 [13520-92-8]	Zirconium Oxychloride Octahydrate ACS, 99.5%	100 Gms 250 Gms	1050 1800
80004 [7646-85-7]	Zinc Chloride extrapure AR, ACS, 98%	500 Gms 5 Kg	800 7500	38028 [14644-61-2]	Zirconium Sulphate extrapure, 99.5%	100 Gms	2140
67514 [7646-85-7]	Zinc Chloride for tissue culture, 98%	500 Gms	1870	47985 [13826-66-9]	Zirconyl Nitrate Hydrate ExiPlus, Multi-Compendial, 99.5% (Zirconium Oxynitrate) meets compendial specs of USP, Ph.Eur	100 Gms 500 Gms	1050 4300
86783 [7783-49-5]	Zinc Fluoride pure, 98%	100 Gms 500 Gms	1870 6400				
46621 [7440-66-6]	Zinc Metal Dust pure, 95%, -325 mesh	500 Gms 2.5 Kg	900 4200				
27008 [7440-66-6]	Zinc Metal Dust pure, 99%, -325 mesh	500 Gms 2.5 Kg	1080 5280				
20050 [7440-66-6]	Zinc Metal Dust extrapure AR, 99.5%, -325 mesh	500 Gms 2.5 Kg	1260 5940				
73932 [7440-66-6]	Zinc Metal Dust extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%, -325 mesh meets compendial specs of Ph.Eur	500 Gms 2.5 Kg	1380 6300				
75001 [10196-18-6]	✓ Zinc Nitrate Hexahydrate extrapure, 99%	500 Gms	600				
24693 [10196-18-6]	✓ Zinc Nitrate Hexahydrate extrapure AR, 99%	500 Gms	700				
87531 [1314-13-2]	Zinc Oxide extrapure, 99%	500 Gms 5 Kg	580 5200				
67062 [1314-13-2]	Zinc Oxide extrapure AR, 99.5%	500 Gms 5 Kg	650 5800				
51508 [1314-13-2]	Zinc Oxide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP	500 Gms 5 Kg	690 6100				
13439 [557-05-1]	Zinc Stearate extrapure, 10-15% ZnO (Stearic acid zinc salt)	500 Gms 1 Kg	600 1100				
67106 [7446-20-0]	Zinc Sulphate Heptahydrate for tissue culture, 99%	500 Gms 1 Kg	570 1010				
76455 [7446-20-0]	Zinc Sulphate Heptahydrate pure, 99%	500 Gms 1 Kg 5 Kg	290 530 2550				
78494 [13597-44-9]	Zinc Sulphite Anhydrous extrapure, 80%	500 Gms	1380				
62294 [7488-52-0]	Zinc Sulphite Dihydrate extrapure, 98%	500 Gms	1330				
47482 [1314-98-3]	Zinc Sulphide extrapure, 98%	100 Gms 500 Gms	720 2400				
75738 [7446-20-0]	Zinc Sulphate Heptahydrate extrapure AR, 99.5%	500 Gms 5000 Gms	340 3100				
35243 [7446-20-0]	Zinc Sulphate Heptahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP	500 Gms 5 Kg	430 3900				
12077 [13520-92-8]	Zirconium Oxychloride Octahydrate extrapure, 99.5%	100 Gms 250 Gms 500 Gms	500 900 1650				

Sodium Lauryl Sulphate

A highly versatile product for Drug Dissolution Testing, Quality Control, Research and Electrophoresis applications.



For Drug Dissolution Testing Studies

Sodium Lauryl Sulphate (Sodium Dodecyl Sulphate, SLS, SDS) is a strong component of the media used for Dissolution Testing in In Vitro methods for water-soluble and slightly-water-soluble drugs. It's importance as a simulated gastric/intestinal media ingredient makes it's quality a critical factor in the accuracy of results.

Principally used as a QC Test, Dissolution Testing, SDS of AR & High Purity grades are the most prevalent reagents in use due to constant production improvements, testing and stability studies. SRL is one of the first developers of the High Purity SLS (99.5%) which is fast-becoming the industry standard across the Pharma QC Testing, with many scientists now adopting the newer improved grade as a Protocol standard.

Our Premier Product, Sodium Lauryl Sulphate High Purity (99.5%) (35825) can,

- Eliminate further purification by the customer by foaming & other processes, demonstrate exceptionally lower lauryl alcohol (LA) impurities
- Improve testing accuracy and confirm lot-to-lot bioequivalence
- Ensure consistent and reliable results in In Vitro Testing and Intrinsic Dissolution Rate (IDR) studies
- Secure accurate Dissolution profiles (suitable to fast-release and slow-release drugs)
- Assist in detection of relevant product changes so as to ensure the quality and consistent performance of final products

For SDS Polyacrylamide Gel Electrophoresis (SDS-PAGE) Studies

Primarily used in the denaturing of proteins, Sodium Lauryl Sulphate of high purity and molecular biology grades play a critical role in PAGE electrophoresis techniques as well as SDS Gradient Gel Electrophoresis to,

- Unfold normally buried polypeptide chains while retaining their normal (native) structure
- Bind to difficult regions (hydrophobic regions) within the protein chains
- Induce a predominant negative charge for the subsequent electrophoresis
- Ensure a electrophoretic separation for a large number (and types) of proteins



Types of Sodium Lauryl Sulphate we offer:

Product code	Product Name	Assay	Pack Size
54468	Sodium Lauryl Sulphate extrapure AR, ACS	(C12) min. 99% (GC)	100g, 250g, 500g, 1kg
99671	Sodium Lauryl Sulphate for HPLC	(C12) min. 99% (GC)	10g, 25g, 100g, 1kg
32096	Sodium Lauryl Sulphate for molecular biology	(C12) min. 99.5% (GC)	25g, 100g, 500g
35825	Sodium Lauryl Sulphate High Purity	(C12) min. 99.5% (GC)	25g, 100g, 500g
85369	Sodium Lauryl Sulphate (10%) solution	10%	100ml
87545	Sodium Lauryl Sulphate (20%) solution	20%	250ml
34378	Sodium Lauryl Sulphate BP	min. 85%	1kg
93117	Sodium Lauryl Sulphate IP	min. 85%	1kg
14374	Sodium Lauryl Sulphate pure	min. 85% (dry basis)	500g, 5kg

Larger pack sizes 1kg, 5kg, 25kg available on request



Part B

Bioreagents, Biochemicals & Speciality Fine Chemicals



Linkers & Cross-Linkers for Protein Chemistry

Cross-linking is the process of chemically joining two or more molecules by a covalent bond. **SRL** introduced linking and cross-linking reagents are important reagents used in protein chemistry applications. Typically, they are commonly used reagents to modify nucleic acids, drugs and solid surfaces. Areas of research where these products find application are bio-conjugation, immobilization, surface modification and bio-molecule labeling. These reagents contain reactive ends to specific functional groups, such as primary amines and sulfhydryls, on proteins or other molecules. The availability of several chemical groups in proteins and peptides make them targets for conjugation and for study using cross-linking methods. Some common applications of cross-linkers is for the identification of near-neighbor protein relationships and for ligand-receptor interactions.



- 3-(Acetamidomethylthio)propanoic Acid (MPA(Acm))
- 3-(Benzylthio)-Propionic Acid
- DABCYL-N-Succinimidyl Ester
- DHP Linker (3,4-Dihydro-2H-Pyran-2-Methanol)
- 5-(Ethylthio)-1H-Tetrazole (ETT)
- HMBA Linker (4-(Hydroxymethyl)benzoic Acid)
- HMPA Linker
- Ramage Linker
- Rink Amide Linker (Knorr Linker)
- Sieber Linker
- Weinreb Linker

Compounds for Peptide Synthesis

Peptide synthesis is characterized as the formation of a peptide bond between two amino acids. While the definition of a peptide is not definitive, it usually refers to chains of up to 30-50 amino acids. Peptide synthesis today is a common approach in even high-throughput biological research and product and drug development, although it is a technique about 100 years old. We offer various types of peptide reagents that can be used for biological production and research work.

Amino Acids and Derivatives

- BOC
- Fmoc
- L/D/DL
- Z/CBZ

N,N'-Dicyclohexylcarbodiimide
DCC

Diisopropylcarbodiimide DIPC

1-(3 Dimethylaminopropyl)-3-Carbodiimide Hydrochloride (EDC.HCl), EDAC.HCl)

1,4 Dithioerythritol (DTE)

DL-Dithiothreitol (DTT)

EEDQ

1,2 Ethanedithiol (EDT)

9-Fluorenylmethanol

9-Fluorenylmethyl-N-succinimidyl
Carbonate

1-Fluoro-2,4 Dinitrobenzene

HABU

HOAT

HOBT

Hydrobromic Acid

2-Hydroxypyridine-N-oxide
(1-Hydroxy-2-pyridone) (HOPO)

N-Hydroxysuccinamide

Di-(n-succinimidyl) Carbonate

TBTU

TNTU

Trifluoroacetic Acid

Wang Resin (100-200 mesh)

Z-OSU

For more details, please feel free to mail us at marketing@srlchem.com

Code	Name	Packing	Price	Code	Name	Packing	Price
66308	■ (+)-Abscisic Acid Natural (S-ABA) for tissue culture, 98% (Dormin, Abscissin II)	25 Mg 100 Mg 500 Mg	1470 4100 18900	70538	⚡ N-Acetyl-L-Aspartic Acid extrapure, 98%	5 Gms 25 Gms	2000 8500
31240	■ (+/-)-Abscisic Acid Synthetic (ABA) for tissue culture, 98% (Dormin, Abscissin II)	25 Mg 100 Mg	1680 4310	23157	⚡ 1-O-Acetyl-2,3,5-Tri-O-Benzoyl-b-D- Ribofuranose extrapure, 98%	5 Gms 25 Gms	2500 8000
40157	● ABTS extrapure AR (2,2-Azino-bis (3-ethylbenzothiazoline-6-sulfonic acid) Diammonium Salt), 98.5%	100 Mg 500 Mg	2800 8500	23598	⚡ 1-O-Acetyl-2,3,5-Tri-O-Benzoyl-b-L- Ribofuranose extrapure, 98%	1 Gms 5 Gms	12210 39540
28042	● ABTS extrapure (2,2-Azino-bis (3-ethylbenzothiazoline-6-sulfonic acid) Diammonium Salt), 98%	500 Mg 1 Gms 5 Gms	4600 7000 26980	41439	⚡ 1-O-Acetyl-2,3,5-Tri-O-Benzoyl-D-Ri- bofuranose extrapure, 98%	5 Gms 25 Gms	2450 11050
83088	ABTS Peroxidase Stop Solution (5% SDS solution) suitable for molecular biology	25 ml 100 ml	1630 4480	72981	⚡ 1-O-Acetyl-2,3,5-Tri-O-Benzyl-b-D-R ibofuranose extrapure, 95%	50 Mg 200 Mg	22680 50000
33108	⚡ ABTS Substrate Solution (Single Solution)	25 ml 100 ml	1630 3470	32993	⚡ 1-O-Acetyl-2,3,5-Tri-O-Benzyl-D-Rib- ofuranose extrapure, 98%	50 Mg 200 Mg	22680 50000
65457	Acarbose extrapure, 95%	1 Gms 5 Gms	6000 20000	62929	⚡ Acetylcholine Chloride extrapure, 99%	25 Gms	5710
66822	ACES Buffer extrapure, 99%	25 Gms 100 Gms	2720 9940	53182	⚡ Acetylcholine Chloride ExiPlus, Multi-Compendial, 99%	25 Gms	6750
62316	Acetone Sodium Bisulfite pure, 98%	100 Gms 250 Gms	3980 9000	71332	⚡ Acetylcholine Iodide extrapure, 99%	5 Gms 25 Gms	2520 9000
89561	Acetoxime (Acetone Oxime) extrapure, 98%	25 Gms 100 Gms 250 Gms	1260 2840 6830	26904	■ Acetyl Coenzyme A Trilithium Salt extrapure, 90%	5 Mg 25 Mg 100 Mg	2950 11610 40420
89204	■ AEBSF Hydrochloride extrapure AR, 98%	25 Mg 100 Mg 500 Mg	1150 3550 16870	47866	⚡ N-Acetyl-L-Cysteine ExiPlus, Multi-Compendial, 99%	10 Gms 25 Gms 100 Gms 500 Gms	400 840 2630 8400
59750	■ PUGNAc extrapure, 95%	5 Mg	16230		meets compendial specs of BP		
20140	● 3-(Acetamidomethylthio)propanoic Acid (MPA(Acm)) extrapure, 98%	1 Gms	5260	99328	⚡ N-Acetyl-D-Galactosamine extrapure, 98%	100 Mg 1 Gms	2520 7550
12052	⚡ 4-Acetamido-2,2,6,6-Tetramethylpip- eridine-1-Oxyl (Acetamido TEMPO) pure, 97%	1 Gms 5 Gms 25 Gms	1950 4330 10280	59012	⚡ N-Acetyl-D-Glucosamine extrapure AR, 99%	10 Gms 50 Gms 100 Gms 500 Gms	940 2620 4600 20940
34437	■ Acetobromo-D-Glucose extrapure for biochemistry, 98%	10 Gms	7350	50241	⚡ N-Acetyl-L-Glutamic Acid extrapure, 99%	10 Gms 100 Gms	500 4280
28590	■ Acetobromo-D-Galactose w/ 2% Calcium Carbonate extrapure, 98%	5 Gms	6500	68761	⚡ N-Acetyl-L-Glutamine extrapure, 99%	25 Gms 100 Gms	1550 4880
43717	1-Acetonaphthone pure, 98%	100 ml 250 ml	1370 2660	56115	⚡ N-Acetylglycine extrapure, 99%	25 Gms 100 Gms 500 Gms	1030 2800 6600
21009	2-Acetonaphthone pure, 98%	100 Gms 250 Gms	940 2110	76097	⚡ N-Acetyl-L-Leucine extrapure, 99%	5 Gms 25 Gms	1030 4260
24168	■ Acetylcholine Bromide extrapure, 98%	5 Gms 25 Gms	2760 9200	26124	⚡ N-Acetyl-L-Methionine extrapure, 99%	5 Gms 25 Gms 100 Gms	810 3380 11820
17884	⚡ N-Acetyl-L-Alanine extrapure, 99%	5 Gms 25 Gms	1250 5040				

Code	Name	Packing	Price	Code	Name	Packing	Price
90430 [68-95-1]	N-Acetyl-L-Proline extrapure, 98%	5 Gms	1560	35188 [8063-24-9]	Acriflavine Hydrochloride for molecular biology, 98.5%-105% (3,6-Diamino-10-Methylacridinium Chloride Hydrochloride, Euflavine)	5 Gms	540
		25 Gms	5880			25 Gms	2400
		100 Gms	15640				
81977 [2466-76-4]	N-Acetylimidazole extrapure AR, 99%	25 Gms	1970	39309 [51005-14-2]	Actin extrapure, 99%	1 Mg	32560
		100 Gms	6020				
32414 [1115-47-5]	N-Acetyl-DL-Methionine extrapure, 99%	10 Gms	780	28269 [50-76-0]	Actinomycin D (AMD) extrapure, 98%	2 Mg	5630
		100 Gms	1750			5 Mg	13200
86419 [131-48-6]	N-Acetylneuraminic Acid extrapure (NANA), 98%	100 Mg	1890	44597 [9012-37-7]	Acylase 1 (ACY1) ex. Porcine Kidney, 1000U/mg	50 Mg	2750
		500 Mg	4830			250 Mg	9620
		1 Gms	7880			1 Gms	30220
10197 [1122-62-9]	2-Acetyl Pyridine extrapure, 99%	25 ml	1850	37690 [26239-55-4]	ADA Buffer extrapure, 98%	10 Gms	1160
		100 ml	6600			25 Gms	2450
14507 [350-03-8]	3-Acetyl Pyridine pure, 99%	25 ml	1600	83468 [7415-22-7]	ADA Monosodium Salt Buffer extrapure, 98%	5 Gms	4660
		100 ml	4000			25 Gms	9310
38998 [1866-15-5]	S-Acetylthiocholine iodide extrapure AR, 99%	1 Gms	2220	35609 [41689-31-0]	ADA Disodium Salt Buffer extrapure, 98%	25 Gms	3800
		5 Gms	8800				
99703 [88-15-3]	2-Acetyl Thiophene pure, 99%	100 ml	2590	50300 [73-24-5]	Adenine extrapure, 98%	5 Gms	320
		500 ml	11740			25 Gms	1290
11644 [1218-34-4]	N-Acetyl-L-Tryptophan extrapure, 99%	5 Gms	1420	87583 [321-30-2]	Adenine Sulphate extrapure, 99%	10 Gms	550
		25 Gms	6120			25 Gms	1320
						100 Gms	4940
48861 [1218-34-4]	N-Acetyl-L-Tryptophan ExiPlus, Multi-Compendial, 99%	5 Gms	1630	81951 [321-30-2]	Adenine Sulphate for tissue culture, 99%	10 Gms	870
		25 Gms	6050			25 Gms	2100
	meets compendial specs of BP, Ph.Eur					100 Gms	7350
51031 [87-32-1]	N-Acetyl-DL-Tryptophan extrapure, 99%	25 Gms	2050	56603 [321-30-2]	Adenine Sulphate ExiPlus, Multi-Compendial, 99%	25 Gms	2520
		100 Gms	7980			100 Gms	8400
		1 Kg	75600				
					meets compendial specs of USP		
98070 [537-55-3]	N-Acetyl-L-Tyrosine extrapure, 98%	5 Gms	2080	54865 [58-61-7]	Adenosine extrapure, 99%	5 Gms	350
		25 Gms	7940			25 Gms	1340
16756 [36546-50-6]	N-Acetyl-L-Tyrosine Ethyl Ester (ATEE) extrapure, 99%	5 Gms	5870	94149 [58-61-7]	Adenosine ExiPlus, Multi-Compendial, 99%	25 Gms	1870
		10 Gms	10990				
61942 [96-81-1]	N-Acetyl-L-Valine extrapure, 99%	1 Gms	2700				
97412 [10127-02-3]	Acridine Orange hemi (Zinc Chloride) Salt (C.I. No. 46005)	5 Gms	1100	84910 [37063-35-7]	Adenosine-2',3' Cyclic Monophosphate Sodium Salt extrapure, 98%	25 Mg	3510
		10 Gms	1850			100 Mg	10730
		25 Gms	4190				
37751 [10127-02-3]	Acridine Orange hemi(Zinc Chloride) Salt for molecular biology	5 Gms	1650	98333 [60-92-4]	Adenosine-3',5'-Cyclic-Monophosphoric Acid extrapure, 98%	100 Mg	4520
		10 Gms	2800			500 Mg	12420
		25 Gms	5500				
62255 [10127-02-3]	Acridine Orange hemi(Zinc Chloride) Salt for tissue culture	5 Gms	1580	43801 [16178-48-6]	Adenosine-5-Diphosphate Disodium Salt (ADP-Na2) extrapure, 98%	500 Mg	880
		25 Gms	4800			1 Gms	1520
						5 Gms	6930
82407 [65-61-2]	Acridine Orange Hydrochloride Hydrate for molecular biology, 99% (3,6-Bis(dimethylamino)Acridine Hydrochloride)	1 Gms	1410	99118 [72696-48-1]	Adenosine-5-Diphosphate Monopotassium Salt Dihydrate (ADP-K) extrapure, 97%	500 Mg	1760
		5 Gms	6140				
42070 [135-49-9]	Acridine Yellow G (Basic Yellow K, 3,6-Diamino-2,7-Dimethylacridine Hydrochloride)	5 Gms	1570	90697 [4578-31-8]	Adenosine-5-Monophosphate Disodium Salt (AMP-Na2) extrapure, 99%	5 Gms	840
		25 Gms	5410			25 Gms	3670
42428 [8048-52-0]	Acriflavine Neutral for molecular biology, 98% (3,6-Diamino-10-Methylacridinium Chloride, Acriflavine Base)	5 Gms	420	84878 [34369-07-8]	Adenosine-5'-Triphosphate Disodium Salt (ATP-Na2) extrapure vanadium free, 98%	1 Gms	250
		25 Gms	1800			5 Gms	1000
		100 Gms	4900			25 Gms	3450
				46600 [979-92-0]	S-(5-Adenosyl)-L-Homocysteine extrapure, 99% 5'-Deoxy-S-adenosyl-L-homocysteine	10 Mg	37210

Code	Name	Packing	Price	Code	Name	Packing	Price
85934	■ (S)Adenosyl-L-Methionine Disulphate Tosylate, 98%	500 Mg 1 Gms	1840 3470	96244	DL-Alanine extrapure CHR, 99%	100 Gms 1 Kg	610 3000
40257	■ Adipic Acid Dihydrazide (ADH) extrapure, 95% (Hexanedioic Acid Dihydrazide)	25 Gms 100 Gms	3000 11570	32344	■ D-Alanine-7-Amido-4-Methylcoumarin in Free Base extrapure, 97% (D-Alanine-7-Amido-4-Methylcoumarin)	10 Mg 25 Mg	11420 20760
75101	Adonitol (Ribitol) extrapure, 99%	5 Gms 25 Gms	1800 7550	11180	■ β-Alanine-7-Amido-4-Methylcoumarin in Trifluoroacetate Salt extrapure, 99% (β-Alanine-7-Amido-4-Methylcoumarin Trifluoroacetate Salt, β-Alanine-AMC.TFA salt)	10 Mg 25 Mg	12340 25220
37575	⚡ Adrenaline Bitartrate (Epinephrine Bitartrate) extrapure, 98% (L-Adrenaline Hydrogen Bitartrate, L-Epinephrine Hydrogen Bitartrate)	1 Gms 5 Gms	2300 8500	28760	■ D-Alanine-7-Amido-4-Methylcoumarin in Trifluoroacetate Salt extrapure, 99% (D-Alanine-7-Amido-4-Methylcoumarin Trifluoroacetate Salt, D-Alanine-AMC.TFA salt)	10 Mg 25 Mg	8880 17260
59783	⚡ L-Adrenaline (L-Epinephrine) extrapure, 98%	1 Gms 5 Gms	3000 14000	25696	■ L-Alanine-7-Amido-4-Methylcoumarin in Trifluoroacetate Salt extrapure, 98% (L-Alanine-7-Amido-4-Methylcoumarin Trifluoroacetate Salt, L-Alanine-AMC.TFA salt)	25 Mg 100 Mg	5910 16870
60645	Agarose High EEO for molecular biology	25 Gms 100 Gms 500 Gms	1840 6610 31820	94518	■ L-Alanine Benzyl Ester p-Toluene Sulfonate extrapure, 98%	25 Gms	6230
36601	Agarose Low EEO for molecular biology	10 Gms 25 Gms 100 Gms 500 Gms 1 Kg	680 1350 4290 19580 38550	17737	■ L-Alanine Benzyl Ester Hydrochloride extrapure, 98%	25 Gms	5410
23287	Agarose Low EEO Superior Grade for molecular biology	10 Gms 25 Gms 100 Gms 500 Gms 1 Kg	800 1720 5020 22640 42830	64048	■ L-Alanine-β-Naphthylamide Hydrobromide extrapure, 98%	100 Mg	6360
10423	Agarose Medium EEO for molecular biology	10 Gms 25 Gms 100 Gms 500 Gms	900 2200 5800 25700	94349	⚡ L-Alanyl-L-Alanine extrapure, 99%	100 Mg 500 Mg	4030 19340
27813	Agarose UltraPhor for molecular biology	10 Gms 25 Gms 100 Gms	10000 24000 92000	31622	⚡ L-Alanyl-L-Glutamine extrapure, 99%	1 Gms 5 Gms	840 2520
32417	Agarose Low Melting for molecular biology	5 Gms 10 Gms 25 Gms 100 Gms 250 Gms	3000 3500 8000 30000 70000	46620	⚡ L-Alanyl Glycine extrapure, 99%	1 Gms 5 Gms	3730 17660
93419	Agarose TAE mix 1.0%	100 Gms	8530	73721	⚡ L-Alanyl-L-Leucine extrapure, 99%	500 Mg	9320
67900	Agarose TAE mix 2.0%	100 Gms	8530	31550	● L-Alanyl-L-Leucine-L-Phenylalanine extrapure	100 Mg	8000
76171	Agarose TBE mix 1.0%	100 Gms	8530	97088	■ L-Alanyl Methyl Ester Hydrochloride extrapure, 99%	5 Gms 25 Gms	1790 6830
12375	Agarose TBE mix 2.0%	100 Gms	8530	41859	■ L-Alanyl-L-Tyrosine extrapure, 99%	100 Mg	3180
19339	⚡ Ajmalicine pure, 98%	10 Mg 50 Mg	3540 13410	38211	⚡ Alar extrapure AR, 99%	1 Gms 5 Gms 25 Gms	470 1980 8380
52821	⚡ Ajmaline pure, 98%	1 Gms	3380	97350	● Albumin Bovine (pH 5.2) fraction V (Bovine Serum Albumin, BSA), 98%	5 Gms 50 Gms 100 Gms 250 Gms	830 7800 15250 35000
64422	D-Alanine extrapure CHR, 99%	5 Gms 25 Gms 100 Gms	420 1750 6000	83803	● Albumin Bovine (pH 6-7) fraction V (Bovine Serum Albumin, BSA), 98%	5 Gms 25 Gms 100 Gms 250 Gms	800 3800 14500 34000

Code	Name	Packing	Price	Code	Name	Packing	Price
85171 [9048-46-8]	● Albumin Bovine (pH 6-7) fraction V for molecular biology (Bovine Serum Albumin, BSA), 98%	5 Gms	900	60352 [130-22-3]	Alizarin Red S for tissue culture (C.I. No. 58005)	25 Gms	1430
		25 Gms	4000			5 Gms	660
		100 Gms	15800			25 Gms	1320
		500 Gms	72000				
14438 [9048-46-8]	● Albumin Bovine (pH 6.5-7.5) fraction V Lipid Enhanced (Bovine Serum Albumin, BSA), 98%	25 Gms	7960	95786 [584-42-9]	Alizarin Yellow GG, 90% (Metachrome Yellow, Mordant Yellow 1, Salicyl Yellow) (C.I. No. 14025)	5 Gms	660
		100 Gms	24230			25 Gms	1320
32257 [9048-46-8]	● Albumin Bovine (pH 6.5-7.5) fraction V for tissue culture (Bovine Serum Albumin, BSA), 98%	5 Gms	2330	12151 [9001-78-9]	■ Alkaline Phosphatase (ALP, AP, CIP) ex. Calf Intestine Mucosa, 20 DEA U/mg solids	100 Mg	6490
		25 Gms	8820			500 Mg	9800
65186 [9048-46-8]	● Albumin Bovine (pH 7) fraction V Reagent Grade (Bovine Serum Albumin, BSA), 99%	5 Gms	2330			1 Gms	16000
		25 Gms	9270	97534	■ Alkalophilic Proteinase ex. Streptomyces Sp., 20U/mg	100 Units	36050
		100 Gms	20110			200 Units	67440
93630 [9048-46-8]	● Albumin Bovine (pH 7) fraction V Cohn Analog (Bovine Serum Albumin, BSA), 96%	10 Gms	5120	58020 [315-30-0]	Allopurinol extrapure, 98%	5 Gms	870
		25 Gms	9270			25 Gms	3300
		100 Gms	20110	46287 [7283-09-2]	■ β-D-Allose extrapure, 98%	100 Mg	7740
19007 [9048-46-8]	⚗ Albumin Bovine Solution (20mg/ml)	1 ml	1200			35401 [7635-11-2]	■ L-Allose extrapure, 97%
		5 x1 ml	2400	50 Mg	21810		
77761 [9048-46-8]	⚗ Albumin Bovine Solution 10% Diluent Solution in PBS (BSA 10% Diluent/Blocking Solution in PBS)	10 ml	3300	73583 [9046-28-0]	■ L-Alpha Glycerophosphate Oxidase (GPO) ex. Microorganism, 15U/mg	500 Units	5260
		45017 [9006-59-1]	● Albumin Egg Powder extrapure, 78%			100 Gms	630
500 Gms	2420			100 Mg	56280		
56587 [9006-59-1]	● Albumin Egg Flakes extrapure, 85%			100 Gms	1700	200 Mg	125470
		500 Gms	7760	74880 [26093-31-2]	⚗ 7-Amino-4-Methylcoumarin (7-AMC) extrapure, 99%	1 Gms	3030
21840 [70024-90-7]	■ Albumin Human Serum (Lipid Enhanced), 95%	100 Mg	3970			81396 [37517-28-5]	⚗ Amikacin (AMK) free base, 98%
		1 Gms	10210	18036 [39831-55-5]	⚗ Amikacin Sulphate (AMKS)		
		5 Gms	19280			5 Gms	9890
80879 [70024-90-7]	■ r-Albumin Human - Type Standard ACF ex. Plants, 97% (Human Serum Albumin Recombinant, rHSA)	100 Mg	4000	98062 [122-80-5]	p-Aminoacetanilide pure, 98%	100 Gms	510
		1 Gms	30000			500 Gms	1820
55955 [70024-90-7]	■ r-Albumin Human - Type EG ex. Yeast, 99% (Human Serum Albumin, rHSA)	100 Mg	4500	40182 [99-92-3]	p-Aminoacetophenone extrapure AR, 99%	25 Gms	850
		1 Gms	35000			100 Gms	3020
83428 [70024-90-7]	■ r-Albumin Human - Type LE ex. Yeast, 98% (Human Serum Albumin Recombinant, rHSA)	100 Mg	5500	62360 [7620-28-2]	D-a-Amino Adipic Acid extrapure, 98%	250 Mg	3080
		1 Gms	39000			1 Gms	11390
48261 [33864-99-2]	Alcian Blue (C.I. No. 74240, Alcian Blue 8 GX)	5 Gms	1960	35418 [1118-90-7]	L-a-Amino Adipic Acid extrapure, 98%	250 Mg	2690
		10 Gms	3680			1 Gms	8580
46822 [33864-99-2]	Alcian Blue for tissue culture (C.I. No. 74240, Alcian Blue 8 GX)	5 Gms	3800	46832	Amino Acids Kit	1 Kit	3730
		25 Gms	17380			86936	L-Amino Acids Kit
90008 [9031-72-5]	■ Alcohol Dehydrogenase (ALD) ex. Bakers Yeast, 300U/mg protein	7500 Units	4660	68384 [9000-88-8]	■ D-Amino Acid Oxidase (DAA, DAO, DAMOX) ex. Porcine Kidney, 6000U/g		
		67482 [1715-30-6]	■ Alexidine Dihydrochloride extrapure, 96% (1,1-Hexamethylene-bis(5-[2-Ethylhexyl]biguanide))			250 Mg	5510
86220 [9005-32-7]	Alginate Acid ex. Brown Algae, 19-25%			100 Gms	400	98437 [60-09-3]	p-Aminoazobenzene pure, 98%
		250 Gms	940	500 Gms	2400		
		500 Gms	1780	79793 [99-05-8]	m-Aminobenzoic Acid pure, 98%	100 Gms	530
29186 [130-22-3]	Alizarin Red S (C.I. No. 58005)	25 Gms	670			500 Gms	2250
		100 Gms	2400	74004 [99-05-8]	m-Aminobenzoic Acid extrapure AR, 99%	25 Gms	800
99839 [150-13-0]	p-Aminobenzoic Acid pure, 99% (PABA)	250 Gms	1250			100 Gms	3080
		500 Gms	2400				

Code	Name	Packing	Price	Code	Name	Packing	Price
19196 [150-13-0]	p-Aminobenzoic Acid ExiPlus, Multi-Compendial, 99% (PABA) meets compendial specs of USP, BP, Ph.Eur	100 Gms	720	17081 ■ [452-06-2]	2-Aminopurine extrapure, 98%	100 Mg	3220
		500 Gms	2700			250 Mg	6910
56960 [2835-77-0]	2-Aminobenzophenone pure, 98%	5 Gms	1800	65377 [504-29-0]	2-Aminopyridine pure, 98%	100 Gms	680
		25 Gms	4640			250 Gms	1580
26345 [56-12-2]	4-Aminobutyric Acid extrapure CHR, 99%	10 Gms	360	29786 [462-08-8]	3-Aminopyridine pure, 98%	1 Kg	5850
		25 Gms	890			25 Gms	900
65081 [2835-81-6]	DL-a-Aminobutyric Acid extrapure, 99% (DL-2-Aminobutyric Acid)	25 Gms	1960	16104 [504-24-5]	4-Aminopyridine pure, 98%	100 Gms	3000
		100 Gms	5850			500 Gms	10500
10498 [719-59-5]	2-Amino-5-Chlorobenzophenone pure, 98%	100 Gms	3760	12920 ⚗ [584-13-4]	4-Amino-1,2,4-Triazole pure, 98%	10 Gms	470
		500 Gms	18350			25 Gms	1000
18125 [127946-77-4]	1-Amino-1-Cyclopropanecarbonitril e Hydrochloride extrapure, 98%	1 Gms	2500	40057 [54723-94-3]	Ammonium Phosphomolybdate Hydrate extrapure, 61% Mo (Ammonium-12-Molybdophosphate, M olybdophosphoric Acid Ammonium, Phosphomolybdic Acid Ammonium Hydrate)	100 Gms	3390
		5 Gms	8000			25 Gms	2630
68678 [132-32-1]	3-Amino-9-Ethyl Carbazole (AEC), 95%	10 Gms	6300	31438 [13820-40-1]	Ammonium Tetrachloropalladate (II) extrapure, 98% (Palladium (II) Ammonium Chloride)	100 Gms	3990
		25 Gms	12600			250 Mg	3000
44285 [1750-12-5]	4-Amino-3-Hydrazino-5-Mercapto-1, 2,4-Triazole (AHMT), 98%	1 Gms	2200	32285 [13820-41-2]	Ammonium Tetrachloroplatinate (II) extrapure, 99% (Platinum (II) Ammonium Chloride)	1 Gms	7500
		5 Gms	9000			250 Mg	3500
94283 [16867-03-1]	2-Amino-3-Hydroxypyridine pure, 97%	100 Gms	5620	24645 ⚗ [61336-70-7]	Amoxicillin Trihydrate (AMOT), 97%	1 Gms	300
		33864 ■ [5451-09-2]	5-Amino Levulinic Acid Hydrochloride extrapure, 97%			100 Mg	2200
500 Mg	4540	10 Gms		2330			
19902 [144-90-1]	DL-3-Aminoisobutyric Acid extrapure, 98% (2-Amino-2-Methyl-Propionic Acid)	1 Gms	4200	54713 ⚗ [1397-89-3]	Amphotericin B (AMT)	1 Gms	4910
		5 Gms	12600			5 Gms	23950
86898 [214139-20-5]	DL-3-Aminoisobutyric Acid Hydrate extrapure, 98%	25 Mg	1160	61314 ⚗ [69-52-3]	Ampicillin Sodium Salt (AMP-Na)	250 Mg	1290
		100 Mg	2630			1 Gms	380
87907 [99-31-0]	5-Aminoisophthalic Acid (5-AIPA) pure, 99% (5-Aminobenzene-1,3-Dicarboxylic acid)	25 Gms	1190	26647 ⚗ [69-52-3]	Ampicillin Sodium Salt (AMP-Na) for tissue culture	5 Gms	1730
		100 Gms	3790			25 Gms	6290
50407 [124-68-5]	2-Amino-2-Methyl-1-Propanol (AMP Buffer) pure, 95%	500 ml	2000	82904 ⚗ [7177-48-2]	Ampicillin Trihydrate (AMP)	1 Gms	330
		2500 ml	9560			5 Gms	1420
91085 [84-89-9]	5-Aminonaphthalene-1-Sulphonic Acid pure, 90% (1-Naphthylamine-5-Sulfonic Acid, Laurents Acid)	25 Gms	2630	96459 [68399-79-1]	AMPSO Buffer extrapure, 99% (N-(1,1-Dimethyl-2-Hydroxyethyl)- -3-Amino-2-Hydroxypropane Sulphonic Acid)	10 Gms	2570
		100 Gms	9450			5 Gms	4210
98372 [119-79-9]	5-Aminonaphthalene-2-Sulphonic Acid pure, 98%	25 Gms	2940	85441 [29883-15-6]	D-Amygdalin extrapure, 97%	25 Gms	14020
		100 Gms	9980			1 Gms	1440
79911 [116-63-2]	1-Amino-2-Naphthol-4-Sulphonic Acid (1,2,4-Acid) extrapure AR, ACS, 98% (1-Amino-2-Hydroxy-4-Naphthalenesulf onic acid)	25 Gms	520	95114 ■ [9000-90-2]	a-Amylase ex. Porcine Pancreas, 5U/mg	10 Gms	4410
		100 Gms	1740			25 Gms	8940
21407 [1775-95-7]	2-Amino-5-Nitrobenzophenone extrapure, 98%	25 Gms	2940	28588 ■ [9000-90-2]	a-Amylase ex. Porcine Pancreas, 10-25U/mg	100 Mg	3980
		100 Gms	9670			1 Gms	940
58513 [2973-50-4]	2-Aminophenyl-Acetonitrile pure, 97%	250 Mg	5980			5 Gms	3280
		1 Gms	15230			100 Mg	3980
33993 [919-30-2]	(3-Aminopropyl)triethoxysilane (APTES) extrapure, 98% (3-(Triethoxysilyl) Propylamine)	100 ml	1200				
		500 ml	5000				

Code	Name	Packing	Price	Code	Name	Packing	Price		
46504 [9000-92-4]	■ a-Amylase ex. Malt 1:2000 (Fungal Diastase ex. Aspergillus Oryzae)	100 Gms	510	89657 [506-30-9]	■ Arachidic Acid extrapure, 99% (Eicosanoic Acid, Arachic Acid, Arachidinic Acid)	1 Gms	2500		
		500 Gms	2150			5 Gms	6000		
40321 [206659-00-9]	8-Anilino-1-Naphthalene Sulphonic Acid Ammonium Salt Hydrate (ANS Hydrate) extrapure, 98% (8-Anilino-1-Naphthalenesulfonic Acid Ammonium Salt Hydrate)	5 Gms	2730	20975 [506-32-1]	■ Arachidonic Acid (non-animal) extrapure, 99%	25 Gms	7880		
		100 Gms	30350			10 Mg	3570		
		42275 [82-76-8]	8-Anilino-1-Naphthalenesulphonic Acid (ANS) extrapure, 98% (8-Anilino-1-Naphthalenesulfonic Acid, N-Phenyl Peri Acid)			5 Gms	2940	25 Mg	7580
25 Gms	8400					100 Mg	14060		
89119 [123-11-5]	Anisaldehyde extrapure, 99% (p-Methoxybenzaldehyde)	100 ml	400	13492 [497-76-7]	p-Arbutin extrapure, 98%	10 Gms	6410		
		250 ml	940			25 Gms	13100		
		500 ml	1830	50 Gms	22310				
90820 [100-09-4]	p-Anisic Acid extrapure, 98% (p-Methoxybenzoic Acid)	100 Gms	590	89184 [157-06-2]	D-Arginine (free base) extrapure CHR, 99% (R)-2-Amino-5-Guanidinopentanoic Acid)	1 Gms	2380		
		500 Gms	2450			5 Gms	5000		
70940 [100-66-3]	Anisole extrapure, 99%	500 ml	650			34537 [36589-29-4]	⚠ L-Arginine Ethyl Ester Dihydrochloride extrapure, 98%	5 Gms	1280
		64447 [100-66-3]	Anisole extrapure AR, 99.5%	500 ml	1010			25 Gms	4940
75797 [105-13-5]	4-Methoxybenzyl Alcohol (p-Anisyl Alcohol) pure, 98% (p-Methoxybenzyl Alcohol)			100 Gms	940			100 Gms	16060
		500 Gms	3200	11249 [26340-89-6]	⚠ L-Arginine Methyl Ester Dihydrochloride extrapure, 98%	5 Gms	1150		
59553 [90-44-8]	Anthrone pure, 95%	25 Gms	600			25 Gms	4510		
		100 Gms	2200			100 Gms	14940		
96476 [90-44-8]	Anthrone extrapure AR, 98%	10 Gms	530	17299 [520-10-5]	Arsenazo I Trisodium (Neothorone) extrapure AR	1 Gms	1020		
		25 Gms	870			5 Gms	4310		
		100 Gms	3070	47014 [1668-00-4]	Arsenazo III Free Acid (High Purity) extrapure AR, 85% (2,7-Bis(2-Arsenophenylazo)-1,8-Dihydroxynaphthalene-3,6-Disulfonic Acid)	1 Gms	7500		
63714 [90-44-8]	Anthrone extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, BP, Ph.Eur	25 Gms	940			5 Gms	35000		
		100 Gms	3330	57656 [9029-44-1]	■ L-Ascorbate Oxidase (Type 1) ex. Cucurbita Sp., 150U/mg	2500 Units	9350		
44089 [85251-63-4]	⚠ Apple Seed (PyrusMalus) Oil	250 ml	2430			60402 [9029-44-1]	■ L-Ascorbate Oxidase (Type 2) ex. Acremonium Sp., 350U/mg	1000 Units	7130
		500 ml	4540	27999 [464-92-6]	● Asiatic Acid pure, 97% (2a,23-Dihydroxyursolic Acid, Dammarolic acid, NSC 166063)			50 Mg	4090
62179 [9087-70-1]	■ Aprotinin ex. Bovine Lung, 5400U/mg	5 Mg	1870			11479 [5794-24-1]	D-Asparagine Monohydrate extrapure, 99%	5 Gms	700
		10 Mg	3630	25 Gms	2200				
		25 Mg	6730	86883 [5794-13-8]	L-Asparagine Monohydrate extrapure CHR, 99%	25 Gms	370		
		100 Mg	23410			100 Gms	700		
23848 [10323-20-3]	D-Arabinose extrapure (D-(-)-Arabinose)	5 Gms	350	92468 [5794-13-8]	L-Asparagine Monohydrate for tissue culture, 99%	1 Kg	5800		
		25 Gms	1300			25 Gms	500		
		100 Gms	5000			100 Gms	1100		
52392 [87-72-9, 5328-37-0]	L-Arabinose extrapure (L-(+)-Arabinose)	25 Gms	550	44444 [5794-13-8]	L-Asparagine Monohydrate ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	500 Gms	4800		
		100 Gms	1500			90601 [1783-96-6]	D-Aspartic Acid extrapure CHR, 99%	100 Gms	900
		500 Gms	4800					25 Gms	2500
52384 [87-72-9, 5328-37-0]	L-Arabinose ExiPlus, Multi-Compendial (L-(+)-Arabinose) meets compendial specs of BP, Ph.Eur	25 Gms	850	71353 [16115-68-7]	⚠ L-Aspartic Acid Diethyl Ester Hydrochloride extrapure, 98%	5 Gms	2000		
		500 Gms	6000			25 Gms	6000		
74926 [488-82-4]	D-(+)Arabitol (D-Arabinitol) extrapure 99%	1 Gms	730	50144 [32213-95-9]	⚠ L-Aspartic Acid Dimethyl Ester Hydrochloride extrapure, 98%	1 Gms	1060		
		5 Gms	3040			5 Gms	3940		
		25 Gms	10330			25 Gms	12110		
91121 [7643-75-6]	L-(-) Arabitol (L-Arabinitol) extrapure 99%	1 Gms	1160	100 Gms	41140				
		10 Gms	5170						

Code	Name	Packing	Price	Code	Name	Packing	Price
21505 [1405-69-2]	■ Avidin ex. Egg White for molecular biology, 10U/mg Protein	10 Mg 25 Mg 100 Mg	2170 5090 17310	17327 [1405-87-4]	● Bacitracin (BCT) ex. Bacillus Licheniformis	50000 Units 250000 Units	1440 3630
34476 [320-67-2]	■ 5-Azacytidine extrapure, 98%	25 Mg 100 Mg 1 Gms	570 1750 4730	52571	Barfoed's Reagent	250 ml	610
59070 [76801-85-9]	⚡ Azaerythromycin (AZAE)	1 Gms 5 Gms	2260 5340	29090 [6211-24-1]	Barium Diphenylamine Sulphonate extrapure AR	5 Gms 25 Gms	310 960
81947 [932-53-6]	⚡ 6-Azathymine extrapure, 98%	1 Gms	5850	78095 [4733-39-5]	Bathocuproine (BCP) extrapure AR, 99%	100 Mg 250 Mg	1430 3280
13131 [7303-50-6]	⚡ DL-7-Azatryptophan Hydrate extrapure, 98%	100 Mg 1 Gms	4750 20160	27297 [4733-39-5]	Bathocuproine (BCP) extrapure AR, ACS, 99%	100 Mg 250 Mg	1650 3740
61898 [30516-87-1]	● 3-Azido-3-Deoxythymidine extrapure, 99% (AZT, Azidothymidine)	25 Mg 100 Mg 250 Mg 500 Mg	4160 10680 20160 34390	28242 [52698-84-7]	Bathocuproinedisulphonate Disodium Salt extrapure AR, 98%	100 Mg 250 Mg	2200 5270
17156 [117772-70-0]	⚡ Azithromycin Dihydrate (AZA), 96%	1 Gms 5 Gms 10 Gms	1070 4630 7710	50221 [1662-01-7]	Bathophenanthroline extrapure AR, 99%	100 Mg 250 Mg 1 Gms	1410 2340 4260
47138 [2997-92-4]	⚡ 2,2-Azobis(2-Methylpropionamidine) Dihydrochloride (AAPH) extrapure, 98% a,a'-Azodiisobutyramidine dihydrochloride	5 Gms 25 Gms 100 Gms	2500 4240 6850	82626 [636-82-8]	⚡ 1-Cyclohexene-1-Carboxylic Acid extrapure, 97% (3,4,5,6-Tetrahydrobenzoic Acid)	1 Gms 5 Gms	2250 10000
11029 [78-67-1]	⚡ 2,2-Azobisisobutyronitrile (AIBN) pure, 98% (2,2-Azobis(2-Methylpropionitrile))	100 Gms 500 Gms	1050 4500	69160 [100-50-5]	⚡ 3-Cyclohexene-1-Carboxaldehyde extrapure, 98% (1,2,3,6-Tetrahydrobenzaldehyde, 4-Formyl-1-cyclohexene)	25 ml 100 ml	2000 5200
95426 [102110-73-6]	■ Azoalbumin (Bovine) prepared from Bovine fraction V powder extrapure	250 Mg 500 Mg 1 Gms	3420 6530 12450	98680 [52746-49-3]	Bathophenanthroline Disulphonate Disodium Salt extrapure AR, 99%	100 Mg 250 Mg 1 Gms	3330 7120 17200
21070 [102110-74-7]	● Azocasein extrapure, 98%	250 Mg 500 Mg 1 Gms	2600 4500 8500	36333 [21205-91-4]	9-BBN Triflate Solution (0.5M in hexanes) pure (9-[[9-(Trifluoromethyl)sulfonyl]oxy]9-Borabicyclo(3.3.1)Nonane)	500 ml 1000 ml	7810 12750
37020 [206752-32-1]	⚡ Azomethine H Monosodium Salt Hydrate, 97%	1 Gms 5 Gms 25 Gms	700 3100 14500	64733 [112-85-6]	✓ Behenic Acid pure, 85% (Docosanoic acid, 1-Docosanoic acid, n-Docosanoic acid, Docosic acid)	25 Gms 250 Gms	1500 8900
13741 [78110-38-0]	⚡ Aztreonam (AZN), 96%	100 Mg	7120	35591 [112-85-6]	✓ Behenic Acid extrapure, 99% (Docosanoic acid, 1-Docosanoic acid, n-Docosanoic acid, Docosic acid)	5 Gms	6000
53953 [1192-88-7]	⚡ 1-Cyclohexene-1-Carboxaldehyde extrapure, 97%	1 Gms 5 Gms	6000 27000	74710 [661-19-8]	⚡ 1-Docosanol (Behenyl Alcohol) extrapure, 98%	25 Gms 500 Gms	1170 8400
76432 [21668-81-5]	3-(Carbamimidoylthio) -1-Propanesulfonic Acid extrapure, 98%	5 Gms 25 Gms 100 Gms	2000 4500 7000	82142 [94-41-7]	Benzalacetophenone (Chalcone) pure, 98% (1,3-Diphenyl-2-Propenone)	25 Gms 100 Gms 500 Gms	1500 4500 17000
11730 [531-55-5]	Azur I (B) (C.I. No. 52010)	25 Gms 100 Gms	850 3010	93014 [206752-36-5]	⚡ Benzamidine Hydrochloride Hydrate extrapure, 98%	5 Gms 25 Gms 100 Gms	1310 3210 10080
62151 [37247-10-2]	Azur II	10 Gms 25 Gms	340 670	13740 [93-98-1]	Benzanilide pure, 98%	100 Gms 500 Gms	590 2310
25003 [531-53-3]	Azur A (C.I. No. 52005)	10 Gms 25 Gms 100 Gms	410 820 3080	42689 [98-09-9]	Benzenesulphonyl Chloride pure, 98%	500 ml	820
				41035 [98-09-9]	Benzenesulphonyl Chloride ExiPlus, Multi-Compendial, 98% meets compendial specs of USP	500 ml	950
				57730 [91-00-9]	Benzhydrylamine pure, 97% (a-Aminodiphenylmethane)	100 ml 500 ml	2420 11250

Code	Name	Packing	Price	Code	Name	Packing	Price
17851	Benzohydroxamic Acid extrapure, 99% [495-18-1]	10 Gms 25 Gms	4510 8830	98924	Benzyltrimethylammonium Chloride pure, 98% [56-39-9]	100 Gms 500 Gms	270 1180
17192	Benzil extrapure, 98% [134-81-6]	250 Gms	840	60168	Benzyltrimethylammonium Chloride ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, BP, Ph.Eur	100 Gms 500 Gms	370 1320
93528	Benzilic Acid extrapure, 99% (Diphenylglycolic Acid) [76-93-7]	100 Gms 250 Gms	1280 3140	30307	Benzyltrimethyl Ammonium Hydroxide 40% in Methanol extrapure (Triton B) [100-85-6]	100 ml 500 ml	1240 4060
35034	Benzimidazole extrapure, 99% [51-17-2]	25 Gms 100 Gms 500 Gms	240 740 3470	18437	Bergamot Oil extrapure [8007-75-8]	500 ml 1000 ml	5660 10190
31398	a-Benzoinoxime extrapure AR, 99% (Cupron) [441-38-3]	25 Gms 100 Gms	450 1320	34489	BES Buffer extrapure, 99% (N,N-bis(2-Hydroxyethyl)2-Aminoethanesulphonic Acid) [10191-18-1]	25 Gms 100 Gms 500 Gms	1240 4570 20970
44371	Benzophenone Hydrazone pure, 99% [5350-57-2]	100 Gms 500 Gms	3040 12070	59299	BES Sodium Salt Buffer extrapure, 99% [66992-27-6]	10 Gms 25 Gms 100 Gms 250 Gms	1980 3680 14190 26880
47554	1-Benzoylacetone pure, 98% [93-91-4]	10 Gms 50 Gms	2210 8430	83710	Bial's Reagent	250 ml	620
76356	N-a-Benzoyl-L-Arginine Ethyl Ester Hydrochloride (BAEE) extrapure AR, 99%	1 Gms 5 Gms 25 Gms	950 4400 21000	84867	Bicinchoninic Acid Disodium Salt (BCA) extrapure, 98% (2,2-Biquinoline-4,4-Dicarboxylic Acid Disodium Salt) [979-88-4]	1 Gms 5 Gms	2840 8400
96249	N-a-Benzoyl-DL-Arginine-4-Nitroanilide Hydrochloride (BANI, L-BAPNA) extrapure, 98%	100 Mg 250 Mg 1 Gms	2620 3920 7830	39849	BICINE Buffer extrapure, 99% (N,N-bis(2-Hydroxyethyl) Glycine) [150-25-4]	25 Gms 100 Gms 500 Gms	630 1470 7140
51003	N-a-Benzoyl-DL-Arginine-β-Naphthylamide Hydrochloride (BANA) extrapure, 97%	250 Mg 1 Gms	2930 9230	66466	Big CHAPS, 95% N,N-Bis(3-D-gluconamidopropyl)cholamide [86303-22-2]	500 Mg 1 Gms 5 Gms	9870 17270 55490
46170	N-(Benzoyloxy)Succinimide (Bz-OSu) extrapure, 99% (Benzoic Acid N-Succinimidyl Ester, N-Succinimidyl Benzoate)	500 Mg 1 Gms	10890 15120	64839	Bilirubin extrapure AR, 99% [635-65-4]	100 Mg 1 Gms	870 6400
46651	6-Benzyladenine (6-BAP) extrapure AR, 99% (6-Benzylaminopurine)	5 Gms 25 Gms 100 Gms	640 940 3330	66915	Bilirubin Oxidase ex. Myrothecium, 1.2U/mg powder [80619-01-8]	25 Units	5500
38728	Benzylamine pure, 99% [100-46-9]	500 ml 1000 ml 2500 ml	1110 2120 5100	18888	D-Biotin extrapure, 99% (Vitamin H) [58-85-5]	1 Gms 10 Gms 25 Gms	650 4850 9350
64554	Benzylamine extrapure AR, 99.5% [100-46-9]	250 ml 500 ml	1100 2060	89932	D-Biotin for tissue culture, 99% (Vitamin H) [58-85-5]	1 Gms 10 Gms 25 Gms	780 5400 11740
91695	4-Benzyloxy-Phenylboronic Acid extrapure, 97%	1 Gms 5 Gms 25 Gms	1430 5700 16900	92196	Biphenyl extrapure, 99% [92-52-4]	100 Gms 1 Kg	470 3380
47102	S-Benzyl-L-(+)-Cysteine extrapure, 98% [3054-01-0]	25 Gms	17450	79363	2,2-Bipyridyl extrapure AR, 99.5% [366-18-7]	5 Gms 25 Gms 100 Gms	670 2770 7830
26862	O-Benzyl-L-Serine extrapure, 99% [472696-9]	1 Gms 5 Gms 10 Gms 25 Gms	1660 6060 11680 26600	37025	Bis(Acetonitrile)Dichloropalladium (II) extrapure, 99%, ~41% Pd (Palladium (II) Chloride Diacetonitrile Complex) [14592-56-4]	500 Mg 1 Gms 5 Gms	6500 11000 40000
50562	3-(Benzylthio)-Propionic Acid extrapure, 98% [2899-66-3]	1 Gms 5 Gms	3560 9490	98369	1,3-Bis(3-Aminophenoxy) Benzene (APB) pure, 98% (Resorcinol bis(3-Aminophenyl) Ether) [10526-07-5]	5 Gms 25 Gms	5610 20800
75036	5-(Benzylthio)-1H-Tetrazole (BTT Activator) extrapure, 99%	5 Gms 25 Gms	2110 7010				
29161	Benzyltriethylammonium Chloride pure, 98%	500 Gms 5 Kg	660 6300				

Code	Name	Packing	Price	Code	Name	Packing	Price
47063 [13080-89-2]	4,4-Bis(4-Aminophenoxy)Diphenyl Sulfone pure, 98%	5 Gms 25 Gms	3390 12850	75597 [4248-19-5]	● BOC Amide pure, 98% (tert-Butyl Carbamate)	5 Gms 25 Gms 100 Gms	880 1980 6600
11866 [14220-64-5]	✓ Bis(benzonitrile)palladium(II) Dichloride extrapure, 27.4% Pd	500 Mg 1 Gms 5 Gms	3500 6200 28000	23875	● BOC-L-Amino Acids Kit	1 Kit	31620
24637 [542-88-1]	⚠ Bis(chloromethyl) Ether pure, 96%	25 Gms 100 Gms	5500 16000	50647 [73874-95-0]	● N-BOC-4-Aminopiperidine pure, 97%	5 Gms 25 Gms	3600 13170
52119 [140-95-4]	⚠ N,N-Bis(hydroxymethyl)urea (DMU) pure, 95% (1,3-Bis(hydroxymethyl)urea, Dimethylolurea)	25 Gms 100 Gms 500 Gms	760 1950 6480	33534 [23680-31-1]	● N-BOC-O-Benzyl-L-Serine extrapure, 98% (BOC-L-Ser(Bzl)-OH)	10 Gms 25 Gms	27350 47850
26477 [10416-59-8]	✓ N,O-Bis-(Trimethylsilyl) Acetamide (BSA) extrapure, 95%	25 ml 100 ml 250 ml	780 2300 5000	12320 [2130-96-3]	● N-BOC-O-Benzyl-L-Tyrosine extrapure, 98% (BOC-L-Tyr(Bzl)-OH)	10 Gms 25 Gms	11490 20100
57677 [25561-30-2]	✓ N,O-Bis-(Trimethylsilyl) Trifluoro Acetamide (BSTFA) extrapure, 99%	5 ml 25 ml 100 ml 500 ml	450 1650 5850 25000	61900 [35897-34-8]	● BOC-L-Arginine Hydrochloride extrapure, 98.5%	25 Gms 100 Gms	4830 13580
52353	⚠ BSA+TMCS(3-5%), 93-97% (N,O-Bis(trimethylsilyl) Acetamide, Trimethylchlorosilane)	10 ml 25 ml	2940 5880	12202 [7536-58-5]	● BOC-L-Aspartic Acid-4-Benzylester extrapure, 98%	10 Gms 25 Gms	2600 6500
22555	✓ BSA+TMCS+TMSI, (3:2:3) (N,O-Bis(trimethylsilyl) Acetamide, Trimethylchlorosilane, Trimethylsilylimidazole)	10 x1 ml 25 ml	5510 8450	19362 [75647-01-07]	● BOC-D-Asparagine extrapure, 99%	10 Gms 25 Gms	4710 10980
46976 [25561-30-2]	● N,O-Bis(trimethylsilyl) trifluoro acetamide, Trimethylchlorosilane (BSTFA+TMCS) (99:1)	10 x1 ml 25 ml 100 ml	5510 2450 8570	67012 [7536-55-2]	● BOC-L-Asparagine extrapure, 99%	10 Gms 25 Gms 100 Gms	1070 2380 9020
31817 [80-05-7]	Bisphenol A pure, 97% (4,4-Isopropylidenediphenol)	500 Gms	490	38230 [62396-48-9]	● BOC-D-Aspartic Acid extrapure, 99%	10 Gms 25 Gms	3910 8800
25417 [6976-37-0]	BIS-TRIS Buffer extrapure, 99% (bis [2-Hydroxyethyl] Aminotris [Hydroxymethyl] Methane (bis-Tris) (free base))	25 Gms 100 Gms 500 Gms	1310 4790 22360	30394 [13726-67-5]	● BOC-L-Aspartic acid extrapure, 99%	10 Gms 25 Gms 100 Gms	1060 2350 8820
15893 [124763-51-5]	BIS-TRIS Hydrochloride Buffer extrapure, 98%	10 Gms 25 Gms 100 Gms	3110 5820 14860	35516 [19746-37-3]	● BOC-L-Acetamidomethyl-L-Cysteine extrapure, 98%	10 Gms 25 Gms	17400 30440
49084 [64431-96-5]	BIS-TRIS Propane Buffer extrapure, 99%	25 Gms 100 Gms	4000 13000	44054 [5068-28-0]	● BOC-L-Benzyl-L-Cysteine extrapure, 98%	10 Gms 25 Gms	11960 20930
77031	Biuret Reagent Solution ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	250 ml	220	53340 [132844-48-5]	● BOC-Cyclopropylamine extrapure, 98%	10 Gms 25 Gms	10510 18390
20899 [9041-93-4]	⚠ Bleomycin Sulfate (BLM-S), 90%	10 Mg 50 Mg	8000 22000	14930 [10389-65-8]	● BOC-L-Cystine extrapure, 99%	10 Gms 25 Gms	1060 2350
22649 [1871-22-3]	● Blue Tetrazolium Chloride (BTC, Tetrazolium Blue Chloride) extrapure AR	1 Gms 5 Gms	1200 5500	92584 [34404-28-9]	● BOC-D-Glutamic Acid extrapure, 99%	10 Gms 25 Gms	5420 12190
86204 [7764-95-6]	● BOC-D-Alanine extrapure, 99%	10 Gms 25 Gms	3570 8030	69376 [2419-94-5]	● BOC-L-Glutamic acid extrapure, 99%	10 Gms 25 Gms 100 Gms	1070 2380 9020
42849 [15761-38-3]	● BOC-L-Alanine extrapure, 99%	10 Gms 25 Gms	750 1780	82284 [13574-13-5]	● BOC-L-Glutamic Acid-5-Benzyl Ester extrapure, 98% (BOC-L-Glu(OBzl)-OH)	10 Gms 25 Gms	12330 21560
50483 [28875-17-4]	● BOC-L-Alanine Methyl Ester extrapure, 98%	10 Gms 25 Gms	8340 14590	45737 [61348-28-5]	● BOC-D-Glutamine extrapure, 99%	10 Gms 25 Gms	6500 14620
				46975 [13726-85-7]	● BOC-L-Glutamine extrapure, 99%	10 Gms 25 Gms 100 Gms	1060 2350 8820
				71943 [4530-20-5]	● BOC-Glycine extrapure, 99%	25 Gms 100 Gms	2080 6260

Code	Name	Packing	Price	Code	Name	Packing	Price
44986	● BOC-Glycine Methyl Ester [31954-27-5] extrapure, 98% (BOC-Gly-OMe)	10 ml 25 ml	8120 14210	46437	● BOC-D-Phenylglycine extrapure, [33125-05-2] 99%	1 Gms	1510
10733	● BOC-L-Histidine extrapure, 98.5% [17791-52-5]	10 Gms 25 Gms	4450 8610	40931	● BOC-L-Phenylglycine extrapure, [2900-27-8] 99%	10 Gms 25 Gms	5440 9520
38544	● BOC-L-Hydroxyproline extrapure, [13726-69-7] 98% (BOC-Hyp-OH)	5 Gms 25 Gms	5240 11860	53665	● BOC-Pipecolic Acid extrapure, 99% [26250-84-0]	10 Gms 25 Gms	5880 10280
74956	● BOC-L-Isoleucine extrapure, 99% [13139-16-7]	10 Gms 25 Gms 100 Gms	1190 2670 9000	41311	● BOC-Pipecolic Acid Methyl Ester [132910-79-3] extrapure, 98%	10 Gms 25 Gms	13120 22960
55665	● BOC-Isonipecotic Acid extrapure, [84358-13-4] 99% (1-BOC-Piperidine-4-Carboxylic Acid)	10 Gms 25 Gms	6390 11170	12098	● 1-BOC-Piperazine extrapure, 99% [57260-71-6]	10 Gms 25 Gms	2760 5990
39190	● BOC-Isonipecotic Acid Methyl Ester extrapure, 98% (N-Boc-Piperidine-4-Carboxylic Acid Methyl Ester)	10 Gms 25 Gms	10230 17890	32298	● 1-BOC-4-Piperidone extrapure, 99% [79099-07-3]	5 Gms 25 Gms	1560 5990
22237	● BOC-D-Leucine extrapure, 99% [16937-99-8]	10 Gms 25 Gms	5590 12190	43977	● BOC-L-Prolinamide extrapure, 98% [35150-07-3]	1 Gms 5 Gms 10 Gms	4240 12690 18320
25833	● BOC-L-Leucine Monohydrate [13139-15-6] extrapure, 99%	5 Gms 25 Gms	990 3240	93481	● BOC-D-Proline extrapure, 99% [37784-17-1]	10 Gms 25 Gms	3570 8030
88985	● Na-BOC-Ne-Z-L-Lysine [2389-45-9] (BOC-Lys(Z)-OH) extrapure, 98% (BOC-Lys(Z)-OH)	5 Gms 25 Gms	4200 11980	91894	● BOC-L-Proline extrapure, 99% [15761-39-4]	10 Gms 25 Gms 100 Gms	1250 2870 9230
57147	● N-a-e-T-BOC-L-Lysine-Dicyclohexyl ammonium Salt extrapure, 99% [15098-69-8] (BOC-L-Lys(BOC)-OH.DCHA)	10 Gms 25 Gms	5820 10180	71026	● BOC-D-Proline Methyl Ester [733323-65-6] extrapure, 98%	10 Gms 25 Gms	16740 29300
69681	● BOC-L-Lysine extrapure, 98% [2418-95-3]	10 Gms	6490	31641	● BOC-L-Proline Methyl Ester [59936-29-7] extrapure, 98%	10 Gms 25 Gms	15220 26630
81350	● BOC-L-Methionine extrapure, [2488-15-5] 98.5%	25 Gms 100 Gms	3940 12130	91810	● BOC-D-Serine extrapure, 98% [6368-20-3]	10 Gms 25 Gms	13550 30480
91418	● BOC-Nipecotic Acid extrapure, 99% [88495-54-9]	10 Gms 25 Gms	6390 11170	77874	● BOC-L-Serine extrapure, 99% [3262-72-4]	10 Gms 25 Gms 100 Gms	2300 5160 16020
82933	● BOC-Nipecotic Acid Methyl Ester [1487631-41-1] extrapure, 98%	10 Gms 25 Gms	11240 19660	20256	● BOC-L-Serine Methyl Ester [2766-43-0] extrapure, 98%	10 ml 25 ml	8710 15220
53717	● BOC-Nitro-L-Arginine extrapure, [2188-18-3] 99% (Boc-Arg(NO ₂)-OH)	10 Gms 25 Gms	5630 10580	73138	● BOC-D-Threonine extrapure, 98% [55674-67-4]	10 Gms 25 Gms	4710 10980
14910	● BOC-4-Nitro-L-Phenylalanine [33305-77-0] extrapure, 98% (BOC-L-Phe(4 No ₂)-OH)	10 Gms 25 Gms	6560 11480	77340	● BOC-L-Threonine extrapure, 99% [2592-18-9]	10 Gms 25 Gms 100 Gms	1190 2670 9000
76600	● BOC-4-Nitro-L-Phenylalanine Ethyl [7535-56-0] Ester extrapure, 98% (BOC-Phe-Onp)	10 Gms 25 Gms	11640 20360	61017	● BOC-D-Tryptophane extrapure, [5241-64-5] 99%	10 Gms 25 Gms	6140 13810
40474	● BOC-D-Phenylalanine extrapure, [18942-49-9] 99%	10 Gms 25 Gms	5270 11830	86659	● BOC-L-Tryptophane extrapure, 99% [13139-14-5]	10 Gms 25 Gms 100 Gms	1570 3630 13020
23293	● BOC-L-Phenylalanine extrapure, [13734-34-4] 99%	10 Gms 25 Gms 100 Gms	1250 2870 9230	61475	● BOC-L-Tyrosine extrapure, 99% [3978-80-1]	10 Gms 25 Gms 100 Gms	2540 5340 16990
25694	● BOC-D-Phenylalanine Methyl Ester [35909-92-3] extrapure, 98%	10 Gms 25 Gms	13050 22830	77170	● BOC-L-Tyrosine Methyl Ester [4326-36-7] extrapure, 98%	10 Gms 25 Gms	10150 17760
60090	● BOC-L-Phenylalanine Methyl Ester [51987-73-6] extrapure, 98%	10 Gms 25 Gms	10150 17760	35049	● BOC-D-Valine extrapure, 99% [22838-58-0]	25 Gms	3800

Code	Name	Packing	Price	Code	Name	Packing	Price
80577 [13734-41-3]	● BOC-L-Valine extrapure, 99%	10 Gms 25 Gms 100 Gms	690 1380 4990	47405 [2398-37-0]	3-Bromoanisole pure, 98% (m-Bromoanisole)	50 ml 100 ml 500 ml	980 1800 8000
97810 [58561-04-9]	● BOC-L-Valine Methyl Ester extrapure, 98%	10 Gms 25 Gms	7330 12820	54364 [104-92-7]	4-Bromoanisole pure, 98% (p-Bromoanisole)	100 Gms 500 Gms	1010 3200
59946 [56602-33-6]	♻️ BOP Reagent extrapure AR, 98% (Castros Reagent)	5 Gms 25 Gms 100 Gms	750 3500 13500	27879 [108-86-1]	Bromobenzene extrapure, 99%	250 ml 1000 ml	920 3570
24790 [2802-68-8]	Boron Trifluoride in Methanol (50%) Complex	50 ml 250 ml	4370 20590	61714 [108-86-1]	Bromobenzene extrapure AR, 99%	250 ml	1100
48847 [373-57-9]	♻️ Boron Trifluoride in Methanol (14%) Solution	25 ml 100 ml 500 ml	4850 6840 12850	20107 [585-76-2]	3-Bromobenzoic Acid extrapure, 99%	10 Gms 25 Gms	890 2550
19219 [108-86-1]	♻️ Bradford Reagent for Proteins	100 ml 500 ml	510 1450	17833 [90-90-4]	p-Bromobenzophenone pure, 98%	5 Gms 25 Gms 100 Gms	1180 3840 12160
51195 [76962-43-7]	✓ Brassinolide (BR) synthetic technical grade, 90%	25 Mg 100 Mg	4400 16970	69530 [589-15-1]	p-Bromobenzyl Bromide pure, 98%	100 Gms	6700
64222 [6104-58-1]	Brilliant Blue G-250 for molecular biology (Coomassie Brilliant Blue G250)	5 Gms 25 Gms	620 2310	79118 [536-38-9]	✓ 2-Bromo-4-Chloro Acetophenone pure, 98% (O-Bromo-4-Chloro Acetophenone)	100 Gms	5300
93473 [6104-59-2]	Brilliant Blue R-250 for molecular biology (Coomassie Brilliant Blue R250)	5 Gms 25 Gms	580 2200	88685 [106-39-8]	1-Bromo-4-Chloro Benzene pure, 98%	100 Gms 500 Gms	790 3140
84778	Brilliant Blue R Staining Solution (Coomassie Brilliant Blue R-250 solution)	100 ml	3140	11447 [107-04-0]	1-Bromo-2-Chloroethane pure, 97%	100 Gms 500 Gms	3200 15360
75824 [81029-05-2]	Brilliant Cresyl Blue (C.I. No. 51010)	5 Gms 25 Gms 100 Gms	1210 4090 14210	83788 [3252-36-6]	● 5-Bromo-4-Chloro-3-Indolyl Acetate (X-3-Acetate, X-Acetate) extrapure, 98%	25 Mg 250 Mg	4230 17390
60343 [9001-00-7]	■ Bromelain ex. Pineapple Stem, 2400 GDU/g	25 Gms 100 Gms	1200 2800	49199 [129541-42-0]	● 5-Bromo-4-Chloro-3-Indolyl Caprylate (X-Caprylate) extrapure, 98% (5-Bromo-4-chloro-3-Indolyl Octanoate)	10 Mg 25 Mg	6470 13670
36953 [7252-83-7]	♻️ Bromoacetaldehyde Dimethyl Acetal pure (Stabilized), 97% (2-Bromo-1,1-Dimethoxyethane)	25 ml 100 ml 500 ml	1100 3570 16330	82860 [209347-94-4]	● 5-Bromo-6-Chloro-3-Indolyl-Caprylate (Magenta Caprylate) extrapure, 97%	25 Mg 100 Mg	2760 6740
96141 [683-57-8]	2-Bromoacetamide pure, 97%	5 Gms 25 Gms	2070 6900	93775 [107021-38-5]	● 5-Bromo-4-Chloro-3-Indolyl-a-D-Galactopyranoside (X-a-Gal) for molecular biology, 99% (X-a-D-Galactoside)	25 Mg 100 Mg	4400 7700
25038 [103-88-8]	p-Bromoacetanilide pure, 98% (4-Bromoactanilide)	100 Gms 500 Gms	1420 6220	74021 [108789-36-2]	● 5-Bromo-4-Chloro-3-Indolyl-a-D-Glucopyranoside (X-a-Glc) for molecular biology, 98% (X-a-D-Glucoside)	50 Mg	12000
39903 [79-08-3]	✓ Bromoacetic Acid pure, 99%	100 Gms 500 Gms	810 3570	90349 [177966-52-8]	● 5-Bromo-4-Chloro-3-Indolyl-b-D-Cellobioside (X-Cellobioside, X-B-D-Cel) extrapure, 99%	25 Mg 100 Mg	5600 9320
15180 [99-90-1]	4-Bromoacetophenone pure, 98% (p-Bromoacetophenone)	25 Gms 100 Gms 500 Gms	480 1310 6400	45904 [7240-90-6]	● 5-Bromo-4-Chloro-3-Indolyl-b-D-Galactopyranoside (X-Gal) for tissue culture, 98%	100 Mg 500 Mg 1 Gms	1800 7100 12000
30930 [2142-63-4]	3-Bromoacetophenone extrapure, 99% (1-Acetyl-3-Bromobenzene, m-Bromoacetophenone)	25 Gms 100 Gms	980 2880	10513 [7240-90-6]	● 5-Bromo-4-Chloro-3-Indolyl-β-D-Galactopyranoside (X-Gal) for molecular biology, 98%	100 Mg 500 Mg 1 Gms	1200 3800 7000
47085 [591-19-5]	m-Bromoaniline pure, 97%	25 ml 100 ml	1870 6710	19185 [93863-89-9]	■ 5-Bromo-6-Chloro-3-Indolyl b-D-Glucopyranoside (Magenta-Glc) for molecular biology, 98% (Magenta Glucoside)	250 Mg 1 Gms	7960 23870
22912 [106-40-1]	p-Bromoaniline pure, 98% (4-Bromoaniline)	100 Gms 500 Gms	1630 6200				

Code	Name	Packing	Price	Code	Name	Packing	Price
16651 [129541-41-9]	● 5-Bromo-4-Chloro-3-Indolyl-β-D-Glucuronide Sodium Anhydrous (X-Gluc Sodium) extrapure, 98% (X-GlcA Sodium Salt, X-β-D-GlcA-Na, X-Glucuronide, X-Glucurono Sodium Salt, BC-Indicator) (X-GlcA)	25 Mg 100 Mg 250 Mg 1 Gms	3110 7350 13470 29370	45924 [212515-11-2]	■ 5-Bromo-4-Chloro-3-Indoxyl-myoinositol-1-Phosphate Ammonium Salt (X-Phos-Inositol, X-IP) extrapure, (myo-Inositol 1-(5-Bromo-4-Chloro-3-Indoxylphosphate) Ammonium Salt)	20 Mg 100 Mg	5150 19580
55702 [370100-64-4]	● 5-Bromo-4-Chloro-3-Indolyl-β-D-Glucuronide Sodium Salt Trihydrate extrapure, 98%	25 Mg 100 Mg	3110 9940	62861 [160369-85-7]	● 5-Bromo-4-Chloro-3-Indoxyl-α-D-N-Acetylneuraminic Acid Sodium Salt extrapure (X-NANA.Na), 98%	2 Mg 5 Mg	16910 28170
20402 [114162-64-0]	● 5-Bromo-4-Chloro-3-Indolyl-B-D-Glucuronide Cyclohexylammonium Salt (X-Gluc CHX) extrapure, 99% (X-beta-Glucuronide CHX Salt)	100 Mg 250 Mg 1 Gms	4680 8250 15910	37869 [109-70-6]	1-Bromo-3-Chloropropane pure, 98% (Trimethylene Bromochloride)	100 ml 500 ml	770 3200
20077 [114162-64-0]	● 5-Bromo-4-Chloro-3-Indolyl-B-D-Glucuronide Cyclohexylammonium Salt (X-Gluc CHX) for tissue culture, (X-beta-Glucuronide CHX Salt)	100 Mg 500 Mg	6370 14440	78388 [112-29-8]	1-Bromodecane pure, 98% (Decyl Bromide)	100 ml 250 ml	1210 2870
59056 [144110-43-0]	● 5-Bromo-6-Chloro-3-Indolyl-β-D-Glucuronide Cyclohexylammonium Salt extrapure, 99% (Magenta-GlcA, Magenta Glucuronide)	10 Mg 50 Mg	3000 8000	14433 [3832-48-2]	■ Bromodifluoroacetyl Chloride extrapure, 97%	1 Gms	9200
82224 [93863-88-8]	● 5-Bromo-6-Chloro-3-Indoxyl-B-D-Galactopyranoside (Magenta-beta-D-Gal) extrapure, 99% (Magenta-beta-D-Gal)	50 Mg	5600	38209 [348-57-2]	✓ 1-Bromo-2,4-Difluorobenzene pure, 98%	25 ml 100 ml	7870 28090
62949 [15548-60-4]	● 5-Bromo-4-Chloro-3-Indolyl-β-D-Glucopyranoside (X-Glu, X-Glc) for tissue culture, 99%	25 Mg 100 Mg	1720 5150	28503 [143-15-7]	1-Bromododecane pure, 98% (Dodecyl Bromide, Lauryl Bromide)	250 ml	3220
51683 [15548-60-4]	● 5-Bromo-4-Chloro-3-Indolyl-β-D-Glucopyranoside (X-Glu, X-Glc) for molecular biology, 99% (X-Glucoside)	25 Mg 100 Mg 500 Mg 1 Gms	2210 2850 9790 14080	57418 [59-14-3]	● 5-Bromo-2-Deoxyuridine extrapure, 98%	100 Mg 500 Mg 1 Gms 5 Gms	1080 3350 5760 24080
24714 [102185-33-1]	● 5-Bromo-4-Chloro-3-Indolyl Phosphate Disodium Salt (BCIP) extrapure, 98% (X-Phosphate Disodium Salt)	100 Mg 250 Mg 500 Mg 1 Gms	2880 6000 12000 18120	11849 [59-14-3]	● 5-Bromo-2-Deoxyuridine ExiPlus, Multi-Compendial, 98% meets compendial specs of BP, Ph.Eur	1 Gms 5 Gms	7360 25420
66620 [102185-33-1]	● 5-Bromo-4-Chloro-3-Indolyl Phosphate Disodium Salt (BCIP) for tissue culture, 98%	100 Mg 500 Mg	3430 12910	59866 [2576-47-8]	✓ 2-Bromoethylamine Hydrobromide extrapure AR, 99%	25 Gms 100 Gms 500 Gms	1030 2310 5890
14847 [6769-80-8]	● 5-Bromo-6-Chloro-3-Indolylphosphate-p-Toluidine Salt (BCIP Red) extrapure, 95% (Magenta Phosphate p-Toluidine Salt)	25 Mg 100 Mg 500 Mg	1470 4290 13160	94471 [592-55-2]	2-Bromo Ethyl Ether pure, 98%	250 ml	18180
45366 [6578-06-9]	● 5-Bromo-4-Chloro-3-Indolyl Phosphate p-Toluidine Salt (BCIP p-toluidine salt) for molecular biology, (X-phosphate p-Toluidine Salt)	25 Mg 100 Mg 500 Mg	2450 5270 13470	71170 [41604-19-7]	✓ 4-Bromo-2-Fluorobiphenyl pure, 98%	10 Gms 25 Gms 100 Gms	4020 6700 14050
75531	● BCIP Red/NBT Solution A (BCIP Red Solution)	100 ml	17750	58421 [629-04-9]	1-Bromoheptane pure, 98% (Heptyl Bromide)	100 ml 250 ml	1150 2560
73654	● BCIP Red/NBT Solution B (NBT Solution)	100 ml	2270	52240 [112-82-3]	1-Bromohexadecane pure, 98% (Hexadecyl Bromide)	100 ml 250 ml 500 ml	2760 6560 8030
71007 [518033-33-5]	● 5-Bromo-4-Chloro-3-Indolyl-β-D-Ribofuranoside extrapure, 95%	25 Mg 100 Mg 250 Mg	20180 57640 115280	26459 [111-25-1]	1-Bromohexane pure, 99% (Hexyl Bromide)	100 ml 500 ml	880 2850
				25036 [52488-36-5]	✓ 4-Bromoindole pure, 96%	1 Gms 5 Gms	1900 7500
				54635 [10075-50-0]	✓ 5-Bromoindole pure, 99%	5 Gms 25 Gms	440 1540
				38092 [18656-96-7]	● 5-Bromo-3-Indolyl-B-D-Glucuronide Cyclohexylammonium Salt (X-GlcA CHX salt) extrapure, 97% (Blue Glucuronide CHX, X-beta-D-GlcA.CHX)	25 Mg	16710
				27348 [97753-82-7]	■ 5-Bromo-3-Indolyl-B-D-Galactopyranoside (Bluo-Gal) for molecular biology, 99%	100 Mg 1 Gms	5120 25330

Code	Name	Packing	Price	Code	Name	Packing	Price
43675 [17357-14-1]	✓ 5-Bromoindoxylacetate extrapure AR, 99%	100 Mg 500 Mg	2440 11260	93829 [128-08-5]	N-Bromosuccinimide pure, 98%	100 Gms 500 Gms	400 1640
85999 [80008-69-1]	● 5-Bromo-3-Indoxyl Phosphate p-Toluidine Salt extrapure, 98% (Lapis-phos.p-tol, Lapis-phos PT)	250 Mg	11040	51059 [128-08-5]	N-Bromosuccinimide extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP	100 Gms 500 Gms	530 2030
82645 [107-82-4]	1-Bromo-3-Methylbutane (Stabilized w/ Ag) pure, 98.5% (Isopentyl Bromide, Isoamyl Bromide)	100 ml 250 ml 500 ml	1500 2640 4200	22628 [112-71-0]	1-Bromotetradecane pure, 98% (Myristyl Bromide)	250 ml 1000 ml	5010 18410
89943 [90-11-9]	1-Bromonaphthalene pure, 98%	100 ml 250 ml	1920 4610	55570 [1003-09-4]	2-Bromothiophene pure, 98%	50 ml 100 ml	1600 2900
97167 [580-13-2]	2-Bromonaphthalene pure, 98%	5 Gms 25 Gms	1570 5200	46714 [872-31-1]	3-Bromothiophene pure, 98%	10 ml 25 ml 100 ml	1410 2820 11000
95479 [5773-80-8]	✓ 6-Bromo-2-Naphthoic Acid pure, 98%	5 Gms 25 Gms	2500 8800	11521 [95-46-5]	2-Bromotoluene pure, 98%	25 ml 100 ml	1610 5670
99876 [15231-91-1]	✓ 6-Bromo-2-Naphthol pure, 98%	100 Gms	12140	92125 [591-17-3]	3-Bromotoluene pure, 98%	10 ml 25 ml	1010 2320
22753 [15572-30-2]	■ 6-Bromo-2-Naphthyl-β-D-Galactopyranoside extrapure, 98%	1 Gms	6660	52250 [106-38-7]	4-Bromotoluene extrapure, 99%	100 Gms 500 Gms	1070 4740
86429 [15548-61-5]	■ 6-Bromo-2-Naphthyl-β-D-Glucopyranoside extrapure, 98%	100 Mg 500 Mg	2940 13140	27964 [51-20-7]	● 5-Bromouracil extrapure, 99%	1 Gms 5 Gms 25 Gms	470 2000 6920
79945 [15548-61-5]	■ 6-Bromo-2-Naphthyl-α-D-Mannopyranoside extrapure, 98%	25 Mg 100 Mg	12160 44960	12211 [957-75-5]	● 5-Bromouridine extrapure, 99%	100 Mg 500 Mg	2070 3110
51879 [30007-47-7]	✓ 5-Bromo-5-Nitro-1,3-Dioxane (Bronidox) extrapure, 99%	1 Gms 5 Gms	1470 3680	42338 [50-07-6]	✓ Borax Carmine (Grenacher)	25 Gms	1200
93052 [52-51-7]	2-Bromo-2-Nitro-1,3-Propanediol (Bronopol, BNPD) ExiPlus, Multi-Compendial, 99-101% meets compendial specs of BP	100 Gms 500 Gms	480 1990	32202 [7128-64-5]	✓ 2,5-bis(5-tert-Butylbenzoxazol-2-yl) Thiophene (BBOT) scintillation grade, 99%	5 Gms 25 Gms	2160 8040
31868 [111-83-1]	1-Bromo-octane pure, 98% (Octyl Bromide)	100 ml 250 ml	900 1900	34186 [109-65-9]	n-Butyl Bromide pure, 98% (1-bromobutane)	250 ml 500 ml 1000 ml	825 1600 3000
64493 [112-89-0]	1-Bromo-octadecane pure, 98% (Octadecyl Bromide)	100 ml 500 ml	1880 9100	58390 [78-76-2]	sec-Butyl Bromide pure, 98% (2-bromobutane)	100 ml 500 ml	710 1800
10459 [110-53-2]	1-Bromopentane pure, 98% (Pentyl Bromide, Amyl Bromide)	100 ml 250 ml 500 ml	1050 1600 3100	33781 [507-19-7]	2-Bromo-2-Methylpropane (tert-Butyl Bromide) (Stabilized w/ Ag) pure, 98%	100 ml 500 ml	1800 7200
78478 [591-20-8]	3-Bromophenol pure, 98%	10 Gms 25 Gms 100 Gms	1480 3750 11240	88194 [98-29-3]	✓ p-tert-Butyl Catechol pure, 98% (1,2-Benzenediol)	100 Gms 250 Gms 500 Gms	350 620 1170
45609 [106-41-2]	p-Bromophenol pure, 99% (4-Bromophenol)	100 Gms 500 Gms	1580 6820	91666 [870-46-2]	✓ tert-Butyl Carbazate extrapure, 98% (BOC Hydrazide)	25 Gms 100 Gms	1980 6350
62771 [2800-80-8]	✓ Bromophenol Red (BPR), 90% (3,3-Dibromophenolsulfonphthalein)	1 Gms 5 Gms	3200 6530	22942 [507-20-0]	tert-Butyl Chloride extrapure, 99% (2-Chloro-2-Methylpropane)	500 ml 1000 ml	1310 2550
35675 [5467-74-3]	✓ 4-Bromophenylboronic acid extrapure, 97%	5 Gms 25 Gms 100 Gms	1610 5360 20870	32431 [58479-61-1]	⚗ tert-Butylchlorodiphenylsilane (TBDPSCI) extrapure AR, 98% (tert-Butyldiphenylchlorosilane, tert-Butyl(chloro)diphenylsilane)	10 ml 25 ml 100 ml	1430 3300 12100
88783 [86-90-8]	4-Bromophthalic Anhydride pure, 97%	5 Gms 25 Gms	2310 7680	90611 [54925-64-3]	N-tert-Butyldimethylsilyl Imidazole (TBDMSIM) pure, 97%	1 ml 5 ml	2040 9550
98418 [223463-14-7]	⚗ 2-Bromopyridine-5-boronic acid extrapure, 95% (Boronic Acid)	1 Gms 5 Gms	3350 13380				

Code	Name	Packing	Price	Code	Name	Packing	Price
39227 [18162-48-6]	tert-Butyldimethylsilyl Chloride (TBDMS.Cl) extrapure, 98%	25 Gms 100 Gms 500 Gms	530 1900 8200	29850 [141-75-3]	Butyryl Chloride extrapure, 98%	100 ml 500 ml	730 3470
52573 [69739-34-0]	tert-Butyldimethylsilyl Trifluoromethanesulfonate (TBDMS triflate) extrapure, 98% (Trifluoromethanesulfonic Acid tert-Butyldimethylsilylester)	5 ml 25 ml 100 ml	1300 5500 15000	60400 ✓ [2963-78-2]	Butyrylcholine Chloride extrapure, 96%	1 Gms 5 Gms	2370 8200
29972 [542-69-8]	n-Butyl Iodide extrapure, 98%	25 ml 100 ml 500 ml	1600 5500 26000	82366 ⚠ [1866-16-6]	S-Butyrylthiocholine Iodide extrapure, 98%	1 Gms 5 Gms 25 Gms	2040 7080 30000
48792 [513-48-4]	sec-Butyl Iodide pure, 98% (2-Iodobutane)	25 ml 100 ml	2500 9400	95546 ✓ [462-94-2]	Cadaverine Free Base (1,5-Diaminopentane) extrapure, 97% (Pentamethylenediamine, 1,5-Pentanediamine)	1 ml 5 ml 25 ml	1500 4250 14250
28791 ✓ [79917-90-1]	1-Butyl-3-Methylimidazolium Chloride (BMIM Cl) extrapure, 98%	10 Gms 25 Gms 250 Gms	1000 2000 15000	50375 ✓ [1306-25-8]	Cadmium Telluride ultrapure, 99.99%	5 Gms 25 Gms	3570 11080
50807 ✓ [448245-52-1]	1-Butyl-3-Methylimidazolium Dicyanamide (BMIM.DC) pure, 98%	5 Gms 25 Gms	6620 28000	65201 ✓ [1461-15-0]	Calcein Reagent extrapure AR (Fluorescein Complexone)	1 Gms 5 Gms 25 Gms	260 770 3190
15748 ✓ [174501-64-5]	1-Butyl-3-Methylimidazolium Hexafluorophosphate (BMIM PF6) extrapure, 98%	5 Gms 25 Gms 100 Gms	2900 7000 18000	99100 ✓ [50-14-6]	Calciferol (Vitamin D2), 97%	500 Mg 1 Gms 5 Gms	2000 3500 17000
84903 ✓ [80432-09-3]	1-Butyl-3-Methylimidazolium Tetrachloroaluminate (BMIM AlCl4) extrapure, 95%	10 Gms 25 Gms 50 Gms	3000 5000 8000	47700 [9005-43-0]	Calcium Caseinate extrapure, 90% Protein (Casein Calcium Salt)	100 Gms 500 Gms	880 3020
92656 ✓ [174501-65-6]	1-Butyl-3-Methylimidazolium Tetrafluoroborate (BMIMBF4) extrapure, 98%	5 Gms 25 Gms	2200 5000	31269 [137-08-6]	Calcium-D-Pantothenate pure, 98% (D-Pantothenic Acid Calcium Salt, Vitamin B5)	25 Gms 100 Gms 500 Gms	400 1100 5200
61005 ✓ [174899-66-2]	1-Butyl-3-Methylimidazolium Trifluoromethanesulfonate (BMIM Otf) extrapure, 95% (1-Butyl-3-Methylimidazolium Triflate)	1 Gms 5 Gms 25 Gms	1800 4200 14000	65326 [3737-95-9]	Calconcarboxylic Acid extrapure AR (Patton & Reeders Indicator for Calcium)	5 Gms 25 Gms	200 810
46178 ✓ [223437-11-4]	1-Butyl-1-Methylpyrrolidinium Bis(trifluoromethylsulfonyl)imide (BMP TFSI) extrapure, 98%	5 Gms 25 Gms	2500 9500	66406 [3737-95-9]	Calconcarboxylic Acid extrapure AR, ExiPlus, Multi-Compendial (Patton & Reeders Indicator for Calcium) meets compendial specs of BP, Ph.Eur	25 Gms 100 Gms	880 3110
82426 ✓ [479500-35-1]	1-Butyl-1-Methylpyrrolidinium Chloride extrapure, 98%	5 Gms 25 Gms	2450 11020	42532 ✓ [3147-14-6]	Calmagite AR (Calver II)	1 Gms 5 Gms 100 Gms	220 690 8580
52735 ✓ [330671-29-9]	1-Butyl-1-Methylpyrrolidinium Hexafluorophosphate (BMP FP6) extrapure, 97.5%	5 Gms 25 Gms	4350 11060	94340 [3144-16-9]	D-10 Camphor Sulphonic Acid pure, 99% (D-Camphor Sulphonic Acid)	25 Gms 100 Gms 500 Gms	860 2330 11020
88656 ✓ [345984-11-4]	1-Butyl-1-Methylpyrrolidinium Tetrafluoroborate (BMP BF4) extrapure, 97%	1 Gms 5 Gms	3170 11060	25421 [3144-16-9]	D-10 Camphor Sulphonic Acid ExiPlus, Multi-Compendial, 99% (D-Camphor Sulphonic Acid) meets compendial specs of BP, Ph.Eur	100 Gms 500 Gms	2510 12000
34317 ✓ [98-54-4]	p-tert-Butyl Phenol pure, 98%	500 Gms	660	20940 [35963-20-3]	L-10 Camphor Sulphonic Acid pure, 99% (L-(-)-Camphor Sulphonic Acid)	25 Gms 100 Gms	1050 3310
80049 ● [18822-58-7]	O-tert-Butyl-L-Serine extrapure, 97%	250 Mg 1 Gms 5 Gms	1260 3550 12410	74616 [8007-47-4]	Canada Balsam Natural for microscopy	100 ml 500 ml	380 1840
12749 [106-31-0]	n-Butyric Anhydride pure, 98%	500 ml	2270	64210 [1135-40-6]	CAPS Buffer extrapure, 99% (3-[Cyclohexylamino]-1-Propane Sulphonic Acid)	25 Gms 100 Gms 500 Gms	1130 3490 13670
16490 [106-31-0]	n-Butyric Anhydride extrapure AR, 99%	100 ml 500 ml	680 2700				
51971 [96-48-0]	γ-Butyrolactone extrapure, 99%	500 ml 2500 ml	750 3500				

Code	Name	Packing	Price	Code	Name	Packing	Price
39271 [73463-39-5]	CAPSO Buffer extrapure, 99% (3-(Cyclohexylamino) -2-Hydroxypropane Sulphonic Acid)	25 Gms 100 Gms	1690 5370	14299 [27164-46-1]	● Cefazolin Sodium Salt (CFZL), 89-110%	100 Mg 500 Mg	4440 7600
71222 [102601-34-3]	CAPSO Sodium Salt Buffer extrapure, 99%	25 Gms 100 Gms	2200 8400	13910 [125110-14-7]	● Cefixime Trihydrate (CFX), 95-101%	1 Gms 5 Gms	930 2550
54338 [86-74-8]	Carbazole pure, 95% (9-Azafluorene, 9H-Carbazole, Dibenzopyrrole, Diphenylenimine)	100 Gms 500 Gms	2000 9100	13329 [80210-62-4]	■ Cefpodoxime (CFPD) free acid extrapure, 96%	25 Mg 100 Mg	3000 9000
66964 [4800-94-6]	🔗 Carbenicillin Disodium Salt for tissue culture, 90%	250 Mg 1 Gms 5 Gms	1960 2860 6430	58597 [33564-30-6]	● Cefoxitin Sodium Salt (CTX), 94%	100 Mg 250 Mg 1 Gms	1910 3810 6340
10566 [4800-94-6]	🔗 Carbenicillin Disodium Salt, 90%	500 Mg 1 Gms	880 1450	80223 [52152-93-9]	🔗 Cefsulodin Sodium Salt (CFS) extrapure, 97%	10 Mg 250 Mg	3120 7490
32943 [638-23-3]	✓ Carbocysteine extrapure, 98% (s-Carboxymethyl-L-Cysteine)	1 Gms 5 Gms	1000 3110	79364 [104376-79-6]	● Ceftriaxone Disodium Salt Hemiheptahydrate (CFTZ) (Ceftriazone Sodium Salt)	1 Gms 5 Gms	1740 5780
98536	Carbohydrates Kit Type I	1 Kit	4100	84755 [56238-63-2]	● Cefuroxime Sodium Salt, 86-100%	2 Gms 10 Gms 25 Gms	1250 4820 10140
88515	Carbohydrates Kit Type II	1 Kit	8080	85294 [528-50-7]	D-Cellobiose extrapure	5 Gms 25 Gms 100 Gms	1100 4840 18800
67852 [530-62-1]	🔗 N,N-Carbonyldiimidazole (CDI) extrapure AR, 98%	25 Gms 100 Gms 500 Gms	510 1990 8820	95382 [9012-54-8]	■ Cellulase ex. Aspergillus Niger (Meicellase), 13000CMC U/g	100 Mg 1 Gms 5 Gms	1450 7980 27920
87379 [25487-66-5]	✓ 3-Carboxybenzeneboronic Acid extrapure, 97% (3-Carboxyphenylboronic Acid)	1 Gms 5 Gms 25 Gms	3000 8530 19090	32970 [9012-54-8]	■ Cellulase Onozuka FA ex. Trichoderma Viride, 2500U/g (Meicellase)	1 Gms 5 Gms	6080 23430
51171 [14047-29-1]	✓ 4-Carboxyphenylboronic Acid extrapure, 97%	1 Gms 5 Gms	1400 4480	24801 [9012-54-8]	■ Cellulase Onozuka R-10 ex. Trichoderma Viride, 10000U/g	1 Gms 5 Gms	6360 25950
35982 [23945-44-0]	✓ 5-Carboxyuracil extrapure, 98%	5 Gms 10 Gms	3520 6820	65480 [9012-54-8]	■ Cellulase Onozuka RS ex. Trichoderma Viride, 16000U/g	1 Gms	12030
24352 [541-15-1]	✓ L-Carnitine extrapure, 99%	5 Gms 25 Gms	1080 4620	45662 [9004-38-0]	Cellulose Acetate Phthalate extrapure	100 Gms 500 Gms	830 3630
85641 [7235-40-7]	■ β-Carotene extrapure, 90%	1 Gms 5 Gms	2000 4500	33340 [9004-34-6]	Cellulose microcrystalline pure for TLC, 98%	500 Gms 5 Kg 25 Kg	620 5720 20590
71953 [9000-71-9]	Casein Protein Rich Alkali Soluble extrapure, 80% Protein	500 Gms 5 Kg	1430 12670	56338 [15686-71-2]	🔗 Cephalexin Hydrate (CFL), 95-103% (Cefalexin Hydrate)	1 Gms 5 Gms 25 Gms	2220 8240 19380
27012 [9000-71-9]	Casein Fat Free Ultrapurified, 0.2% Fat	500 Gms	2750	36413 [58-71-9]	🔗 Cephalothin Sodium Salt (CF), 97%	1 Gms 5 Gms	3170 8110
23845 [9000-71-9]	Casein acc. to Hammarsten, 95% Protein	100 Gms 500 Gms 1 Kg	2630 11540 20590	19660 [64485-93-4]	🔗 Cephotaxime Sodium Salt (CFT), 98%	1 Gms 5 Gms	1400 3000
42168 [9001-05-2]	■ Catalase (CAT) (Type 1) ex. Bovine Liver, 11700U/mg	25 Mg 100 Mg	3460 7600	40111 [76089-77-5]	Cerium (III) Trifluoromethanesulfonate extrapure, 98% (Cerium triflate, Trifluoromethanesulfonic Acid Cerium Salt)	5 Gms 25 Gms	4180 13860
78695 [9001-05-2]	■ Catalase (CAT) (Type 2) ex. Bovine Liver, 2000-5000U/mg protein	1 Gms	6930	54784 [7787-69-1]	Cesium Bromide extrapure AR, 99.5%	10 Gms 50 Gms	1200 5400
92063 [53994-73-3]	● Cefaclor (CFC), 95%	1 Gms	1440				
15689 [66592-87-8]	● Cefadroxil Monohydrate (CFD), 95%	1 Gms 5 Gms	1740 5780				
85254 [62893-20-3]	● Cefoperazone Sodium (CFZ), Cefaperazone Sodium)	1 Gms 5 Gms	1210 4950				

Code	Name	Packing	Price	Code	Name	Packing	Price
95125 [534-17-8]	Cesium Carbonate extrapure, 99%	25 Gms	1540	21420 ✓ [75621-03-3, 331717-45-4]	CHAPS Buffer for molecular biology, 99.5%	1 Gms	1430
		100 Gms	6050			5 Gms	6380
		500 Gms	22500			25 Gms	24200
22966 [7647-17-8]	Cesium Chloride extrapure AR for molecular biology, 99.9%	25 Gms	1950	66903 ✓ [82473-24-3]	CHAPSO Buffer extrapure, 99% (3-[(3-Cholamidopropyl) Dimethylammonio]-2-Hydroxy 1-Propanesulphonate)	1 Gms	5540
		100 Gms	7250			5 Gms	21990
		500 Gms	34000				
32355 [7647-17-8]	Cesium Chloride ultrapure for molecular biology, 99.9%	25 Gms	2400	18081 ✓ [103-47-9]	CHES Buffer extrapure, 99% (2-(N-Cyclohexylamino) Ethanesulphonic Acid)	25 Gms	2500
		100 Gms	9000			100 Gms	7900
		500 Gms	43500			500 Gms	32000
36117 [13400-13-0]	Cesium Fluoride extrapure AR, 99%	25 Gms	2150	98507 ✓ [1398-61-4]	Chitin (Poly-(b1-4)-N-acetyl glucosamine) extrapure	25 Gms	3430
		100 Gms	8200			100 Gms	10140
73254 [7789-17-5]	Cesium Iodide ultrapure, 99.99%	5 Gms	1700	27391 ✓ [9012-76-4]	Chitosan (Low MW) extrapure, 10-150m.Pas, 90% DA (Deacetylated Chitin)	25 Gms	960
		10 Gms	2800			100 Gms	3110
		25 Gms	5250			500 Gms	11270
57455 [10294-54-9]	Cesium Sulphate extrapure for molecular biology, 99.9%	10 Gms	1000	18824 ✓ [9012-76-4]	Chitosan (Medium MW) extrapure, 150-500m.Pas, 90% DA (Deacetylated Chitin)	10 Gms	580
		25 Gms	2550			25 Gms	1130
40649 ✓ [122-18-9]	Benzyldimethylhexadecylammonium Chloride (BDHDAC) pure, 97% (Cetyldimethylbenzylammonium Chloride, Cetalkonium Chloride)	100 Gms	760	96266 ✓ [9012-76-4]	Chitosan (High MW) extrapure, 800m.Pas, 90% DA (Deacetylated Chitin)	25 Gms	1930
77040 [140-72-7]	Cetylpyridinium Bromide (CPB) pure, 98% (Hexadecylpyridinium Bromide)	100 Gms	1500	44097 ■ [148411-57-8]	Chitosan Oligosaccharide (water soluble) extrapure, 90% DA	100 Gms	6600
		500 Gms	6900			100 Gms	24200
59088 [6004-24-6]	Cetylpyridinium Chloride (CPC) extrapure, 98%	100 Gms	700	59811 ⚗ [577-76-4]	Chitosan Dimer extrapure, 98% (Chitobiose Dihydrochloride)	10 Gms	4350
		500 Gms	2500			25 Gms	7710
99698 [6004-24-6]	Cetylpyridinium Chloride (CPC) ExiPlus, Multi-Compendial, 98%	100 Gms	800	19363 ■ [41708-93-4]	Chitosan Trimer extrapure, 98% (Chitotriose Trihydrochloride)	100 Gms	13050
		500 Gms	3000			5 Mg	25210
	meets compendial specs of BP, Ph.Eur			62506 ■ [117399-50-5]	Chitosan Tetramer extrapure, 98% (Chitotetraose Tetrahydrochloride)	5 Mg	57880
66302 [57-09-0]	Cetyltrimethyl Ammonium Bromide (CTAB) extrapure AR, 99% (Hexadecyltrimethyl Ammonium Bromide)	100 Gms	490	80517 ■ [35061-50-7]	Chitosan Pentamer extrapure, 98% (Chitopentaose Pentahydrochloride)	5 Mg	32130
		500 Gms	2070			5 Mg	15520
59771 [57-09-0]	Cetyltrimethyl Ammonium Bromide (CTAB) extrapure AR, ExiPlus, Multi-Compendial, 99% (Hexadecyltrimethyl Ammonium Bromide)	100 Gms	540	36824 ■ [41708-95-6]	Chitotriose Hexamer extrapure, 98% (Chitohexaose Hexahydrochloride)	5 Mg	64250
		500 Gms	2440			25 Gms	2970
	meets compendial specs of BP, Ph.Eur			11975 ✓ [15879-93-3]	a-Chloralose pure, 98% (Anhydro-D-Glucochloral, a-D-Glucochloralose)	100 Gms	2640
12779 [57-09-0]	Cetyltrimethyl Ammonium Bromide (CTAB) for molecular biology, 99% (Hexadecyltrimethyl Ammonium Bromide)	100 Gms	560	50146 ✓ [2829-43-8]	Chlorantine Fast Red BB (C.I. No. 25380)	1 Gms	3400
		500 Gms	2640			5 Gms	4760
23595 [112-02-7]	Cetyltrimethyl Ammonium Chloride (CTAC) extrapure AR, 99% (Cetrimonium Bromide, Hexadecyltrimethyl Ammonium Bromide)	25 Gms	2020	28812 ● [56-75-7]	Chloramphenicol (CFP) for tissue culture, 98-102%	5 Gms	1090
		100 Gms	5940			25 Gms	2530
		500 Gms	8910			5 Gms	830
68623 [112-02-7]	Cetyltrimethyl Ammonium Chloride (CTAC) for molecular biology, 99% (Cetrimonium Bromide, Hexadecyltrimethyl Ammonium Bromide)	25 Gms	2970	97686 ● [56-75-7]	Chloramphenicol (CFP), 98-102%	25 Gms	2310
		100 Gms	8080			100 Gms	5720
87868 ✓ [75621-03-3, 331717-45-4]	CHAPS Buffer extrapure, 99% (3-[(3-Cholamidopropyl) Dimethylammonio]-1-Propanesulphonate)	1 Gms	770	37281 [539-03-7]	p-Chloroacetanilide extrapure AR, 99%	25 Gms	630
		5 Gms	3630			100 Gms	1930
		25 Gms	17050			100 Gms	2050
				77863 [539-03-7]	p-Chloroacetanilide extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur		

Code	Name	Packing	Price	Code	Name	Packing	Price
70179 [532-27-4]	2-Chloroacetophenone pure, 97% (Phenacyl Chloride)	25 Gms 100 Gms	2300 7300	17691 [2578-45-2]	✓ 2-Chloro-3,5-Dinitropyridine extrapure AR, 99%	1 Gms 5 Gms	5120 15720
40585 [99-91-2]	p-Chloroacetophenone extrapure, 98%	100 ml 500 ml 1000 ml	1420 5760 10880	38825 [1679-18-1]	4-Chlorophenylboronic Acid extrapure, 97%	5 Gms 25 Gms	1800 7430
92804 [108-42-9]	m-Chloroaniline (MCA) pure, 99%	500 ml 2500 ml	1260 5510	22654 [16672-87-0]	2-Chloroethylphosphonic Acid (ETHREL, Ethephon) 40% soln.	100 ml 250 ml	1290 2450
43265 [89-98-5]	o-Chlorobenzaldehyde pure, 98% (2-Chlorobenzaldehyde)	100 ml 500 ml 2500 ml	500 1140 5100	10455 [367-21-5]	3-Chloro-4-Fluoroaniline pure, 98%	100 Gms 500 Gms	810 3660
17927 [104-88-1]	p-Chlorobenzaldehyde pure, 97% (4-Chlorobenzaldehyde)	100 Gms 250 Gms 5 Kg	610 1050 9500	17703 [2252-51-9]	2-Chloro-4-Fluorobenzoic Acid pure, 98%	5 Gms 25 Gms	1650 5340
91019 [119-56-2]	✓ 4-Chlorobenzhydrol pure, 98%	50 Gms 100 Gms	3680 6430	36393 [2252-50-8]	2-Chloro-5-Fluorobenzoic Acid pure, 98%	10 Gms 100 Gms	2940 15300
69159 [118-91-2]	o-Chlorobenzoic Acid pure, 98%	100 Gms 500 Gms	390 1540	84538 [434-75-3]	2-Chloro-6-Fluorobenzoic Acid pure, 98%	5 Gms 25 Gms	2760 6450
30519 [118-91-2]	o-Chlorobenzoic Acid extrapure AR, 99.5%	100 Gms 500 Gms	490 2210	33676 [161957-55-7]	3-Chloro-2-Fluorobenzoic Acid pure, 98%	5 Gms 10 Gms	4480 7680
34366 [535-80-8]	m-Chlorobenzoic Acid extrapure, 99%	25 Gms 100 Gms 500 Gms	810 3030 9540	69932 [157381-11-8]	● 2-Chloro-4-Nitrophenyl 4-O-b-D-Galactopyranosylmaltosid e (Gal-G2-a-CNP, Gal CNPG2) extrapure, 90% (a-(2-Chloro-4-Nitrophenyl) -β-1,4-Galactopyranosylmaltoside)	250 Mg 1 Gms 5 Gms	12000 35000 150000
24711 [74-11-3]	p-Chlorobenzoic Acid pure, 99%	100 Gms 500 Gms	360 1420	85563	Chloroform : Isoamyl Alcohol (24:1) for molecular biology	100 ml 500 ml	1130 2370
97199 [74-11-3]	p-Chlorobenzoic Acid extrapure AR, 99.7%	100 Gms	1110	41117 [936-59-4]	✓ 3-Chloro-1-Phenyl Propanone pure, 98% (3-Chloropropiophenone, B-Chloropropiophenone)	25 Gms 100 Gms	2370 8700
53378 [134-85-0]	p-Chlorobenzophenone extrapure, 99%	100 Gms 500 Gms	770 3460	72928 [1914-99-4]	Chlorophosphonazo III for Spectrophotometry (Bis(4-chloro-2-Phosphonobenzolazo) Chromotropic acid)	100 Mg 500 Mg	4180 17600
98001 [89-97-4]	2-Chlorobenzylamine pure, 98% (o-Chlorobenzylamine)	25 ml 100 ml	1650 5330	51562 [6001-76-9]	⚗ Chlorogenic Acid Hemihydrate extrapure, 98%	100 Mg 1 Gms	480 3760
95074 [628-20-6]	4-Chlorobutyronitrile pure, 98%	100 ml 500 ml	3020 13140	78193 [10310-21-1]	● 6-Chloroguanine extrapure, 98% (2-Amino-6-Chloropurine)	1 Gms 5 Gms	1900 7580
29440 [4635-59-0]	4-Chlorobutryl Chloride pure, 98%	250 ml 500 ml 1000 ml	1420 2800 4440	99721 [159954-35-5]	■ 6-Chloro-3-Indolyl-Caprylate (Salmon Caprylate) for molecular biology, 97% (6-Chloro-3-Indoxyl-Octanoate)	50 Mg	6000
23843 [999-81-5]	Chlorocholine Chloride (CCC) extrapure, 98% (2-Chloroethyl)trimethylammonium chloride, Chlormequat chloride, Choline dichloride, Cycocel)	5 Gms 25 Gms	1900 5330	79621 [135313-63-2]	● 4-Chloro-3-Indolyl-β-Galactopyrano side extrapure, 98%	100 Mg	6050
10231 [3140-73-6]	✓ 2-Chloro-4,6 Dimethoxy-1,3,5 Triazine extrapure, 99%	5 Gms 25 Gms 100 Gms	1220 5280 19260	98551 [138182-21-5]	● 6-Chloro-3-Indolyl β-D-Galactopyranoside (Salmon Gal) extrapure, 98% (Red Gal, Rose Gal)	100 Mg 500 Mg	3400 6580
42687 [97-00-7]	1-Chloro-2,4-Dinitrobenzene extrapure, 99%	500 Gms	740	82947 [138182-20-4]	● 6-Chloro-3-Indolyl-β-D-Glucuronide Cyclohexylammonium Salt extrapure, 98% (RED-GLUC, Rose-Glucuronide CHA Salt, Salmon-Glucuronide CHA Salt)	10 Mg 50 Mg	4070 13540
69297 [97-00-7]	1-Chloro-2,4-Dinitrobenzene extrapure AR, 99%	25 Gms 100 Gms	190 570	89432 [467214-46-6]	■ 6-Chloro-3-Indoxyl-a-D-Glucopyran oside (Salmon-a-D-Glc) extrapure, 98% (Salmon-alpha-D-Glucoside)	100 Mg 500 Mg	4900 17380
93937 [97-00-7]	1-Chloro-2,4-Dinitrobenzene extrapure AR, ExiPlus, Multi-Compdial, 99% meets compendial specs of BP	100 Gms 500 Gms	610 2570				

Code	Name	Packing	Price	Code	Name	Packing	Price
71848 [130-26-7]	5-Chloro-7-Iodo-8-Quinololinol (Clioquinol, Iodochlorohydroxyquinoline) ExiPlus, 97-103% (5-Chloro-8-Hydroxy-7-Iodoquinoline)	25 Gms 100 Gms 500 Gms	2200 5800 22000	50217 [29617-66-1]	S-2-Chloropropionic Acid pure, 98% (S-(-)-2-Chloropropionic Acid)	5 ml 25 ml 100 ml	980 3060 11020
25898 [14110-97-5]	4-Chloromercuribenzenesulphonic Acid Monosodium Salt (pCMBS) extrapure, 95% (p-Chloromercuriphenylsulfonic Acid Sodium Salt)	10 Mg	30600	70774 [34841-35-5]	3-Chloropropiophenone pure, 98%	25 Gms 100 Gms 500 Gms	2820 10240 44780
26004 [138-85-2]	p-Chloromercuribenzoic Acid Sodium Salt extrapure, 98%	1 Gms 5 Gms	3390 12260	53313 [6285-05-8]	4-Chloropropiophenone pure, 98%	100 Gms 500 Gms	2830 12770
81929 [604-44-4]	4-Chloro-1-Naphthol Substrate Grade extrapure, 99%	2.5 Gms 5 Gms 25 Gms	2630 3980 19260	62020 [87-42-3]	6-Chloropurine extrapure, 99%	1 Gms 5 Gms 25 Gms	880 3110 12300
85267 [121-73-3]	1-Chloro-3-Nitrobenzene pure, 98%	250 Gms 500 Gms	540 1040	57430 [2004-06-0]	6-Chloropurine Riboside extrapure	250 Mg 1 Gms	2160 7310
77459 [2516-96-3]	2-Chloro-5-Nitrobenzoic Acid pure, 99%	25 Gms 100 Gms 500 Gms	360 1050 4000	26176 [321-14-2]	5-Chlorosalicylic Acid pure, 98%	100 Gms 500 Gms	570 1650
21259 [157843-41-9]	2-Chloro-4-Nitrophenyl a-L-Fucopyranoside (CNPF) extrapure, 98% (AFU)	25 Mg	8450	59838 [106-43-4]	p-Chlorotoluene pure, 98%	500 ml 1000 ml	1310 2210
48958 [118291-90-0]	2-Chloro-4-Nitrophenyl a-D-Maltotrioside (CNP3) extrapure, 95%	25 Mg 100 Mg	3920 9000	97389 [67-97-0]	Cholecalciferol (Vitamin D3) for tissue culture, 97% (7-Dehydrocholesterol Activated)	1 Gms 5 Gms	1210 5330
66684 [3970-40-9]	2-Chloro-3-Nitrotoluene extrapure, 98%	1 Gms 5 Gms	1500 6000	54181 [57-88-5]	Cholesterol extrapure AR, 99%	5 Gms 25 Gms 100 Gms 500 Gms	580 2530 9350 38500
41107 [108-43-0]	3-Chlorophenol pure, 98% (m-Chlorophenol)	25 Gms 100 Gms 500 Gms	840 2820 13440	38615 [57-88-5]	Cholesterol Reference Standard Grade for molecular biology, 99%	5 Gms 25 Gms 100 Gms	1290 3860 14730
94280 [95-57-8]	o-Chlorophenol pure, 98%	500 ml 1000 ml 2500 ml	880 1730 3340	51626 [9026-00-0]	Cholesterol Esterase (CE) ex. Porcine Pancreas, 35U/mg solids	10 Mg	10430
74230 [106-48-9]	p-Chlorophenol pure, 98% (4-Chlorophenol)	500 Gms	900	85091 [9028-76-6]	Cholesterol Oxidase ex. Streptomyces Sp., 15U/mg solids	500 Units 2500 Units	7460 32300
18344 [4430-20-0]	Chlorophenol Red	5 Gms 25 Gms	620 2430	77645 [604-35-3]	Cholesteryl Acetate extrapure, 99%	5 Gms 25 Gms	860 3800
87976 [99792-79-7]	Chlorophenol Red-β-D-Galactopyranoside (CPRG) extrapure, 90%	25 Mg	8480	54908 [81-25-4]	Cholic Acid extrapure, 98%	25 Gms 100 Gms 500 Gms	3400 12000 55000
21524 [122-88-3]	Chlorophenoxyacetic Acid (4-CPA) for tissue culture, 98% (Parachlorophenoxyacetic acid)	25 Gms 100 Gms 500 Gms	450 1590 7370	53645 [361-09-1, 206986-87-0]	Cholic Acid Sodium Salt Hydrate pure, 99% (Sodium Cholate Hydrate)	25 Gms 100 Gms 500 Gms	3800 13000 60000
91145 [101-10-0]	2-(3-Chlorophenoxy)-Propionic Acid (3-CPA) technical grade, 99%	10 Gms 25 Gms	2960 6930	93319 [4197-07-3]	Chromotrope 2R	10 Gms 25 Gms	620 1230
28272 [1878-66-6]	4-Chlorophenylacetic Acid pure, 98%	100 Gms 500 Gms	1280 4410	31723 [5808-22-0]	Chromotropic Acid Disodium Salt Dihydrate extrapure AR, 99%	10 Gms 25 Gms 100 Gms	750 1740 6820
40881 [327-97-9]	Chlorogenic Acid extrapure, 98% (1,3,4,5-Tetrahydroxycyclohexanecarboxylic acid 3-(3,4-dihydroxycinnamate), 3-(3,4-Dihydroxycinnamoy)	100 Mg 1 Gms 5 Gms	500 4350 19260	72580 [5808-22-0]	Chromotropic Acid Disodium Salt Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	10 Gms 25 Gms 100 Gms 500 Gms	1030 2260 8530 31350
23727 [598-78-7]	2-Chloropropionic Acid pure, 97%	100 ml 500 ml	1350 5880		meets compendial specs of USP, BP, Ph.Eur		

Code	Name	Packing	Price	Code	Name	Packing	Price
35085 [9004-07-3]	■ a-Chymotrypsin (3x cryst) ex. Bovine Pancreas, 7500ATEE U/mg (1000NF U/mg)	250 Mg	1220	93156 [64-86-8]	✓ Colchicine ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, BP, Ph.Eur	1 Gms	2230
		500 Mg	2370			5 Gms	10510
		1 Gms	3730				
		5 Gms	16150				
87063 [9035-75-0]	■ a-Chymotrypsinogen A (5x cryst) ex. Bovine Pancreas, 45U/mg	100 Mg	2860	45830 [64-86-8]	✓ Colchicine for tissue culture, 98%	1 Gms	2090
		250 Mg	6030			5 Gms	10040
		1 Gms	16770	51681 [1264-72-8]	⚡ Colistin Sulphate (CLS)	500 Mg	1650
		5 Gms	80730			1 Gms	3300
88213 [1885-38-7]	Cinnamionitrile extrapure, 97% (3-Phenylacrylonitrile)	25 ml	880	5 Gms	9900	90443 [9007-34-5]	✓ Collagen ex. Marine Fish extrapure, 95%
		100 ml	2620	5 Gms	2200		
26591 [102-92-1]	Cinnamoyl Chloride pure, 98%	100 ml	2370	25 Gms	6600		
		500 ml	9380	100 Gms	20900		
78079 [86393-32-0]	● Ciprofloxacin Hydrochloride Hydrate (CPFX), 98-102%	1 Gms	440	51581	✓ Colloidal Protein Staining Solution	100 ml	3400
		5 Gms	1650				
29965 [5392-40-5]	Citral pure, 95% (3,7-Dimethyl-2,6-Octadienal)	100 ml	580	94278 [108-75-8]	2,4,6-Collidine pure, 98% (2,4,6-Trimethylpyridine)	100 ml	1800
		500 ml	2800			500 ml	8400
13294 [8000-29-1]	✓ Citronella Oil extrapure, 34%	250 ml	2750	24275 [573-58-0]	Congo Red ACS, 75%	5 Gms	170
		500 ml	5040			25 Gms	310
			100 Gms			880	
35417 [372-75-8]	L-Citrulline extrapure CHR, 99%	25 Gms	450	10408 [8064-90-2]	● Co-Trimoxazole (CTX), 95%	100 Mg	2530
		100 Gms	1200			500 Mg	12000
		500 Gms	4500				
41694 [99-11-6]	Citrazinic Acid extrapure, 97% (2,6-Dihydroxypyridine-4-Carboxylic acid, Dihydroxyisonicotinic Acid)	25 Gms	2200	42074 [91-64-5]	✓ Coumarin pure, 98% (1-Benzopyran-2-one)	100 Gms	600
		100 Gms	5000			500 Gms	2740
		500 Gms	15500				
78746 [8000-34-8]	Clove Oil extrapure, 80%	100 ml	1120	76072 [6020-87-7]	Creatine Monohydrate extrapure, 99%	25 Gms	320
		500 ml	4820			100 Gms	950
			1 Kg			9000	
68320 [128595-07-3]	● CP-OSU (N-(Cyclopentylloxycarbonyloxy)succinimide) extrapure, 99% (N-(Cyclopentylloxy Carbonyloxy) Succinimide)	5 Gms	790	25758 [71519-72-7]	● Creatine Phosphate Disodium Salt Tetrahydrate extrapure, 99% (Sodium Creatine Phosphate Dibasic Tetrahydrate, Phosphocreatine Disodium Salt Tetrahydrate)	1 Gms	1250
		25 Gms	3140			5 Gms	4310
68636 [7081-44-9]	● Cloxacillin Sodium Monohydrate (CSX), 95-102%	1 Gms	1650	25074 [9025-13-2]	■ Creatininase ex. Recombinant E.Coli, 500U/mg	2 K.Units	6740
		5 Gms	5500			5 K.Units	14690
31104 [55779-48-1]	■ Coelenterazine Native (CLZN) ex. Aequorea Sp., 95%	250 µg	14290	65142 [60-27-5]	✓ Creatinine extrapure CHR, 99%	25 Gms	690
		1 Mg	23600			100 Gms	2400
40804 [85-61-0]	■ Coenzyme A Free Acid extrapure, 90%	10 Mg	3310	19428 [60-27-5]	✓ Creatinine extrapure AR, 99%	25 Gms	780
		25 Mg	5510			100 Gms	2620
		100 Mg	17140			500 Gms	12500
95225 [55672-92-9 (anhy)]	■ Coenzyme A Sodium Salt Hydrate (CoA Na2) for molecular biology, 85%	10 Mg	5500	62000 [37289-15-9]	■ Creatinine Deiminase ex. Microorganism, 10U/mg solids	250 Units	9790
		25 Mg	9680				
64147 [18439-24-2]	■ Coenzyme A Trilithium Salt ex. Yeast extrapure, 90% CoA	25 Mg	6050	29121 [596-27-0]	o- Cresolphthalein AR, 95%	5 Gms	160
						25 Gms	580
						100 Gms	2240
15039 [303-98-0]	■ Coenzyme Q10 extrapure, 99%	100 Mg	730	64982 [2411-89-4]	o- Cresolphthalein Complexone (Phthalein Purple) extrapure AR, 80%	1 Gms	480
		500 Mg	2800			5 Gms	1850
		1 Gms	5550			25 Gms	6000
		5 Gms	10860				
17701 [64-86-8]	✓ Colchicine extrapure, 98%	1 Gms	1840	72278 [94442-10-1]	o- Cresolphthalein Complexone Disodium Salt extrapure	1 Gms	1320
		5 Gms	8820			5 Gms	5500
		10 Gms	17140				
				31393 [2303-01-7]	m- Cresol Purple extrapure AR	1 Gms	260
						5 Gms	1140

Code	Name	Packing	Price	Code	Name	Packing	Price
60837 [107-93-7]	Crotonic Acid pure, 99%	100 Gms 250 Gms 500 Gms	630 1100 2060	86620 [66-81-9]	● Cycloheximide extrapure, 94% (Actidione)	100 Mg 1 Gms 5 Gms	440 2200 9350
51665	■ r-CRP ex. E.Coli (Recombinant C-reactive protein) extrapure	1 Mg	11800	95581 [66-81-9]	● Cycloheximide for tissue culture, 94% (Actidione)	100 Mg 1 Gms 5 Gms	720 2640 10780
12295 [3572-06-3]	Cuelure pure, 95% (4-[4-(Acetyloxy)phenyl]-2-Butanone)	25 Gms 100 Gms 500 Gms 1 Kg 2.5 Kg	750 2510 11630 22280 49320	38772 [120-92-3]	Cyclopentanone (Keto Cyclopentane) pure, 99% (Keto Cyclopentane)	100 ml 500 ml 2500 ml	470 1430 5280
37870 [126747-14-6]	✓ 4-Cyanophenylboronic Acid extrapure, 95%	1 Gms 5 Gms 25 Gms	1500 6500 19000	88410 [5614-37-9]	Cyclopentyl Methyl Ether (CPME) extrapure AR, 99%	250 ml 500 ml 1000 ml	1750 3300 5470
86320 [150255-96-2]	✓ 3-Cyanophenylboronic Acid extrapure, 97%	1 Gms 5 Gms 25 Gms	1350 3360 13980	74083 [1759-53-1]	⚠ Cyclopropanecarboxylic Acid pure, 98%	100 Gms 250 Gms	3350 8230
51458 [59016-56-7]	● 1-Cyano-4-Dimethylaminopyridinium Tetrafluoroborate (CDAP) extrapure, 97.5%	100 Mg 250 Mg 1 Gms	6840 15530 60240	62160 [411235-57-9]	ⓘ Cyclopropylboronic Acid Monohydrate extrapure, 97%	1 Gms 5 Gms	850 3200
57902 [879866-74-7]	✓ 1-(3-Cyanopropyl)-3-Methylimidazolium Dicyanamide (CPMIM.DC) pure, 98% (1-Methyl-3-(3-Cyanopropyl)imidazolium Dicyanamide)	5 Gms 25 Gms	6620 28000	41269 [68-41-7]	⚠ D-Cycloserine (D-CSR), 90% (D-4-Amino-3-Isoxazolidone)	1 Gms 5 Gms	900 2800
65291 [506-68-3]	● Cyanogen Bromide pure, 98%	25 Gms 100 Gms	850 2240	73383 [921-01-7]	D-Cysteine (base) extrapure, 99% (S)-2-Amino-3-Mercaptopropionic Acid)	1 Gms	3060
31787 [506-68-3]	● Cyanogen Bromide ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, Ph.Eur	25 Gms 100 Gms	1050 2540	98973 [65-46-3]	⚠ Cytidine extrapure, 99%	5 Gms 25 Gms 500 Gms	590 1540 28600
94952 [5457-28-3]	⚠ 3-Cyanoindole pure, 98%	5 Gms 25 Gms	2860 11800	87600 [63-37-6]	● Cytidine-5-Monophosphate (5-CMP) extrapure, 99%	1 Gms 5 Gms	620 2450
33202 [15861-24-2]	⚠ 5-Cyanoindole pure, 98%	10 Gms 25 Gms	26430 65590	48666 [81012-87-5]	● Cytidine-5-Triphosphate Disodium Salt (5-CTP-Na2) extrapure, 97%	100 Mg 500 Mg	1620 7340
83244 [7585-39-9]	⚠ β-Cyclodextrin, base (BCD) for tissue culture, 98%	100 Gms 500 Gms	700 2100	81551 [9007-43-6]	● Cytochrome C (Oxidized) (Type 1) ex. Horse Heart extrapure, 90%	100 Mg 500 Mg 1 Gms	4900 21110 40390
76496 [7585-39-9]	⚠ β-Cyclodextrin, base (BCD), 98%	5 Gms 25 Gms 100 Gms	560 1500 3800	90777 [9007-43-6]	■ Cytochrome C (Oxidized) (Type 2) ex. Horse Heart, 95%	100 Mg 500 Mg	11020 39160
98395 [2043-61-0]	● Cyclohexanecarboxaldehyde pure, 97% (Hexahydrobenzaldehyde)	25 ml 100 ml	3490 13540	62682 [147-94-4]	● Cytosine Arabinoside extrapure, 98%	100 Mg 500 Mg	1150 3630
37594 [637-88-7]	⚠ 1,4-Cyclohexanedione pure, 99%	25 Gms 100 Gms	830 1300	75543 [146998-31-4]	● DABCYL-N-Succinimidyl Ester extrapure, 98% (4-[4-(Dimethylamino)phenylazo]Benzoic Acid N-Succinimidyl Ester)	50 Mg 250 Mg	5600 18390
55799 [108-93-0]	Cyclohexanol extrapure, 99%	500 ml 2500 ml	610 2590	31920 [552-66-9]	■ Daidzin extrapure, 98% (Daidzein-7-O-β-D-Glucopyranoside)	25 Mg 100 Mg	6610 22340
31668 [110-83-8]	Cyclohexene (Tetrahydrobenzene) pure, 99%	100 ml 500 ml 2500 ml	380 1650 7800	90441 [119478-55-6]	● Danofloxacin Mesylate (DM), 98%	100 Mg	6840
				64018 [605-65-2]	● Dansyl Chloride (DNSCI) extrapure, 99% (5-Dimethylaminonaphthalene-1-Sulfonyl Chloride)	1 Gms 5 Gms	4180 15950
				18668 [28718-90-3]	● DAPI Dihydrochloride (4,6-Diamidino-2-Phenylindole Dihydrochloride) for molecular biology, 95%	10 Mg 25 Mg	4350 8950

Code	Name	Packing	Price	Code	Name	Packing	Price
28488 [28718-90-3]	● DAPI Dihydrochloride (4,6-Diamidino-2-Phenylindole Dihydrochloride) for tissue culture, 95%	100 Mg	5390	43421 [154-17-6]	● 2-Deoxy-D-Glucose (2-DG) extrapure AR, 99.9%	1 Gms 5 Gms 25 Gms	900 4100 20000
80145 [28718-90-3]	● DAPI Dihydrochloride (4,6-Diamidino-2-Phenylindole Dihydrochloride) Solution (1mg/ml in H ₂ O)	1 ml 5 x1 ml	860 4040	22350 [312693-72-4]	● 2-Deoxyguanosine Monohydrate extrapure, 99%	100 Mg 500 Mg 1 Gms 5 Gms	2600 8030 13580 42850
22499 [38078-09-0]	● DAST (Diethylamino Sulfurtrifluoride) extrapure AR, 95%	1 Gms 5 Gms 25 Gms 100 Gms	675 3000 10000 37000	25695 [52558-16-4, 33430-61-4]	● 2'-Deoxyguanosine -5'-Monophosphate Sodium Salt (dGMP) extrapure, 98%	500 Mg 1 Gms 5 Gms	16770 29810 136620
40396 [14933-08-5]	● DDAPS (N-Dodecyl-N,N-dimethyl-3-ammonio-1-propanesulfonate, Lauryl sulfobetaine) extrapure, 98%	2 Gms 10 Gms 50 Gms	990 2960 14500	16516 [890-38-0]	● 2'-Deoxyinosine extrapure, 98%	100 Mg 250 Mg 1 Gms	630 1470 5220
47478 [9013-34-7]	DEAE Cellulose 11 analytical grade for molecular biology	5 Gms 25 Gms	2450 10040	61824 [9003-98-9]	■ Deoxyribonuclease I (DNase I) - Type 1A ex. Bovine Pancreas for MB, 2000Kunitz U/mg Protein, 80% Pr	10 K.Units 50 K.Units 200 K.Units	2420 7700 25300
57136 [9013-34-7]	DEAE Cellulose 23 analytical grade for molecular biology	5 Gms 25 Gms	2760 11630	15409 [9003-98-9]	■ Deoxyribonuclease I (DNase I) - Type 1B ex. Bovine Pancreas for MB, 2000Kunitz U/mg Protein, 80% Pr	10 Mg 50 Mg 100 Mg	3910 17600 31900
92321 [9013-34-7]	DEAE Cellulose 32 analytical grade for molecular biology	5 Gms 25 Gms	3430 14440	14658 [9003-98-9]	■ Deoxyribonuclease I - Type 2A (DNase I) ex. Bovine Pancreas for MB, 180Kunitz U/mg, 85% Protein	5000 Units 50000 Units 100000 Units	1100 5600 10560
10529 [9013-34-7]	DEAE Cellulose 52 analytical grade for molecular biology	5 Gms 25 Gms 100 Gms	2170 10060 35000	52942 [9003-98-9]	■ Deoxyribonuclease I - Type 2B (DNase I) ex. Bovine Pancreas for MB, 180Kunitz U/mg	10 Mg 100 Mg 1 Gms	620 5880 22030
54665 [91-17-8]	Decalin (Decahydronaphthalene) pure, 98%	500 ml 2500 ml	1900 9000	74322 [100403-24-5]	■ Deoxyribonucleic Acid Free Acid (DNA) ex. Fish Sperm	5 Gms 10 Gms 25 Gms	2100 4000 8000
72007 [143-10-2]	1-Decanethiol pure, 95%	100 ml 500 ml	5600 24850	30295 [9007-49-2, 68938-01-2]	■ Deoxyribonucleic Acid Sodium Salt (DNA Sodium Salt) ex. Salmon Milt (SS-DNA, sm-DNA)	5 Gms 25 Gms	2250 8500
91106 [112-13-0]	Decanoyl Chloride pure, 98% (Capric Acid Chloride)	100 ml 500 ml	920 4410	68451 [73049-39-5]	■ Deoxyribonucleic Acid Sodium Salt (DNA Sodium Salt Highly Polymerized) ex. Calf Thymus extrapure	25 Mg 100 Mg 250 Mg	2750 6000 14000
48467 [112-30-1]	Decyl Alcohol pure, 99% (1-Decanol)	100 ml 500 ml 2500 ml	280 870 4250	84384 [533-67-5]	● 2-Deoxy-D-Ribose extrapure	1 Gms 5 Gms 25 Gms	500 1990 7340
43940 [2082-84-0]	Decyltrimethylammonium Bromide (DTMAB) extrapure, 98%	10 Gms 25 Gms	2150 4700	92627 [951-78-0]	● 2'-Deoxyuridine extrapure, 98%	250 Mg 1 Gms	2300 8350
40133 [86303-23-3]	● Deoxy Big CHAPS extrapure, 95% N,N'-Bis(3-D-gluconamidopropyl deoxycholamide)	500 Mg	24850	41602 [42155-08-8]	● 2'-Deoxyuridine-5'-Monophosphate Disodium Salt (dUMP-Na ₂) extrapure, 98%	100 Mg	5000
83158 [16373-93-6]	● 2-Deoxyadenosine Monohydrate extrapure, 98%	1 Gms 5 Gms	1270 5660	41143 [83-44-3]	● Deoxycholic Acid extrapure, 99%	25 Gms 100 Gms	3600 12800
39192 [2922-74-9]	● 2'-Deoxyadenosine-5'-Monophosphate Disodium Salt (dAMP-Na ₂) extrapure, 98%	100 Mg	2870	24417 [302-95-4]	● Deoxycholic Acid Sodium Salt (Sodium Deoxycholate) Bacto grade, 99%	25 Gms 100 Gms 500 Gms	2200 7920 38720
49092 [951-77-9]	● 2-Deoxycytidine extrapure, 98%	100 Mg 500 Mg 1 Gms	790 2240 3610				
55193 [13085-50-2]	● 2'-Deoxycytidine -5'-Monophosphate Disodium Salt (dCMP-Na ₂) extrapure, 98%	500 Mg	10000				
84476 [1949-89-9]	● 2-Deoxygalactose extrapure, 98%	1 Gms 5 Gms	4850 18640				

Code	Name	Packing	Price	Code	Name	Packing	Price
96876	● Deoxycholic Acid Sodium Salt Monohydrate (Sodium Deoxycholate Monohydrate) Bacto grade, 99%	25 Gms 100 Gms 500 Gms	2420 8140 40700	99629	ⓘ Dextran Sulphate Sodium Salt 500 (DSS 500) ex. Leuconostoc Sp. for molecular biology	10 Gms 25 Gms 100 Gms 250 Gms	4680 10940 39950 74970
43767	ⓘ Dess Martin Periodinane extrapure, 97%	1 Gms 5 Gms 25 Gms 100 Gms	280 650 2730 10320	17379	ⓘ DHP Linker (3,4-Dihydro-2H-Pyran-2-Methanol) extrapure, 98%	5 ml 25 ml	12290 44310
47601	ⓘ Dextran ex. Leuconostoc Sp. - Tech 10 (9-11)	5 Gms 25 Gms 100 Gms	1540 5840 20280	34224	✓ Diacetone-D-Glucose (DAG) extrapure, 98% (1,2:5,6-Di-O-Isopropylidene-a-D-Gluc ofuranose, D-Glucose Diacetonide)	25 Gms 100 Gms 500 Gms	2620 7950 29810
41570	ⓘ Dextran ex. Leuconostoc Sp. - Tech 40 (35-45)	5 Gms 25 Gms	7070 23790	72352	ⓘ Diacetylmonoxime extrapure AR, 99% (2,3-Butanedione Monoxime)	25 Gms 100 Gms 500 Gms	490 1580 7710
35270	ⓘ Dextran ex. Leuconostoc Sp. - Tech 110 (100-120)	5 Gms 25 Gms 100 Gms	1540 5840 19670	10006	✓ 1,4-(Diacryloyl) Piperazine extrapure, 99% (Piperazine Diacrylamide)	5 Gms	17390
62753	ⓘ Dextran ex. Leuconostoc Sp. - Tech 250 (225-275)	5 Gms	16600	62736	✓ L-2,4 Diaminobutyric Acid Monohydrochloride extrapure, 98%	1 Gms 5 Gms 25 Gms	2490 11800 45340
19301	ⓘ Dextran ex. Leuconostoc Sp. - Tech 500 (450-550)	10 Gms 25 Gms 100 Gms 500 Gms	5410 7990 25200 66370	94524	ⓘ 3,3-Diaminobenzidine (DAB) pure, 98%	5 Gms 25 Gms 100 Gms	1650 6560 22820
28354	■ Dextran Blue 5 ex. Leuconostoc Sp.	500 Mg	21510	17076	ⓘ 3,3'-Diaminobenzidine Tetrahydrochloride Hydrate (DAB.4HCl.xH2O) extrapure AR, 98%	1 Gms 5 Gms 25 Gms	1310 6340 28570
82575	■ Dextran Blue 40 ex. Leuconostoc Sp.	1 Gms	23000	98465	ⓘ 3,3-Diaminobenzidine Tetrahydrochloride (DAB.4HCl) Buffer Substrate Solution for Peroxidase	100 ml	7460
57356	■ Dextran Blue 110 ex. Leuconostoc Sp.	1 Gms	23000	17758	3,5-Diaminobenzoic Acid extrapure, 98%	100 Gms 500 Gms	920 4170
14420	■ Dextran Blue 500 ex. Leuconostoc Sp.	1 Gms	23000	20723	3,5-Diaminobenzoic Acid Dihydrochloride extrapure, 98%	25 Gms	5510
67045	■ Dextran Blue 2000 ex. Leuconostoc Sp.	1 Gms	23000	16368	trans-1,2-Diaminocyclohexane-N,N, N,N Tetraacetic Acid Monohydrate extrapure AR (CDTA), 99%	10 Gms 25 Gms 100 Gms	1410 3190 11750
83826	■ DEAE-Dextran 500 ex. Leuconostoc Sp.	1 Gms 5 Gms	9680 24890	85122	2,4-Diaminophenol Dihydrochloride (Amidol) extrapure, 98%	5 Gms 25 Gms	3850 9320
33434	■ DEAE-Dextran Hydrochloride 500 ex. Leuconostoc Sp.	5 Gms 25 Gms 100 Gms	4020 11760 29500	34124	✓ 2,6-Diaminopurine extrapure, 98%	1 Gms 5 Gms 25 Gms	800 3800 15500
62250	ⓘ FITC-Dextran 4000 ex. Leuconostoc Sp. (Fluorescein Isothiocyanate-Dextran)	100 Mg 250 Mg	6600 14300	13261	ⓘ o-Dianisidine Dihydrochloride extrapure, 98% (3,3-Dimethoxybenzidine Dihydrochloride)	1 Gms 5 Gms 25 Gms	850 2000 9500
36454	ⓘ FITC-Dextran 40000 ex. Leuconostoc Sp. (Fluorescein Isothiocyanate-Dextran)	100 Mg 250 Mg	7150 16500	94912	✓ 1,1-Dianthrime extrapure AR, 98% (Di(1-anthraquinoyl)amine) (1,1-Iminodianthraquinone) (for determination of Boron)	1 Gms 5 Gms	3080 13200
92901	ⓘ FITC-Dextran 70000 ex. Leuconostoc Sp. (Fluorescein Isothiocyanate-Dextran)	100 Mg 250 Mg	6600 14300	90405	■ Diaphorase ex. Clostridium Sp., 30U/mg	500 Units	5340
82221	ⓘ FITC-Dextran 2000000 ex. Leuconostoc Sp. (Fluorescein Isothiocyanate-Dextran)	100 Mg 250 Mg	6490 13200	23144	Dibenzylamine pure, 98%	100 ml 500 ml	860 4040
65163	● Dextran Phenyl 40 (30-50)	1 Gms 5 Gms	7310 23970				
76203	ⓘ Dextran Sulphate Sodium Salt 30-50(DSS 35-50) ex. Leuconostoc Sp.Colitis Grade for molecular biology	10 Gms 25 Gms 100 Gms	4850 11270 42420				

Code	Name	Packing	Price	Code	Name	Packing	Price
96661 [103-50-4]	Dibenzyl Ether pure, 97% (Benzyl Ether)	500 ml 2500 ml	910 3290	52039 ✓ [120-83-2]	2,4-Dichlorophenol pure, 98%	25 Gms 250 Gms	500 1500
88749 ✓ [106-37-6]	1,4-Dibromobenzene pure, 98%	500 Gms	2420	87188 [87-65-0]	2,6-Dichlorophenol extrapure, 99%	10 Gms 25 Gms 100 Gms	310 690 2350
43589 [110-52-1]	1,4-Dibromobutane pure, 98%	250 ml	2100	42180 [68716-47-2]	2,4-Dichlorophenylboronic Acid extrapure, 98%	1 Gms 5 Gms 25 Gms	1070 2970 10380
74600 ✓ [77-48-5]	1,3-Dibromo-5,5-Dimethylhydantoin (DBDMH) extrapure, 98% (Dibromantin)	500 Gms	1200	93611 [151169-75-4]	3,4-Dichlorophenylboronic Acid extrapure, 97%	1 Gms 5 Gms 25 Gms	1000 2500 8900
33384 [106-93-4]	1,2-Dibromoethane pure, 98% (Ethylene Dibromide)	250 ml 1000 ml	1430 4740	33017 ⚠ [101-38-2]	2,6-Dichloroquinone-4-Chlorimide (Gibbs Reagent) extrapure AR, 99% (N,2,6-Trichloro-p-Benzoquinoneimide)	5 Gms 25 Gms 100 Gms	1610 6530 21350
31575 [626-41-5]	3,5-Dibromophenol pure, 98%	1 Gms 5 Gms	3080 13950	38762 ✓ [2831-66-5]	2,4-Dichloro-1,3,5-Triazine pure, 98%	1 Gms 5 Gms	17650 58810
34890 [109-64-8]	1,3-Dibromopropane pure, 99% (Trimethylene Dibromide)	100 ml 500 ml	1130 4600	57262 [101-83-7]	Dicyclohexylamine pure, 99%	500 ml 2500 ml	830 3800
96763 ⚠ [24424-99-5]	Di-tert-Butyldicarbonate (BOC Anhydride, DIBOC) extrapure, 98%	25 Gms 100 Gms 500 Gms 5 Kg	350 700 2500 22000	79596 ⚠ [538-75-0]	N,N-Dicyclohexyl Carbodiimide (DCC) pure, 99%	100 Gms 500 Gms 5 Kg	550 2400 21000
69246 ⚠ [16980-89-5]	N6,2-O-Dibutryl-Adenosine-3,5-Cyclic-Monophosphate Sodium Salt, 97%	25 Mg 100 Mg	5600 13670	95525 ■ [4097-22-7]	2,3-Dideoxyadenosine (ddA) extrapure, 98%	5 Mg	2940
26414 ⚠ [1918-00-9]	DICAMBA extrapure, 95% (3,6-Dichloro-2-Methoxybenzoic Acid)	250 Mg 1 Gms	2800 11000	47248 ■ [7481-89-2]	2,3-Dideoxycytidine (ddC) extrapure, 98%	25 Mg	3150
62578 ⚠ [74124-79-1]	Di-(N-Succinimidyl) Carbonate extrapure, 95%	5 Gms 25 Gms 100 Gms	850 2800 7200	73273 ■ [69655-05-6]	2,3-Dideoxyinosine (ddI, ddIno) extrapure, 98%	25 Mg	5200
29154 [2234-16-4]	2,4-Dichloroacetophenone pure, 98%	100 Gms 500 Gms	700 2200	22328 ■ [3416-05-5]	2,3-Dideoxythymidine (3-Deoxythymidine, ddT) extrapure, 98%	25 Mg	6300
94453 [541-73-1]	1,3-Dichlorobenzene extrapure, 99% (m-Dichlorobenzene)	250 ml 1000 ml 2500 ml	700 2600 5800	17412 ■ [5983-09-5]	2,3-Dideoxyuridine (ddU) extrapure, 98%	25 Mg 100 Mg	8400 25200
91427 [50-45-3]	2,3-Dichlorobenzoic Acid pure, 98%	25 Gms 100 Gms	1200 4200	16312 [165534-43-0]	DEPBT (3-(Diethoxyphosphoryloxy)-1,2,3-benzotriazin-4(3H)-one) extrapure, 98%	5 Gms 25 Gms	3680 10240
62122 [50-84-0]	2,4-Dichlorobenzoic Acid extrapure, 98%	100 Gms 500 Gms	350 1600	86283 ✓ [120-21-8]	p-Diethylaminobenzaldehyde pure, 99%	100 Gms	2610
66481 [51-44-5]	3,4-Dichlorobenzoic Acid pure, 98%	25 Gms 100 Gms	2300 7000	19885 ⚠ [869-24-9]	2-Diethylaminoethyl Chloride Hydrochloride extrapure, 99% (2-Chlorotriethylamine Hydrochloride)	25 Gms 100 Gms 500 Gms	800 1600 6000
85048 ■ [4091-99-0]	2,7-Dichlorofluorescein Diacetate (DCFH) extrapure, 97% (DCFH-DA, 2,7-Dichlorodihydrofluorescein Diacetate)	25 Mg 100 Mg	2600 9500	33684 ⚠ [10369-83-2]	Diethyl Aminoethyl Hexanoate (DA-6) technical grade, 98%	5 Gms 25 Gms	2200 7710
86428 ⚠ [84-58-2]	2,3-Dichloro-5,6-Dicyano-1,4-Benzoquinone (DDQ) pure, 98%	25 Gms 100 Gms 500 Gms	1410 5030 24530	64699 ⚠ [67-43-6]	Diethylenetriaminepentaacetic Acid (DTPA) extrapure AR, 99% (Pentetic Acid)	100 Gms 500 Gms	490 1910
52979 ✓ [4885-02-3]	Dichloromethyl Methyl Ether pure, 97%	25 ml 100 ml	4160 15180	81346 ✓ [140-01-2]	Diethylenetriaminepentaacetic Acid Pentasodium Salt (DTPA) extrapure, 40% (Liquid)	500 ml 1000 ml	710 1370
88912 [89-61-2]	2,5-Dichloronitrobenzene pure, 99% (1,4-Dichloro-2-Nitrobenzene)	100 Gms 250 Gms	450 900	17598 [111-40-0]	Diethylenetriamine pure, 98%	500 ml 2500 ml	1120 5000
				46791 ⚠ [1609-47-8]	Diethyl Pyrocarbonate (DEPC) for molecular biology, 99%	5 ml 25 ml 100 ml	1200 2510 8880

Code	Name	Packing	Price	Code	Name	Packing	Price
84254 [91-67-8]	N,N-Diethyl-m-Toluidine pure, 98%	100 ml 500 ml	1010 3150	33878 [608-25-3]	2-Methylresorcinol pure, 98% (2,6-Dihydroxytoluene)	25 Gms 100 Gms 250 Gms	1300 3880 9520
99823 [367-25-9]	2,4-Difluoroaniline extrapure, 99%	25 Gms 100 Gms	1340 4790	16517 [14894-18-9]	DL-Dihydrozeatin (DHZ) pure, 98% (6-(4-Hydroxy-3-Methylbutylamino)Purine)	10 Mg 25 Mg	6530 10790
29553 [372-18-9]	1,3-Difluorobenzene (MDFB) extrapure, 99% (m-Difluorobenzene)	25 ml 100 ml 500 ml	1000 2110 9930	19022 [83-73-8]	5,7-Diiodo-8-Quinolinol (Diiodohydroxyquinoline, Iodoquinol) ExiPlus, 96.5% (5,7-Diiodo-8-Hydroxyquinoline)	25 Gms 100 Gms 500 Gms	2200 5800 22000
72081 [1583-58-0]	2,4-Difluorobenzoic Acid pure, 98%	5 Gms 25 Gms	2260 7710	43913 [693-13-0]	N,N-Diisopropyl Carbodiimide (DIPC) extrapure, 99%	25 Gms 100 Gms 500 Gms	1070 3920 18030
10670 [446-35-5]	2,4-Difluoronitrobenzene extrapure, 99%	25 Gms 100 Gms 500 Gms	1990 4730 21740	95423 [4064-06-6]	1,2,3,4-Di-O-Isopropylidene L-Arabinopyranoside extrapure	10 Gms	6910
90309 [144025-03-6]	2,4-Difluorophenylboronic Acid extrapure, 95%	5 Gms 10 Gms	5460 9490	94784 [4064-06-6]	1,2,3,4-Di-O-Isopropylidene a-D-Galactopyranoside extrapure, 98%	10 Gms	6910
53755 [11024-24-1]	Digitonin (Digitin) extrapure, 50%	100 Mg 1 Gms	3180 27220	10232 [304-55-2]	2,3-Dimercaptosuccinic Acid (DMSA, Succimer) extrapure, 98% (meso-2,3-Dimercaptosuccinic Acid)	1 Gms 5 Gms	1740 5740
48712 [20830-75-5]	Digoxin extrapure, 95%	50 Mg 250 Mg 1 Gms	1730 4030 7830	98526 [1072-71-5]	2,5-Dimercapto-1,3,4-Thiadiazole (Bismuthiol, DMTD) pure, 98% (1,3,4-Thiadiazole-2,5-Dithiol)	25 Gms 500 Gms	1440 8400
91374 [28230-32-2]	3,4-Dihydro-3-Hydroxy-4-Oxo-1,2,3-Benzotriazine (DHOBt, DHBT) extrapure, 98%	5 Gms 25 Gms	1890 6510	76620 [1201-38-3]	2,5-Dimethoxyacetophenone pure, 99%	100 Gms 500 Gms	7990 31110
86580 [110-87-2]	3,4-Dihydro-2H-pyran (3,4-DHP) pure, 97% (2,3-Dihydropyran)	25 ml 100 ml 500 ml	710 1640 6080	40824 [93-02-7]	2,5-Dimethoxybenzaldehyde (2,5-DMB) pure, 98%	25 Gms 100 Gms	1370 5250
65437 [89-84-9]	2,4-Dihydroxyacetophenone extrapure, 99% (Resacetophenone)	25 Gms 100 Gms	700 2220	24116 [613-45-6]	2,4-Dimethoxybenzaldehyde extrapure AR, 98%	25 Gms 100 Gms	2370 4470
41384 [490-78-8]	2,5-Dihydroxyacetophenone extrapure, 99% (2-Acetylhydroquinone, Quinacetophenone)	5 Gms 25 Gms	1250 5000	82410 [150-78-7]	1,4-Dimethoxybenzene pure, 99% (Hydroquinone Dimethyl Ether)	250 Gms	1870
58494 [699-83-2]	2,6-Dihydroxyacetophenone extrapure, 99% (2-Acetylresorcinol)	5 Gms 10 Gms 25 Gms 100 Gms	1420 2560 5610 19570	66053 [77-76-9]	2,2-Dimethoxypropane pure, 98%	500 ml 1000 ml 2500 ml	500 980 2400
15395 [89-86-1]	2,4-Dihydroxybenzoic Acid pure, 98% (β-Resocyclic Acid)	25 Gms 100 Gms 500 Gms	950 1870 7170	84774 [58-15-1]	4-Dimethylaminoantipyrine (Aminopyrine) extrapure, 99% (4-Dimethylamino-2,3-Dimethyl-1-Phenyl-3-Pyrazolin-5-one)	25 Gms 100 Gms	1680 6300
69911 [132-86-5]	1,3-Dihydroxynaphthalene (Naphthoresorcinol) extrapure AR, 99% (1,3-Naphthalenediol)	1 Gms 5 Gms 25 Gms	2500 10000 38000	42442 [536-17-4]	5-(4-Dimethylaminobenzylidene) Rhodanine pure, 98%	5 Gms 25 Gms	1950 8100
41110 [83-56-7]	1,5-Dihydroxynaphthalene pure, 98%	100 Gms 500 Gms	2520 9700	58451 [6203-18-5]	p-Dimethylamino-Cinnamaldehyde extrapure, 98%	5 Gms 25 Gms	2710 11550
65796 [575-38-2]	1,7-Dihydroxynaphthalene pure, 97% (1,7-Naphthalenediol)	5 Gms 25 Gms	5940 21350	58048 [108-01-0]	2-Dimethylaminoethanol extrapure, 98% (N,N-Dimethylethanolamine)	500 ml 2500 ml	580 2610
33580 [582-17-2]	2,7-Dihydroxynaphthalene pure, 98% (2,7-Naphthalenediol)	5 Gms 25 Gms 100 Gms	1300 2600 5740	18814 [4584-46-7]	2-Dimethylaminoethyl Chloride Hydrochloride pure, 98% (2-Chloro-N,N-Dimethylethylamine Hydrochloride)	100 Gms 500 Gms 1 Kg	420 1580 2940
63370 [116313-85-0]	3,4-Dihydroxy-5-Nitro Benzaldehyde pure, 98%	25 Gms 100 Gms	3730 9320	49235 [25952-53-8]	1-(3-Dimethylaminopropyl)-3-Ethyl Carbodiimide Hydrochloride (EDC.HCl, EDAC.HCl) extrapure, 99% (N-Ethyl-N'-(3-Dimethylaminopropyl) Ethylcarbodiimide Hydrochloride)	25 Gms 100 Gms 500 Gms	980 3300 12980

Code	Name	Packing	Price	Code	Name	Packing	Price
93088 [1122-58-3]	✓ 4-Dimethylaminopyridine (DMAP) extrapure, 98%	25 Gms 100 Gms 500 Gms	540 1410 4440	87464 [99-34-3]	3,5-Dinitrobenzoic Acid extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	100 Gms 500 Gms	840 3250
50593 [95-68-1]	2,4-Dimethylaniline pure, 98% (2,4-Xylidine)	250 ml 2500 ml	630 3780	56569 [14323-43-4]	Dinitrodiaminepalladium (II) extrapure, 45-50% Pd	250 Mg 1 Gms	3800 10000
33029 [87-62-7]	2,6-Dimethylaniline pure, 99% (2,6-Xylidine)	250 ml 1000 ml	850 3200	88639 [119-26-6]	2,4-Dinitrophenylhydrazine extrapure AR, 99%	25 Gms 100 Gms 500 Gms	230 740 3570
86330 [616-38-6]	Dimethyl Carbonate pure, 99%	500 ml 2500 ml	520 2520	85387 [119-26-6]	2,4-Dinitrophenylhydrazine extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	25 Gms 100 Gms	280 940
21800 [75-78-5]	Dimethyl Dichlorosilane (DMDCS) pure, 98% (Dichlorodimethylsilane)	500 ml 1000 ml	3750 7200	75477	2,4-Dinitrophenylhydrazine Reagent Solution (2,4-DNP Reagent)	100 ml	260
10192 [1643-20-5]	✓ N,N-Dimethyldodecylamine N-Oxide Solution (DDAO) pure, 30% (Lauryldimethylamine N-Oxide, LDAO)	100 ml 500 ml	3060 5760	10253 [609-99-4]	3,5-Dinitrosalicylic Acid pure, 98%	25 Gms 100 Gms	720 2620
58764 [1643-20-5]	✓ N,N-Dimethyldodecylamine N-Oxide (DDAO) extrapure, 95% (Lauryldimethylamine N-Oxide, LDAO)	5 Gms 25 Gms	9170 38170	38707 [609-99-4]	3,5-Dinitrosalicylic Acid extrapure AR, 99%	25 Gms 100 Gms	1380 5010
70976 [2491-06-7]	✓ N,N-Dimethyl Glycine Hydrochloride pure, 98%	10 Gms 50 Gms	2110 8180	13313 [609-99-4]	3,5-Dinitrosalicylic Acid Reagent Solution	100 ml	670
14157 [77-71-4]	5,5-Dimethylhydantoin (DMH) extrapure, 99% (4,4-Dimethyl-2,5-Dioximidazolidine, Fennosurf 300)	100 Gms 500 Gms	840 2730	41131 [512-04-9]	Diosgenine extrapure, 95% (25R)-5-Spirosten-3β-ol, 3β-Hydroxy-5-Spirostene)	1 Gms 5 Gms	1700 5000
83177 [108-59-8]	Dimethyl Malonate pure, 98%	250 ml 500 ml	540 930	37187 ● [102-04-5]	1,3-Diphenylacetone extrapure, 98%	25 Gms 100 Gms 500 Gms	2310 6300 26250
22247 [13138-48-2]	✓ 3,3-Dimethylnaphthidine extrapure AR, 98% (4,4'-Diamino-3,3'-dimethyl-1,1'-binaphthyl)	200 Mg 1 Gms	3680 10080	54164 ✓ [86-29-3]	Diphenylacetone nitrile pure, 98%	100 Gms	880
35047 [13290-96-5]	✓ Dimethyl 5-Nitroisophthalate pure, 99%	25 Gms 100 Gms	1360 2720	57719 ✓ [91-01-0]	Diphenylcarbinol pure, 99% (Benzhydrol)	100 Gms 500 Gms	430 1630
20923 [1123-49-5]	✓ 3,5-Dimethyl-4-Nitroisoxazole extrapure, 98%	5 Gms 25 Gms	2760 8820	23957 [101-84-8]	Diphenyl Ether pure, 98% (Diphenyl Oxide)	500 ml 1000 ml	730 1410
98950 [95-87-4]	✓ 2,5-Dimethyl Phenol pure, 98% (2,5-Xylenol)	100 Gms	1990	90574 ✓ [536-46-9]	N,N-Dimethyl-p-Phenylenediamine Dihydrochloride (DMPPDA.2HCl) pure, 98% (4-(Dimethylamino)aniline dihydrochloride, 4-Amino-N,N-dimethylaniline dihydrochloride, N,N-Dimethyl)	10 Gms 50 Gms	3800 16600
93287 [99-98-9]	✓ N,N-Dimethyl-p-Phenylenediamine (DMPPDA) pure, 98% (4-(Dimethylamino)Aniline, 4-Amino-N,N-Dimethylaniline, N,N-Dimethyl-1,4-Phenylenediamine, DMPD)	5 Gms 25 Gms 100 Gms	2500 4990 16370	66525 ⚠ [1720-32-7]	1,6-Diphenyl-1,3,5-Hexatriene (DPH) pure, 98% (Dicinnamyl, 1,6-Diphenylhexatriene)	1 Gms 5 Gms	5700 15420
67318 ✓ [120-61-6]	Dimethyl Terephthalate pure, 99%	500 Gms	680	34747 ✓ [57-41-0]	5,5-Diphenylhydantoin (Phenytain) pure, 98%	100 Gms	1500
91273 ✓ [518-67-2]	Dimidium Bromide extrapure, 98% (3,8-Diamino-5-Methyl-6-Phenylphenanthridinium Bromide, Trypadine)	100 Mg 500 Mg 1 Gms	380 1790 2930	78190 ✓ [530-47-2]	Diphenylhydrazine Hydrochloride, 97%	5 Gms 25 Gms	1650 4800
84846 ✓ [97-02-9]	2,4-Dinitroaniline pure, 98%	100 Gms 500 Gms	1130 4730	41855 ⚠ [101-81-5]	Diphenylmethane pure, 98%	100 Gms 500 Gms	730 2270
58586 [99-34-3]	3,5-Dinitrobenzoic Acid extrapure, 98%	100 Gms 500 Gms	560 2210	29128 ⚠ [1898-66-4]	2,2-Diphenyl-1-Picrylhydrazyl (DPPH) extrapure, 95%	250 Mg 1 Gms 5 Gms	3300 6500 24500
66764 [99-34-3]	3,5-Dinitrobenzoic Acid extrapure AR, 99%	100 Gms 500 Gms	720 3000	38201 ✓ [120-46-7]	1,3-Diphenyl-1,3-Propanedione (Dibenzoylmethane) extrapure, 98%	25 Gms 100 Gms	3000 6800

Code	Name	Packing	Price	Code	Name	Packing	Price
52196 ✓ [102-08-9]	Diphenyl Thiourea pure, 98%	100 Gms 500 Gms	820 2460	93089 ✓ [124-22-1]	Dodecylamine (Laurylamine) pure, 98%	100 Gms 500 Gms	350 1400
12781 [68399-80-4]	DIPSO Buffer extrapure, 99% (2,2-bis(2-Hydroxyethyl)-3-Amino-2-Hydroxypropane Sulphonic Acid)	25 Gms 100 Gms	5990 20000	85985 [219947-93-0]	1-Dodecyl-3-Methylimidazolium Hexafluorophosphate (DMIM.PF6, C12MIMPF6) extrapure, 98% (1-Lauryl-3-Methylimidazolium Hexafluorophosphate)	5 Gms 25 Gms	4440 16940
16722 [102783-62-0]	DIPSO Buffer Sodium Salt extrapure, 98%	10 Gms	7010	85755 ⚠ [69227-93-6]	n-Dodecyl-β-D-Maltopyranoside (DDM) extrapure, 99% (Dodecyl-Maltoside)	500 Mg 1 Gms 5 Gms	4730 9240 44100
93634 ✓ [119-91-5]	2,2-Biquinoline (2,2-Diquinoly, Cuproine) extrapure AR, 99% (2,2-Diquinoline)	1 Gms 5 Gms	1020 4630	24940 [1119-94-4]	Dodecyltrimethylammonium Bromide (DOTAB) pure, 99% (Lauryl Trimethylammonium Bromide)	25 Gms 100 Gms	740 1480
32363 ● [69-78-3]	5,5'-Dithiobis(2-Nitro Benzoic Acid) extrapure (DTNB), 98% (Ellmans Reagent)	1 Gms 5 Gms 10 Gms 25 Gms	1220 3600 6840 15530	42020 [112-00-5]	Dodecyltrimethylammonium Chloride (DOTAC) pure, 98% (Lauryl Trimethylammonium Chloride)	100 Gms 500 Gms	1630 6720
27956 ● [6892-68-8]	Dithioerythritol (DTE) extrapure, 99% (Clelands Other reagent)	1 Gms 5 Gms 25 Gms	950 4590 22050	77201 [59-92-7]	L-Dopa extrapure, 99% (L-Hydroxy Phenylalanine)	5 Gms 25 Gms	930 4210
53384 ● [6892-68-8]	Dithioerythritol (DTE) for molecular biology, 99% (Clelands Other reagent)	1 Gms 5 Gms	1270 6200	87943 [63-84-3]	DL-Dopa extrapure, 99% (DL-Dihydroxy Phenylalanine)	1 Gms 5 Gms 25 Gms	330 930 4210
48086 ● [79-40-3]	Dithiooxamide (Rubeanic Acid) extrapure AR, 99%	1 Gms 5 Gms 25 Gms	1190 4280 16600	45462 ⚠ [62-31-7]	Dopamine Hydrochloride (Dopamine HCl) extrapure, 98%	1 Gms 5 Gms 25 Gms	320 1050 3680
84834 ● [3483-12-3]	DL-Dithiothreitol (DTT) extrapure, 98% (Clelands Reagent)	1 Gms 5 Gms 25 Gms 100 Gms	580 2050 9660 37500	65094 ● [24390-14-5]	Doxycycline Hyclate (DXH), 800U/mg	1 Gms 5 Gms 10 Gms	2260 4390 6530
46220 ● [3483-12-3]	DL-Dithiothreitol (DTT) ExiPlus, Multi-Compendial, 98% meets compendial specs of BP	5 Gms	2260	78985 ✓ [7688-25-7]	DPPB (1,4-Bis(Diphenylphosphino)Butane) extrapure, 98% (1,4-Butanediylbis(Diphenylphosphine), Tetramethylenebis(Diphenylphosphine))	5 Gms 25 Gms	1780 7120
17315 ● [3483-12-3]	DL-Dithiothreitol (DTT) for molecular biology, 98% (Clelands Reagent)	1 Gms 5 Gms 25 Gms 100 Gms	690 2420 11340 43000	48237 ✓ [1663-45-2]	DPPE (1,2-Bis(Diphenylphosphino)Ethane) extrapure, 98% (Diphos, Ethylenebis(Diphenylphosphine))	5 Gms 25 Gms	960 4750
15248 ⚠ [60-10-6]	DL-Dithiothreitol 0.1M Solution (DTT 0.1M Solution)	10 ml 100 ml	840 2630	23660 ✓ [12150-46-8]	DPPF (1,1-Bis(Diphenylphosphino)Ferrocene) extrapure, 98% (1,1-Ferrocenediyl-bis(Diphenylphosphine))	1 Gms 5 Gms 25 Gms	960 3600 12270
16927 ⚠ [60-10-6]	DL-Dithiothreitol 1M Solution (DTT 1M Solution)	10 ml 50 ml	1260 3680	34103 ✓ [6737-42-4]	DPPE (1,3-Bis(Diphenylphosphino)Propane) extrapure, 98%	1 Gms 5 Gms 25 Gms	720 2140 9490
97980 [60-10-6]	Dithizone pure, 70% (Diphenyl Thiocarbazon, Dithiozone)	5 Gms	820	75470 ⚠ [608-66-2]	Dulcitol (D-Galactitol) extrapure, 99% (D-Galactitol)	25 Gms 100 Gms	1460 4990
89257 [60-10-6]	Dithizone extrapure AR, 85% (Diphenyl Thiocarbazon, Dithiozone)	5 Gms 25 Gms	900 3900	62813 ⚠ [16357-59-8]	EEDQ extrapure, 99% (N-Ethoxycarbonyl-2-Ethoxy-1,2-dihydroxyquinoline)	10 Gms 25 Gms 100 Gms	1430 2850 10680
46141 [60-10-6]	Dithizone extrapure AR, ACS, ExiPlus, Multi-Compendial, 85% (Diphenyl Thiocarbazon, Dithiozone) meets compendial specs of BP, Ph.Eur	5 Gms 25 Gms	1050 4200	17398	Ehrlich`s Aldehyde Reagent	100 ml	160
56266	Dithizone Reagent	100 ml	920	99640	Ehrlich`s Amino Sugar Reagent	100 ml	180
37237 [77-77-0]	Divinyl Sulfone (DVS) pure, 96% (Vinyl Sulfone)	5 ml 25 ml	2000 5780				
80704 [112-16-3]	Dodecanoyl Chloride pure, 99% (Lauroyl Chloride)	100 Gms 500 Gms	2260 8310				

Code	Name	Packing	Price	Code	Name	Packing	Price
81802 [112-79-8]	■ Elaidic Acid Reference Standard, 99%(GC) (trans-9-Octadecenoic Acid, trans-Oleic Acid)	1 Gms 5 Gms	7030 21630	96669 [105-39-5]	Ethyl Chloroacetate pure, 98%	500 ml 2500 ml	800 3000
11814 [39445-21-1]	■ Elastase (ELA, PPE) ex. Porcine Pancreas, 10U/mg Protein	10 Mg	7950	95953 [535-13-7]	Ethyl 2-Chloropropionate practical grade, 95%	100 ml	1260
19764 [155569-91-8]	Emamectin Benzoate extrapure, 90%	100 Mg 1 Gms	2520 6300	92052 [105-56-6]	Ethyl Cyanoacetate extrapure, 98%	500 ml 2500 ml	720 3300
73363 [518-82-1]	● Emodin extrapure, 95%	25 Mg 500 Mg	2200 8000	69674 [126213-50-1]	⚠ 3,4-Ethylenedioxythiophene (EDOT) pure, 98%	5 Gms 25 Gms	2800 6000
90310	Emulgen B-66 (Eumulgin B66) (Polyoxyethylene Alkyl Ether)	100 ml 500 ml	4090 15660	62858 [67-42-5]	⚠ Ethylene Glycol-O-O-bis-(2-Aminoethyl) N,N,N,N-Tetraacetic Acid (EGTA) extrapure, 98%	10 Gms 25 Gms	2850 5580
20790 [93106-60-6]	● Enrofloxacin (EFX), 98%	5 Gms	1950	78214 [149-57-5]	2-Ethylhexanoic Acid extrapure, 99%	250 ml 1000 ml	250 900
59508 [21087-74-1]	● Epiprogointr Potassium Salt Reference Standard Grade, 80% (S)-2-Hydroxy-3-Butenylglucosinolate Potassium Salt)	10 Mg	26310	32021 [104-76-7]	2-Ethyl-1-Hexanol pure, 99%	500 ml 2500 ml	300 1350
97857 [56390-09-1]	● Epirubicin Hydrochloride (EPR.HCl), 97%	10 Mg 25 Mg	5340 10680	69647 [124-03-8]	Ethylhexadecyldimethylammonium Bromide (EHDDMAB) extrapure, 98% (Cetyl dimethylethylammonium Bromide, Dimethylethylhexadecylammonium Bromide)	25 Gms 100 Gms 500 Gms	1420 4730 12600
49470 [16052-06-5]	EPPS Buffer extrapure, 99.5%	10 Gms 50 Gms 100 Gms	1860 5920 11720	71407 [103-11-7]	2-Ethylhexyl Acrylate extrapure, 99% (Acrylic acid 2-ethylhexyl Ester)	500 ml 2500 ml	590 2570
50062 [55750-63-5]	■ N-(epsilon-Maleimidocaproyloxy) Succinimide extrapure, 98% (EMCS)	10 Mg 50 Mg	5110 9340	30484 [88122-99-0]	Ethylhexyl Triazone extrapure, 98% (2,4,6-Triazinyl(p-Carbo-2-Ethylhexyl-1-oxy)-1,3,5-Triazine)	100 Mg 1 Gms 5 Gms	2000 6800 9500
41120 [10025-75-9]	Erbium (III) Chloride Hexahydrate ultrapure, 99.99%	5 Gms 25 Gms	3150 7880	91018 [13224-99-2]	✓ Ethylidene Glucose extrapure, 90%	1 Gms 5 Gms	4090 10520
54788 [13476-05-6]	Erbium (III) Nitrate Hexahydrate extrapure, 99.9%	5 Gms 25 Gms	3300 8250	10674 [75-03-6]	Ethyl Iodide extrapure, 99%	25 ml 100 ml 250 ml	2100 7600 18000
29831 [12061-16-4]	Erbium (III) Oxide ultrapure, 99.99%	5 Gms 25 Gms	3150 7880	78503 [128-53-0]	⚠ N-Ethylmaleimide extrapure, 99%	5 Gms 25 Gms 100 Gms	2000 9000 36000
12485 [139177-64-3]	Erbium (III) Trifluoromethanesulfonate extrapure, 98% (Erbium Triflate, Trifluoromethanesulfonic Acid Erbium Salt)	5 Gms 25 Gms	3570 11550	81176 [128-53-0]	⚠ N-Ethylmaleimide ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	5 Gms 25 Gms 100 Gms	2200 10000 40000
56488 [149-32-6]	✓ Erythritol extrapure, 99% (Erythrite, meso-Erythritol)	25 Gms 100 Gms 500 Gms	520 1520 4980	85108 [62-50-0]	✓ Ethyl Methanesulphonate (EMS) extrapure, 99%	10 Gms 100 Gms	710 6010
48535 [114-07-8]	⚠ Erythromycin for tissue culture	1 Gms 5 Gms	380 1640	27035 [62-50-0]	✓ Ethyl Methanesulphonate (EMS) for tissue culture, 99%	10 Gms	2150
51114 [66778-17-4, 531-75-9]	⚠ Esculin Sesquihydrate extrapure, 98% (Aesculin)	5 Gms 25 Gms	1290 5950	15371 [65039-09-0]	✓ 1-Ethyl-3-Methylimidazolium Chloride (EMIM Cl) extrapure, 98%	5 Gms 25 Gms 100 Gms	1200 4000 11500
77688 [1070-11-7]	✓ Ethambutol Dihydrochloride (ETB.2HCl), 98%	1 Gms 5 Gms	750 1990	10956 [342573-75-5]	✓ 1-Ethyl-3-Methylimidazolium Ethyl Sulfate (EMIM EtOSO3) extrapure, 99%	5 Gms 25 Gms	2120 6850
89737 [540-63-6]	1,2-Ethanedithiol extrapure, 98.5%	25 ml 100 ml 500 ml	3780 13650 67200	34543 [155371-19-0]	✓ 1-Ethyl-3-Methylimidazolium Hexafluorophosphate (EMIM PF6) extrapure, 97%	5 Gms 25 Gms 100 Gms	1870 8100 28510
16844 [31005-02-4]	✓ 7-Ethoxycoumarin extrapure, 98%	25 Mg 100 Mg	1780 4750				

Code	Name	Packing	Price	Code	Name	Packing	Price
96150 ✓ [80432-05-9]	1-Ethyl-3-Methylimidazolium Tetrachloroaluminate (EMIM AlCl₄) extrapure, 95%	5 Gms 25 Gms	3120 11090	33138	Exton's Reagent	100 ml	230
60887 ✓ [143314-16-3]	1-Ethyl-3-Methylimidazolium Tetrafluoroborate (EMIM BF₄) extrapure, 97%	5 Gms 25 Gms 100 Gms	4740 6110 23040	66977 ⚠ [14263-94-6]	Fast Blue B Salt (DBB) (o-Dianisidine bis(Diazotized) Zinc Double Salt, Azoic Diazo No. 48, Diazo Blue B)	25 Gms 100 Gms	870 3210
90329 ✓ [145022-44-2]	1-Ethyl-3-Methylimidazolium Trifluoromethanesulfonate (EMIM Otf), 98% (1-Ethyl-3-Methylimidazolium Triflate)	1 Gms 5 Gms 25 Gms	2990 8100 15570	94315 ⚠ [5486-84-0]	Fast Blue BB Salt Hemi Zinc Chloride Salt, 99% (4-Amino-2,5-Diethoxybenzanilide Diazotated Zinc Double Salt, 4-Benzoylamino-2,5-Diethoxybenzenediaz)	5 Gms 10 Gms 25 Gms	2410 4010 6010
49544 [104-90-5]	5-Ethyl-2-Methylpyridine pure, 97%	100 ml 250 ml	860 1520	62003 ⚠ [14726-29-5]	Fast Blue RR Salt (4-Benzoylamino-2,5-dimethoxybenzenediazonium chloride hemi(zinc chloride) salt, Azoic Diazo No. 24)	1 Gms 5 Gms	4560 21610
64770 ✓ [223436-99-5]	1-Ethyl-1-Methylpyrrolidinium Bis(trifluoromethylsulfonyl)imide (EMP TFSI) extrapure, 99%	1 Gms 5 Gms 25 Gms	2000 5200 18500	60339 [2353-45-9]	Fast Green FCF (Food Green 3), 85% (C.I. No. 42053)	5 Gms 25 Gms	400 1520
70945 ⚠ [111-62-6]	Ethyl Oleate pure	500 ml	650	79950 [89453-69-0]	Fast Red TR Salt Hemi Zinc Chloride Salt (4-Chloro-2-Methylbenzenediazonium Salt, Azoic Diazo No.11) (C.I. No. 37085)	100 Mg 500 Mg	2670 10680
24489 [90002-36-1]	2-Ethylphenylboronic Acid pure, 95% (2-Ethylbenzeneboronic Acid, o-Ethylphenylboronic Acid)	1 Gms 5 Gms	2210 9450	14977 ✓ [102-54-5]	Ferrocene extrapure, 98%	25 Gms 100 Gms 500 Gms	500 1500 6000
42676 ✓ [5308-25-8]	1-Ethylpiperazine pure, 99% (N-Ethylpiperazine)	50 Gms 250 Gms	1200 2500	38082 ✓ [69898-45-9]	Ferrozine Monosodium extrapure, 97% (5,6-Diphenyl-3-(2-pyridyl)-1,2,4-triazine-4,4'-disulfonic acid sodium salt, PDT disulfonate)	1 Gms 5 Gms 25 Gms	2110 9350 44390
72424 [80-40-0]	Ethyl p-Toluenesulfonate pure, 98% (Ethyl Tosylate, p-Toluenesulfonic Acid Ethyl Ester)	25 ml 500 ml	770 6470	60096 ⚠ [1135-24-6]	Ferulic Acid pure, 98% (4-Hydroxy-3-Methoxycinnamic Acid)	5 Gms 25 Gms 100 Gms	830 2410 8510
59863 [89797-68-2]	5-(Ethylthio)-1H-Tetrazole(ETT Activator) extrapure, 99%	1 Gms 5 Gms	2110 4440	45460 ● [26873-85-8]	Ficoll 400® for molecular biology (Polysucrose 400)	5 Gms 25 Gms 100 Gms	2080 9490 35570
65770 [1530-32-1]	Ethyltriphenylphosphonium Bromide pure, 97%	25 Gms 100 Gms	480 1200	87939 ● [146-14-5]	Flavine Adenine Dinucleotide Sodium Salt (FAD) extrapure, 95%	25 Mg 100 Mg 250 Mg 500 Mg	2140 6880 11860 21350
57056 [121-32-4]	Ethyl Vanillin extrapure, 98%	100 Gms 500 Gms	1220 5850	69510 [525-82-6]	Flavone extrapure	1 Gms 5 Gms 25 Gms	750 2970 13050
24820 ✓ [109-92-2]	Ethyl Vinyl Ether pure, 98%	100 ml 500 ml	710 1750	89465 [1343-88-0]	Florisil 60-100 mesh for chromatography	100 Gms 250 Gms 1 Kg	2500 5000 19000
93050 [8000-48-4]	Eucalyptus Oil extrapure, 60%	250 ml	2220	22239 [86386-73-4]	Fluconazole (FLC), 98%	1 Gms 5 Gms	800 2500
69553 ⚠ [97-53-0]	Eugenol extrapure, 99% (2-Methoxy-4-(2-Propenyl)phenol, 4-Allyl-2-Methoxyphenol, 4-Allylguaiacol)	100 ml 500 ml	1370 5150	54083 ● [28920-43-6]	9-Fluorenylmethyl Chloroformate (Fmoc Chloride, Fmoc-Cl) extrapure, 99%	5 Gms 25 Gms 100 Gms	450 1800 6500
98345 [13759-92-7]	Europium (III) Chloride Hexahydrate ultrapure, 99.99%	1 Gms 5 Gms 25 Gms	2310 6200 17850	29175 ● [24324-17-2]	9-Fluorenylmethanol (Fmoc-OH) extrapure, 98% (9-Fluorenylmethanol, 9-(Hydroxymethyl)fluorene)	25 Gms 100 Gms	3990 14510
97625 [10031-53-5]	Europium (III) Nitrate Hexahydrate ultrapure, 99.99%	5 Gms 25 Gms	6490 18700				
44088 [1308-96-9]	Europium (III) Oxide extrapure, 99.9%	1 Gms 5 Gms	1470 5250				
91883 [52093-25-1]	Europium (III) Trifluoromethanesulfonate extrapure, 98% (Europium Triflate, Trifluoromethanesulfonic Acid Europium Salt)	1 Gms 5 Gms	2000 5040				
46650 [314-13-6]	Evans Blue	10 Gms 25 Gms	1690 4000				

Code	Name	Packing	Price	Code	Name	Packing	Price
46068	● Fluorescamine extrapure AR, 99% [38183-12-9]	25 Mg 100 Mg 500 Mg 1 Gms	1680 4310 9450 13920	81015	↓ 5-Fluoro-2-Deoxyuridine extrapure, 98% [50-91-9]	25 Mg 100 Mg 1 Gms	1680 5260 32440
85445	● Fluorescamine extrapure AR, ExiPlus, Multi-Compendial, 99% [38183-12-9] meets compendial specs of USP, BP, Ph.Eur	25 Mg 100 Mg 500 Mg	1890 4620 10770	67782	1-Fluoro-2,4-Dinitrobenzene (FDNB) extrapure AR, 99% [70-34-8]	25 ml 100 ml 250 ml	1650 5220 12470
50389	Fluorescein Free Acid (C.I. No. 45350:1), 96% [2321-07-5] (Solvent Yellow 94)	25 Gms 100 Gms	270 900	42199	1-Fluoro-2,4-Dinitrobenzene (FDNB) for HPLC, 99% [70-34-8] (Sanger Reagent)	5 ml	8000
73698	● Fluorescein Isothiocyanate Isomer I (FITC) extrapure, 95% [3326-32-7]	25 Mg 100 Mg 250 Mg 1 Gms	2310 3500 8200 21500	68632	5-Fluoro-2-Methoxyphenyl Boronic Acid extrapure, 95% [179897-94-0]	5 Gms 10 Gms	7330 12830
55091	Fluorescein Sodium Salt (C.I. No. 45350) [518-47-8] (Acid Yellow 73)	25 Gms 100 Gms	320 1020	78447	1-Fluoro-4-Nitrobenzene extrapure, 99% [350-46-9]	100 Gms 500 Gms	1960 6920
92458	4-Fluoroacetophenone pure, 98% [403-42-9]	25 Gms 100 Gms	1430 5420	27492	↓ 2-Fluoro-3-Nitrotoluene extrapure, 98% [3013-27-2] (3-Fluoro-2-nitrotoluene)	1 Gms	4000
57482	2-Fluoroaniline pure, 98% [348-54-9]	100 ml 500 ml	2000 9200	78510	■ 5-Fluoroorotic Acid (5-FOA) for molecular biology, 98% [703-95-7]	250 Mg 1 Gms	3970 13050
61820	3-Fluoroaniline pure, 98% [372-19-0]	25 ml 100 ml	3000 11500	50958	■ 5-Fluoroorotic Acid Hydrate (5-FOA Hydrate) for molecular biology, 98% [207291-81-4]	250 Mg 1 Gms	4200 13610
62395	4-Fluoroaniline pure, 98% [371-40-4]	100 ml 500 ml	1800 8400	11933	■ 5-Fluoroorotic Acid Monohydrate (5-FOA Monohydrate) for molecular biology, 98% [220141-70-8]	250 Mg 1 Gms	4090 13390
55482	2-Fluoroanisole pure, 98% [321-28-8]	25 ml 100 ml	3150 9980	66079	2-Fluorophenol pure, 98% [367-12-4]	10 ml 100 ml	1730 8910
45810	3-Fluoroanisole pure, 98% [456-49-5]	25 Gms 100 Gms	2630 9450	47982	3-Fluorophenol pure, 98% [372-20-3]	10 ml 50 ml	3410 11550
51009	4-Fluoroanisole extrapure, 99% [459-60-9]	25 Gms 100 Gms	1200 4500	41593	4-Fluorophenol pure, 98% [371-41-5]	100 Gms 500 Gms	3410 12980
90335	4-Fluorobenzaldehyde pure, 98% [459-57-4]	100 ml 500 ml	3500 14000	10573	4-Fluorophenylacetic Acid pure, 98% [405-50-5]	5 Gms 25 Gms 100 Gms	960 2820 8660
88879	Fluorobenzene pure, 99% [462-06-6]	100 ml 500 ml 1000 ml	1000 4000 7600	86567	↓ o-Fluoro-DL-Phenylalanine extrapure, 99% [2629-55-2]	1 Gms	7420
68427	4-Fluorobenzoic Acid pure, 98% [456-22-4]	25 Gms 100 Gms	840 2310	53933	↓ m-Fluoro-DL-Phenylalanine extrapure, 98% [2629-54-1]	500 Mg	4410
94304	4-Fluorobenzonitrile pure, 98% [1194-02-1]	25 ml 100 ml	2430 8450	96044	↓ p-Fluoro-DL-Phenylalanine extrapure, 99% [51-65-0]	1 Gms	7420
13212	4-Fluorobenzylamine extrapure, 99% [140-75-0]	5 Gms 25 Gms	840 2210	11280	2-Fluorophenylboronic Acid extrapure, 97% [1993-03-9]	1 Gms 5 Gms 25 Gms	980 1990 8710
11821	↓ 5-Fluorocytidine (5-FCytd) extrapure, 99% [2341-22-2]	1 Gms	4200	54271	3-Fluorophenylboronic Acid extrapure, 98% [768-35-4]	1 Gms 5 Gms 25 Gms	790 1720 7330
24245	↓ 5-Fluorocytosine (5-FCtys) extrapure, 98% [2022-85-7] (5-FA, 4-Amino-5-Fluoro-2-Hydroxypyrimidine)	1 Gms 5 Gms	2100 6830	68733	4-Fluorophenylboronic Acid extrapure, 98% [1765-93-1]	1 Gms 5 Gms 25 Gms 100 Gms	740 1720 6110 21990
				37042	4-Fluorotoluene pure, 99% [352-32-9]	100 ml	2850
				21015	4-Fluoro-3-Nitrotoluene extrapure, 98% [446-11-7]	5 Gms 25 Gms	2000 7000

Code	Name	Packing	Price	Code	Name	Packing	Price
15088	5-Fluorouracil (5-FU) extrapure, 99%	1 Gms 5 Gms 25 Gms	530 1680 5670	86254	FMOC-L-Glutamic Acid extrapure, 99%	10 Gms 25 Gms	4990 9840
28329	5-Fluorouridine (5-FUrd) extrapure, 98%	1 Gms 5 Gms	4200 9980	68902	FMOC -L-Glutamic Acid g-Benzyl Ester extrapure, 98%	10 Gms 25 Gms	11540 20190
53061	FMOC-L-Amino Acids Kit	1 Kit	27080	90673	FMOC-L-Glutamic Acid 5-Tert-Butyl Ester (FMOC-Glu(OtBu)-OH) extrapure, 99%	10 Gms 25 Gms 100 Gms	4740 11830 22410
97306	FMOC-S-Acetamido Methyl-L-Cysteine (Fmoc-Cys(Acm)-OH) extrapure, 98%	5 Gms 25 Gms	2810 11100	21323	FMOC-D-Glutamic Acid 5-Tert-Butyl Ester (FMOC-D-Glu(OtBu)-OH) extrapure, 99%	5 Gms 25 Gms	6850 23530
77535	FMOC-D-Alanine extrapure, 99%	1 Gms 5 Gms 25 Gms	640 2470 10250	59874	FMOC-D-Glutamine extrapure, 99%	500 Mg 2.5 Gms 25 Gms	630 2520 22360
33213	FMOC-L-Alanine extrapure, 99%	5 Gms 25 Gms 100 Gms	520 2300 8450	27631	FMOC-L-Glutamine extrapure, 99%	5 Gms 25 Gms 100 Gms	520 2300 8450
81433	FMOC-2-Aminobutric Acid extrapure, 99%	1 Gms 5 Gms	3650 16610	21282	Na-FMOC-No-Trityl-L-Glutamine (FMOC-Gln(TRT)-OH) extrapure, 98%	5 Gms 100 Gms	3510 22200
66725	FMOC-D-Arginine extrapure, 99%	1 Gms 5 Gms 25 Gms	2180 9670 43500	18680	FMOC-Glycine extrapure, 99%	5 Gms 25 Gms	840 2730
88459	FMOC-L-Arginine extrapure, 98%	1 Gms 5 Gms 25 Gms 100 Gms	430 1470 6180 22200	17849	FMOC-L-Histidine extrapure, 98%	5 Gms	3860
23508	FMOC-D-Asparagine extrapure, 99%	1 Gms 5 Gms 25 Gms	720 3000 12500	90688	FMOC-D-Isoleucine extrapure, 99%	500 Mg	17160
66815	FMOC-L-Asparagine extrapure, 99%	5 Gms 25 Gms 100 Gms	520 2300 8450	22834	FMOC-L-Isoleucine extrapure, 99%	5 Gms 25 Gms 100 Gms	630 2610 9200
49323	FMOC-N-Trityl-L-Asparagine (FMOC-Asn(Trt)-OH) extrapure, 99%	5 Gms 100 Gms	3510 22200	16515	FMOC-D-Leucine extrapure, 99%	1 Gms 5 Gms 25 Gms	630 2520 10490
30074	FMOC-L-Aspartic Acid extrapure, 99%	1 Gms 5 Gms	6850 12330	99284	FMOC-L-Leucine extrapure, 99%	25 Gms 100 Gms	2300 6490
59022	FMOC-L-Aspartic Acid-4- Benzyl Ester extrapure, 98%	10 Gms 25 Gms	11410 19950	20340	Na-FMOC-Ne-BOC-L-Lysine (FMOC-Lys(BOC)-OH) extrapure, 98%	10 Gms 25 Gms 100 Gms	3100 7350 13130
24407	FMOC-S-Benzyl-L-Cysteine extrapure, 98%	10 Gms 25 Gms	12150 21260	67377	FMOC-N-e-Z-L-Lysine extrapure, 98%	10 Gms 25 Gms	14260 24240
52208	FMOC-O-Benzyl-L-Serine extrapure, 98%	10 Gms 25 Gms	27830 48690	77712	FMOC-L-Lysine extrapure, 99%	1 Gms 5 Gms	1410 5380
31407	FMOC-O-Benzyl-L-Tyrosine extrapure, 98%	10 Gms 25 Gms	11410 19970	23694	FMOC-D-Methionine extrapure, 99%	1 Gms 5 Gms 25 Gms	1040 4330 18030
22303	FMOC-D-Citrulline extrapure, 99%	100 Mg 1 Gms	3060 4550	50606	FMOC-L-Methionine extrapure, 99%	5 Gms 25 Gms 100 Gms	520 2300 8450
61458	FMOC-L-Citrulline extrapure, 99%	1 Gms 5 Gms	1790 6300	61215	N-a-Fmoc-N-e-4-Methyltrityl-L-Lysine (FMOC-Lys(MTT)-OH) extrapure, 98%	1 Gms 5 Gms	3680 13230
65668	FMOC-L-Cysteine extrapure, 95%	25 Mg 100 Mg	4490 14940	95562	FMOC-D-Norleucine extrapure, 99%	1 Gms 5 Gms	3810 17330

Code	Name	Packing	Price	Code	Name	Packing	Price
35941	● Fmoc-L-Norleucine extrapure, 99% [77284-32-3]	1 Gms 5 Gms	2700 12260	54034	● Fmoc-D-Tyrosine extrapure, 99% [112883-29-1]	1 Gms 5 Gms 25 Gms	1040 4330 18030
73648	● Fmoc-D-Norvaline extrapure, 99% [144701-24-6]	1 Gms 5 Gms	3810 17330	79199	● Fmoc-L-Tyrosine extrapure, 99% [92954-90-0]	5 Gms 25 Gms 100 Gms	1430 6000 21160
31631	● Fmoc-L-Norvaline extrapure, 99% [135112-28-6]	1 Gms 5 Gms	3020 13730	22292	● Fmoc-O-Tert-Butyl-L-Tyrosine (Fmoc-Tyr(tBu)-OH) extrapure, 98%	5 Gms 100 Gms	2110 19860
24626	● Fmoc-4-Nitro-L-Phenylalanine extrapure (Fmoc-L-Phe(4NO2) -OH), 98%	10 Gms 25 Gms	8550 14950	15917	● Fmoc-D-Valine extrapure, 99% [84624-17-9]	1 Gms 5 Gms 25 Gms	1360 5620 23410
47450	● Fmoc-D-Phenylalanine extrapure, 99%	1 Gms 5 Gms 25 Gms 100 Gms	630 2560 8950 32200	47834	● Fmoc-L-Valine extrapure, 99% [68858-20-8]	5 Gms 25 Gms 100 Gms	410 1870 7010
39061	● Fmoc-L-Phenylalanine extrapure, 99%	5 Gms 25 Gms	600 2000	79235	● Fmoc-OSu extrapure AR, 99% [82911-69-1]	5 Gms 25 Gms 100 Gms 500 Gms	650 2400 7250 33000
54836	● Fmoc-D-Phenylglycine extrapure, 98%	10 Gms 25 Gms	7470 13070	33866	✓ Folicisteine (ATCA, NATCA) technical grade, 99% [5025-82-1/54 323-50-1]	100 Mg 1 Gms 5 Gms	1050 5250 12600
33014	● Fmoc-L-Phenylglycine extrapure, 98%	10 Gms 25 Gms	1800 3000	43164	✓ Folic Acid pure, 98% [59-30-3]	25 Gms 100 Gms	500 1800
53412	● Fmoc-D-Proline extrapure, 99% [101555-62-8]	5 Gms	4330	24791	✓ Folic Acid ExiPlus, Multi-Compdial, 98% meets compendial specs of BP	10 Gms 25 Gms	320 650
12047	● Fmoc-L-Proline extrapure, 99% [71989-31-6]	5 Gms 25 Gms 100 Gms	630 2610 9200	17989	✓ Folic Acid for tissue culture, 98% [59-30-3]	5 Gms 25 Gms 100 Gms	400 900 3200
53534	● Fmoc-D-Serine extrapure, 99% [116861-26-8]	500 Mg 2.5 Gms 25 Gms	2330 9660 40230	39520	Folin & Ciocalteus Phenol (FCP) Reagent AR	100 ml 250 ml 500 ml	420 920 1700
18126	● Fmoc-L-Serine extrapure, 99% [73724-45-5]	1 Gms 5 Gms	1490 3230	64684	Folin's Uric Acid Reagent	250 ml	590
13334	● Fmoc-O-Tert-Butyl-L-Serine (Fmoc-Ser(tBu)-OH) extrapure, 99%	10 Gms 100 Gms	3510 22200	49244	✓ Forchlorfenuron (KT-30, CPPU, N- (2-Chloro-4-pyridyl)-N-phenylurea) extrapure, 99% [68157-60-8]	1 Gms 5 Gms	3040 7360
56859	● Fmoc-D-Threonine extrapure, 98% [157355-81-2]	1 Gms 5 Gms	3500 13000	53870	4-Formylphenylboronic Acid extrapure, 95% [87199-17-5]	5 Gms 25 Gms	2080 8640
64712	● Fmoc-L-Threonine extrapure, 99% [73731-37-0]	5 Gms 25 Gms 100 Gms	960 4030 14390	85925	Fouchet's Reagent	100 ml	180
36877	● Na-Fmoc-N(im)-Trityl-L-Histidine (Fmoc-His(Trt)-OH) extrapure, 99% [109425-51-6]	10 Gms 100 Gms	3510 22200	54704	● D-Fructose-1,6-Diphosphate Octahydrate Trisodium Salt extrapure, 99% [81028-91-3]	250 Mg 1 Gms	480 1250
38217	● Fmoc-O-Tert-Butyl-D-Threonine (Fmoc-D-Thr(tBu)-OH) extrapure, 98%	1 Gms 5 Gms	4680 11450	25760	● D-Fructose-6-Phosphate Disodium Salt extrapure, 95% [26177-86-6]	100 Mg 500 Mg	3170 9490
42366	● Fmoc-D-Tryptophan extrapure, 99% [86123-11-7]	5 Gms 25 Gms	5780 14700	73212	⚗ L-Fucose extrapure, 99% (L-Fuc, 6-Deoxy-L-Galactose) [2438-80-4]	500 Mg 1 Gms 5 Gms	1520 2460 9930
70309	● Fmoc-L-Tryptophan extrapure, 99% [35737-15-6]	5 Gms 25 Gms	1000 2630	76007	⚗ D-(+)-Fucose extrapure (6-Deoxy-L-Galactose, Rhodoseose) [3615-37-0]	500 Mg 1 Gms	7200 14500
96532	● Na-Fmoc-N(in)-BOC-D-Tryptophan (Fmoc-D-Trp(BOC)-OH) extrapure, 98% [163619-04-3]	1 Gms 5 Gms	4090 15770				

Code	Name	Packing	Price	Code	Name	Packing	Price
86133 [98-01-1]	Furfural extrapure AR, ACS, 99%	500 ml	1130	83055 ■ [1953-04-4]	Galantamine Hydrobromide extrapure, 98%	250 Mg	9000
11049 [617-89-0]	Furfurylamine pure, 98%	500 ml 2500 ml	1480 5780	14101 [69365-72-6]	Gallium (III) Nitrate Hydrate extrapure, 99.9%	5 Gms 25 Gms	3860 14690
18641 [54-31-9]	Furosemide (Frusemide), 98.5%	5 Gms 25 Gms	3560 9930	23813 ⚠ [30562-34-6]	Geldanamycin (GLD), 98%	5 Mg	65210
81309 ✓ [88-14-2]	2-Furoic Acid pure, 98% (Furan-2-Carboxylic Acid)	100 Gms 500 Gms	1000 4510	72394 [71010-52-1]	Gelrite Gellan Gum	100 Gms 250 Gms 500 Gms 1 Kg 5 Kg	2010 4720 8660 14550 67870
81294 ✓ [488-93-7]	3-Furoic Acid pure, 98% (Furan-3-Carboxylic Acid)	5 Gms 25 Gms	3330 14230	53409 ⚠ [6902-77-8]	Genipin extrapure, 98%	25 Mg 100 Mg	3510 11100
99124 ✓ [527-69-5]	2-Furoyl Chloride pure, 98% (Furan-2-Carbonyl Chloride)	20 ml 100 ml	1900 6650	37636 ⚠ [1405-41-0]	Gentamicin Sulphate (GM)	1 Gms 5 Gms 25 Gms	410 1640 6080
90068 ✓ [26214-65-3]	3-Furoyl Chloride pure, 97% (Furan-3-Carbonyl Chloride)	1 Gms 5 Gms	5820 18500	50827 ⚠ [1405-41-0]	Gentamicin Sulphate (GM) for tissue culture	1 Gms 5 Gms 25 Gms	960 2400 7890
79108 ✓ [539-47-9]	Furylacrylic Acid pure, 99% (3-(2-Furyl)acrylic Acid, Furan-2-Acrylic Acid, Furfurylideneacetic Acid)	25 Gms	2020	95677 ⚠ [554-91-6]	β-D-Gentiobiose extrapure, 95% (Amygdalose)	100 Mg 500 Mg	2800 9000
58327 ⚠ [108321-42-2]	G-418 Sulphate (Geneticin) extrapure	100 Mg 1 Gms 5 Gms	1260 6300 29400	32614 [1310-53-8]	Germanium Dioxide electronic grade ultrapure, 99.999%	10 Gms 25 Gms 100 Gms	7120 16800 46830
87858 ⚠ [108321-42-2]	G-418 Sulphate (Geneticin) for tissue culture	100 Mg 1 Gms 5 Gms	2220 8060 36510	56397 ✓ [4562-36-1]	Gitoxin extrapure, 98%	5 Mg	308230
45734	Gaby-Hadley Reagent A	100 ml	300	38490 ⚠ [5996-06-5]	Glaucine Hydrobromide, 97%	10 Gms	9350
94536	Gaby-Hadley Reagent B	100 ml	430	76052 ■ [9074-98-0]	β-Glucanase ex. Aspergillus Niger, 10U/mg powder	5 Gms 25 Gms	900 4000
45781 [13450-84-5]	Gadolinium (III) Chloride Hexahydrate ultrapure, 99.99%	5 Gms 25 Gms	2500 5000	40193 ● [21087-78-5]	Glucobarbarin Potassium Salt Reference Standard Grade, 90%	10 Mg	47250
10438 [19598-90-4]	Gadolinium (III) Nitrate Hexahydrate ultrapure, 99.99%	5 Gms 25 Gms	2600 5300	63878 ● [15592-36-6]	Glucocheirolin Potassium Salt Reference Standard Grade, 95% (3-Methylsulfonylpropyl Glucosinolate Potassium Salt)	10 Mg	57750
31353 [12064-62-9]	Gadolinium (III) Oxide extrapure, 99.9%	5 Gms 25 Gms 100 Gms	920 3360 11900	61404 ● [15592-37-7]	Glucocerucin Potassium Salt Reference Standard Grade, 95% (4-Methylthiobutyl Glucosinolate Potassium Salt)	10 Mg	58800
52480 [52093-29-5]	Gadolinium (III) Trifluoromethanesulfonate extrapure, 98% (Gadolinium(III) Triflate, Trifluoromethanesulfonic Acid Gadolinium(III) Salt)	1 Gms 5 Gms	1890 4200	97968 ✓ [60046-25-5]	D-Glucoheptonic Acid-1,4-Lactone pure, 98% (D-Glycero-D-Gulo-Heptono-1,4-Lacto ne, D-Gluco-Heptono-Gamma-Lactone)	5 Gms 10 Gms	7600 14610
14725 [1772-03-8]	D-Galactosamine Hydrochloride extrapure, 98%	250 Mg 1 Gms 5 Gms	580 1400 4200	20378 ● [15592-34-4]	Glucioiberin Potassium Salt Reference Standard, 85% (3-Methylsulfinylpropyl Glucosinolate Potassium Salt)	10 Mg	35700
88176 [59-23-4]	D-Galactose extrapure	25 Gms 100 Gms 500 Gms	500 1500 6200	84553 ● [245550-57-6]	Gluconapin Potassium Salt Reference Standard, 90% (3-Butenyl Glucosinolate Potassium Salt)	10 Mg	35700
27146 ■ [9031-11-2]	B-Galactosidase (BGAL) ex. E. Coli, 500U/mg solids (Lactase, B-D-Galactoside Galactohydrolase)	5 K.Units	38550	27429 ● [18425-76-8]	Gluconasturtiin Potassium Salt Reference Standard, 95% (2-Phenylethyl Glucosinolate Potassium Salt)	10 Mg	44100
20096 [4163-60-4]	β-D-Galactose Pentaacetate extrapure, 99%	25 Gms	8000				

Code	Name	Packing	Price	Code	Name	Packing	Price
45063 [1198-69-2]	D-Glucono-1,4-Lactone pure, 85%	50 Mg	7140	13275 [9001-22-3]	B-Glucosidase ex. Sweet Almonds (Type 2A), 10U/mg solids (Gentiobiase, Cellobiase)	250 Units	3740
57400 [52153-09-0]	L-Glucono-1,5-Lactone pure, 85% (3,4,5-Trihydroxy-6-(Hydroxymethyl)Tetrahydro-2H-Pyran-2-one, L-Gluconolactone)	25 Mg	6510	41369 [9001-22-3]	B-Glucosidase ex. Sweet Almonds (Type 2B), 10U/mg solids (Gentiobiase, Cellobiase)	100 Mg	13790
55195 [90-80-2]	D-Glucono-1,5-Lactone extrapure, 99% (D-(+)-Gluconic Acid d-Lactone, D-Gluconolactone, Glucono-Delta-Lactone)	100 Gms 500 Gms	1580 2420	70077 [5115-71-9]	Glucotropaeolin Potassium Salt Reference Standard Grade, 95%	10 Mg	18000
74587 [21414-41-5]	Glucoraphanin Potassium Salt Reference Standard Grade, 90% (4-Methylsulfinylbutyl Glucosinolate Potassium Salt)	10 Mg	33600	88229 [6556-12-3]	D-Glucuronic Acid extrapure, 98%	1 Gms 5 Gms 25 Gms	950 3500 12000
15546 [108844-81-1]	Glucoraphenin Potassium Salt Reference Standard Grade, 95% (4-Methylsulfinyl 3-Butenylglucosinolate Potassium Salt)	10 Mg	36750	74117 [9029-12-3]	Glutamate Dehydrogenase (L-GLDH) ex. Bovine Liver, 10U/mg	100 Mg	8180
73360 [32449-92-6]	D-Gluconono-3,6-Lactone extrapure, 99%	25 Gms 100 Gms 500 Gms	2310 3460 10290	61126 [6893-26-1]	D-Glutamic Acid extrapure CHR, 99%	1 Gms 5 Gms	630 1680
28453 [9032-08-0]	Glucoamylase ex. Rhizopus Sp., 30U/mg	1000 Units	7050	20655 [72669-53-5]	g-L-Glutamic Acid 7-Amido-4-Methylcoumarin extrapure, 98% (γ-L-Glutamic Acid-AMC)	10 Mg 25 Mg 100 Mg	6810 13230 37790
45648 [66-84-2]	Glucosamine Hydrochloride extrapure, 99%	25 Gms 100 Gms 500 Gms	750 1650 6850	76228 [1676-73-9]	L-Glutamic Acid Benzyl Ester extrapure, 99%	5 Gms 25 Gms	2080 9340
14810 [9028-53-9]	Glucose Dehydrogenase ex. Microorganism, 250U/mg	5 K.Units	15500	98087 [9000-97-9]	Glutamic Oxaloacetic Transaminase (GOT) ex. Porcine Heart, 180U/mg Solids	1 K.Units	14020
61788 [9001-37-0]	Glucose Oxidase (GOD) ex. Aspergillus Niger, 100U/mg solids	10 K.Units 25 K.Units	2170 4870	17632 [5959-95-5]	D-Glutamine extrapure, 99%	1 Gms 5 Gms	3000 5500
12419 [604-68-2]	α-D-Glucose Pentaacetate extrapure, 99%	25 Gms	1260	12381 [56-85-9]	L-Glutamine extrapure CHR, 99%	100 Gms 500 Gms 1 Kg	800 3200 6000
65776 [604-69-3]	β-D-Glucose Pentaacetate extrapure, 99%	25 Gms 100 Gms	1080 3570	31498 [67953-08-6]	L-r-Glutamyl-p-Nitroanilide Hydrochloride extrapure, 99%	500 Mg 1 Gms	2740 4600
23208 [6736-77-2 (anhy)]	D-Glucose-1-Phosphate Dipotassium Salt Hydrate (G1P.K2 Hydrate) extrapure, 98% (Cori Ester Dipotassium Salt Hydrate)	1 Gms 5 Gms	1470 6830	37394 [110-94-1]	Glutaric Acid pure, 99%	100 Gms 500 Gms	960 4390
62591 [150399-99-8]	D-Glucose-1-Phosphate Disodium Salt Tetrahydrate (G1P.Na2 Tetrahydrate) extrapure, 98% (Cori Ester Disodium Salt Tetrahydrate)	1 Gms 5 Gms 25 Gms	580 2100 9720	87175 [108-55-4]	Glutaric Anhydride pure, 98%	100 Gms 500 Gms	1500 6000
32994 [3671-99-6]	D-Glucose-6-Phosphate Disodium Salt Dihydrate (G6P.Na2 Dihydrate) extrapure, 99% (Robinson Ester)	1 Gms 5 Gms 25 Gms	1020 4400 21000	94980 [27025-41-8]	Glutathione Oxidized (GSSG) extrapure, 99%	250 Mg 1 Gms 5 Gms 25 Gms 100 Gms	1350 3550 15300 42000 85000
74262 [9001-40-5]	Glucose-6-Phosphate Dehydrogenase ex. Leuconostoc Mesenteroides, 400U/mg solids	1 K.Units 5 K.Units	7580 20550	41422 [27025-41-8]	Glutathione Oxidized (GSSG) ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	1 Gms 25 Gms 100 Gms	4540 45000 105000
11997 [9001-40-5]	r-Glucose-6-Phosphate-Dehydrogenase ex. Leuconostoc Mesenteroides, 500U/mg solids	5 K.Units	8420	22151 [27025-41-8]	Glutathione Oxidized (GSSG) for molecular biology, 99.5%	250 Mg 1 Gms 5 Gms	3000 4990 23000
75551 [9001-42-7]	α-Glucosidase (Maltase) ex. Yeast, 100U/mg	10 Mg 100 Mg	3210 29050	48938 [70-18-8]	Glutathione Reduced (GSH) extrapure, 99%	1 Gms 5 Gms 25 Gms	220 850 3800
88884 [9001-22-3]	B-Glucosidase ex. Sweet Almonds (Type 1), 1000U/mg (Gentiobiase, Cellobiase)	10 K.Units	6780	16111 [70-18-8]	Glutathione Reduced (GSH) for tissue culture, 99.5%	1 Gms 5 Gms 25 Gms	380 1740 6930

Code	Name	Packing	Price	Code	Name	Packing	Price
77285 [70-18-8]	● Glutathione Reduced (GSH) ExiPlus, Multi-Compendial, 99%	5 Gms	1950	72998 [102601-58-1]	⚗ Z-Glycyl-Glycyl-L-Arginine 7-Amido-4-Methylcoumarin Hydrochloride Salt extrapure, 95% (Z-Glycine-Glycine-Arginine-AMC.HCl Salt)	5 Mg	9360
		25 Gms	6490			25 Mg	38950
	meets compendial specs of Ph.Eur						
11514 [70-18-8]	● Glutathione Reduced (GSH) for molecular biology, 99.5%	1 Gms	740	41675 [556-33-2]	⚗ Glycyl-Glycyl-L-Glycine (Triglycine) extrapure, 99%	1 Gms	1640
		5 Gms	2150			5 Gms	7310
		25 Gms	8060			25 Gms	26870
		100 Gms	18710				
14210 [453-17-8]	✓ D-(+)-Glyceraldehyde extrapure, 85%	1 Gms	15000	27057 [69242-40-6]	⚗ Glycyl-Glycyl-L- Isoleucine extrapure, 99%	1 Gms	4660
62423 [9030-66-4]	■ Glycerol Kinase (GK) ex. Microorganism, 30U/mg solids	1 K.Units	9470	70039 [14857-82-0]	⚗ Glycyl-Glycyl-L-Leucine extrapure, 99%	1 Gms	4470
36324 [9075-65-4]	■ Glycerol-3-Phosphate Dehydrogenase ex. Rabbit Muscle, 15U/mg	500 Units	6900	29764 [20274-89-9]	⚗ Glycyl-Glycyl-L-Valine extrapure, 99%	25 Mg	7120
36451 [106-91-2]	● Glycidyl Methacrylate pure, 97%	100 ml	670	82725 [19461-38-2]	⚗ Glycyl-L-Isoleucine extrapure, 99%	100 Mg	21350
		500 ml	2420			1 Gms	1960
63956 [113728-13-5]	⚗ Glycine-7-Amido-4-Methylcoumarin Hydrobromide Salt extrapure, 98% (Glycine-AMC.HBr sal)	10 Mg	9980	96010 [869-19-2]	⚗ Glycyl-L-Leucine extrapure, 99%	5 Gms	7510
		25 Mg	19400			1 Gms	1700
56204 [2462-31-9]	■ Glycine Benzyl Ester Hydrochloride extrapure, 98%	5 Gms	2970	27587 [103213-38-3]	⚗ Glycyl Leucine Phenylalanine extrapure, 99%	100 Mg	16310
67536 [1738-76-7]	⚗ Glycine Benzyl Ester p-Toluene Sulfonate extrapure, 98%	25 Gms	6050	25952 [115035-46-6]	⚗ Glycyl-L-Proline-7-Amido-4-Methylcoumarin Hydrobromide Salt extrapure, 98% (H-Gly-Pro-AMC-HBr, GP-AMC.HBr Salt)	25 Mg	34000
85055 [107-43-7]	⚗ Betaine (Glycine Betaine) pure, 98%	25 Gms	900	74329 [658-79-7]	⚗ Glycyl-L-Tyrosine extrapure, 99%	1 Gms	1960
		100 Gms	1900			5 Gms	7830
		500 Gms	5000				
99993 [623-33-6]	⚗ Glycine Ethyl Ester Hydrochloride extrapure, 99%	100 Gms	560	34601 [1963-21-9]	⚗ Glycyl-L-Valine extrapure, 99%	1 Gms	2470
		500 Gms	2170			5 Gms	10210
18308 [7758-33-0]	⚗ Glycyl Histidine Glycine extrapure, 95%	100 Mg	9140	92245 [107-22-2]	Glyoxal 40% aq. solution pure	500 ml	430
47055 [72957-37-0]	⚗ Glycine-L-Histidine-L-Lysine extrapure, 98%	100 Mg	12210			2500 ml	1680
98803 [31692-85-0]	⚗ Glycofurol extrapure, 99% (Tetraglycol, Tetrahydrofurfurylalcohol Polyethylene Glycoether)	100 ml	3510	35657	Griess Reagent for Nitrite extrapure	100 ml	3490
		500 ml	15190				
74078 [9005-79-2]	⚗ Glycogen ex. Oyster extrapure, 85%	5 Gms	2630	53613 [90-05-1]	⚗ Guaiacol extrapure, 99%	250 Gms	900
		25 Gms	11550	1 Kg		3400	
49740 [9005-79-2]	⚗ Glycogen ex. Oyster for molecular biology, 85%	1 Gms	1000	44260 [73-40-5]	⚗ Guanine extrapure, 99%	5 Gms	230
		5 Gms	4100			25 Gms	560
		25 Gms	18900			100 Gms	1870
50006 [23147-58-2]	✓ Glycolaldehyde Dimer extrapure, 95%	500 Mg	3990	37567 [635-39-2]	⚗ Guanine Hydrochloride extrapure, 98%	1 Kg	17670
		1 Gms	6830			5 Gms	330
50391 [64480-66-6]	⚗ Glycoursodeoxycholic Acid (GUDCA) extrapure, 97% (Glycylursodeoxycholic Acid, Ursodeoxycholyglycine)	1 Gms	4680	48306 [10333-92-3]	⚗ Guanine Sulphate extrapure, 98%	25 Gms	1410
		5 Gms	17060			1 Gms	800
97291 [13115-71-4]	⚗ Glycyl-L-Glutamine extrapure, 99%	1 Gms	1960	57892 [118-00-3]	⚗ Guanosine extrapure, 99%	25 Gms	640
		5 Gms	7830			100 Gms	2400
						500 Gms	11000
11530 [556-50-3]	⚗ Glycyl Glycine extrapure, 99%	10 Gms	940	95494 [5550-12-9]	■ Guanosine-5-Monophosphate Disodium Salt (5-GMP-Na2) extrapure, 96%	1 Gms	330
		25 Gms	2080			5 Gms	1220
		100 Gms	6540			25 Gms	5080
						100 Gms	17380
				70564 [56001-37-7]	■ Guanosine-5-Triphosphate Disodium Salt (5-GTP-Na2) extrapure, 90%	100 Mg	3860
						500 Mg	15190

Code	Name	Packing	Price	Code	Name	Packing	Price
11945 [65202-07-5]	Guayule (DCPTA) for tissue culture, 98% (2-(3,4-Dichlorophenoxy)-N,N-diethylethanamine)	25 Gms 100 Gms	2310 7880	16826 [7365-45-9]	HEPES Buffer for molecular biology, 99.5% (N-(2-Hydroxyethyl) Piperazine-N(2-Ethane Sulphonic Acid))	25 Gms 100 Gms 500 Gms	840 2310 8400
11777 [6322-07-2]	■ D-Gulono-1,4-Lactone extrapure, 98%	1 Gms 5 Gms	2340 11220	78805 [75277-39-3]	Ⓢ HEPES Buffer 1M Solution pH-7.3 for molecular biology	100 ml	3360
97514 [1128-23-0]	■ L-Gulono-1,4-Lactone extrapure, 98%	10 Gms 25 Gms	5440 9810	68744 [75277-39-3]	HEPES Sodium Salt extrapure, 99% (N-2-Hydroxyethyl piperazine N-2-Ethane Sulphonic Acid Sodium Salt)	25 Gms 100 Gms 500 Gms	950 2730 9240
37421	Gunzburg Reagent	100 ml	620	32225 [75277-39-3]	HEPES Sodium Salt for molecular biology, 99% (N-2-Hydroxyethyl piperazine N-2-Ethane Sulphonic Acid Sodium Salt)	25 Gms 100 Gms 500 Gms	1580 3780 12600
95068 [9008-02-0]	Ⓢ Haemoglobin Powder ex. Bovine Erythrocytes	100 Gms	1950	39764 [75277-39-3]	HEPES Sodium Salt for tissue culture, 99.5% (N-2-Hydroxyethyl piperazine N-2-Ethane Sulphonic Acid Sodium Salt)	25 Gms 100 Gms	1470 3360
52293 [304-21-2]	Ⓢ Harmaline pure, 98%	1 Gms	4860	18338 [2528-61-2]	Heptanoyl Chloride pure, 98% (Enanthic Chloride, Oenanthic Chloride)	25 Gms 100 Gms	1900 3560
99132 [148893-10-1]	Ⓢ HATU extrapure, 98%	1 Gms 5 Gms 25 Gms	320 1260 5200	28373 [143-27-1]	Hexadecylamine (Cetylamine) pure, 96%	5 Gms 25 Gms	2380 10680
44424 [94790-37-1]	Ⓢ HBTU extrapure, 98%	5 Gms 25 Gms 100 Gms 500 Gms	360 1600 5500 24000	21437 [920-66-1]	1,1,1,3,3,3-Hexafluoro-2-Propanol (HFIP) extrapure, 99% (Hexafluoroisopropanol)	25 ml 100 ml 500 ml	2400 7200 34000
73322 [330645-87-9]	Ⓢ HCTU extrapure, 98% (O-(6-Chlorobenzotriazol-1-yl)-N,N,N',N'-Tetramethyluronium Hexafluorophosphate)	5 Gms 25 Gms 100 Gms	850 2400 8500	98573 [920-66-1]	1,1,1,3,3,3-Hexafluoro-2-Propanol (HFIP) for UV spectroscopy, 99% (Hexafluoroisopropanol)	25 ml 100 ml	3980 9930
23315 [150-39-0]	Ⓢ HEDTA (N-(2-Hydroxyethyl) ethylenediaminetriacetic acid) extrapure, 99%	25 Gms 100 Gms 500 Gms	1700 4500 18000	28437 [999-97-3]	1,1,1,3,3,3-Hexamethyldisilazane pure (HMDS), 98%	100 ml 500 ml 2500 ml	400 1800 8200
28394 [517-28-2]	Hematoxylin Monohydrate (Natural Black I)	5 Gms 25 Gms	2100 9870	79404 [34338-96-0]	Ⓢ (2S,5S)-2,5-Hexanediol extrapure, 99%	1 Gms 2.5 Gms	15390 37830
78372 [16009-13-5]	Ⓢ Hemin Chloride cryst. ex. Bovine extrapure, 98% (Hematin Hydrochloride, Chlorohemin)	1 Gms 5 Gms	1470 5250	56464 [111-27-3]	n-Hexanol pure, 98%	500 ml 2500 ml	1110 4910
98457 [16009-13-5]	Ⓢ Hemin Chloride cryst. ex. Porcine extrapure, 98% (Hematin Hydrochloride, Chlorohemin)	1 Gms 5 Gms	1470 5250	98669 [111-27-3]	n-Hexanol extrapure AR, 99%	250 ml 500 ml 2500 ml	940 1820 8000
58389 [9041-08-1]	Ⓢ Heparin Sodium Salt ex. Bovine Intestinal Mucosa, 150 IU/mg	20 K.Units 100 K.Units	1100 3400	68497 [142-61-0]	Hexanoyl Chloride pure, 98%	100 ml 500 ml	1470 5310
50661 [9041-08-1]	Ⓢ Heparin Sodium Salt ex. Bovine Intestinal Mucosa, 150 IU/mg	100 Mg 1 Gms	1200 5000	69502 [9001-51-8]	■ Hexokinase ex. Saccharomyces Sp. 150U/mg	5000 Units	6530
29768 [161308-36-7]	HEPBS Buffer extrapure, 99%	10 Gms 25 Gms 100 Gms	7410 9870 35760	46639 [136-77-6]	4-Hexylresorcinol extrapure, 99% (Antascarin, Ascarinol, 4-Hexyl-1,3-Dihydroxybenzene)	5 Gms 25 Gms 100 Gms	1050 3700 11200
63732 [7365-45-9]	HEPES Buffer extrapure, 99% (N-[2-Hydroxyethyl] Piperazine-N[2-Ethane Sulphonic Acid])	25 Gms 100 Gms 500 Gms 1 Kg	530 1680 7350 13650	35696 [495-69-2]	Hippuric Acid pure, 99% (Benzoylglycine, Benzoylaminoacetic Acid)	100 Gms 500 Gms	410 1100
48489 [7365-45-9]	HEPES Buffer for tissue culture, 99% (N-[2-Hydroxyethyl] Piperazine-N[2-Ethane Sulphonic Acid])	25 Gms 100 Gms	790 2100	97843 [495-69-2]	Hippuric Acid Reference Standard, 100%	10 Gms	4200
				98808 [744-59-2]	Ⓢ Hippuryl-L-Phenylalanine, 99%	100 Mg 250 Mg	2970 7000



















Code	Name	Packing	Price	Code	Name	Packing	Price
83597 [56-92-8]	Histamine Dihydrochloride (HSM), 98%	1 Gms 5 Gms 25 Gms	1070 2970 12100	36681 [619-67-0]	4-Hydrazinobenzoic Acid extrapure, 95%	25 Gms 100 Gms	3140 9340
81240 [39968-33-7]	HOAT (1-Hydroxy-7-azobenzotriazole) pure, 98%	1 Gms 5 Gms 25 Gms	780 3330 14230	40935 [122-66-7]	Hydrazobenzene pure, 97% (1,2-Diphenylhydrazine)	100 Gms	540
38653 [2592-95-2]	HOBT Anhydrous extrapure, 99%	25 Gms 100 Gms 500 Gms 1 Kg	300 1050 4620 9050	13542 [50-23-7]	Hydrocortisone pure, 97%	1 Gms	440
27645 [123333-53-9]	HOBT Monohydrate pure, 99%	25 Gms 100 Gms 500 Gms 1 Kg	300 1080 4320 8380	28449 [123-31-9]	Hydroquinone pure, 98% (1,4-Dihydroxybenzene, Quinol)	100 Gms 500 Gms	450 2000
93864 [121080-96-4]	D-Homocitrulline extrapure CHR, 98%	1 Gms 5 Gms	8540 29050	25311 [123-31-9]	Hydroquinone extrapure AR, 99%	100 Gms 500 Gms	520 2400
94194 [82795-51-5]	D-Homophenylalanine extrapure, 97%	500 Mg 5 Gms	2380 9490	17732 [123-31-9]	Hydroquinone extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms 500 Gms	600 2600
78523 [943-73-7]	L-Homophenylalanine extrapure, 97%	500 Mg 1 Gms 5 Gms 25 Gms	1780 2970 7120 22530	91893 [118-93-4]	o-Hydroxyacetophenone pure, 95%	100 ml 500 ml	980 4110
58931 [89-51-0]	Homophthalic Acid pure, 98%	25 Gms 100 Gms	1440 5110	58245 [121-71-1]	m-Hydroxyacetophenone pure, 98%	25 Gms 100 Gms	570 1410
69080 [306-08-1]	Homovanillic Acid extrapure, 99%	250 Mg 1 Gms 10 Gms	1170 3900 22540	54564 [99-93-4]	p-Hydroxyacetophenone extrapure, 98%	100 Gms 500 Gms	520 2130
27698 [9067-32-7]	Hyaluronic Acid Sodium Salt - Type 1 (600-1000 kD) extrapure, 90% (HA, Hyaluronan, Hyaluronate, Hyasis 850P, Sodium hyaluronate, Poly(b-glucuronic acid-[1?3]-b-N-acet	100 Mg	11570	66616 [100-83-4]	m-Hydroxybenzaldehyde pure, 98%	25 Gms 100 Gms 500 Gms	540 1200 5500
75810 [9067-32-7]	Hyaluronic Acid Sodium Salt - Type 2 (1000-2000 kD) extrapure, 90% (HA, Hyaluronan, Hyaluronate, Hyasis 850P, Sodium hyaluronate, Poly(b-glucuronic acid-[1?3]-b-N-acet	100 Mg	11570	85692 [123-08-0]	p-Hydroxybenzaldehyde pure, 99%	100 Gms 500 Gms 5 Kg	480 2050 18000
39678 [9067-32-7]	Hyaluronic Acid Sodium Salt - Type 3 (80-100 kD) extrapure, 90% (HA, Hyaluronan, Hyaluronate, Sodium hyaluronate, Poly(b-glucuronic acid-[1?3]-b-N-acetylglucosamine	100 Mg	9930	78957 [99-96-7]	p-Hydroxybenzoic Acid pure, 99%	100 Gms 500 Gms	310 950
89002 [9067-32-7]	Hyaluronic Acid Sodium Salt - Type 4 (40-50 kD) extrapure, 90% (HA, Hyaluronan, Hyaluronate, Sodium hyaluronate, Poly(b-glucuronic acid-[1?3]-b-N-acetylglucosamine	100 Mg	9930	59645 [1137-42-4]	4-Hydroxybenzophenone pure, 99%	100 Gms 500 Gms	3670 12420
43384 [9067-32-7]	Hyaluronic Acid Sodium Salt - Type 5 (8-15 kD) extrapure, 90% (HA, Hyaluronan, Hyaluronate, Sodium hyaluronate, Poly(b-glucuronic acid-[1?3]-b-N-acetylglucosamine	100 Mg	9930	29893 [623-05-2]	4-Hydroxy Benzyl Alcohol pure, 98%	25 Gms 100 Gms 500 Gms	1310 4630 17790
98512 [5341-61-7]	Hydrazine Dihydrochloride pure, 99%	100 Gms 500 Gms	490 1880	12197 [9028-38-0]	D-3-Hydroxybutyrate Dehydrogenase (3-HBDH) ex. Pseudomonas Sp., 100U/mg (b-Hydroxybutyrate Dehydrogenase, (R)-3-Hydroxybutanoate: NAD+ oxidoreductase)	1000 Units	27300
				82739 [54970-72-8]	2-Hydroxy-3,5,- Dichlorobenzene Sulphonic Acid Sodium Salt (DCHBS), 98% (DHBS, 3,5-Dichloro-2-hydroxybenzenesulfonic acid, Sodium 3,5-dichloro-2-hydroxybenzenesulfonate, Tr	5 Gms 25 Gms 100 Gms	3410 15770 60000
				81073 [3006-96-0]	HMBA Linker (4-(Hydroxymethyl)benzoic Acid) extrapure, 99%	1 Gms 5 Gms 25 Gms	3210 13050 29640
				84818 [68858-21-9]	HMPA Linker (4-(Hydroxymethyl)phenoxyacetic Acid) extrapure, 98%	250 Mg 1 Gms	1900 4280

Code	Name	Packing	Price	Code	Name	Packing	Price
56043 ✓ [128446-35-5]	Hydroxypropyl-B-Cyclodextrin (HPBCD) ExiPlus, Multi-Compendial, 98% meets compendial specs of USP	25 Gms 100 Gms	2970 8310	36693 [3034-50-2]	4-Imidazolecarboxaldehyde pure, 98% (4-Formylimidazole, 1H-Imidazole-4-Carbaldehyde, 5-Imidazolecarboxaldehyde)	1 Gms 5 Gms	2460 8650
58240 [13161-30-3]	2-Hydroxypyridine-N-oxide pure (HOPO), 98%	25 Gms 100 Gms	4940 18060	52106 [606-23-5]	1,3-Indanedione pure, 96% (1,3-Diketohydrindene, 1,3-Dioxindan)	5 Gms 25 Gms	2460 9930
44923 ⚠ [1306-06-5]	Hydroxylapatite ~ 25% solids suspension (10g solids/40ml) in 0.001M	40 ml 100 ml	1980 3770	32328 ⚠ [615-13-4]	2-Indanone pure, 98%	10 Gms 25 Gms 100 Gms	3140 7140 20330
62953 ⚠ [67-47-0]	5-Hydroxymethylfurfural (HMF) extrapure, 98%	1 Gms 5 Gms 25 Gms	1670 5500 25000	46486 [860-22-0]	Indigo Carmine extrapure AR	25 Gms 100 Gms	350 1050
77491 ⚠ [67-47-0]	5-Hydroxymethylfurfural (HMF) ExiPlus, Multi-Compendial, 98% meets compendial specs of BP, Ph.Eur	1 Gms 5 Gms	2100 8100	31016 [22519-64-8]	Indium (III) Chloride Tetrahydrate ultrapure, 99.99% (Indium Chloride)	5 Gms 25 Gms	4500 8000
79897 [87199-15-3]	3-(Hydroxymethyl) Phenylboronic acid extrapure, 95%	1 Gms 5 Gms 10 Gms	2500 11800 21940	52859 [20661-21-6]	Indium (III) Hydroxide ultrapure, 99.99%	5 Gms 25 Gms	2630 7350
93740 [63451-35-4]	Hydroxynaphthol Blue	5 Gms 25 Gms	350 1300	84697 [7440-74-6]	Indium Metal Ingots, 99.9%	10 Gms	3500
69399 [524-38-9]	N-Hydroxyphthalimide pure, 98%	25 Gms 100 Gms 500 Gms	430 1450 5000	95867 [207398-97-8]	Indium (III) Nitrate Hydrate extrapure, 99.9%	5 Gms 10 Gms 50 Gms	4500 8000 24000
26921 [51-35-4]	L-Hydroxyproline extrapure CHR, 99%	25 Gms 100 Gms	600 2300	43095 [1312-43-2]	Indium (III) Oxide extrapure, 99.9% (Diindium Trioxide, Indium Sesquioxide)	5 Gms 10 Gms 25 Gms	4500 6400 12500
57803 [142-08-5]	2-Hydroxypyridine pure, 98%	100 Gms 500 Gms	2800 10500	64331 [13464-82-9]	Indium (III) Sulphate Anhydrous extrapure, 99%	10 Gms 25 Gms	2200 5000
64675 [109-00-2]	3-Hydroxypyridine pure, 98%	25 Gms 100 Gms 500 Gms	720 2420 10960	75920 [13464-82-9]	Indium (III) Sulphate Anhydrous ultrapure, 99.99%	10 Gms 50 Gms	4500 21000
87228 [626-64-2]	4-Hydroxypyridine practical grade, 95%	25 Gms 100 Gms	1500 5110	96535 [7440-74-6]	Indium Wire Ø 0.5 mm, 99.9%	5 Gms 10 Gms	3800 7000
47913 [6066-82-6]	N-Hydroxysuccinimide pure, 97% (NHS)	25 Gms 100 Gms 500 Gms	760 2490 11360	19228 [120-72-9]	Indole crystalline extrapure AR, 99%	25 Gms 100 Gms	540 1510
88997 ● [14348-40-4]	3-Hydroxy-2,4,6-Tribromo-Benzoic Acid (TBHBA), 97%	1 Gms 5 Gms	710 3280	69522 ⚠ [1912-33-0]	Indole-3-Acetic Acid Methyl Ester extrapure, 98% (Methyl-3-Indolylacetate)	1 Gms 10 Gms	1640 9350
84688 ● [53279-72-4]	3-Hydroxy-2,4,6-Triiodobenzoic Acid (HTBA), 97%	1 Gms	8060	63661 ⚠ [57105-50-7]	Indole-3-Acetyl-L-Phenylalanine extrapure, 98% (N-(3-Indolylacetyl)-L-Phenylalanine, IAA-L-Phe)	1 Gms 5 Gms	34510 103520
67941 [4350-09-8]	5-Hydroxy-L-Tryptophan extrapure, 99%	500 Mg 1 Gms	1560 2800	13550 ⚠ [57105-42-7]	Indole-3-Acetyl-L-Valine extrapure, 99%	25 Mg	2340
11056 ⚠ [31282-04-9]	Hygromycin B (HGR) for tissue culture, 90%	100 Mg 250 Mg	2460 5960	60704 ✓ [1204-06-4]	Indole-3-Acrylic Acid extrapure, 99.5% (3-Indoleacrylic Acid)	1 Gms 5 Gms	2900 14470
67317 ⚠ [31282-04-9]	Hygromycin B (HGR), 90%	100 Mg 250 Mg 1 Gms	1410 3390 13150	97637 ✓ [830-96-6]	Indole-3-Propionic Acid pure, 98%	5 Gms 25 Gms	1100 3290
63573 ✓ [68-94-0]	Hypoxanthine extrapure, 99%	5 Gms 25 Gms 100 Gms	270 840 3150	69447 ⚠ [487-89-8]	Indole-3-Carboxyaldehyde extrapure, 99% (3-Indolylaldehyde)	10 Gms 25 Gms 100 Gms	1250 1890 6000
				96553 ⚠ [126787-65-3]	Indoxyl-β-D-Galactopyranoside extrapure, 98%	25 Mg	3800

Code	Name	Packing	Price	Code	Name	Packing	Price
39627 [3318-43-2]	3-Indoxyl Phosphate Disodium Salt extrapure, 98%	25 Mg	3390	30671 [513-38-2]	Isobutyl Iodide (1-Iodo-2-Methylpropane) (Stabilized w/Ag) pure, 97%	25 ml	4000
		100 Mg	6430			100 ml	11000
		500 Mg	22200			250 ml	25000
25670 [2642-37-7]	3-Indoxyl Sulfate Potassium Salt extrapure, 98%	50 Mg	2580	39634 [79-31-2]	Isobutyric Acid extrapure, 99%	500 ml	1000
		250 Mg	5960			2500 ml	4680
51113 [58-63-9]	Inosine extrapure, 99%	10 Gms	620	35853 [79-30-1]	Isobutyryl Chloride pure, 98.5%	250 ml	1340
		25 Gms	1300			1000 ml	4860
		100 Gms	4950	70170 [79-30-1]	Isobutyryl Chloride specially purified, 98.5%	250 ml	1800
		500 Gms	21000			1000 ml	6100
19594 [352195-40-5]	Inosine-5-Monophosphate Disodium Salt Hydrate (5-IMP-Na2 Hydrate) extrapure, 99% (Disodium Inosate)	5 Gms	1160	42615 [1637-73-6 anhy]	DL-Isocitrate Trisodium Salt, 94%	1 Gms	3050
						5 Gms	9980
77985 [36051-67-9]	Inosine-5-Triphosphate Disodium Salt (ITP-Na2) extrapure, 97%	25 Mg	2970	90189 [25339-17-7]	Isodecanol pure, 98%	500 ml	1080
		100 Mg	5940				
98211 [87-89-8]	Inositol pure, 99%	25 Gms	360	60672 [97-54-1]	Isoeugenol (mixture of cis and trans) pure, 98%	100 ml	1470
		100 Gms	980			33401 [319-78-8]	D-Isoleucine extrapure, 98%
		500 Gms	4500	1 Gms	22000		
		1 Kg	8600	5 Gms	72000		
87114 [87-89-8]	Inositol for tissue culture, 99%	25 Gms	420	26731 [73-32-5]	L-Isoleucine extrapure CHR, 99%	25 Gms	490
		100 Gms	1260			100 Gms	850
		500 Gms	5780			500 Gms	4000
1 Kg	7000						
53860 [9005-80-5]	Inulin extrapure	25 Gms	1050	94082 ✓ [499-40-1]	Isomaltose extrapure, 98%	25 Mg	6300
		100 Gms	3520			100 Mg	18900
61568 [9001-57-4]	Invertase (Saccharase) ex. Candida Sp., 100U/mg (Invertase-β-D-Fructofuranoside Fructohydrolase)	2 K.Units	12250	42021 ✓ [3371-50-4]	Isomaltotriose extrapure, 97% (6-O-[6-O-(a-D-Glucopyranosyl) -a-D-Glucopyranosyl]-D-Glucose)	25 Mg	8500
51611 [88-67-5]	2-Iodobenzoic Acid pure, 98%	25 Gms	1200	88109 ✓ [35997-20-7]	Isomaltotetraose extrapure, 95%	5 Mg	3500
		100 Gms	3600				
55129 ✓ [626-62-0]	Iodocyclohexane (Stabilized w/ Cu) extrapure, 98% (Cyclohexyl Iodide)	10 Gms	3360	45433 ✓ [6082-32-2]	Isomaltopentaose extrapure, 95%	1 Mg	51580
		25 Gms	7200			94885 ✓ [54-85-3]	Isoniazid extrapure, 99% (Isonicotinic Acid Hydrazide, 4-Pyridinecarboxylic Acid Hydrazide)
		100 Gms	10800	100 Gms	820		
82104 [2050-77-3]	1-Iododecane (Stabilized with Cu) extrapure, 98% (Decyl Iodide, Decyliodide)	25 ml	1860	68866 [2365-40-4]	N6-[2-Isopentenyl] Adenine extrapure, 98%	250 Mg	4690
		100 ml	5940			500 Mg	5870
			1 Gms			10680	
83441 [54-42-2]	5-Iodo-2-Deoxyuridine extrapure, 98%	500 Mg	1520	18018 [121-91-5]	Isophthalic Acid pure, 99%	500 Gms	390
		5 Gms	10450				
40686 [146-68-9]	2(4-Iodophenyl)-3 (4-Nitrophenyl) -5-Phenyl-2H-Tetrazolium Chloride (INT) extrapure AR, 98%	1 Gms	1800	67742 [99-63-8]	Isophthaloyl Chloride pure, 98%	100 Gms	1640
		5 Gms	8000			500 Gms	6310
99918 [696-07-1]	5-Iodouracil extrapure, 98%	5 Gms	2000	36321 [108-21-4]	Isopropyl Acetate pure, 99%	500 ml	640
		10 Gms	3400			2500 ml	2420
63088 [538-93-2]	Isobutyl Benzene pure, 98%	500 ml	480	61386 [7724-76-7]	N6-(2-Isopentenyl) Adenosine pure, 98% (6-(?,?-Dimethylallylamino)purine riboside, N6- (3,3-Dimethylallylamino)purine riboside, 6-(3,3-Dimet	50 Mg	7120
		2500 ml	2300			200 Mg	16010
34516 [84110-40-7]	Isobutylboronic Acid extrapure, 98% (2-Methylpropylboronic acid)	1 Gms	1530	58571 [2210-25-5]	N-Isopropylacrylamide (NIPAM) extrapure, 99%	10 Gms	2970
		5 Gms	3460			25 Gms	4990
		25 Gms	15540			100 Gms	16010
78521 [78-77-3]	Isobutyl Bromide (Stabilized w/ Ag) pure, 98%	100 ml	850				
		500 ml	4000				

Code	Name	Packing	Price	Code	Name	Packing	Price		
45273 [80041-89-0]	Isopropylboronic Acid extrapure, 97%	1 Gms	2970	28386 [328-50-7]	✓ a-Ketoglutaric Acid (High Purity) extrapure AR, 99.5%	25 Gms	770		
		5 Gms	13050			100 Gms	2930		
		25 Gms	23120			500 Gms	13440		
16390 [75-26-3]	Isopropyl Bromide (Stab w/ Ag) pure, 99%	100 ml	350	22826 [305-72-6]	✓ a-Ketoglutaric Acid Disodium Salt Anhydrous extrapure, 95%	25 Gms	3010		
		500 ml	1410			100 Gms	10070		
18346 [105-48-6]	Isopropyl Chloroacetate pure, 98%	500 ml	770	18223 [305-72-6]	✓ a-Ketoglutaric Acid Disodium Dihydrate extrapure, 98% (2-Oxoglutaric Acid Sodium Salt)	25 Gms	2580		
38525 [75-30-9]	Isopropyl Iodide pure, 98%	25 ml	1800			100 Gms	8420		
		100 ml	6200	90814 [22202-68-2]	✓ a-Ketoglutaric Acid Monosodium Salt extrapure, 98% (2-Oxoglutaric acid monosodium salt, 2-Oxopentanedioic acid monosodium salt, Sodium 2-oxoglutarate m	25 Gms	5000		
		250 ml	15000			100 Gms	19000		
52469 [142-91-6]	Isopropyl Palmitate pure, 90%	500 ml	670	61341 [525-79-1]	Kinetin extrapure AR, 99%	1 Gms	270		
54110 [367-93-1]	Isopropyl-B-D-Thiogalactopyranoside (IPTG) (dioxan free), 99%	1 Gms	400			5 Gms	950		
		5 Gms	1780			25 Gms	4730		
		10 Gms	3330			34154 [525-79-1]	Kinetin for tissue culture, 99%	1 Gms	580
		25 Gms	8070	5 Gms	2310				
100 Gms	29640	25 Gms	9450						
67208 [367-93-1]	Isopropyl-B-D-Thiogalactopyranoside (IPTG) (dioxan-free) for MB, 99%	1 Gms	430	83296 [4338-47-0]	Kinetin Riboside extrapure, 98%	100 Mg	3680		
		5 Gms	1950			1 Gms	12600		
		10 Gms	3740			19744 [501-30-4]	Kojic acid extrapure, 99% (5-Hydroxy-2-Hydroxymethyl-4-Pyrano ne)	5 Gms	210
		25 Gms	8660					25 Gms	550
100 Gms	32010	100 Gms	2050						
82202	IPTG Solution (20mg/ml)	1 ml	2020	98158 [2140-29-6]	■ Kojibiose extrapure, 99%	10 Mg	3180		
86577 [590-86-3]	Isovaleraldehyde pure, 98%	100 ml	630			50 Mg	10780		
		250 ml	1160			81662	Kinetic Reagent for Indoles	100 ml	210
		1000 ml	4310	69068	Kraut's Reagent			100 ml	680
51656 [108-12-3]	Isovaleryl Chloride pure, 98% (Isopentanoyl Chloride, 3-Methylbutyryl Chloride)	25 Gms	1170			53110 [9028-36-8]	■ D-Lactate Dehydrogenase (D-LDH) ex. Microorganism, 400U/mg solids	2500 Units	5000
		100 Gms	2460	5000 Units	9500				
		500 Gms	5610	82334 [9001-60-9]	■ r-D-Lactate Dehydrogenase (r-D-LDH) ex. E. Coli (Thermostable), 200U/mg solids			5000 Units	7010
35798 [97-65-4]	Itaconic Acid pure, 99%	250 Gms	630			10000 Units	12620		
		18443 [70288-86-7]	Ivermectin (IVM), 95-102%	500 Mg	1070	15932 [8006-54-0]	Lanolin anhydrous extrapure (Wool Wax, Wool Grease)	500 Gms	2080
				1 Gms	1780			56839 [79-63-0]	Lanosterol pure, ~60%
5 Gms	5940			10 Gms	9450				
79238 [77026-92-7]	Jasmonic Acid for molecular biology, 95%	25 Mg	16120	20351 [10025-84-0]	Lanthanum Chloride Heptahydrate extrapure AR, ACS, 99%	100 Gms	2210		
98314 [61789-91-1]	Jjoba oil extrapure	250 ml	3870			500 Gms	8770		
		500 ml	7080	34032 [10277-43-7]	Lanthanum Nitrate Hexahydrate extrapure AR, 99%	100 Gms	1540		
99311 [25389-94-0]	Kanamycin Monosulphate (KM) extrapure	1 Gms	580			500 Gms	5300		
		5 Gms	2290			91288 [10277-43-7]	Lanthanum Nitrate 0.1M	500 ml	1540
		25 Gms	8560	1000 ml	2970				
76061 [25389-94-0]	Kanamycin Monosulphate (KM) for tissue culture	1 Gms	750	36917 [312696-10-9]	Lanthanum Oxalate Hydrate extrapure AR, 99.5%	10 Gms	440		
14259 [600-18-0]	2-Ketobutyric Acid pure, 97% (a-Ketobutyric acid, Propionylformic Acid, 2-Oxobutyric Acid)	5 Gms	6780			100 Gms	2630		
		93929 [328-50-7]	a-Ketoglutaric Acid extrapure, 99%			25 Gms	610	500 Gms	12600
100 Gms	2110			59415 [1312-81-8]	Lanthanum Oxide extrapure, 99.9%	100 Gms	980		
500 Gms	8770					500 Gms	4400		

Code	Name	Packing	Price	Code	Name	Packing	Price
47835	Lanthanum (III)	1 Gms	1050	49462	Linoleic Acid Methyl Ester	1 Gms	2630
[52093-26-2]	Trifluoromethanesulfonate	5 Gms	3250	[112-63-0]	Reference Standard, 99%(GC)	5 Gms	4730
	extrapure, 98%				(Methyl Linoleate)	25 Gms	17850
	(Lanthanum Triflate, Trifluoromethanesulfonic Acid Lanthanum Salt)						
92044	Lauric Acid Methyl Ester Reference	5 Gms	1200	60770	Lipase (Steapsin) ex. Aspergillus	25 Gms	520
[111-82-0]	Standard, 99%(GC)	25 Gms	4400	[9001-62-1]	Sp., 40U/mg solids	100 Gms	1500
						500 Gms	6000
87444	L-Lauroyl-Rac-Glycerol extrapure	1 Gms	3870	15471	Lipoprotein Lipase (LPL) ex.	10 Mg	2460
[142-18-7]	(lmwitor 312), 99%	5 Gms	15570	[9004-02-8]	Pseudomonas Sp., 20U/mg solids	50 Mg	7010
74090	N-Lauroylsarcosine Sodium Salt	5 Gms	360	92661	Lipoxidase ex. Glycine Max	100 Mg	6300
[137-16-6]	(Sarkosyl Sodium) pure, 98%	25 Gms	1520	[9029-60-1]	(Soybean), 50000U/mg solids	250 Mg	13130
		100 Gms	5870			1 Gms	39900
15448	N-Lauroylsarcosine Sodium Salt	25 Gms	3990	68457	Lithium Acetate Dihydrate	100 Gms	3300
[137-16-6]	(Sarkosyl Sodium) for molecular	100 Gms	10290	[6108-17-4]	ultrapure, 99%	250 Gms	7900
	biology, 98%					500 Gms	15500
	(Sodium Lauroyl Sarcosine)						
63645	Lavender oil extrapure, 30-60% LA	10 ml	1530	86701	Lithium Aluminium Hydride	100 Gms	15630
[8000-28-0]		25 ml	3060	[16853-85-3]	extrapure, 95%		
71707	Lead (II) Chromate pure, 98%	500 Gms	1050	24966	Lithium Citrate Tribasic	100 Gms	1400
[7758-97-6]	(Plumbous Chromate)			[6080-58-6]	Tetrahydrate extrapure AR (High	250 Gms	3200
					Purity), 99.5%		
21854	Lead Metal Lumps, 99%	500 Gms	680	91740	Lithium Iodide Monohydrate pure,	25 Gms	2400
[7439-92-1]				[17023-24-4]	98%	100 Gms	8100
62603	Lead Metal Powder extrapure AR,	500 Gms	1000	43904	Lithium Lauryl Sulphate extrapure,	5 Gms	2010
[7439-92-1]	99.5%			[2044-56-6]	99%	25 Gms	8160
59557	Lecithin ex. Egg, 60%	25 Gms	5470		(Lithium Dodecyl Sulphate)		
[8002-43-5]	(L-a-Phosphatidylcholine)	100 Gms	19440	89141	Lithium Lactate (specially purified)	100 Gms	3000
				[867-55-0]	extrapure, 99%	500 Gms	14000
59561	Lecithin ex. Soya, 30%	100 Gms	1770		(Lactic Acid Lithium Salt)		
[8002-43-5]	(L-a-Phosphatidylcholine)	500 Gms	3890	69375	Lithium Metal, 99.5%	100 Gms	23000
				[7439-93-2]			
64613	L-Leucinamide Hydrochloride	5 Gms	1650	23410	Lithium Oxalate extrapure, 99%	25 Gms	2200
[10466-61-2]	extrapure, 99%			[553-91-3]		100 Gms	4200
61304	D-Leucine extrapure, 99%	1 Gms	630	16350	Lithium Tetrafluoroborate Dried,	5 Gms	3300
[328-38-1]		5 Gms	1890	[14283-07-9]	99%, water 1%	25 Gms	15000
99664	tert-DL-Leucine extrapure, 98%	500 Mg	5250	29288	Lithocholic Acid (LCA) pure, 98%	10 Gms	7500
[33105-81-6]				[434-13-9]		25 Gms	18000
47736	L-Leucine	10 Mg	8400	52737	Lomefloxacin Hydrochloride (LMF),	1 Gms	1260
[62480-44-8]	7-Amido-4-Methylcoumarin	25 Mg	16800	[98079-52-8]	98.5%	5 Gms	3260
	Hydrochloride Salt extrapure, 98%						
	(L-Leucine-AMC.HCl Salt)			50320	D-Luciferin ex. Firefly, 99%	10 Mg	5340
40528	Leucine Dehydrogenase (LeuDH)	100 Units	14230	[2591-17-5]	((S)-4,5-Dihydro-2-	50 Mg	23720
[9082-71-7]	ex. Bacillus Sp., 20U/mg				(6-Hydroxy-2-Benzothiazolyl)		
27029	L-Leucine-β-Naphthylamide	100 Mg	2630		-4-Thiazolecarboxylic Acid)		
[893-36-7]	Hydrochloride extrapure, 97%			58891	D-Luciferin Potassium Salt ex.	25 Mg	4090
				[115144-35-9]	Firefly, 99%	100 Mg	9980
11127	L-Leucyl-L-Alanine extrapure, 98%	1 Gms	9420			500 Mg	44100
[7298-84-2]				62851	D-Luciferin Sodium Salt ex. Firefly,	25 Mg	5460
37520	D-Leucyl-Glycine extrapure, 98%	100 Mg	2520	[103404-75-7]	99%	100 Mg	16800
[997-05-7]		500 Mg	11900			500 Mg	63000
23467	Levofloxacin (LVX), 98%	500 Mg	2380	49982	Luminol extrapure, 98%	5 Gms	1070
[100986-85-4]		1 Gms	4160	[521-31-3]		25 Gms	4160
60011	Light Green SF Yellowish, 65%	25 Gms	2010	60445	Luminol - Peroxide	100 ml	1900
[5141-20-8]	(C.I. No. 42095)	100 Gms	7210		Chemiluminisence Solution for		
13562	Linoleic Acid (Free Acid) Reference	1 Gms	1640		ELISA		
[60-33-3]	Standard, 99%(GC)	5 Gms	6830				

Code	Name	Packing	Price	Code	Name	Packing	Price
70795 	L-Lysine	10 Mg	8870	12894 	Maltoheptaose (DP7) extrapure, 80%	25 Mg	7900
[201853-23-8]	7-Amido-4-Methylcoumarin Acetate Salt extrapure, 98% (L-Lysine-AMC.Acetate salt)	25 Mg	18150	[34620-78-5]	(Amyloheptaose)		
72890 	L-a-Lysophosphatidylethanolamine (Egg Lyso PE) ex. Egg, 99%	10 Mg	8120	58199 	R-(-)-Mandelic Acid extrapure, 99%	25 Gms	920
[97281-40-8]	(L-a-Lysocephalin, 3-sn-Lysophosphatidylethanolamine)	25 Mg	18390	[611-71-2]	(D-(-)-Mandelic Acid)	100 Gms	2820
45822 	Lysozyme (3x cryst) ex. Egg white (Muramidase) for molecular biology, 15000U/mg	1 Gms	840	30727 	S-(+)-Mandelic Acid extrapure, 99%	25 Gms	920
[12650-88-3]		5 Gms	3090	[17199-29-0]	(L-(+)-Mandelic Acid, S-Z-Hydroxyphenyl Acetic Acid)	100 Gms	2490
		25 Gms	14230	27072	DL-Mandelic Acid pure, 99%	100 Gms	1200
35355	D-Lyxose extrapure	1 Gms	1890	[90-64-2]		500 Gms	5500
[1114-34-7]		5 Gms	5670	94551 	D-Mannosamine Hydrochloride extrapure, 98%	100 Mg	2020
38894	L-Lyxose extrapure	100 Mg	1470	[5505-63-5]		500 Mg	9610
[1949-78-6]		1 Gms	8400	13735	D-Mannose extrapure AR, 99%	25 Gms	600
81889 	Macerozyme "R-10" ex. Rhizopus Sp., 3000U/g	500 Mg	4510	[3458-28-4]		100 Gms	1800
[9032-75-1]		1 Gms	6820			500 Gms	8000
		5 Gms	30240	58476	D-Mannose for tissue culture, 99%	25 Gms	950
66638 	Macerozyme "R-10" ex. Trichoderma & Aspergillus Niger, 10000U/g	500 Mg	4280	[3458-28-4]		100 Gms	3200
[9032-75-1]		1 Gms	7120	87875	D-Mannose extrapure AR, ExiPlus, Multi-Compendial, 99%	25 Gms	1200
40169 	Malate Dehydrogenase (MDH) ex. Microorganism, 40U/mg	1 K.Units	2710	[3458-28-4]	meets compendial specs of BP, Ph.Eur	100 Gms	3600
[9001-64-3]		5 K.Units	6390	72002 	D-Mannose-6-Phosphate Barium Salt Hydrate extrapure, 98%	25 Mg	25080
87448 	r-Malate Dehydrogenase (r-MDH) (Thermostable), 500U/mg	5000 Units	7600	[104872-94-8]			
		10000 Units	14020	43804 	Marfey's Reagent extrapure AR, 98%	50 Mg	5940
84225	Maleic Anhydride extrapure AR, 99%	500 Gms	450	[95713-52-3]	(FDAA, FDNP-ALA-NH ₂ , Na-(2,4-Dinitro-5-Fluorophenyl)-L-Alaninamide)	200 Mg	12450
[108-31-6]		5 Kg	4200	70902 	Melatonin extrapure, 99%	1 Gms	600
18808 	Bis-Maleimide pure, 95%	100 Gms	6850	[73-31-4]		5 Gms	1990
[13676-54-5]						25 Gms	6780
55114 	4-Maleimidobutyric Acid N-Hydroxysuccinimide Ester extrapure (GMBS), 99%	25 Mg	8100	10030	Meldolas Blue extrapure	5 Gms	4090
[80307-12-6]		100 Mg	21790	[7057-57-0]	(8-Dimethylamino-2,3-Benzophenoxazine Hemi(zinc Chloride) Salt, Naphthol Blue R, Basic Blue 6)		
57096	Malonamide extrapure, 98%	25 Gms	380	77393	D(+) Melibiose Monohydrate extrapure, 98%	1 Gms	1600
[108-13-4]		100 Gms	1050	[66009-10-7, 85-99-9]		5 Gms	3200
		500 Gms	4510			25 Gms	13000
43541	Malonic Acid pure, 99%	250 Gms	1110	83709	D-Melezitose Monohydrate extrapure, 99%	25 Gms	18900
[141-82-2]		500 Gms	2110	[10030-67-8]			
26504	Malonic Acid extrapure AR, 99%	100 Gms	530	61495	Menadione O/S (Vitamin K3) pure, 98%	25 Gms	1000
[141-82-2]		250 Gms	1230	[58-27-5]			
32261	Malononitrile extrapure, 98%	100 Gms	630	44111 	Menadione Sodium Bisulphite Trihydrate W/S (Vitamin K3 Sodium Bisulphite Trihydrate) pure, 95%	25 Gms	750
[109-77-3]	(Malonic Dinitrile, Dicyanomethane)	500 Gms	2740	[6147-37-1]	(2-Methyl-1,4-Napthoquinone Sodium Bisulfite)	100 Gms	3300
43786	Maltotriose (DP3) extrapure, 90%	250 Mg	3200			500 Gms	12500
[1109-28-0]	(a-1,4-Glucotriose)	1 Gms	6900	26531	1-Thioglycerol (3-Mercapto-1,2-Propanediol) pure, 90%	25 ml	1140
		5 Gms	33000	[96-27-5]	(Monothioglycerol)	100 ml	3510
28083 	Maltotetraose (DP4) extrapure, 97%	10 Mg	6700			500 ml	16940
[34612-38-9]	(a-D-Glucopyranosyl-1,4-O-a-D-Glucopyranosyl-1,4-O-a-D-Glucopyranosyl-1,4-D-Glucopyranose)	25 Mg	15000	54474 	Mecillinam (MCL) extrapure, 95%	25 Mg	3000
10450 	Maltopentaose (DP5) extrapure, 95%	10 Mg	12000	[32887-01-7]		100 Mg	9000
[34620-76-3]		25 Mg	26900	56868	3-Mercaptopropionic Acid pure, 98%	100 ml	1150
27607 	Maltohexaose (DP6) extrapure, 65%	50 Mg	12000	[107-96-0]		500 ml	5000
[34620-77-4]							

Code	Name	Packing	Price	Code	Name	Packing	Price
18382 [6112-76-1]	6-Mercaptopurine Monohydrate extrapure, 99%	1 Gms 5 Gms	950 4600	58498	MES9: ICP Comprehensive Mix A Ag, Al, As, Ba, Bi, Ca, Cd, Ce, Dy, Er, Eu, Ga, Gd, Ho, La, Lu, Mg, Na, Nd, P, Pb, Pr, Rb, Sc, Se, Sm, Sr, Tb, Th, Tl, Tm, U, Y, Yb @ 10 µg/ml 40% Aqua Regia	100 ml	64000
81439 [4432-31-9]	MES Free Acid Buffer extrapure, 99% (4-Morpholineethanesulfonic Acid)	25 Gms 100 Gms 500 Gms	1050 3780 13650	36719	MES10: ICP Comprehensive Mix B Au, B, Be, Co, Cr, Cu, Fe, Ge, Hf, Ir, K, Li, Mn, Mo, Nb, Ni, Os, Pd, Pt, Re, Rh, Ru, Sb, Si, Sn, Ta, Te, Ti, V, W, Zn, Zr @ 10 µg/ml 40% Aqua Regia, tr. HF	100 ml	85000
31808 [145224-94-8]	MES Monohydrate Buffer extrapure, 99% (2-Morpholineethane Sulphonic Acid Monohydrate)	25 Gms 100 Gms 500 Gms	950 3470 12080	76134	MES11: ICP 68 Element Multi Standard 1 Al, As, B, Ba, Be, Bi, Ca, Cd, Ce, Co, Cr, Cs, Cu, Dy, Er, Eu, Fe, Ga, Gd, Ho, In, K, La, Li, Lu, Mg, Mn, Na, Nd, Ni, P, Pb, Pr, Rb, Re, Sc, Se, Sm, Sr, Tb, Th, Ti, Tm, U, V, Y, Yb, Zn @100 µg/ml (Standard 1 contains 48 elements) 5% HNO3	100 ml	55000
86751 [145224-94-8]	MES Monohydrate Buffer for tissue culture, 99% (2-Morpholineethane Sulphonic Acid Monohydrate)	25 Gms 100 Gms	1160 3730	97799	MES12: ICP 68 Element Multi Standard 2 Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100µg/ml (Standard 2 contains 12 elements) 5% HNO3, tr. HF	100 ml	22000
26854 [145224-94-8]	MES Monohydrate Buffer for molecular biology, 99% (2-Morpholineethane Sulphonic Acid Monohydrate)	25 Gms 100 Gms	1470 3890	45688	MES13: ICP 68 Element Multi Standard 3 Au, Ir, Os, Pd, Pt, Rh, Ru, Te @ 100 µg/ml (Standard 3 contains 8 elements) 10% HCl	100 ml	45000
43396 [117961-21-4]	MES Hemisodium Salt Buffer extrapure, 98%	25 Gms 100 Gms	5430 18500	53816	MES14: ICP Detector Calibration Multi-Element Mix 7Li, Be, Mg, Sc, Co, Y, In, Ce, Tb, Tl, U (various conc.) 5% HNO3	100 ml	58000
69408 [71119-23-8]	MES Sodium Salt Buffer extrapure, 99%	10 Gms 25 Gms 100 Gms	2290 3270 10120	91353	MES15: ICP Internal Standard Multi-Element Mix 1 6Li, Sc, Ga, Y, In, Tb, Bi @ 100 µg/ml 5% HNO3	100 ml	58000
72841 [104206-82-8]	Mesitrione extrapure, 98% (2-(4-Mesy-2-nitrobenzoyl)-1,3-cyclohexanedione)	100 Mg 1 Gms	800 5000	51587	MES16: ICP Internal Standard Multi-Element Mix 2 6Li, Sc, Ga, Y, In, Tb, Bi (various conc.) 2% HNO3	100 ml	58000
47062	MES1: Spectrometric Oil Standard D12 Ag, Al, Cr, Cu, Fe, Mg, Na, Ni, Pb, Si, Sn, Ti @ 10 µg/g Aviation Reference Oil	100 Gms	38000	67084	MES17: ICP Internal Standard Multi-Element Mix 3 6Li, Sc, Ge, In, Tb, Lu, Bi @ 100 µg/ml 5% HNO3, tr. HF	100 ml	58000
19278	MES2: Metals in Biodiesel Standard Ca, K, Mg, Na, P @ 10 µg/g	100 Gms	96000	31805	MES18: ICP Internal Standard Multi-Element Mix 4 6Li, Sc, Ge, Te, In, Tb, Bi (various conc.) 5% HNO3, tr. HF	100 ml	58000
55049	MES3: ICP Alkali's & Alkaline Earths Ba, Be, Ca, Cs, K, Li, Mg, Na, Rb, Sr @ 100 µg/ml 5% HNO3	100 ml	33000	76332 [121-47-1]	Metanilic Acid pure, 98% 250 Gms 1 Kg	200 720	
25562	MES4: ICP Noble Metals Au, Ir, Os, Pd, Pt, Re, Rh, Ru @ 100 µg/ml 20% HCl	100 ml	42000	20302 [7143-01-3]	Methane Sulphonic Anhydride pure, 97% (Metic Anhydride) 5 Gms 25 Gms 100 Gms	590 1670 6430	
21551	MES5: ICP Rare Earth & Geo Elements Ba, Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Rb, Sc, Sm, Sr, Tb, Th, Tm, U, Y, Yb @ 100 µg/ml 5% HNO3	100 ml	64000	54322 [348-67-4]	D-Methionine extrapure, 99% 5 Gms 25 Gms	1220 4630	
82634	MES6: ICP Non-Metals As, B, P, S, Se, Si, Te @ 100 µg/ml 5% HCl, tr. HF	100 ml	30000				
18263	MES7: ICP Common Elements Mix 1 Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/ml 5% HNO3	100 ml	35000				
63924	MES8: ICP Common Elements Mix 2 Ag, Al, B, Ca, Co, Cr, Cu, Fe, K, Mg, Mn, Na, Ni, P, Pb, Si, Sn, Ti, V, Zn @ 100 µg/ml 5% HNO3, tr. HF	100 ml	54000				

Code	Name	Packing	Price	Code	Name	Packing	Price
65309 [59-51-8]	DL-Methionine extrapure CHR, 99%	100 Gms	460	31535 [1934-16-3]	New Methylene Blue N extrapure, 70% (Basic Blue 24, Methylene Blue N)	1 Gms	2200
		500 Gms	1750			5 Gms	6000
		1 Kg	3200			25 Gms	19000
40043 [7314-32-1]	L-Methionine Sulphone extrapure, 99%	1 Gms	3430	28710 [6586-05-6]	New Methylene Blue N Zinc Chloride Double Salt, 90%	5 Gms	1540
19485 [3226-65-1]	L-Methionine Sulphoxide extrapure, 99%	1 Gms	3770	73603 [6586-05-6]	New Methylene Blue N Zinc Chloride Double Salt for tissue culture, 90%	5 Gms	3510
86596 [133073-73-1]	Methotrexate Hydrate (MTR), 98%	50 Mg	2970	84753 [93-15-2]	Methyl Eugenol extrapure, 99%	100 ml	1310
		100 Mg	4990			500 ml	5580
		500 Mg	14230			2500 ml	25700
		1 Gms	21350				
91842 [100-06-1]	p-Methoxyacetophenone pure, 99%	100 Gms	610	28409 [93-61-8]	N-Methylformanilide extrapure, 99%	100 ml	750
		500 Gms	2110			500 ml	3030
81142 [2396-60-3]	4-Methoxyazobenzene (4-MAB) extrapure AR, 98% (p-Methoxyazobenzene, 4-Phenylazoanisole)	1 Gms	1320	77007 [107-31-3]	Methyl Formate pure, 99%	500 ml	680
		5 Gms	4870	49281 [97-30-3]	Methyl-a-D-Glucopyranoside extrapure, 99% (a-Methyl-D-Glucoside)	100 Gms	2140
13573 [93102-05-7]	N-Methoxymethyl-N-Trimethylsilylmethyl-Benzylamine extrapure, 98%	5 Gms	10140	37685 [603-76-9]	1-Methylindole pure, 97%	5 ml	1200
		25 Gms	38020			25 ml	3800
51234 [5720-06-9]	2-Methoxyphenylboronic Acid extrapure, 95% (Boric Acid, 2-Methoxyphenylboronic Acid)	1 Gms	1380			100 ml	12000
		5 Gms	6170	96595 [7114-03-6]	Methyl Green Zinc Chloride Double Salt	5 Gms	860
40632 [5720-07-0]	4-Methoxyphenylboronic Acid extrapure, 98%	1 Gms	860			25 Gms	4000
		5 Gms	1670	74916 [7114-03-6]	Methyl Green Zinc Chloride Double Salt ExiPlus, Multi-Compendial	5 Gms	940
		25 Gms	8070			25 Gms	4140
							meets compendial specs of BP, Ph.Eur
23438 [163105-89-3]	2-Methoxypyridine-5-Boronic Acid extrapure, 98% (6-Methoxy-3-Pyridinylboronic Acid)	1 Gms	1570	85544 [134253-42-2]	1-O-Methyl-beta-D-Glucuronic Acid Sodium Salt extrapure, 99% (1-OMe-b-D-GlcA.Na)	50 Mg	3800
		5 Gms	4800	86720 [693-98-1]	2-Methylimidazole pure, 99%	100 Gms	380
88381 [105-45-3]	Methyl Acetoacetate pure, 98%	500 ml	980			500 Gms	1500
		2500 ml	4410			1 Kg	2740
		25 Ltr	42000	15913 [93-16-3]	Methylisoeugenol (mixture of cis and trans) (1,2-Dimethoxy-4-propenylbenzene) pure, 98% (4-(1-Propenyl)-1,2-Dimethoxybenzene, Isoeugenyl Methyl Ether)	25 ml	1260
21392 [105-45-3]	Methyl Acetoacetate extrapure AR, 99%	500 ml	1160			100 ml	3100
		2500 ml	5150	74384 [66-27-3]	Methyl Methanesulphonate (MMS) extrapure, 99%	25 ml	980
64330 [122-00-9]	p-Methylacetophenone pure, 98%	100 Gms	510			100 ml	3570
		250 Gms	1170	42067 [66-27-3]	Methyl Methanesulphonate (MMS) for tissue culture, 99%	10 ml	1580
93149 [100-61-8]	N-Methylaniline pure, 98%	500 ml	650	71512 [50-66-8]	6-Methylmercaptapurine extrapure, 98% (6-Methyl(thio)purine)	100 Mg	2400
		2500 ml	3100			1 Gms	14500
29879 [38894-11-0]	3-Methyl-2-Benzothiazolinone Hydrazone HCl Monohydrate (MBTH) extrapure AR (High Purity), 99%	1 Gms	1230	66960 [93-04-9]	Methyl 2-Naphthyl Ether pure, 99% (Yara Yara)	250 Gms	450
		5 Gms	3980			1 Kg	1250
		25 Gms	17760	67915 [109-01-3]	1-Methylpiperazine extrapure, 99% (N-Methylpiperazine)	100 ml	580
23343 [98139-72-1]	3-Methylbutylboronic acid extrapure, 95%	1 Gms	3610			500 ml	2550
		5 Gms	17550	40610 [16419-60-6]	2-Methylphenylboronic Acid extrapure, 97%	1 Gms	1580
39876 [96-34-4]	Methyl Chloroacetate extrapure, 99%	500 ml	680			5 Gms	2500
64426 [3100-04-7]	1-Methylcyclopropene (1-MCP), 98%	100 Mg	4440			25 Gms	10380
		500 Mg	10520				
34428 [116-54-1]	Methyl Dichloroacetate extrapure, 99%	500 ml	960				
45880 [41798-81-6]	3-Methyl-1,5-Di-p-Tolyl-1,4-Pentadiene pure, 97% (N,N-bis[[4-Methylphenyl]diazenyl]Methanamine)	1 Gms	4160				
		5 Gms	19570				

Code	Name	Packing	Price	Code	Name	Packing	Price		
20622 [17933-03-8]	3-Methylphenylboronic Acid extrapure (m-Tolylboronic Acid) extrapure, 97%	1 Gms	840	25828 [22832-87-7]	Miconazole Nitrate (MCN)extrapure, 98%	1 Gms	860		
		5 Gms	2380			5 Gms	2820		
		25 Gms	11500			25 Gms	7710		
43322 [107-87-9]	Methyl-n-Propyl Ketone pure, 99%	500 ml	1430	67424 [72432-03-2]	Miglitol extrapure, 98% (N-(b-Hydroxyethyl) -1-Deoxynojirimycin, Glyset)	1 Gms	9490		
		2500 ml	5600			5 Gms	26090		
87964 [1340-02-9]	Methyl Purple Indicator 0.1% Solution extrapure AR (Fleishers Indicator)	250 ml	810	15761	Molisch Reagent	100 ml	410		
29783 [119-36-8]	Methyl Salicylate pure, 99%	500 ml	1000	64563 [500-44-7]	Mimosine ex. Koa Hoale Seeds, 98%	25 Mg	4560		
		2500 ml	4910			100 Mg	13000		
41652 [80-48-8]	Methyl p-Toluenesulfonate pure, 98% (Methyl p-Tosylate, p-Toluenesulfonic Acid Methyl Ester)	100 ml	900	55690 [22373-78-0]	Monensin Sodium Salt (MSN), 90-95%	1 Gms	2970		
		500 ml	2620			5 Gms	7710		
44243 [1779-49-3]	Methyltriphenylphosphonium Bromide pure, 98%	100 Gms	1070	37233 [1317-33-5]	Molybdenum Disulfide pure, 98%	100 Gms	1550		
		500 Gms	3620			500 Gms	6900		
18040 [90-33-5]	β-Methylumbelliferone extrapure AR, 99%	10 Gms	520	75556 [7439-98-7]	Molybdenum Metal Sheet 99.9%	1 piece	25700		
		25 Gms	840			68078 [1317-32-5]	10X MOPS Buffer for molecular biology	100 ml	600
		100 Gms	2250					500 ml	1960
13050 [37067-30-4]	4-Methylumbelliferyl-N-Acetyl-β-D- Glucosaminide extrapure, 99%	25 Mg	5400	69824 [1132-61-2]	MOPS Buffer extrapure, 99% (3-Morpholinopropane Sulphonic Acid)	25 Gms	1000		
		50 Mg	9000			100 Gms	2310		
		100 Mg	17100			500 Gms	9450		
15208 [20671-66-3]	4-Methylumbelliferyl Caprylate extrapure, 99%	25 Mg	4640	85123 [117961-20-3]	MOPS Hemisodium Salt Buffer extrapure, 99%	25 Gms	5190		
		50 Mg	6480			100 Gms	16650		
		100 Mg	11120			500 Gms	25000		
21896 [72626-61-0]	4-Methylumbelliferyl-β-D-Cellobiosi de extrapure, 98%	25 Mg	3710	66043 [1132-61-2]	MOPS Buffer for molecular biology, 99% (3-Morpholinopropane Sulphonic Acid)	25 Gms	1370		
		50 Mg	6490			100 Gms	3360		
34391 [6160-78-7]	4-Methylumbelliferyl- β-D-Galactopyranoside extrapure	100 Mg	1070	38602 [68399-77-9]	MOPSO Buffer extrapure, 99% (3-Morpholino-2-Hydroxy Propane Sulphonic Acid)	25 Gms	2110		
		250 Mg	2450			100 Gms	8060		
48838 [18997-57-4]	4-Methylumbelliferyl-β-D- Glucopyranoside extrapure	100 Mg	1290	82595 [79803-73-9]	MOPSO Sodium Salt Buffer extrapure, 99%	50 Gms	4970		
		500 Mg	5780			250 Gms	22780		
92009 [24589-78-4]	N-Methyl-N-Trimethylsilyl Trifluoroacetamide (MSTFA) extrapure, 98%	5 ml	2800	24829 [480-16-0, 6472-38-4]	✓ Morin Hydrate (Aluminium Ionophore I, C.I. 75660) extrapure AR, 98% (2',3,4',5,7-Pentahydroxyflavone)	1 Gms	1140		
		25 ml	12760			5 Gms	4200		
		100 ml	49060						
83294 [24589-78-4]	MSTFA+TMCS (99:1) (N-Methyl-N- (trimethylsilyl)trifluoroacetamide, Trimethylchlorosilane)	10 x1 ml	7010	14189 [526-99-8]	Mucic Acid extrapure, 99%	25 Gms	690		
						100 Gms	2210		
						500 Gms	7880		
86338 [66966-09-4]	4-Methylumbelliferyl-α-L-Iduronide Free Acid extrapure, 97%	1 Mg	26250	57868 [529-44-2]	Myosin II (in 4% SDS) ex. rabbit skeletal muscle, 95%	1 Mg	10680		
						2 Mg	16600		
49959 [529-44-2]	4-Methylumbelliferyl Myo-Inositol-1-Phosphate, N-Methyl-Morpholine Salt, Biosynth patent(WO99/48899)	25 Mg	15180	15358 [529-44-2]	Myricetin cryst pure, 98%	10 Mg	2250		
						25 Mg	3870		
						100 Mg	11830		
21400 [15220-11-8]	4-Methylumbelliferyl Sulfate Potassium Salt extrapure, 99%	100 Mg	4620	45945 [544-63-8]	Myristic Acid pure, C14-95% (GC)	500 Gms	590		
		500 Mg	12580			36459 [544-63-8]	Myristic Acid extrapure AR, C14-99% (GC)	100 Gms	240
								500 Gms	1070
51504 [199329-67-4, 881005-91-0]	4-Methylumbelliferyl-β-D-Glucuronide Trihydrate (MUG) extrapure, 99%	100 Mg	1890	86442 [544-63-8]	Myristic Acid (High Purity) extrapure, C14-99.5% (GC)	5 Gms	300		
		1 Gms	4620			25 Gms	1070		
		5 Gms	20480						
77337 [1463-10-1]	5-Methyluridine extrapure, 98% (Ribothymidine)	5 Gms	2110						
		25 Gms	6660						

Code	Name	Packing	Price	Code	Name	Packing	Price
70718 [124-10-7]	🔗 Myristic Acid Methyl Ester Reference Standard, 99%(GC)	5 Gms	1600	61166 [1465-25-4]	N-(1-Naphthyl)Ethylenediamine Dihydrochloride (NEDA) extrapure AR, ACS, 98% (Bratton-Marshall Reagent, Marshall's Reagent)	5 Gms	770
		25 Gms	3200			10 Gms	1290
		100 Gms	9000			25 Gms	2520
28136 [112-72-1]	🔗 Myristyl Alcohol (1-Tetradecanol) pure, 98%	100 ml	210	84942 [1465-25-4]	N-(1-Naphthyl)Ethylenediamine Dihydrochloride (NEDA) extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% (Bratton-Marshall Reagent, Marshall's Reagent) meets compendial specs of BP	5 Gms	880
		500 ml	840			10 Gms	1520
20346 [389-08-2]	✔ Nalidixic Acid free acid extrapure, 99% (8-Naphthyridine-3-Carboxylic Acid)	1 Gms	300			25 Gms	2810
		5 Gms	1320				
96676 [120-18-3]	🔗 Naphthalene-2-Sulphonic Acid Monohydrate extrapure, 98%	25 Gms	1250	27734 [10236-47-2]	🔗 Naringin pure, 97%	5 Gms	1100
		100 Gms	3980			25 Gms	2500
55335 [123409-01-8]	🔗 1,3,6-Naphthalenetrisulfonic Acid Trisodium Salt Hydrate (NTSA Sodium Hydrate) extrapure, 95%	250 Gms	7000			100 Gms	7200
		1 Kg	16000				
57955 [604-59-1]	🔗 a-Naphthoflavone extrapure AR, 98%	1 Gms	730	95956 [67604-48-2]	🔗 Naringenin pure, 95%	1 Gms	1410
		5 Gms	2650			5 Gms	3510
		25 Gms	12040			25 Gms	8180
93051 [1163-67-3]	🔗 Naphthol-AS-Acetate extrapure, 99%	100 Mg	1430	93007 [484-11-7]	🔗 Neocuproine (2,9-Dimethyl-1,10-phenanthroline) extrapure, 99%	1 Gms	1310
		500 Mg	5220			5 Gms	6410
56061 [1237-75-8]	🔗 Naphthol AS-BI extrapure, 98%	5 Gms	720	35449 [7296-20-0]	🔗 Neocuproine Hydrochloride Monohydrate(2,9 Dimethyl-1-10-phenanthroline hydrochloride)extrapureAR,99%	1 Gms	1640
70430 [37-87-6]	🔗 Naphthol-AS-BI-b-D- Glucuronide extrapure, 99%	25 Mg	8310			5 Gms	7600
		100 Mg	26090				
87408 [13989-98-5]	🔗 Naphthol-AS-Phosphate extrapure, 95%	250 Mg	8310	23049 [10024-93-8]	🔗 Neodymium (III) Chloride Anhydrous, 99.9%	5 Gms	3920
		500 Mg	11620			25 Gms	9610
11401 [1919-91-1]	🔗 Naphthol-AS-BI- Phosphate extrapure, 98%	100 Mg	4160	78442 [13477-89-9]	🔗 Neodymium (III) Chloride Hexahydrate extrapure, 99.9%	25 Gms	2620
		250 Mg	9490			100 Gms	6530
87791 [1064-48-8]	🔗 Naphthol Blue Black B	25 Gms	530	37499 [1313-97-9]	🔗 Neodymium (III) Oxide extrapure AR, 99.9%	10 Gms	990
		100 Gms	1900			25 Gms	2400
						100 Gms	8500
45838 [521-24-4]	🔗 1,2-Naphthoquinone-4- Sulphonic Acid Sodium Salt extrapure AR, 99%	5 Gms	500	86879 [16454-60-7]	🔗 Neodymium (III) Nitrate Hexahydrate extrapure, 99.9%	25 Gms	2640
		25 Gms	2200			100 Gms	7200
10150 [86-86-2]	🔗 1-Naphthyl Acetamide (NAD) technical grade, 98%	5 Gms	3490	99080 [34822-08-7]	🔗 Neodymium (III) Trifluoromethanesulfonate extrapure, 98% (Neodymium Triflate, Neodymium Perfluoromethanesulfonate)	1 Gms	1580
		25 Gms	13700			5 Gms	3990
42383 [2183-17-7]	● 1-Naphthyl Phosphate Disodium Salt extrapure (a-Naphthyl Phosphate Disodium Salt, Disodium 1-Naphthyl Phosphate)	25 Mg	1830	35282 [1405-10-3]	🔗 Neomycin Sulphate (NMS) pure	25 Gms	650
		250 Mg	5470				
59523 [120-23-0]	🔗 2-Naphthoxyacetic Acid (BNOA) pure, 98%	25 Gms	300	27309 [126-30-7]	🔗 Neopentyl Glycol pure, 98%	500 Gms	540
		100 Gms	980				
43036 [830-81-9]	🔗 a-Naphthyl Acetate extrapure AR, 99%	5 Gms	1000	13607 [15501-33-4]	✔ Neopentyl Iodide extrapure, 98% (2,2-Dimethyl-1-Iodopropane, 1-Iodo-2,2-Mimethylpropane)	5 ml	6180
		10 Gms	1810			25 ml	19780
		25 Gms	3660				
		100 Gms	11360				
79388 [1523-11-1]	🔗 β-Naphthyl Acetate extrapure AR, 99%	5 Gms	1000	14678	🔗 Nessler's Reagent	100 ml	600
		10 Gms	1850				
		25 Gms	3170				
		100 Gms	10730				
11939 [132-75-2]	🔗 1-Naphthylacetonitrile pure, 97%	25 Gms	4900	60609 [56391-57-2]	🔗 Netilmicin Sulphate (NTC Sulphate), 595ug/mg	100 Mg	4200
		100 Gms	18980				
72860 [98-92-0]	🔗 Nicotinamide extrapure, 99.5% (Nicotinamide, Pyridine-3-Carboxylic Acid Amide)	100 Gms	390	26759 [53-84-9]	■ β-Nicotinamide Adenine Dinucleotide (Oxidized) (β-NAD, DPN) extrapure, 98%	1 Gms	900
		500 Gms	1780			5 Gms	4330
				25 Gms	20750		

Code	Name	Packing	Price	Code	Name	Packing	Price
19628 [53-84-9]	■ β-Nicotinamide Adenine Dinucleotide (Oxidized) (β-NAD, DPN) ExiPlus, Multi-Compendial, 98% meets compendial specs of BP, Ph.Eur	1 Gms 5 Gms 25 Gms	970 4630 21940	73387 [1313-96-8]	Niobium Pentoxide extrapure AR, 99.9%	10 Gms 25 Gms 100 Gms 500 Gms	630 1280 4210 20210
87253 [53-84-9]	■ β-Nicotinamide Adenine Dinucleotide (Oxidized) (β-NAD, DPN) for molecular biology, 98%	1 Gms 5 Gms	1410 6080	31162 [150824-47-8]	⚠ Nitenpyram extrapure, 98%	1 Gms 5 Gms	2310 8400
77268 [606-68-8]	■ β-Nicotinamide Adenine Dinucleotide Disodium Salt (Reduced) (β-NADH.Na2, DPNH.Na2) extrapure, 98%	100 Mg 500 Mg 1 Gms 5 Gms	270 1250 2260 10200	39180 [121-89-1]	m-Nitroacetophenone pure, 98%	100 Gms 500 Gms	630 2950
54941 [606-68-8]	■ β-Nicotinamide Adenine Dinucleotide Disodium Salt (Reduced) (β-NADH.Na2, DPNH.Na2) for MB, 98%	100 Mg 1 Gms 5 Gms	380 3160 14610	21254 [552-89-6]	2-Nitrobenzaldehyde extrapure AR, 99% (o-Nitrobenzaldehyde)	25 Gms 100 Gms	740 2580
44566 [64417-72-7]	■ β-Nicotinamide Adenine Dinucleotide Lithium Salt (Oxidized) (β-NAD.Li) extrapure, 95%	500 Mg 1 Gms 5 Gms	2280 4320 11380	17735 [555-16-8]	p-Nitrobenzaldehyde extrapure, 99%	25 Gms 100 Gms	640 1660
82819 [1184-16-3]	■ β-Nicotinamide Adenine Dinucleotide Phosphate Monosodium Salt (β-NADP.Na, TPN.Na) extrapure, 98%	100 Mg 500 Mg 1 Gms 5 Gms	820 3100 5960 20680	17644 [99-61-6]	m-Nitrobenzaldehyde pure, 98%	100 Gms 500 Gms	730 2990
72970 [1184-16-3]	■ β-Nicotinamide Adenine Dinucleotide Phosphate Monosodium Salt (β-NADP.Na) for MB, 98%	100 Mg 1 Gms	1640 7770	17003 [127-68-4]	m-Nitrobenzene Sulphonic Acid Sodium Salt pure, 98% (Sodium 3-Nitrobenzenesulfonate, Resist Salt)	1 Kg 5 Kg	880 3850
57451 [24292-60-2]	■ β-Nicotinamide Adenine Dinucleotide Phosphate Disodium Salt (β-NADP.Na2, TPN.Na2) extrapure, 95%	100 Mg 500 Mg 1 Gms 5 Gms	850 3280 5610 18110	96144 [121-92-6]	m-Nitrobenzoic Acid pure, 99%	100 Gms 500 Gms	500 2230
56640 [24292-60-2]	■ β-Nicotinamide Adenine Dinucleotide Phosphate Disodium Salt (β-NADP.Na2, TPN.Na2) for MB, 95%	100 Mg 1 Gms	1230 10280	81431 [121-92-6]	m-Nitrobenzoic Acid extrapure AR, 99%	25 Gms 100 Gms 250 Gms	430 1280 2800
99197 [2646-71-1]	■ β-Nicotinamide Adenine Dinucleotide Phosphate Tetrasodium Salt (Reduced) (β-NADPH.Na4) extrapure, 98% (TPNH2.Na4)	25 Mg 100 Mg 1 Gms	940 2690 22780	79303 [62-23-7]	p-Nitrobenzoic Acid pure, 99%	100 Gms 500 Gms	390 1780
57647 [2646-71-1]	■ β-Nicotinamide Adenine Dinucleotide Phosphate Tetrasodium Salt (Reduced) (β-NADPH.Na4) for MB, 98% (TPNH2.Na4)	25 Mg 100 Mg	2580 5610	27500 [122-04-3]	4-Nitrobenzoyl Chloride (PNBC) pure, 98% (p-Nitrobenzoic Acid Chloride)	25 Gms 100 Gms 500 Gms	740 1470 4290
55615 [68141-45-7]	■ β-Nicotinamide Adenine Dinucleotide Phosphate Monopotassium Salt (Oxidized) (β-NADP.K) extrapure, 95%	100 Mg 500 Mg 1 Gms	2940 4700 9400	39996 [619-73-8]	p-Nitrobenzyl Alcohol pure, 97%	25 Gms 100 Gms	1090 3420
88991 [20111-18-6]	■ β-Nicotinamide Adenine Dinucleotide Sodium Salt (β-NAD.Na) extrapure, 95%	500 Mg 1 Gms 5 Gms	2620 2970 11270	12790 [100-11-8]	p-Nitrobenzyl Bromide (PNBBR) pure, 99%	25 Gms 100 Gms 500 Gms	510 910 4310
95130 [1094-61-7]	■ β-Nicotinamide Mononucleotide (β-NMN) extrapure, 95% (β-Nicotinamide ribose monophosphate, NMN, Nicotinamide ribotide, Nicotinamide-1-ium-1-β-D-ribofuran	25 Mg 100 Mg 1 Gms	3160 5260 8180	97695 [1083-48-3]	4-(4-Nitrobenzyl)Pyridine extrapure AR, 99%	5 Gms 25 Gms	6000 25000
				11207 [298-83-9]	■ Nitro Blue Tetrazolium Chloride (Nitro BT) (NBT) extrapure AR, 99%	100 Mg 250 Mg 1 Gms 5 Gms	610 1100 3300 15400
				48898 [298-83-9]	■ Nitro Blue Tetrazolium Chloride (Nitro BT) (NBT) for molecular biology, 99%	100 Mg 250 Mg 1 Gms	880 1540 4840
				13001 [298-83-9]	■ Nitro Blue Tetrazolium Chloride (Nitro BT) (NBT) for tissue culture, 99%	100 Mg	1760
				15527 [88-73-3]	o-Nitrochlorobenzene (ONCB) pure, 99%	500 Gms 5 Kg	470 3800
				84258 [67-20-9]	⚠ Nitrofurantoin extrapure, 98-102% (N-(5-Nitro-2-Furfurylidene)-1-Aminohydantoin, Furadoxyl)	5 Gms 25 Gms 100 Gms	1320 2970 5940

Code	Name	Packing	Price	Code	Name	Packing	Price
90728 [88-75-5]	o-Nitrophenol extrapure AR, 99%	25 Gms	390	93413 [68189-42-4]	p-Nitrophenylphosphate Ditriz Salt crystalline (PNPP-d) extrapure, 99%	1 Gms	640
		100 Gms	1180			5 Gms	1900
18432 [830-03-5]	p-Nitrophenyl Acetate extrapure, 99%	1 Gms	440	53456 [398128-60-4]	4-Nitrophenyl trans-Ferulate extrapure, 98% (3-Methoxy-4-Hydroxycinnamic Acid 4-Nitrophenyl Ester, PNP-trans-Ferulate)	25 Mg	5500
		5 Gms	1500			100 Mg	16000
		25 Gms	4350				
13463 [3740-52-1]	2-Nitrophenylacetic Acid pure, 98%	5 Gms	700	85173 [603-11-2]	3-Nitrophthalic Acid pure, 98%	100 Gms	620
		25 Gms	2430			500 Gms	2550
		100 Gms	8470				
68146 [104-03-0]	p-Nitrophenylacetic Acid pure, 98%	25 Gms	1240	46384 [610-27-5]	4-Nitrophthalic Acid pure, 98%	100 Gms	2420
		100 Gms	4300			500 Gms	7830
72565 [3459-18-5]	4-Nitrophenyl-N-Acetyl-B-D-Glucosaminide extrapure, 99%	100 Mg	3800	43713 [525-05-3]	Nitroso R-Salt extrapure AR	25 Gms	410
		1 Gms	20200			100 Gms	1230
72367 [207591-86-4]	4-Nitro-L-Phenylalanine Monohydrate extrapure, 99%	25 Gms	10770	21872 [99-08-1]	3-Nitrotoluene extrapure, 99%	250 ml	340
83602 [3482-57-3]	p-Nitrophenyl β-D-Cellobioside extrapure, 98% (4-Nitrophenyl-beta-D-Cellobioside, PNP-beta-D-Cellobioside)	100 Mg	11800	60944 [611-08-5]	5-Nitroouracil extrapure, 98%	10 Gms	2700
		500 Mg	30440			25 Gms	5510
38325 [96597-16-9]	4-Nitrophenyl-4,6-Ethylidene-a-D-Maltoheptaoside (pNP-G7, EPS), EPS 90% (Ethylidene-4-Nitrophenyl-a-D-Maltoheptaoside, EPS-PNP-G7)	25 Mg	5510	81787 [6635-20-7]	5-Nitrovanillin pure, 98% (3-Methoxy-4-Hydroxy-5-Nitrobenzaldehyde)	5 Gms	2800
		100 Mg	11630			25 Gms	5600
66398 [369-07-3]	o-Nitrophenyl-β-D-Galactopyranoside (ONPG) extrapure, 99%	1 Gms	900	64659 [821-55-6]	2-Nonanone pure, 98% (n-Heptyl Methyl Ketone)	25 ml	550
		5 Gms	3150			100 ml	1300
		25 Gms	14000			500 ml	3200
64685 [7493-95-0]	p-Nitrophenyl a-D-Galactopyranoside extrapure, 98%	250 Mg	3730	56986 [51-98-9]	Norethisterone Acetate extrapure, 99% (Norethindrone Acetate)	100 Mg	3450
		1 Gms	10560			1 Gms	8250
96226 [3150-24-1]	p-Nitrophenyl-β-D-Galactopyranoside (PNPG) extrapure, 98%	250 Mg	1220			5 Gms	15000
		500 Mg	2200			1 Gms	2140
		1 Gms	3950			5 Gms	4990
92734 [2492-87-7]	p-Nitrophenyl-β-D-Glucopyranoside extrapure, 98%	100 Mg	920	43000 [70458-96-7]	Norflaxacin (NFX) , 98%	1 Gms	2140
		1 Gms	4400			5 Gms	4990
		5 Gms	14500				
12735 [3767-28-0]	p-Nitrophenyl-a-D-Glucopyranoside extrapure, 98%	100 Mg	1170	49021 [616-06-8]	DL-Norleucine extrapure, 99%	5 Gms	800
		250 Mg	2010			25 Gms	3000
		1 Gms	4530				
92822 [10344-94-2]	p-Nitrophenyl-β-D-Glucuronide (PNPG (Gus)) extrapure, 99%	50 Mg	2450	27434 [1476-53-5]	Novobiocin Sodium Salt (NVB) , 95%	100 Mg	1110
		100 Mg	4900			1 Gms	5250
		500 Mg	13470			5 Gms	14700
27166 [13331-27-6]	3-Nitrophenylboronic Acid extrapure, 97%	1 Gms	1130	56221 [6600-40-4]	L-Norvaline extrapure, 99%	1 Gms	1780
		5 Gms	2240			5 Gms	3680
		25 Gms	10250				
82582 [100-16-3]	p-Nitrophenylhydrazine extrapure AR, 99%	10 Gms	930	68547 [6409-77-4]	Nuclear Fast Red (C.I. No. 60760)	1 Gms	1500
		25 Gms	1560			5 Gms	7400
88485 [333338-18-4/ 4264-83-9]	p-Nitrophenylphosphate Disodium Salt Hexahydrate (PNPP) Crystalline Reagent Grade , 99%	5 Gms	690	89249	Nylander's Reagent	50 ml	430
		25 Gms	3080				
		250 Gms	27500				
90341 [333338-18-4/ 4264-83-9]	p-Nitrophenylphosphate Disodium Salt Hexahydrate (pNPP) for molecular biology , 99%	5 Gms	750	56083	Obermayer's Reagent	100 ml	190
		25 Gms	3630				
				62339 [124-30-1]	Octadecylamine technical , 70% (Stearylamine)	500 Gms	300
						5 Kg	2800
				51038 [124-30-1]	Octadecylamine pure, 98%	250 Gms	600
						1 Kg	2200
						5 Kg	8500
				27703 [111-64-8]	Octanoyl Chloride pure, 99%	25 ml	470
						100 ml	1230
						500 ml	3790
				60507 [149342-80-3]	Octyl a-D-Galactopyranoside extrapure, 98%	50 Mg	2800

Code	Name	Packing	Price	Code	Name	Packing	Price
63777	■ Octyl β-D-Galactopyranoside [40427-75-6] extrapure, 98%	50 Mg	2800	34262	■ Palmitic Acid Reference Standard, C16-99% (GC) [57-10-3]	5 Gms 25 Gms 100 Gms	580 2200 7600
25253	■ Octyl α-D-Glucopyranoside [29781-80-4] extrapure, 98%	100 Mg	14000	77065	⚠ Palmitic Acid Methyl Ester Reference Standard, 99%(GC) (Methyl Palmitate) [112-39-0]	5 Gms 25 Gms	2000 5880
33134	■ Octyl β-D-Glucopyranoside [29836-26-8] extrapure, 98%	1 Gms 5 Gms	5500 25000	83162	■ Pamoic Acid pure, 98% [130-85-8]	25 Gms 100 Gms	1200 4000
33910	✓ Octylphenyl Polyethylene Glycol (IGEPAL CA-630®) for molecular biology (Octylphenoxy)polyethoxyethanol [9002-93-1]	100 ml 500 ml	900 4000	74635	■ PAN Indicator (1(2-Pyridylazo)-2-Naphthol) extrapure AR, 99% (1(2-Pyridylazo)-2- Naphthol) [85-85-8]	1 Gms 5 Gms	1200 5000
62799	✓ Ofloxacin (OFX), 98% [82419-36-1]	1 Gms 5 Gms	3000 6000	37740	■ Pancreatin 3x ex. Porcine Pancreas, 75U/mg [8049-47-6]	100 Gms 500 Gms	1010 4910
23576	■ Oil Red O for molecular biology, 75% (Solvent Red 27, Sudan Red 5B) (C. I. No. 26125) [1320-06-5]	25 Gms 100 Gms	710 2220	41421	■ Pancreatin 4NF ex. Porcine Pancreas, 100U/mg [8049-47-6]	100 Gms 500 Gms	2900 11950
23534	✓ Oleandomycin Phosphate extrapure, 800U/mg (Matromycin) [7060-74-4]	100 Mg 1 Gms	6000 25000	95907	⚠ Papain 1x USP ex. Papaya Latex, 6000USP U/mg [9001-73-4]	100 Gms 500 Gms	400 1730
70855	✓ Orange Oil extrapure [8008-57-9]	100 ml 500 ml	840 3890	14049	⚠ Papain 2x USP ex. Papaya Latex (cryst), 25U/mg [9001-73-4]	25 Mg 100 Mg 500 Mg	2380 4510 6530
30774	■ Orcein [1400-62-0]	5 Gms 10 Gms	1370 2400	80400	⚠ Papain 5x USP ex. Papaya Latex, 30000USP U/mg (Papainase, Carica Papaya) [9001-73-4]	25 Gms 100 Gms 500 Gms	940 3500 11500
86848	■ L-Ornithine Monohydrochloride extrapure CHR, 99% [3184-13-2]	25 Gms 100 Gms 500 Gms	550 990 4400	59196	■ PAR extrapure, 99% (4-(2-Pyridylazo)-Resorcinol Monosodium Salt Hydrate) [16593-81-0]	1 Gms 5 Gms	860 3680
98499	⚠ Oxacillin Sodium Salt Monohydrate (OXC.Na.H2O), 815ug/mg [7240-38-2]	5 Gms	4330	27436	⚠ Paromomycin Sulfate (PRM) [1263-89-4]	1 Gms 5 Gms 25 Gms	3150 8900 34270
62704	⚠ Oxalacetic Acid extrapure, 98% (Oxaloacetic Acid, Ketosuccinic Acid, Oxobutanedioic Acid, 2-Oxosuccinic Acid) [328-42-7]	1 Gms 5 Gms 25 Gms	1110 4680 18900	13684	■ Pectic Acid pure [9046-40-6]	100 Gms	3700
76207	⚠ Oxidase Reagent (Gordon-Macleod Reagent) [100-00-0]	100 ml	450	90464	■ Pectinase ex. Aspergillus Niger, 3.5U/mg [9032-75-1]	1000 Units	2450
91088	⚠ Oxolinic Acid (OXO), 99% [14698-29-4]	5 Gms 25 Gms	8770 32890	38215	■ Pentadecylic Acid extrapure, 99% (Pentadecanoic Acid ,n-pentadecanoic acid,n-pentadecylic acid,pentadecylate,n-pentadecylate) [1002-84-2]	5 Gms 25 Gms	2500 8000
29779	⚠ Oxolinic Acid Sodium (OXO-Na), 98% [59587-05-8]	1 Gms 5 Gms	2690 9140	41991	■ Pentafluorobenzoic Acid pure, 98% (2,3,4,5,6-Pentafluorobenzoic Acid) [602-94-8]	5 Gms 25 Gms 100 Gms	940 3280 7540
55540	⚠ Oxytetracycline Dihydrate (OTC.2H2O) extrapure, 98% [6153-64-6]	1 Gms	410	40309	✓ Penicillin G Sodium Salt (PNL), 98% [69-57-8]	1 Gms	2500
12455	⚠ Oxytetracycline Hydrochloride (OTC), 95% [2058-46-0]	1 Gms 5 Gms	830 3810	13585	■ Pentafluorophenol (PFP) extrapure, 99% (2,3,4,5,6-Pentafluorophenol) [771-61-9]	5 Gms 25 Gms	1420 5880
61799	● Ovalbumin ex. Chicken Egg White for molecular biology, 90% [9006-59-1]	1 Gms 5 Gms 25 Gms	2800 12500 60000	20895	⚠ (2R,4R)-2,4-Pentanediol extrapure, 99% [42075-32-1]	1 Gms 2.5 Gms	33240 80550
13788	● Ovalbumin ex. Chicken Egg White for molecular biology, 98% [9006-59-1]	250 Mg 1 Gms	8200 16000	10610	⚠ (2S,4S)-2,4-Pentanediol extrapure, 99% [72345-23-4]	1 Gms 2.5 Gms	27700 67160
57590	⚠ Paclobutrazol pure, 95% (a-tert-Butyl-β-(4-Chlorobenzyl)-1H-1,2,4-Triazole-1-Ethanol, PACZEE) [76738-62-0]	5 Gms 25 Gms	900 3500	16165	⚠ Pentylentetrazole (Pentetrazole) extrapure, 99% (1,5-Pentamethylenetetrazole) (Pentylentetrazole,1,5-Pentamethylenetetrazole) [54-95-5]	5 Gms 25 Gms	1310 5460
42883	⚠ Paclitaxel (Taxol, PCXL), 99% [33069-62-4]	10 Mg 50 Mg 250 Mg	1260 4000 7500				

Code	Name	Packing	Price	Code	Name	Packing	Price
32212 [8006-90-4]	Peppermint oil extrapure, 50%	100 ml	750	48914 [68807-90-9]	Phenolphthalein Diphosphate Tetrasodium Salt extrapure AR, 95%	1 Gms	1800
		500 ml	3400			5 Gms	4340
12647 [9001-75-6]	■ Pepsin 1:3000 ex. Porcine Stomach Mucosa, 0.8Anson U/mg	25 Gms	950	95444 [122-59-8]	Phenoxyacetic Acid extrapure, 99% (Glycolic Phenyl Ether)	100 Gms	510
		100 Gms	2310			500 Gms	1890
		500 Gms	10500				
48062 [9001-75-6]	■ Pepsin 1:10000 ex. Porcine Stomach Mucosa, 2.5Anson U/mg	25 Gms	1890	19630 [108321-84-2]	⚠ L-Phenylalanine-7-Amido-4-Methylc oumarin Trifluoroacetate Salt extrapure, 98% (L-Phenylalanine-AMC.TFA Salt)	25 Mg	11650
		100 Gms	6720			50 Mg	16940
		500 Gms	30450				
11787 [9001-75-6]	■ Pepsin 1:10000 ex. Porcine Stomach Mucosa extrapure AR, 2.5Anson U/mg	25 Gms	2100	79455 [2462-32-0]	● L-Phenylalanine Benzyl Ester Hydrochloride extrapure, 99%	25 Gms	11710
		100 Gms	7350				
		500 Gms	34130				
63364 [9001-75-6]	■ Pepsin 2x cryst. ex. Porcine Stomach Mucosa, 2500U/mg solids	1 Gms	3000	34351 [3182-93-2]	● L-Phenylalanine Ethyl Ester Hydrochloride extrapure, 99%	1 Gms	1000
		5 Gms	9500			5 Gms	4110
		25 Gms	35000			25 Gms	12210
		100 Gms	75000				
28498 [9003-99-0]	■ Peroxidase ex. Horseradish RZ >3.0, w/o Stab., Salt free (HRP Type 1), 250U/mg solids	1.25 K.Units	3150	78586 [7524-50-7]	● L-Phenylalanine Methyl Ester Hydrochloride extrapure, 99%	1 Gms	880
		5 K.Units	5780			5 Gms	3620
		25 K.Units	23630			25 Gms	12210
73292 [9003-99-0]	■ Peroxidase ex. Horseradish RZ >2.0, w/ 30% Stab., Salt free (HRP Type 2), 110U/mg solids	5 K.Units	3210	89311 [65147-22-0]	● Z-Phenylalanylarginine 7-Amido-4-Methylcoumarin Hydrochloride Salt extrapure, 99% (Z-Phe-Arg-AMC.HCl Salt)	25 Mg	35050
		25 K.Units	8070				
		50 K.Units	13640				
87913 [9003-99-0]	■ Peroxidase ex. Horseradish RZ >2.0, w/o Stab., Salt free (HRP Type 3), 180U/mg solids	5 K.Units	4310	14059 [91-40-7]	N-Phenylanthranilic Acid (2-Anilinobenzoic Acid) extrapure AR, 99%	25 Gms	1430
		25 K.Units	9370			100 Gms	5340
30709 [66-71-7]	1,10-Phenanthroline Anhydrous extrapure, 99%, water 2%	5 Gms	1070	53993 [1689-82-3]	4-Phenylazophenol (Solvent Yellow 7, 4-HAB) extrapure, 98% (p-Hydroxyazobenzene)(C.I. No. 11800)	25 Gms	840
		25 Gms	3560			100 Gms	2940
		100 Gms	11270				
65898 [5144-89-8]	1,10-Phenanthroline Monohydrate extrapure AR, 99.5%	5 Gms	560	92890 [98-80-6]	Phenylboronic Acid extrapure, 95%	25 Gms	1900
		25 Gms	2240			100 Gms	7000
		100 Gms	6550				
		500 Gms	31540				
81067 [5144-89-8]	1,10-Phenanthroline Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	5 Gms	680	70291 [1821-12-1]	4-Phenyl Butyric Acid pure, 99%	25 Gms	3500
		25 Gms	2440			100 Gms	11000
		100 Gms	6880				
		500 Gms	33290				
	meets compendial specs of USP						
31888 [18851-33-7]	1,10-Phenanthroline Hydrochloride Monohydrate extrapure AR, 99.5%	5 Gms	730	27644 [95-54-5]	⚠ o-Phenylenediamine free base (OPD) extrapure AR, 99%	5 Gms	3800
		25 Gms	2850			25 Gms	10790
55782 [299-11-6]	● Phenazonium Methosulphate (PMS) extrapure, 99% (N-Methylphenazonium Methyl Sulphate, N-Methylphenazonium Methosulphate, Phenazine Methosulphate)	1 Gms	810	100 Gms	22530	25 Gms	3800
		5 Gms	3280			25 Gms	10790
13920 [299-11-6]	● Phenazonium Methosulphate (PMS) for tissue culture, 99% (N-Methylphenazonium Methyl Sulphate, N-Methylphenazonium Methosulphate, Phenazine Methosulphate)	1 Gms	1060	59576 [64-04-0]	2-Phenyl Ethylamine pure, 99%	250 ml	1130
		5 Gms	4910			500 ml	2140
		25 Gms	20450				
27861 [2871-15-0]	⚠ Phenyl-a-D-Galactopyranoside extrapure, 98%	250 Mg	10950	77334 [2818-58-8]	⚠ Phenyl-β-D-Galactopyranoside extrapure, 97%	1 Gms	6830
45754 [122-60-1]	⚠ Phenyl Glycidyl Ether (PGE) extrapure, 98% (2,3-Epoxypropyl Phenyl Ether, 1,2-Epoxy-3-phenoxypropane)	100 ml	1500	523116 [2935-35-5]	⚠ L-Phenyl Glycine extrapure, 99%	10 Gms	300
		500 ml	3280			25 Gms	720
23116 [2935-35-5]	⚠ L-Phenyl Glycine extrapure, 99%	100 Gms	1670	17083 [103-72-0]	Phenyl Isothiocyanate (PITC) pure, 98%	100 ml	3140
		500 Gms	7360			500 ml	12820

Code	Name	Packing	Price	Code	Name	Packing	Price
18962 [103-72-0]	Phenyl Isothiocyanate (PITC) extrapure AR, 99%	25 ml	1750	84122 [26016-99-9]	Phosphomycin Disodium Salt (Fosfomycin Disodium Salt) extrapure, 99% (-)-(1R,2S)-(1,2-Epoxypropyl)Phosphonic Acid, Phosphonomycin)	1 Gms	3570
		5 x5 ml	2260			5 Gms	7140
		100 ml	6020				
98152 [941-69-5]	N-Phenyl Maleimide extrapure, 98%	5 Gms	1780	65312 [9012-69-5]	Phosphorylase B ex. Rabbit Muscle, 50U/mg	10 Mg	6000
		25 Gms	3450				
89793 [62-38-4]	Phenylmercuric Acetate (PMA) pure, 98% (Mercury Phenyl Acetate)	5 Gms	800	27329 [643-79-8]	o-Phthalaldehyde (OPA) extrapure AR, 99% (Phthalaldehyde)	5 Gms	940
		25 Gms	3100			25 Gms	4030
		100 Gms	11000				
23358 [8003-05-2]	Phenylmercuric Nitrate (Basic) (PMN) pure, 98% (Mercury Phenyl Nitrate)	5 Gms	1600	89886 [88-96-0]	Phthalamide (Phthalic Acid Diamide) pure, 98%	25 Gms	1260
		25 Gms	6500			100 Gms	2310
		100 Gms	22500				
87606 [329-98-6]	Phenylmethane Sulphonyl Fluoride (PMSF) extrapure, 99%	1 Gms	750	62747 [85-41-6]	Phthalamide extrapure, 99% (Phthalic Dicarboximide, 1,3-Dihydro-1,3-Dioxoisindole, 1,3-Dioxoisindoline)	500 Gms	580
		5 Gms	2400			5 Kg	5570
		25 Gms	8500				
84375 [329-98-6]	Phenylmethane Sulphonyl Fluoride (PMSF) for molecular biology, 99%	1 Gms	950	45501 [87-41-2]	Phthalide pure, 98% (1-Iso-Benzofuranone)	100 Gms	530
		5 Gms	4000			500 Gms	2210
		25 Gms	15420				
90365 [66778-08-3]	Phenylphosphate Disodium Salt Dihydrate (High Purity) extrapure AR, 98%	25 Gms	2140	26603 [340-90-9]	N-Phthaloyl-L-Alanine extrapure, 98%	1 Gms	1080
		100 Gms	6410			5 Gms	4890
		250 Gms	16010				
50478 [118-55-8]	Phenyl Salicylate (Salol) extrapure, 99%	100 Gms	1030	44729 [340-90-9]	N-Phthaloyl-L-Glutamic Acid extrapure, 98%	5 Gms	4450
		500 Gms	3900				
21726 [2936-70-1]	Phenyl β-D-Thioglucoopyranoside extrapure, 98%	25 Mg	4510	19971 [5123-55-7]	N-Phthaloyl-L-Phenylalanine extrapure, 99%	1 Gms	910
		50 Mg	7870			5 Gms	3170
16795 [103-85-5]	N-Phenylthiourea extrapure, 97%	10 Gms	2140	64073 [1445-69-8]	N-Phthaloyl-L-Valine extrapure, 98%	1 Gms	1670
		25 Gms	3800			5 Gms	7690
69353 [108-73-6]	Phloroglucinol Anhydrous extrapure AR, 99%	25 Gms	1300	92486 [1445-69-8]	Phthalyl Hydrazide pure, 98%	25 Gms	1640
		100 Gms	4500			100 Gms	4680
99529 [18472-87-2]	Phloxin B	25 Gms	550	67432 [1918-02-1]	Picloram extrapure, 95% (4-Amino-3,5,6-Trichloropicolinic Acid, 4-Amino-3,5,6-Trichloropyridine-2-Carboxylic Acid)	1 Gms	2620
		100 Gms	1890			5 Gms	8540
						25 Gms	41380
95131	1X Phosphate Buffered Saline (PBS) for molecular biology	100 ml	530	41238 [98-98-6]	a-Picolinic Acid pure, 98%	25 Gms	1060
		500 ml	1290			100 Gms	2460
						500 Gms	9120
78529	10X Phosphate Buffered Saline (PBS) for molecular biology	100 ml	660	93418 [124-87-8]	Picrotoxin pure, 98%	1 Gms	2110
		500 ml	1520				
13435 [10526-80-4]	10X Phosphate Buffered Saline Tween-20 (PBST) for molecular biology	200 ml	600	90670 [160-60-0]	Pimelic Acid (Heptanedioic acid) extrapure, 98%	25 Gms	3290
		1000 ml	2500			100 Gms	11650
40083 [10526-80-4]	Phosphoenolpyruvate Monocyclohexylammonium Salt (PEP MCHA Salt) extrapure, 98%	100 Mg	710	99487 [76-09-5]	Pinacol pure, 98% (2,3-Dimethyl-2,3-Butanediol, Tetramethylethylene Glycol)	25 Gms	1780
		250 Mg	1420			100 Gms	4750
		1 Gms	3410			500 Gms	11860
		5 Gms	16610				
31569 [35556-70-8]	Phosphoenolpyruvate Tricyclohexylammonium Salt (PEP TCHA Salt) extrapure, 98%	100 Mg	1180	31826 [2620-50-0]	Piperonylamine pure, 97% (1,3-Benzodioxole-5-Methylamine, 3,4-(Methylenedioxy)Benzylamine)	5 ml	7000
		250 Mg	1770				
		1 Gms	5290				
69400 [9001-87-0]	Phospholipase D (Lecithinase D) ex. Streptomyces chromofuscus, 40U/mg	200 Units	17960	70375 [5625-37-6]	PIPES Buffer extrapure, 99% (Piperazine-1,4-bis(2-Ethanesulphonic, Acid))	25 Gms	1000
		400 Units	28730			100 Gms	3100
						500 Gms	10710
				49159 [5625-37-6]	PIPES Buffer for molecular biology, 99% (Piperazine-1,4-bis(2-Ethanesulphonic, Acid))	100 Gms	3470
						500 Gms	12500

Code	Name	Packing	Price	Code	Name	Packing	Price
48112 [5625-37-6]	PIPES Buffer for tissue culture, 99% (Piperazine-1,4-bis(2-Ethanesulphonic, Acid))	25 Gms 100 Gms	1470 4200	81800 [108321-08-0]	POPSO Sesquisodium Salt Buffer extrapure, 98%	25 Gms	6000
58842 [108321-27-3]	PIPES Dipotassium Salt Buffer extrapure, 99%	25 Gms	8630	20883 [299-27-4]	Potassium Gluconate extrapure, 99% (D-Gluconic Acid Potassium Salt, Potassium-D-Gluconate)	100 Gms 500 Gms	300 1260
55025 [76836-02-7]	PIPES Disodium Salt Buffer extrapure, 99%	25 Gms 100 Gms 500 Gms	4810 12190 35710	48320 [865-47-4]	Potassium tert-Butoxide pure, 98%	100 Gms 500 Gms	750 3200
44033 [100037-69-2]	PIPES Sesquisodium Salt Buffer extrapure, 99%	25 Gms 100 Gms 250 Gms	3580 12320 30170	95056 [24634-61-5]	Potassium Sorbate pure, 99%	500 Gms 1 Kg	1100 2000
94348 [10010-67-0]	PIPES Sodium Salt Buffer extrapure, 99%	25 Gms 100 Gms 250 Gms	2940 7880 15960	28008 [19423-77-9]	Praseodymium (III) Chloride Hydrate extrapure, 99.9%	25 Gms 100 Gms	4620 9450
72328 [110-85-0]	Piperazine Anhydrous pure, 98%	250 Gms 500 Gms 5 Kg	1400 2700 24000	83218 [15878-77-0]	Praseodymium (III) Nitrate Hexahydrate extrapure, 99.9% (Praseodymium Trinitrate Hexahydrate)	25 Gms 100 Gms	3520 12100
15861 [3282-30-2]	Pivaloyl Chloride extrapure, 99%	100 ml 250 ml 500 ml	480 850 1650	99350 [52093-27-3]	Praseodymium (III) Trifluoromethanesulfonate extrapure, 98% (Praseodymium Triflate, Trifluoromethanesulfonic Acid Praseodymium Salt)	5 Gms 25 Gms	4100 15330
20924 [26763-19-9]	■ Polyadenylic Acid Potassium Salt (POLY A Potassium) extrapure	25 Mg 100 Mg 1 Gms	5250 18900 71400	63639 [12037-29-5]	Praseodymium (III, IV) Oxide extrapure, 99.9%	10 Gms 50 Gms	740 2940
44196 [26936-40-3]	■ Polycytidylic Acid Potassium Salt (POLY C Potassium) extrapure	25 Mg	5250	10693 [57-83-0]	● Progesterone extrapure, 97-103% (4-Pregnene-3,20-Dione)	5 Gms 25 Gms	1310 5340
62995 [26936-41-4]	■ Polyinosinic Acid Potassium Salt (POLY I Potassium) extrapure	10 Mg	5250	54236 [21087-77-4]	Progoitrin Potassium Salt Reference Standard Grade, 75% (R)-2-Hydroxy-3-Butenylglucosinolate Potassium Salt)	10 Mg	44100
90347 [25513-46-6]	■ L-Polyglutamic Acid technical grade, 20%	1 Gms	3470	92825 [127277-53-6]	● Prohexadione Calcium technical grade, 95%	100 Mg 1 Gms	5200 27710
67258 [36562-70-6]	⚗ Polygluronic Acid extrapure, 80%	1 Gms 5 Gms	14500 62000	31651 [72556-74-2]	Phosphocholine Chloride Calcium Salt Tetrahydrate pure, 97% (Calcium phosphorylcholine chloride, Choline chloride phosphate calcium salt, Choline phosphate chlo)	5 Gms 25 Gms 100 Gms	2530 5420 15650
83011 [1405-20-5]	■ Polymyxin B Sulphate (Aerosporin, PXNS), 6000U/mg	250 Mg 1 Gms	2100 5040	74152 [115388-93-7]	⚗ L-Proline-7-Amido-4-Methylcoumari n Hydrobromide Salt extrapure, 98% (L-Proline-AMC.HBr Salt)	10 Mg 25 Mg	4540 7560
22810 [68412-54-4]	✓ Polyoxyethylene (5) Nonylphenylether Branched (IGEPAL CO-520) for molecular biology	100 Gms 500 Gms	2730 6200	79380 [70375-23-4]	⚗ Z-Proline-Arginine-7-Amido-4-Methylcoumarin Hydrochloride extrapure, 99% (Z-Pro-Arg-AMC-HCl)	10 Mg 25 Mg	71280 152720
20659 [68412-54-4]	✓ Polyoxyethylene (9) Nonylphenylether Branched (IGEPAL CO-630) for molecular biology	100 Gms 500 Gms	2420 5460	16110 [16652-71-4]	⚗ L-Proline Benzyl Ester Hydrochloride extrapure, 99%	5 Gms 25 Gms	3560 12450
47380 [61788-85-0]	Polyoxyl 40 Hydrogenated Castor Oil extrapure (Macr(Macrogolglycerol Hydroxystearate, PEG-40 hydrogenated castor oil))	500 Gms	2520	73978 [97216-17-6]	⚗ L-Proline-β-Naphthylamide Hydrobromide extrapure, 99%	100 Mg	4440
14749 [27416-86-0]	■ Polyuridylic Acid Potassium Salt (POLY U Potassium) extrapure	25 Mg	3000	16680 [62937-45-5]	■ Proline Specific Endopeptidase ex. Flavobacterium Sp., 5U/mg	50 Units	8770
38610 [6226-79-5]	Ponceau S	25 Gms 100 Gms	790 3050	31798 [107-19-7]	Propargyl Alcohol pure, 99%	250 ml 500 ml 2500 ml	1450 2700 13000
14092	Ponceau S Staining Solution	100 ml	1750	90557	D-Prolinamide extrapure, 98% (R)-Pyrrolidine-2-Carboxamide)	5 Gms 25 Gms	4750 17790
41186 [68189-43-5]	POPSO Buffer extrapure, 99% (Piperazine-1,4-bis(2-Hydroxypropanesulphonic Acid))	25 Gms 100 Gms	3000 10000				

Code	Name	Packing	Price	Code	Name	Packing	Price
35981 [7531-52-4]	L-Prolinamide extrapure, 98% (2S)-2-Pyrrolidinecarboxamide, (-)-Prolinamide, (2S)-2-Carbamoylpyrrolidine	5 Gms	900	49936 [39450-01-6]	Proteinase K ex. Tritirachium Album (Type A) for molecular biology, 30U/mg (Endopeptidase K)	10 Mg	560
		25 Gms	2500			25 Mg	1370
		100 Gms	9000			100 Mg	4810
		500 Gms	42000			500 Mg	23420
57732 [68832-13-3]	D-Prolinol extrapure, 98% (R)-(-)-2-(Hydroxymethyl)pyrrolidine, (R)-(-)-2-Pyrrolidinemethanol	1 ml	2050	36331 [36331-01-6]	Proteinase K Solution (20 mg/ml)	1 ml	3560
		5 ml	8010			5 x1 ml	7250
		25 ml	13790			5 x5 ml	22530
46457 [23356-96-9]	L-Prolinol extrapure, 98% (S)-(+)-2-(Hydroxymethyl)pyrrolidine, (S)-(+)-2-Pyrrolidinemethanol	5 ml	3280	32753 [39450-01-6]	Proteinase K ex. Pichia Pastoris (Type D - Recombinant) for molecular biology & PCR, 30U/mg (Endopeptidase K)	10 Mg	780
		25 ml	10810			25 Mg	1780
41622 [93-55-0]	Propiophenone pure, 99%	100 ml	980			100 Mg	7000
		500 ml	3500			500 Mg	29640
84215 [106-94-5]	n-Propyl Bromide pure, 98%	100 ml	480	45073 [39450-01-6]	Proteinase K ex. Pichia Pastoris (Type E - Recombinant) for molecular biology & PCR, 40U/mg (Endopeptidase K)	25 Mg	2110
		500 ml	1600			100 Mg	7310
		2500 ml	6200				
45799 [108-32-7]	Propylene Carbonate pure, 99%	500 ml	600	66893 [9057-02-7]	Pullulan (Polymaltotriose, PULL) extrapure	5 Gms	7120
		2500 ml	2660			25 Gms	11860
56082 [107-08-4]	n-Propyl Iodide extrapure, 99%	25 ml	2000			100 Gms	22530
		100 ml	7500				
		250 ml	18000				
25034 [106-36-5]	Propyl Propionate extrapure, 99%	250 ml	1130	93909 [58-58-2]	Puromycin Dihydrochloride (PRM), 98%	10 Mg	3280
		1000 ml	4240			25 Mg	6400
						100 Mg	23480
11195 [25535-16-4]	Propidium Iodide (PI) for molecular biology, 95% (3,8-Diamino-5-[3-(diethylmethylammonio)propyl]-6-Phenylphenanthridinium Diiodide)	10 Mg	2350	85492 [110-60-1]	Putrescine free base extrapure, 99% (1,4-Diaminobutane, 1,4-Butanediamine, Tetramethylenediamine)	25 Gms	1410
		25 Mg	4280			100 Gms	3740
		100 Mg	12500			500 Gms	16360
79546	Protein A soluble	2 Mg	12190	81343 [333-93-7]	Putrescine Dihydrochloride extrapure, 99%	1 Gms	470
14887 [25535-16-4]	Propidium Iodide Solution (1mg/ml in H2O)	10 ml	2600			5 Gms	1430
						25 Gms	5940
						100 Gms	21350
84589 [9036-06-0]	Protease ex. Aspergillus Oryzae (Fungal) (Type 1 - Acidic, powder), 500kHUT/g (Subtilisin A)	25 Gms	4860	49270 [333-93-7]	Putrescine Dihydrochloride for tissue culture, 99%	1 Gms	940
38207 [9036-06-0]	Protease ex. Bacillus Licheniformis (Type 4 - Neutral, powder), 10U/mg (Subtilisin A)	25 Mg	3890			5 Gms	3280
		100 Mg	10210			25 Gms	8650
81525 [9036-06-0]	Protease ex. Bacillus Sp. (Type 5 - Neutral, granules), 8kNPU/g (Subtilisin A)	100 Gms	730	31412 [288-13-1]	Pyrazole extrapure, 98% (1,2-Diazole)	5 Gms	1130
		500 Gms	3160			25 Gms	2380
						100 Gms	5940
66789 [9036-06-0]	Protease ex. Bacillus Subtilis (Type 2 - Alkaline, granules), 100kAPU/g (Subtilisin A)	250 Gms	3890	32357 [333-93-7]	Pyrene Actin (10%) ex. Rabbit Skeletal Muscle extrapure, 99%	1 Mg	88920
23434 [9036-06-0]	Protease ex. Bacillus Subtilis (Type 3 - Alkaline, granules), 1000kAPU/g (Subtilisin A)	500 Gms	2190			39433 [67000-89-9]	1-Pyrenebutanol extrapure, 99%
				1 Gms	8540		
84244 [9036-06-0]	Protease ex. Bacillus Subtilis (Type 6 - Neutral, powder), 100kNPU/g (Subtilisin A)	100 Gms	3530	81284 [19694-02-1]	1-Pyrenecarboxylic Acid pure, 97%	500 Mg	4390
						1 Gms	7830
						5 Gms	34390
26309 [39450-01-6]	Proteinase K ex. Tritirachium Album (Type B), 30U/mg (Endopeptidase K)	10 Mg	530	59503 [93324-65-3]	1-Pyrenemethylamine Hydrochloride (PyNH2) pure, 95%	500 Mg	4090
		25 Mg	1300			1 Gms	7480
		100 Mg	4660				
		500 Mg	21940				
		1 Gms	42210	67172 [289-80-5]	Pyridazine pure, 98%	5 Gms	2730
						25 Gms	12600
				31129 [7291-22-7]	Pyridine-d5 For NMR Spectroscopy, 99.5 Atom%D	10 ml	24000

Code	Name	Packing	Price	Code	Name	Packing	Price		
73512 [1692-25-7]	3-Pyridineboronic Acid extrapure, 98%	1 Gms	2040	29986 [9001-59-6]	■ Pyruvate Kinase ex. Rabbit Muscle, 300U/mg	4000 Units	7710		
		5 Gms	8480			59150 [127-17-3]	♻️ Pyruvic Acid pure, 98%	25 ml	900
		25 Gms	37300					100 ml	2400
16539 [499-83-2]	Pyridine-2,6-Dicarboxylic Acid extrapure, 99%	25 Gms	850	71923 [6151-25-3, 849061-97-8]	♻️ Quercetin Dihydrate extrapure, 98%	25 Gms	2000		
		100 Gms	2500			100 Gms	7500		
		500 Gms	11000			97899 [117-92-0]	♻️ Quinaldine Red	1 Gms	1430
12644 [636-73-7]	Pyridine-3-Sulphonic Acid (P3SA) extrapure, 98% (3-Pyridinesulfonic Acid)	25 Gms	2000	5 Gms	6650				
		52928 [41468-25-1]	✓ Pyridoxal-5-Phosphate Monohydrate extrapure, 98%	1 Gms	1020			81076 [77-95-2]	♻️ Quinic Acid extrapure, 98%
5 Gms	4630			25 Gms	3560				
25 Gms	14820			100 Gms	11980				
88205 [58-56-0]	✓ Pyridoxine Hydrochloride (Vitamin B6) pure, 98%	10 Gms	210	32648 [91-22-5]	Quinoline pure, 97%	500 ml	1840		
		25 Gms	510			2500 ml	8800		
		100 Gms	1870			51649 [17629-30-0]	D-Raffinose Pentahydrate extrapure	25 Gms	1800
47330 [1046-56-6]	✓ 3-(2-Pyridyl)-5,6-Diphenyl-1,2,4-Triazine (PDT) extrapure AR, 99%	1 Gms	2850	100 Gms	6800				
		5 Gms	12450	21719 [212783-75-0]	● Ramage Linker (Fmoc-Suberol) extrapure, 98%			100 Mg	2670
16315 [68181-17-9]	♻️ 3-(2-Pyridyldithio)propionic Acid N-Hydroxysuccinimide Ester (SPDP Crosslinker) extrapure, 95% (N-Succinimidyl 3-(2-Pyridyldithio)Propionate, 3-(2-Pyridyldithio)-Propionic Acid-OSu)	10 Mg	6430			1 Gms	6050		
		25 Mg	11980			24527 [2580-78-1]	♻️ Rapeseed Glucosinolate Mixture Reference Standard Grade, 90%	10 Mg	9450
		100 Mg	23950	36474 [2580-78-1]	Reactive Blue 19 (Remazol Brilliant Blue R) (Reactive Blue 19)			25 Gms	2490
77504 [79551-14-7]	✓ Ferene Disodium Salt extrapure, 98% (3-(2-Pyridyl)-5,6-di(2-Furyl)-1,2,4-Triazine-5,5-Disulfonic Acid Disodium Salt)	1 Gms	5500					100 Gms	8500
		10 Gms	33200			95238 [12236-86-1]	Reactive Blue 21 (Remazol Turquoise Blue G-133)	25 Gms	2810
		77577 [98-79-3]	♻️ L-Pyroglutamic Acid extrapure, 99%	25 Gms	630			100 Gms	8010
100 Gms	1640			12176 [12225-83-1]	Reactive Orange 16 (Remazol Brilliant Orange 3R) (C.I. No. 17757)			25 Gms	2810
36306 [66642-36-2]	♻️ L-Pyroglutamic Acid-7-Amido-4-Methylcoumarin extrapure, 98% (L-Pyroglutamic Acid-AMC)					10 Mg	10010	100 Gms	6940
		25 Mg	19450			65637 [12220-08-5]	Reactive Orange 107 (Remazol Golden Yellow RNL)	25 Gms	3340
		97079 [89-32-7]	Pyromellitic Dianhydride (PMDA) extrapure, 98% (Benzene-1,2,4,5-Tetracarboxylic Dianhydride)	25 Gms	1370			100 Gms	8010
100 Gms	2210			15034 [11099-79-9]	Reactive Red 21 (Remazol Red BB)			25 Gms	4670
500 Gms	7040					100 Gms	10010		
75612 [92-32-0]	♻️ Pyronin G (Pyronin Y), 50% (C.I. No. 45005)	1 Gms	940			35832 [12226-12-9]	Reactive Red 35 (Remazol Brilliant Red 5B)	25 Gms	840
		5 Gms	2700	100 Gms	3150				
		71692 [109-97-7]	Pyrrole extrapure, 99%	25 ml	700			79740 [61951-82-4]	Reactive Red 120 (Reactive Brilliant Red HE3B) (C.I. 292775)
100 ml	2200			100 Gms	8010				
500 ml	9000			23176 [98114-32-0]	Reactive Red 180 (Remazol Brilliant Red F3B)	5 Gms	1200		
91402 [123-75-1]	Pyrrolidine pure, 99%	25 ml	600			25 Gms	3340		
		100 ml	1520			100 Gms	8010		
		500 ml	5800	80539 [12226-38-9]	Reactive Violet 5 (Remazol Brilliant Violet 5R) (C.I. No. 18097)	25 Gms	3340		
88543 [123-75-1]	Pyrrolidine extrapure AR, 99.5%	25 ml	800			100 Gms	8010		
		100 ml	2200			67074 [20317-19-5]	Reactive Yellow 17 (Remazol Golden Yellow G) (C.I. No. 18852)	25 Gms	6680
		250 ml	3900	100 Gms	24010				
73694 [616-45-5]	2-Pyrrolidone pure, 99%	250 ml	890	55200 [62758-13-8]	Resazurin Sodium extrapure AR, 20-30%			1 Gms	1200
		500 ml	1710			5 Gms	5500		
		2500 ml	8300			42650 [62758-13-8]	Resazurin Sodium extrapure AR, 85%	1 Gms	1400
63884 [9014-20-4]	■ Pyruvate Dehydrogenase ex. Microorganism, 2.0U/mg	10 Units	10320	5 Gms	6200				
		5 Gms	6200	25 Gms	29000				

Code	Name	Packing	Price	Code	Name	Packing	Price
42817 [62758-13-8]	Resazurin Sodium extrapure AR, ExiPlus, Multi-Compendial, 85%	1 Gms	1500	34140 [431041-83-7]	Rink Amide MBHA Resin (100-200 mesh), Loading 0.3-0.8mmol/g (4-(2,4-Dimethoxyphenyl-FMOC-Aminomethyl)Phenoxyacetamido-Norleucyl-MBHA Resin)	1 Gms	2520
		5 Gms	6500			5 Gms	9660
		25 Gms	31000			25 Gms	32030
	meets compendial specs of USP						
46861 [50-55-5]	✓ Reserpine extrapure, 99%	1 Gms	3450	90780 [569-61-9]	p-Rosaniline Hydrochloride (Pararosaniline Hydrochloride, Pararosaniline Chloride, Basic Parafuchsin) (C.I. No. 42500)	25 Gms	1100
		5 Gms	13050			100 Gms	4000
39798 [108-46-3]	Resorcinol extrapure AR, 99%	100 Gms	800	60549 [632-69-9]	Rose Bengal (Acid Red 94) (C.I. No. 45440)	10 Gms	620
		500 Gms	3500			25 Gms	1470
22173 [108-46-3]	Resorcinol extrapure AR, ExiPlus, Multi-Compendial, 99%	100 Gms	900	10641 [8007-01-0]	Rose Oil extrapure	10 ml	2130
		500 Gms	3800			25 ml	4250
69040 [10030-85-0]	L-Rhamnose Monohydrate extrapure	5 Gms	650	66412 [603-45-2]	p-Rosolic Acid (Aurin)	25 Gms	1530
		25 Gms	2200			100 Gms	4580
		100 Gms	9500				
59652 [7440-15-5]	Rhenium Powder extrapure, 99.99%, -325mesh	1 Gms	1920	18325 [250249-75-3]	Rutin Trihydrate pure, 95% (Vitamin P Trihydrate, Rutoside, Quercetin-3-Rutinoside)	25 Gms	950
		5 Gms	6830			100 Gms	3470
45165 [20765-98-4]	Rhodium (III) Chloride Trihydrate pure, 98% (Rhodium Trichloride Hydrate)	250 Mg	13650	16281	Safranin 0.5 w/v Aq. Solution	125 ml	150
		1 Gms	53030			500 ml	530
46729 [73482-96-9]	✓ Rhodium (II) Octanoate Dimer extrapure, 97%	250 Mg	5250	16593 [477-73-6]	Safranin O (Basic red 2) (C.I. No. 50240)	25 Gms	530
		1 Gms	13650			100 Gms	1870
34392 [83-88-5]	Riboflavin pure, 98% (Vitamin B2)	10 Gms	320	10673 [138-52-3]	D-(-)-Salicin extrapure	5 Gms	1800
		25 Gms	760			25 Gms	4800
		100 Gms	2870				
57443 [130-40-5]	Riboflavine-5-Phosphate Disodium Salt extrapure, 93%	5 Gms	200	57467 [959-36-4]	✓ Salicylaldehyde Azine extrapure, 97% (2-Hydroxybenzaldehyde azine)	1 Gms	950
		25 Gms	660			5 Gms	2460
98915 [9001-99-4]	Ribonuclease A (RNase A) ex. Bovine Pancreas for molecular biology, 50Kunitz/mg	25 Mg	2340			77386 [65-45-2]	Salicylamide pure, 98%
		100 Mg	4910	500 Gms	1750		
		500 Mg	21030	5 Kg	16500		
62910 [63231-63-0]	Ribonucleic Acid (RNA) Free Acid ex. Yeast, 85%	25 Gms	1750	45549	Salt Mixture Bernhart Tommarelli	500 Gms	400
		100 Gms	6730			1 Kg	750
61866 [73049-77-1]	Ribonucleic Acid Sodium Salt (RNA Sodium, Sodium Nucleinate) ex. Yeast for molecular biology, 85%	10 Gms	1580	13464	Salt Mixture H.M.W	5 Kg	3370
		25 Gms	3260			500 Gms	440
48259 [50-69-1]	D-Ribose extrapure	25 Gms	550	71637	Salt Mixture U.S.P. XIV	1 Kg	820
		100 Gms	1520			5 Kg	3710
76538 [50-69-1]	D-Ribose for tissue culture	5 Gms	350	93538 [13465-55-9]	Samarium (III) Chloride Hexahydrate pure, 99.9% (Samarium trichloride hydrate)	10 Gms	3570
		25 Gms	980			50 Gms	11760
72377 [15673-79-7]	D-Ribose-5-Phosphate Barium Salt Hexahydrate extrapure, 98%	100 Mg	4600	92082 [13759-83-6]	Samarium (III) Nitrate Hexahydrate ultrapure, 99.95% (Trinitric Acid Samarium (III) Hexahydrate)	5 Gms	1980
						25 Gms	5890
12310 [13292-46-1]	Rifampicin (RFP) (Rifampin), 97-102%	1 Gms	720	31372 [12060-58-1]	Samarium (III) Oxide ultrapure, 99.95% (Samarium)	5 Gms	1790
		5 Gms	3270			25 Gms	5200
81319 [80621-81-4]	Rifaximin (RFX) extrapure, 98%	1 Gms	2930	54043 [52093-28-4]	Samarium (III) Trifluoromethanesulfonate extrapure, 98% (Samarium (III) Triflate, Trifluoromethanesulfonic Acid Samarium (III) Salt)	1 Gms	2730
		5 Gms	12270			5 Gms	6300
23311 [145069-56-3]	Rink Amide Linker Resin (Knorr Linker) extrapure, 99% (4-[(2,4-Dimethoxyphenyl)(Fmoc-amino)Methyl]phenoxyacetic Acid)	1 Gms	5250				
		5 Gms	9450				

Code	Name	Packing	Price	Code	Name	Packing	Price
68580 [144026-79-9]	Scandium (III) Trifluoromethanesulfonate extrapure, 98% (Scandium Triflate, Trifluoromethanesulfonic Acid Scandium Salt)	1 Gms 5 Gms	1680 7670	18472 [3722-51-8]	Sieber Linker (3-Hydroxyxanthone) extrapure, 99%	100 Mg 1 Gms 5 Gms	2620 5940 9490
80967 [8047-15-2]	Saponin ex. Quillaja for molecular biology, 9% Sapogenin	25 Gms 100 Gms	6000 11000	77996	Silica Cysteine-Functionalized extrapure (Particle Size — 40-63µm, Pore Size - 60A)	5 Gms 10 Gms	19970 33270
99474 [8047-15-2]	Saponin ex. Gypsophila Roots for molecular biology, 25% Sapogenin	5 Gms 25 Gms 100 Gms	1800 4500 12000	46400	Silica DMT-Functionalized extrapure	5 Gms 25 Gms	11230 46740
10147 [9029-22-5]	Sarcosine Oxidase (SOX) ex. Recombinant E.coli, 20U/mg	500 Units 1 K.Units	5940 11270	31156	Silica Imidazole-Functionalized extrapure	5 Gms 25 Gms	6660 27720
21032 [12060-08-1]	Scandium Oxide, 99.99%	1 Gms 5 Gms	2630 7000	68360	Silica TAAcOH-Functionalized extrapure	5 Gms 25 Gms	9600 39990
17386	Schiff's Reagent	500 ml	530	28466	Silica TAAcONa-Functionalized extrapure	5 Gms 25 Gms	9600 39990
32380 [92-61-5]	Scopoletin extrapure, 98%	25 Mg 100 Mg	4000 8500	39343	Silica Thiol-Functionalized (STF) extrapure	5 Gms 25 Gms	8030 33410
62330 [111-20-6]	Sebacic Acid pure, 98%	500 Gms	1080	20356	Silica DPP-Pd Catalyst extrapure	5 Gms 10 Gms	37790 62970
19182 [563-41-7]	Semicarbazide Hydrochloride extrapure, 98%	100 Gms	670	45570	Silica TEMPO Catalyst extrapure	5 Gms 10 Gms	18510 30850
44779 [7446-08-4]	Selenium Dioxide pure, 98%	100 Gms 500 Gms	3680 16600	78339	Silica C18 (17%) Bonded monomeric extrapure	5 Gms 25 Gms	5260 15190
90945 [7782-49-2]	Selenium Metal Powder extrapure, 100 mesh, 99.9%	25 Gms 100 Gms 500 Gms	1050 3150 12600	43139	Silica Carbonate Bonded extrapure	5 Gms 25 Gms	9260 38570
51200 [7782-49-2]	Selenium Metal Powder ultrapure, 100 mesh, 99.999%	25 Gms 100 Gms	3570 13130	35228	Silica Cyano Bonded extrapure	5 Gms 10 Gms	5870 11450
77855 [7782-49-2]	Selenium Metal Granular ultrapure, 1-6mm, 99.999%	25 Gms 100 Gms	3780 14180	30753	Silica Diol Bonded extrapure	5 Gms 25 Gms	5780 24040
29815	Seliwanoff's Reagent	100 ml	290	92868	Silica TMA Acetate Bonded non-encapped extrapure	5 Gms 25 Gms	8240 34300
64088	Seralose®-2B	100 ml 500 ml	3500 14790	50648	Silica Tonic Acid Bonded extrapure	5 Gms 25 Gms	10030 41770
54540	Seralose®-4B	100 ml 500 ml	3500 14790	73081 [7440-21-3]	Silicon Metal powder, 98.5%, -200 mesh	100 Gms 500 Gms	320 840
12585	Seralose®-6B	100 ml 500 ml	3770 16810	43800 [26042-64-8]	Silver Hexafluoroantimonate(V) extrapure, 98%	1 Gms 5 Gms	3400 15000
81862	Seralose® CL-2B	100 ml 500 ml	5520 22850	32422 [7440-22-4]	Silver Metal powder, 99.9%, -400 mesh	10 Gms 25 Gms 100 Gms	3300 7900 31000
11974	Seralose® CL-4B	100 ml 500 ml	5520 22850	43491 [2386-52-9]	Silver Methanesulfonate (Silver MSA) extrapure, 47.8%-58.4% Ag (Methanesulfonic Acid Silver Salt, Silver Methylsulfonate, Silver Methylsulphonate, Methanesulphonic)	1 Gms 5 Gms 25 Gms	1500 5000 16000
22264	Seralose® CL-6B	100 ml 500 ml	5790 24470	46241 [9008-42-8]	Silver Proteinate extrapure, 8% Ag	5 Gms 25 Gms	2000 7000
85165 [55819-71-1]	DL-Serine Hydrazide Hydrochloride pure, 98% (DL-Serinohydrazide Hydrochloride)	5 Gms	15690	27821 [2923-28-6]	Silver Trifluoromethanesulfonate extrapure, 98% (Silver Triflate, Trifluoromethanesulfonic Acid Silver Salt)	1 Gms 5 Gms	1050 4310
17017 [5680-80-8]	L-Serine Methyl Ester Hydrochloride extrapure, 99%	5 Gms 25 Gms 100 Gms	960 4160 11270				

Code	Name	Packing	Price	Code	Name	Packing	Price
69717 [13497-94-4]	Silver Vanadate pure	5 Gms	3600	31287 [863-57-0]	Sodium Glycocholate Dried (SGC Dried) extrapure, 98%	500 Mg 1 Gms 5 Gms 25 Gms	3690 6910 18420 87480
90677 [16411-05-5]	Sinalbin Potassium Salt Reference Standard Grade, 98% (p-Hydroxybenzylglucosinolate Potassium Salt, Glucosinalbin Potassium Salt)	10 Mg	33600	15556 [338950-81-5]	Sodium Glycocholate Hydrate (SGC Hydrate) extrapure, 98%	500 Mg 1 Gms 5 Gms 25 Gms	3350 5760 16120 80570
28945 [3952-98-5]	Sinigrin Potassium Salt Reference Standard Grade, 97% (2-Propenyl Glucosinolate Potassium Salt, Sinigrin Potassium Salt)	25 Mg 100 Mg	6300 10290	43453 [527-07-1]	Sodium Gluconate pure, 99%	500 Gms	350
56226 [83-46-5]	b-Sitosterol ex. Rice Bran, 98% (Beta Sitosterol)	25 Gms	4910	54565 [141-95-7]	Sodium Malonate extrapure, 99%	100 Gms 500 Gms	900 3290
13728 [83-46-5]	b-Sitosterol ex. Glycine Max (Soyabean), 95% (Beta Sitosterol)	25 Gms 100 Gms	4440 17410	81020 [114-21-6]	Sodium DL-Mandelate extrapure, 99% (DL-Mandelic Acid Sodium Salt)	5 Gms 25 Gms	900 4200
89658 [1333-83-1]	Sodium Bifluoride pure, 98%	500 Gms	1430	18444 [13718-26-8]	Sodium Metavanadate extrapure, 99% (Sodium Trioxovanadate, Sodium Vanadium Oxide, Sodium Vanadium Trioxide)	25 Gms 100 Gms 500 Gms	840 3300 15600
53713 [7782-82-3]	Sodium Biselenite pure, 98%	100 Gms	4330	85247 [31681-98-8]	Sodium-2-Naphthyl Phosphate Disodium Salt extrapure AR, 99%	1 Gms 5 Gms	980 4740
22308 [156-54-7]	Sodium Butyrate extrapure, 98.5%	25 Gms 100 Gms 500 Gms	1100 1800 6800	86766 [13721-39-6]	Sodium Orthovanadate pure, 45% (Sodium Vanadium Oxide)	10 Gms 50 Gms	3890 11670
41059 [9005-46-3]	Sodium Caseinate extrapure (Casein Sodium Salt)	100 Gms 500 Gms	1470 5520	14215 [55963-78-5]	Sodium Polyanethol Sulphonate (SPS, Liquid) extrapure AR	1 Gms 5 Gms 25 Gms	500 2270 10890
43624 [7775-11-3]	Sodium Chromate pure, 98%	500 Gms	640	23569 [113-24-6]	Sodium Pyruvate (Pyruvic Acid Sodium Salt) extrapure AR, 99%	25 Gms 100 Gms 500 Gms	340 1030 3050
60947 [22722-98-1]	Sodium Dihydro-bis-Methoxyethoxy Aluminate (VITRIDE) pure, 68-71%	100 Gms 500 Gms	1500 7000	19099 [523-21-7]	Sodium Rhodizonate Dibasic extrapure AR, 99% Rhodizonic Acid Sodium Salt, 3,4,5,6-Tetraoxocyclohexene-1,2-diol disodium salt, Rhodizonic acid dis	1 Gms 5 Gms 25 Gms	580 1380 6340
46288 [6152-67-6]	Sodium Diphenylamine Sulphonate extrapure AR	10 Gms 25 Gms 100 Gms	630 1460 5210	95335 [10102-18-8]	Sodium Selenite Anhydrous extrapure, 98%	25 Gms 100 Gms 500 Gms	780 2610 10210
25818 [5137-46-2]	Sodium Diphenyl Reagent AR (Sodium Biphenyl Complex)	15 ml 10 x15 ml	960 8900	80451 [10102-18-8]	Sodium Selenite Anhydrous extrapure AR, 99%	25 Gms 100 Gms 500 Gms	820 2950 11120
67516 [5137-46-2]	Sodium Diphenyl Reagent ExiPlus, Multi-Compendial (Sodium Biphenyl Complex)	15 ml 10 x15 ml	1430 10440	17169 [10102-18-8]	Sodium Selenite Anhydrous for tissue culture, 99%	25 Gms 100 Gms 500 Gms	960 2840 14070
55083 [25155-30-0]	Sodium Dodecylbenzenesulfonate (SDBS) pure, 80% (Dodecylbenzenesulfonic Acid Sodium Salt)	100 Gms 500 Gms 5 Kg	450 1210 9450	58529 [6009-98-9]	Sodium Taurochenodeoxycholate (STCDC) extrapure, 95% (Taurochenodeoxycholic Acid Sodium Salt)	250 Mg 500 Mg	11520 22450
36511 [751-94-0]	Sodium Fucidate (Na-FC), 97.5% (Fucidic Acid Sodium Salt)	1 Gms 5 Gms	3000 8000	63703 [345909-26-4]	Sodium Taurocholate Hydrate (STC Hydrate) extrapure, 98% (Taurocholic Acid Sodium Salt Hydrate)	1 Gms 5 Gms 25 Gms 100 Gms	2370 9100 20490 71770
55655 [17013-01-3]	Sodium Fumarate extrapure AR, 99.5%	100 Gms 500 Gms	400 1800				
15331 [55073-41-1, 154804-51-0]	Sodium-β-Glycerophosphate Hydrate extrapure AR, 99% (Sodium-β-Glycerol Phosphate Hydrate, β-GP, β-Glycerolphosphate, Disodium β-glycerol phosphate)	5 Gms 25 Gms 100 Gms	2000 4500 15000				
97971 [16564-43-5]	Sodium Glycochenodeoxycholate (SGCDC) extrapure, 97% (Glycochenodeoxycholic Acid Sodium Salt)	100 Mg 500 Mg 1 Gms 5 Gms 25 Gms	2740 6220 11190 42270 191430				

Code	Name	Packing	Price	Code	Name	Packing	Price
57861 ⓘ [1180-95-6]	Sodium Taurodeoxycholate Dried (STDC Dried) extrapure, 97%	1 Gms 5 Gms 25 Gms	2500 8230 38560	63056 ⓘ [122341-56-4]	3-(2`-Spiroadamantane)-4-(3``-Phosphoryloxy) Phenyl-1,2-Dioxetane (AMPPD) extrapure, 98%	5 Mg	20920
40391 ⓘ [207737-97-1]	Sodium Taurodeoxycholate Hydrate (STDC Hydrate) extrapure, 97%	500 Mg 1 Gms 5 Gms 25 Gms	740 1310 6360 30620	67715 ⓘ [52-01-7]	Spironolactone extrapure, 97%	500 Mg 1 Gms	5210 9310
31102 ⓘ [35807-85-3]	Sodium Tauroursodeoxycholate (TUDCA Sodium) extrapure, 98% (Tauroursodeoxycholic Acid Sodium Salt)	1 Gms 5 Gms	4540 16560	12590 ⓘ	20X SSC Buffer pH 6.9-7.1 for molecular biology	200 ml 500 ml	330 740
78786 ⓘ [367-51-1]	Sodium Thioglycolate extrapure, 99%	100 Gms 250 Gms 500 Gms	970 1800 3200	78305 ⓘ	20X SSPE Buffer pH-7.4 suitable for molecular biology	200 ml 1000 ml	900 2500
48950 ✓ [56553-60-7]	Sodium Triacetoxymethylborohydride (STAB) pure, 98%	25 Gms 100 Gms 500 Gms	1030 2840 13050	80268 ⓘ [10094-58-3]	Stachyose Tetrahydrate extrapure, 98%	25 Mg 100 Mg 250 Mg	3150 12450 28690
69128 ⓘ [2926-29-6]	Sodium Trifluoromethanesulfinate (Langlois reagent) extrapure, 95% (Sodium Trifluoromethylsulfinate, Trifluoromethanesulfonic Acid Sodium Salt, Sodium Triflinate)	5 Gms	4990	31384 ⓘ [57-11-4]	Stearic Acid pure, C18-98%	500 Gms 5 Kg	650 6400
99957 ⓘ [20311-51-7]	a-Solamargine extrapure, 98% (Solasodine-L-Rhamnosido-D-Glucoside)	10 Mg 25 Mg	6460 15500	73878 ⓘ [57-11-4]	Stearic Acid extrapure, C18-99%	5 Gms 25 Gms 100 Gms	300 1150 4400
53771 ⓘ [126-17-0]	Solasodine extrapure, 98% (Purapuridine, Solanocarpidine)	10 Mg 25 Mg	6470 15500	73439 ⓘ [57-11-4]	Stearic Acid ExiPlus, Multi-Compendial, C18-99% meets compendial specs of Ph.Eur	5 Gms 25 Gms 100 Gms	510 2200 7000
89725 ⓘ [19121-58-5]	Solasonine extrapure, 98% (Solasodamine)	25 Mg	18150	61609 ⓘ [112-61-8]	Stearic Acid Methyl Ester extrapure, 99% (GC)	5 Gms 25 Gms	3500 9800
54281 ■ [38916-34-6]	Somatostatin extrapure, 97%	5 Mg 25 Mg	9800 30820	61600 ⓘ	STET Lysis Buffer	500 ml	3800
62468 ⓘ [87-79-6]	L(-)Sorbitol extrapure, 99%	25 Gms 100 Gms	4300 16500	39895 ⓘ [83-48-7]	Stigmasterol extrapure, 95%	1 Gms 5 Gms 10 Gms 25 Gms	1170 5300 10340 18100
17030 ● [124-20-9]	Spermidine extrapure, 99%	250 Mg 1 Gms 5 Gms	1100 2140 8930	87610 ⓘ [9013-20-1]	Streptavidin (SA) ex. Streptomyces Avidinii for molecular biology, 15U/mg Protein	5 Mg 10 Mg	8120 14930
91710 ● [71-44-3]	Spermine Free Base extrapure, 99%	250 Mg 1 Gms	1730 3990	54224 ⓘ [9013-20-1]	r-Streptavidin (r-SA) ex. Streptomyces Acidinii in E.Coli - Type 1, 17U/mg protein	5 Mg	44390
22310 ● [306-67-2]	Spermine Tetrahydrochloride extrapure, 99%	1 Gms 5 Gms 10 Gms 25 Gms	3460 8980 17270 31080	91014 ⓘ [3810-74-0]	Streptomycin Sulphate (STM)	5 Gms 25 Gms 100 Gms	410 1350 2810
26413 ● [85187-10-6]	Sphingomyelin (Type I) (ex. Bovine Brain Sphingolipids) extrapure, 99%	10 Mg 25 Mg 100 Mg	7710 12450 40310	62463 ⓘ [3810-74-0]	Streptomycin Sulphate for tissue culture	5 Gms 25 Gms 100 Gms	930 1860 3380
95852 ● [85187-10-6]	Sphingomyelin (Type II) (ex. Bovine Heart Sphingolipids) extrapure, 99%	10 Mg 25 Mg 100 Mg	7710 17200 45060	14653 ⓘ [18883-66-4]	Streptozotocin (STZ) extrapure, 98%	100 Mg 500 Mg 1 Gms 5 Gms	1850 8500 16000 65000
77061 ✓ [657408-07-6]	S-Phos (2-Dicyclohexylphosphino-2,6-Dimethylthoxybiphenyl) extrapure, 98%	1 Gms 5 Gms 25 Gms	2970 13050 53350	48142 ⓘ [108-30-5]	Succinic Anhydride extrapure, 99.5%	100 Gms 500 Gms	380 1500
				24088 ⓘ [64987-85-5]	Succinimidyl-4-(N-(N-maleimidomethyl)cyclohexane-1-carboxylate (SMCC), 98%	50 Mg 250 Mg	2620 10680

Code	Name	Packing	Price	Code	Name	Packing	Price
20721 [386229-69-2]	Sucrose Heptasulphate Potassium Salt pure, 80% (1,3,4,6-Tetra-O-Sulfo-b-D-Fructofuranosyl-a-D-Glucopyranoside-2,3,4-Tris(Hydrogen Sulfate)Potassium)	25 Mg	18000	10964 [29915-38-6]	TAPS Buffer extrapure, 99% (N-Tris (hydroxymethyl) Methyl-3-Aminopropane Sulphonic Acid)	25 Gms 100 Gms	1190 3140
47973 [54182-58-0]	Sucrose Octasulphate Aluminium Salt (Sucrafate) extrapure, 30-36% (Sucrose Octasulfate-Aluminum Complex)	5 Gms 25 Gms	3000 8000	44194 [68399-81-5]	TAPSO Buffer extrapure, 99% (3-[Tris-(hydroxymethyl) Methylamino]-2-Hydroxypropane Sulphonic Acid)	25 Gms 100 Gms	2440 8070
69538 [26446-38-8]	Sucrose Palmitate extrapure, 90% (b-D-Fructofuranosyl-a-D-Glucopyranoside Monoheptadecanoate)	25 Gms 100 Gms	2200 6700	28682 [147-71-7]	D-(-)-Tartaric Acid extrapure, 99%	100 Gms 250 Gms	540 1310
67787 [85-86-9]	Sudan III	25 Gms 100 Gms	210 610	60301 [87-69-4]	L-(+)-Tartaric Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.7% (L-Threarcic Acid) meets compendial specs of USP, BP, Ph.Eur	500 Gms 5 Kg	600 5400
81329 [6209-17-2]	Sulfacetamide Sodium Monohydrate extrapure, 99%-101% (N-Acetylsulfanilamide Sodium Salt Monohydrate)	5 Gms 50 Gms	2750 8000	63904 [133-37-9]	DL-Tartaric Acid extrapure, 99%	500 Gms 5 Kg	530 5000
16775 [68-35-9]	Sulfadiazine (SFD) extrapure, 99-101% (4-Amino-N-(2-Pyrimidinyl)Benzenesulfonamide)	50 Gms 100 Gms	2630 4990	15711 [107-35-7]	Taurine extrapure CHR, 99% (2-Aminoethanesulfonic Acid)	25 Gms 100 Gms 1 Kg	480 1430 11860
28277 [547-32-0]	Sulfadiazine Sodium Salt (SFD Sodium) extrapure, 99% (4-Amino-N-(2-Pyrimidinyl)Benzenesulfonamide Sodium Salt)	25 Gms 100 Gms	2200 6600	47064 [125700-67-6]	TBTU extrapure, 98%	10 Gms 25 Gms 100 Gms	800 1600 6600
69181 [7704-34-9]	Sulfur Precipitated pure, 98%	500 Gms	230	92481 [7446-07-3]	Tellurium Dioxide ultrapure, 99.999%	5 Gms 25 Gms	2940 8930
86684 [723-46-6]	Sulphamethoxazole (SMX), 99%	5 Gms 25 Gms	2350 6410	59479 [13494-80-9]	Tellurium Metal powder, 99.9%, -200 mesh	10 Gms 100 Gms	1580 8190
72701 [126-33-0]	Sulpholane Anhydrous pure, 99% (Sulfolane Anhydrous)	500 ml 2500 ml	950 4600	67813 [13798-24-8]	Terbium (III) Chloride Hexahydrate extrapure, 99.9%	5 Gms 25 Gms	4200 18380
13674 [126-33-0]	Sulpholane Anhydrous extrapure AR, 99% (Sulfolane Anhydrous)	500 ml 2500 ml	1200 5800	52633 [13451-19-9]	Terbium (III) Nitrate Hexahydrate ultrapure, 99.99%	2 Gms 10 Gms	4180 15400
31249 [9054-89-1]	Superoxide Dismutase (SOD) ex. Bovine Erythrocytes, 3000U/mg	20 K.Units 100 K.Units	12450 40310	52313 [57584-27-7]	Terbium (III) Nitrate Pentahydrate extrapure, 99.9%	5 Gms 25 Gms	4400 19250
47406 [14414-32-5]	Syringaldazine pure, 95%	1 Gms	4500	99186 [148980-31-8]	Terbium (III) Trifluoromethanesulfonate extrapure, 98% (Terbium(III) Triflate, Trifluoromethanesulfonic Acid Terbium(III) Salt)	1 Gms 5 Gms	3150 11550
41719 [134-96-3]	Syringaldehyde extrapure, 99%	5 Gms 25 Gms 100 Gms	630 1840 6530	62369 [12037-01-3]	Terbium (III,IV) Oxide ultrapure, 99.99%	1 Gms 5 Gms	3680 10290
71989	10X TAE Buffer pH-8.3 for molecular biology	100 ml 500 ml	590 1040	96104 [100-20-9]	Terephthaloyl Chloride practical grade, 95%	100 Gms 500 Gms	1170 5340
83170	10X TBE Buffer pH-8.3 for molecular biology	200 ml 500 ml	660 1130	14676 [7365-44-8]	TES Buffer extrapure, 99% (N-Tris(Hydroxymethyl) Methyl-2-Aminoethane Sulphonic Acid)	5 Gms 25 Gms 100 Gms	450 2000 7350
51782	10X TE Buffer pH-8.0 for molecular biology	100 ml 500 ml	1260 4200	51318 [70331-82-7]	TES Buffer Sodium Salt extrapure, 99%	25 Gms 100 Gms	5900 17930
89528 [7440-25-7]	Tantalum Metal Sheet (Type 1), 99.9%	1 piece	10810	19914 [58-22-0]	Testosterone (free base) extrapure, 99% (17β-Hydroxy-4-Androsten-3-one)	1 Gms 5 Gms	2260 4100
27101 [7440-25-7]	Tantalum Metal Sheet (Type 2), 99.9%	1 piece	16140				
70040 [7440-25-7]	Tantalum Metal Sheet (Type 3), 99.9%	1 piece	9440				

Code	Name	Packing	Price	Code	Name	Packing	Price
83651	● Testosterone Enanthate extrapure, 99% [315-37-7] (17β-Hydroxy-4-Androsten-3-one 17-Enanthate)	1 Gms	2720	55597	♻️ 3,3,5,5-Tetramethylbenzidine Dihydrochloride anhydrous (TMB.dHCl anhy) extrapure AR, 99% [64285-73-0]	100 Mg	2730
		5 Gms	8990			1 Gms	5820
71344	● Testosterone Propionate extrapure, 98% [57-85-2] (17β-Hydroxy-4-Androsten-3-one 17-Propionate)	5 Gms	1670	36746	♻️ 3,3,5,5-Tetramethyl Benzidine Dihydrochloride Hydrate (TMB.2HCl.xH2O) extrapure, 98% (TMB DiHCl) [207738-08-7]	500 Mg	3000
		25 Gms	7420			1 Gms	5760
93831	✓ 1,2,3,5-Tetra-O-Acetyl-b-D-Ribofuranose extrapure, 98% [13035-61-5] (beta-D-Ribofuranose-1,2,3,5-Tetraacetate)	5 Gms	2620	64407	♻️ TMB Solution A (1% TMB in DMSO)	100 ml	1560
		25 Gms	9490			38783	♻️ TMB Solution B (30% H2O2)
76333	1,1,2,2-Tetrachloroethane extrapure AR, 99% [79-34-5]	500 ml	1750	99986	✓ N,N,N,N-Tetramethyl Benzidine extrapure AR, 95% [366-29-0]	100 Mg	1520
		1000 ml	3430			1 Gms	4370
82175	■ Tetracycline Hydrochloride (TC) for tissue culture, 95% [64-75-5]	5 Gms	1050	13618	♻️ 2,2,4,4-Tetramethyl-1,3-Cyclobutanediol (CBDO) (mixture of isomers) extrapure, 99% [3010-96-6]	5 Gms	5250
		25 Gms	4000			25 Gms	15500
		100 Gms	11100			88001	♻️ 1,1,3,3-Tetramethyldisiloxane (TMDS) extrapure, 98% [3277-26-7]
38614	■ Tetracycline Hydrochloride (TC), 95% [64-75-5]	5 Gms	440	53180	✓ 1,1,3,3-Tetramethylguanidine extrapure AR, 99% N,N,N',N'-Tetramethylguanidine [80-70-6]	100 ml	2100
		25 Gms	2170			500 ml	8190
		100 Gms	7950			52300	♻️ N,N,N,N-Tetramethyl-p-phenylenediamine Dihydrochloride (Wursters Reagent, TMPPD) extrapure AR, 99% [637-01-4]
58128	Tetradecyl Sulphate Sodium Salt (Tergitol-4), 95% (Sodium Myristyl Sulfate, Sodium Tetradecyl Sulfate, STDS) [1191-50-0]	100 Mg	1500	91902	♻️ 2,2,6,6-Tetramethylpiperidine-1-Oxyl (TEMPO) pure, 98% [2564-83-2]	5 Gms	500
		500 Mg	5800			25 Gms	2200
64090	Tetraethylammonium Iodide extrapure, 99% [68-05-3]	25 Gms	1340	33379	■ Tetramethyl Silane (TMS) for NMR spectroscopy, 99.8% [75-76-3]	25 ml	4910
		100 Gms	3700			100 ml	14020
		500 Gms	16260			77204	Tetrapropylammonium Bromide extrapure, 99% [1941-30-6]
23231	✓ (S)-(-) 1,2,3,4-Tetrahydroisoquinoline-3-Carboxylic Acid pure, 98% [74163-81-8]	1 Gms	2570	84990	Tetrapropylammonium Hydroxide (TPAH) 10% aq. solution [4499-86-9]	100 ml	1580
		5 Gms	9900			500 ml	4200
55633	♻️ Tetrakis(Triphenylphosphine) Palladium (0) extrapure, 97% [14221-01-3]	1 Gms	3800	98078	Tetrapropylammonium Hydroxide (TPAH) 20% aq. solution [4499-86-9]	100 ml	2000
		5 Gms	17500			500 ml	8400
		25 Gms	80000			58146	Tetrapropylammonium Hydroxide (TPAH) 40% aq. solution [4499-86-9]
76265	1-Tetralone pure, 98% [529-34-0]	100 ml	2110	75311	♻️ 1-H-Tetrazole sublimed extrapure, 99% [288-94-8]	1 Gms	300
		500 ml	8520			5 Gms	1350
98500	Tert-Dodecylmercaptan (mix. of isomers) extrapure, 98.5% (tert-Dodecanethiol, tert-Laurylmercaptan) [25103-58-6]	100 ml	1800	92739	♻️ Tetrazolium Violet extrapure, 95% [1719-71-7]	1 Gms	2950
		500 ml	2800			62183	♻️ Tetrazolium Violet (high purity) extrapure AR, 98% [1719-71-7]
19028	Tetramethylammonium Chloride pure, 98% [75-57-0]	100 Gms	670	36610	Thallium (I) Acetate extrapure, 99.9% (Acetic Acid Thallium (I) Salt, Thallous Acetate) [563-68-8]	5 Gms	2970
		500 Gms	3160			100 Gms	30830
82774	Tetramethylammonium Iodide extrapure, 99% [75-58-1]	100 Gms	3630	98446	Thallium (I) Sulphate extrapure, 99% (Thallous Sulphate) [7446-18-6]	5 Gms	3740
84821	♻️ 3,3,5,5-Tetramethyl Benzidine (TMB) pure, 98% [54827-17-7]	1 Gms	1950			44826	L-Theanine extrapure, 99% [3081-61-6]
		5 Gms	7300	25 Gms	13440		
		25 Gms	29160	69860	♻️ 3,3,5,5-Tetramethyl Benzidine (TMB) extrapure AR, 98% [54827-17-7]	100 Mg	610
68738	♻️ 3,3,5,5-Tetramethylbenzidine (TMB) extrapure AR, ExiPlus, Multi-Compendial, 98% meets compendial specs of BP, Ph.Eur [54827-17-7]	1 Gms	4260	36610	Thallium (I) Acetate extrapure, 99.9% (Acetic Acid Thallium (I) Salt, Thallous Acetate) [563-68-8]	5 Gms	2970
		1 Gms	3040			25 Gms	10200
		5 Gms	8750			100 Gms	30830

Code	Name	Packing	Price	Code	Name	Packing	Price
83155 [326-91-0]	3(2-Thenoyl)-1,1,1-Trifluoroacetone (TTFA) extrapure AR, 99% (2-Thenoyltrifluoroacetone, TTA (extractant), TTB)	10 Gms 100 Gms	1260 10290	57589 [527-72-0]	Thiophene-2-Carboxylic Acid pure, 98%	5 Gms 25 Gms 100 Gms	1640 5430 16160
82500 [67-03-8]	Thiamine Hydrochloride for tissue culture, 98.5%	25 Gms 100 Gms	1000 3680	39416 ■ [4090-29-3]	Thionicotinamide Adenine Dinucleotide (Thio-NAD) extrapure, 90%	25 Mg 100 Mg	3470 12980
71081 [67-03-8]	Thiamine Hydrochloride pure, 98.5%	10 Gms 25 Gms 100 Gms	400 820 2730	35020 ■ [1921-48-8]	Thionicotinamide Adenine Dinucleotide Disodium Salt Reduced (Thio-NADH) extrapure, 93%	25 Mg 100 Mg	3250 9740
79903 ⚠ [15318-45-3]	Thiamphenicol (TMP), 98%	1 Gms 5 Gms	1680 4730	29808 [1918-77-0]	Thiophene-2-Acetic Acid pure, 98%	5 Gms 25 Gms 100 Gms	930 3000 10130
33611 ⚠ [298-93-1]	Thiazolyl Blue Tetrazolium Bromide (MTT) extrapure AR, 98%	100 Mg 500 Mg 1 Gms 5 Gms	580 2310 4200 13650	14055 ⚠ [98-03-3]	2-Thiophenecarboxaldehyde pure, 98% (Thiophene-2-Carboxaldehyde)	25 ml 100 ml	1020 3680
58945 ⚠ [298-93-1]	Thiazolyl Blue Tetrazolium Bromide (MTT) for tissue culture, 98%	500 Mg 1 Gms	3150 5780	28033 [34592-47-7]	L-Thioproline extrapure, 98% (L-4-Thiazolidinecarboxylic Acid)	10 Gms 25 Gms	600 1200
58910 ⚠ [57360-69-7]	Thiazolyl Blue Formazan (MTT Formazan) extrapure AR, 98% (1-(4,5-Dimethylthiazol-2-yl)-3,5-Diphenylformazan)	250 Mg 1 Gms	4600 11300	83203 [147-93-3]	Thiosalicylic Acid pure, 98% (2-Mercaptobenzoic Acid)	25 Gms 100 Gms	840 2210
11652 ⚠ [51707-55-2]	Thidiazuron (TDZ) extrapure, 97%	250 Mg 1 Gms 5 Gms	4140 13100 33460	96768 [141-90-2]	2-Thiouracil extrapure, 98% (2-Mercaptopyrimidine-4-ol)	25 Gms 100 Gms	1050 3890
88098 ⚠ [51707-55-2]	Thidiazuron (TDZ) for tissue culture, 97%	250 Mg 1 Gms 5 Gms	5390 18150 43660	41862 [3688-92-4]	Thorin extrapure AR	1 Gms 5 Gms	2400 11000
10083 [507-09-5]	Thioacetic Acid pure, 97%	100 ml 500 ml	1050 4030	50444 [632-20-2]	D-Threonine (allo-free) extrapure, 99%	5 Gms 25 Gms 100 Gms	1800 6580 23910
94066 ⚠ [602-41-5]	Thiocolchicoside extrapure, 98% (2-Demethoxy-2-Glucosidoxylthiocolchine)	50 Mg 250 Mg 1 Gms	6910 16120 28780	75164 [80-68-2]	DL-Threonine extrapure CHR, 99%	5 Gms 25 Gms 100 Gms 1 Kg	510 1890 7030 67780
46913 ● [1077-28-7]	DL-6,8-Thioctic Acid extrapure (α-Lipoic Acid), 98%	1 Gms 5 Gms	710 2540	88355 [72-19-5]	L-Threonine extrapure CHR, 99%	25 Gms 100 Gms 500 Gms 1 Kg 5 Kg	330 650 3000 5500 25000
45487 [70-49-5]	Thiomalic Acid (Mercaptosuccinic Acid) pure, 99%	25 Gms 100 Gms 500 Gms	840 1370 6090	62667 [72-19-5]	L-Threonine for tissue culture, 99%	25 Gms 100 Gms 500 Gms	500 1800 7500
85090 [54-64-8]	Thiomersal (Thimerosal) Reagent Grade, 98%	5 Gms 10 Gms 25 Gms 100 Gms	4300 8250 20000 75000	24815 [44520-55-0]	D-Threoninol extrapure, 98%	500 Mg 1 Gms	6130 10550
27662 [54-64-8]	Thiomersal (Thimerosal) ExiPlus, Multi-Compendial (Suitable for Vaccine&Diagnostic Production), 98% meets compendial specs of BP, Ph.Eur	10 Gms 25 Gms 100 Gms	9000 22000 82000	20724 ⚠ [50-89-5]	Thymidine extrapure, 99% (2-Deoxythymidine, B-Thymidine, Thymine Deoxyriboside, 5-Methyldeoxyuridine)	5 Gms 25 Gms	1730 7200
40413 [6165-68-0]	Thiophene-2-Boronic Acid extrapure, 98% (2-Thienylboronic Acid, Thien-5-ylboronic Acid)	1 Gms 5 Gms 25 Gms	810 2220 9980	45764 ■ [33430-62-5]	Thymidine-5-Monophosphate Disodium Salt (TMP-Na2) extrapure, 98%	100 Mg 250 Mg	1680 3570
				57046 ⚠ [65-71-4]	Thymine extrapure, 98%	10 Gms 25 Gms 100 Gms	630 1320 4020
				47110 ✓ [89-83-8]	Thymol Crystal pure, 99%	100 Gms 500 Gms	780 2770

Code	Name	Packing	Price	Code	Name	Packing	Price
77675 [1913-93-5]	Thymolphthelexone	1 Gms 5 Gms	3050 11620	68913 [75737-38-1]	meta-Topolin (mT) for molecular biology, 98% (6-(3-Hydroxybenzylamino)purine)	25 Mg 100 Mg	2330 8310
86637 [7512-38-1]	Thymol Violet	5 Gms	470	56521 [82692-93-1]	TOOS extrapure, 98%	1 Gms 5 Gms	6090 21920
12558 [1596-67-4]	L-Thyronin extrapure, 98%	100 Mg	7080	95595 [136849-72-4]	TOTU extrapure, 99%	5 Gms 25 Gms	2100 4200
90196 [80-59-1]	Tiglic Acid extrapure, 98%	25 Gms 100 Gms	1310 4620	25793 [3682-35-7]	TPTZ extrapure AR (2,4,6-Tri-(2-pyridyl)-5-triazine), 99%	1 Gms 5 Gms	1200 4500
87347 [7550-45-0]	✓ Titanium Tetrachloride 1M in Dichloromethane (Titanium (IV) Chloride in MDC)	100 ml 500 ml	1080 4990	49011 [593-50-0]	Triacantanol (TRIA) technical grade, 90%	500 Mg 1 Gms	8790 17450
83692 [7550-45-0]	✓ Titanium Tetrachloride 1M in Toluene (Titanium (IV) Chloride in Toluene)	100 ml 500 ml	1080 4990	68084 [3588-17-8]	trans,trans-Muconic acid (ttMA) extrapure, 98% (trans,trans-2,4-Hexadienedioic Acid, trans,trans-1,3-Butadiene-1,4-Dicarboxylic Acid)	1 Gms 5 Gms	2380 11150
84161 [125700-73-4]	TNTU extrapure, 99%	10 Gms 25 Gms	4090 8040	42618 [288-88-0]	1,2,4-Triazole pure, 98%	100 Gms 500 Gms	290 1300
56183 [32986-56-4]	Tobramycin (TBM)	50 Mg 500 Mg	1760 15060	93572 [41253-21-8]	1,2,4-Triazole Sodium extrapure, 98% (Sodium-1,2,4-Triazolide)	25 Gms 100 Gms 500 Gms	760 2800 5000
59844 [7695-91-2]	DL-a-Tocopherol Acetate (Vitamin E Acetate) for tissue culture, 98%	5 Gms 25 Gms 100 Gms	360 1250 4770	78411 [626-39-1]	1,3,5-Tribromobenzene pure, 98%	25 Gms	3700
52885 [887144-97-0]	Togni's Reagent (3,3-Dimethyl-1-(trifluoromethyl)-1,2-benziodoxole) extrapure, 97% (1-Trifluoromethyl-3,3-Dimethyl-1,2-Benziodoxole)	250 Mg 1 Gms	9000 18000	99486 [108-70-3]	1,3,5-Trichlorobenzene (1,3,5-TCB) pure, 99%	100 Gms 500 Gms	3390 14610
67593 [119-93-7]	✓ o-Tolidine extrapure AR, 98% (3,3-Dimethyl Benzidine)	25 Gms 100 Gms 500 Gms	690 2100 3780	76074 [90131-68-3]	Tribulus Terrestris Extract, 45% FS	5 Gms 25 Gms	2600 5000
65954 [119-93-7]	✓ o-Tolidine extrapure AR, ExiPlus, Multi-Compendial, 98% (3,3-Dimethyl Benzidine) meets compendial specs of USP, BP, Ph.Eur	25 Gms 100 Gms 500 Gms	790 2520 4200	27740 [5704-04-1]	TRICINE Buffer Reagent Grade, 99% (N-Tris-(hydroxymethyl) Methylglycine)	25 Gms 100 Gms	1320 4830
82897 [118-90-1]	✓ o-Toluic Acid pure, 99.5%	250 Gms 500 Gms	500 890	67490 [2622-14-2]	Tricyclohexylphosphine (Cy3P) extrapure, 97% (P(Cy)3, PCy3)	1 Gms 5 Gms 25 Gms	1430 3920 15420
70097 [90-04-7]	✓ m-Toluic Acid pure, 98%	250 Gms 500 Gms	670 1270	63437 [58656-04-5]	Tricyclohexylphosphine Tetrafluoroborate extrapure, 98%	1 Gms 5 Gms	2170 6490
61421 [90-94-5]	✓ p-Toluic Acid pure, 98%	250 Gms 500 Gms	480 850	80184 [637-39-8]	Triethanolamine Hydrochloride extrapure AR, 99%	100 Gms 500 Gms	430 1500
12358 [106-49-0]	✓ p-Toluidine pure, 98%	500 Gms	1300	80058 [75-89-8]	2,2,2-Trifluoroethanol pure, 99%	100 ml 500 ml	1250 5000
22134 [92-31-9]	Toluidine Blue O (Basic Blue 17, Blutene Chloride, Methylene Blue T50, Tolonium Chloride)	10 Gms 25 Gms 100 Gms	340 770 2660	14428 [10009-20-8]	N-6-Trifluoroacetyl-L-Lysine extrapure, 98% (H-Lys(Tfa)-OH)	5 Gms 25 Gms	1640 3860
37699 [92-31-9]	Toluidine Blue O for tissue culture (Basic Blue 17, Blutene Chloride, Methylene Blue T50, Tolonium Chloride)	10 Gms 25 Gms	910 2050	12631 [1423-26-3]	3-Trifluoromethyl Phenylboronic Acid extrapure, 97%	1 Gms 5 Gms 25 Gms	1340 2500 12450
20611 [1576-35-8]	✓ p-Toluenesulfonyl Hydrazide pure, 98% (p-Toluenesulfonic Acid Hydrazide, p-Toluenesulphonyl Hydrazide, Tosylhydrazide)	25 Gms 100 Gms 500 Gms	740 2100 7770	79009 [70-00-8]	5-Trifluorothymidine extrapure, 99%	100 Mg 1 Gms	8220 37000
				37758 [88-82-4]	2,3,5-Triiodobenzoic Acid (TIBA) extrapure AR, 98%	5 Gms 10 Gms	2700 5000
				35241 [6893-02-3]	3,3,5-Triiodo-L-Thyronine extrapure, 98% (3,3,5-Triiodothyronin)	100 Mg 1 Gms	3200 19000

Code	Name	Packing	Price	Code	Name	Packing	Price
14219 [538-24-9]	Trilaurin pure, 98%(GC)	5 Gms 25 Gms	2200 4500	83676 [555-45-3]	Trimyristin Reference Standard, 99%(GC)	500 Mg 1 Gms	7030 11360
84217 [538-24-9]	Trilaurin Reference Standard, 99% (GC)	100 Mg 500 Mg	2200 6600	84050 [1116-76-3]	Trioctylamine (Tri-n-Octylamine) pure, 95%	100 ml 500 ml	1050 3680
57355 [554-95-0]	Trimesic Acid extrapure, 98% (Benzene-1,3,5-Tricarboxylic acid, 1,3,5-Benzenetricarboxylic Acid)	5 Gms 25 Gms 100 Gms	740 2630 4200	37958 [122-32-7]	Triolein Reference Standard, 99% (GC)	500 Mg 1 Gms	4870 8420
20139 [75-77-4]	Trimethyl Chlorosilane (TMCS) extrapure, 98%	25 ml 250 ml 1000 ml	320 1100 4200	59708 [555-44-2]	Tripalmitin pure, 85%(GC)	25 Gms	6710
66889 [142-25-6]	N,N,N-Trimethylethylenediamine pure, 97%	5 Gms 25 Gms	3920 17790	75700 [555-44-2]	Tripalmitin Reference Standard, 99%(GC)	100 Mg 500 Mg	2380 4530
18879 [738-70-5]	Trimethoprim (TMP), 98.5%	5 Gms 25 Gms	750 2980	38015 [5893-05-0]	N-Triphenyl Methyl Glycine extrapure, 98%	25 Gms	19920
66069 [86-81-7]	3,4,5-Trimethoxy Benzaldehyde pure, 98%	25 Gms 100 Gms	1580 3680	24651 [603-35-0]	Triphenylphosphine pure, 98%	100 Gms 500 Gms 1000 Gms	800 3800 7200
41569 [621-23-8]	1,3,5-Trimethoxybenzene pure, 99%	25 Gms	3020	43068 [14243-64-2]	Triphenylphosphinegold(I) Chloride ((Ph₃P)AuCl), 98% (Chloro(triphenylphosphine)Gold(I))	500 Mg 1 Gms	4800 9500
40017 [118-41-2]	3,4,5-Trimethoxybenzoic Acid extrapure, 99% (Gallic Acid Trimethyl Ether, Trimethylgallic Acid)	25 Gms 100 Gms	950 3150	95474 [6399-81-1]	Triphenylphosphine Hydrobromide pure, 98%	5 Gms 25 Gms	1240 3110
49601 [35141-30-1]	N-(3-Trimethoxysilylpropyl) Diethylenetriamine (TMSPD) pure, 95% (2-[2-(3-Trimethoxysilylpropylamino)ethylamino]ethylamine, 3-[2-(2-Aminoethylamino)ethylamino]propyl)	100 ml 500 ml	6800 28000	32098 [791-28-6]	Triphenylphosphine Oxide (TPPO) pure, 98.5% (Triphenyl Phosphorus Oxide)	25 Gms 100 Gms 500 Gms	650 1620 4330
90265 [75-77-4]	Trimethyl Chlorosilane (TMCS) extrapure, 99%	25 ml 250 ml 1000 ml	360 1200 4400	70874 [1034-39-5]	Triphenylphosphonium Dibromide pure, 98%	5 Gms 25 Gms 100 Gms	1170 3110 8410
67883	Trimethyl Chlorosilane (TMCS) 1M Solution in THF	100 ml	3860	53730 [531-52-2]	1,3,5-Triphenyltetrazolium Formazan (TTC Formazan) extrapure, 95%	1 Gms 5 Gms 25 Gms	1600 4700 8500
41020 [10108-86-8]	Trimethyloctylammonium Chloride (TMOACl) extrapure, 98% (Octyltrimethylammonium Chloride)	25 Gms 100 Gms	3260 8400	65599 [298-96-4]	2,3,5-Triphenyltetrazolium Chloride (TTC) extrapure, 99%	10 Gms 25 Gms 50 Gms	1780 4390 8250
68989 [149-73-5]	Trimethyl Orthoformate pure, 98%	500 ml 2500 ml	530 2500	98635	10X Tris Acetate-SDS Buffer pH-8.3 for molecular biology (TA-SDS Running Buffer)	500 ml 1000 ml	800 1500
49901 [996-50-9]	N-(Trimethylsilyl)diethylamine (TMSDEA) extrapure, 97% (Diethylamino)trimethylsilane, N,N-Diethyltrimethylsilylamine)	25 ml 100 ml	5110 14580	47804	20X Tris Acetate-SDS Buffer pH-8.3 for molecular biology (TA-SDS Running Buffer)	500 ml 1000 ml	1500 2850
45238 [18156-74-6]	N-Trimethylsilylimidazole (TMSIM) extrapure, 98% (1-(Trimethylsilyl)imidazole)N-Trimethylsilylimidazole, TMSIM)	5 ml 25 ml 100 ml	890 2310 7960	65421 [60804-74-2]	Tris(2,2-bipyridine)ruthenium(II) Hexafluorophosphate ((Ru(BPY)₃(PF₆)₂), 97% (Ruthenium-tris(2,2'-bipyridyl) dihexafluorophosphate)	250 Mg 1 Gms	4200 15000
97039 [5683-30-7]	3-Trimethylsilylpropionic Acid (TMSPA) extrapure, 95%	1 ml 5 ml	5470 17620	26055 [50525-27-4]	Tris(2,2-bipyridyl)dichlororuthenium (II) Hexahydrate (Ru(BPY)₃), 98% (Ruthenium-tris(2,2'-bipyridyl) dichloride, Tris(2,2'-bipyridyl)ruthenium(II) chloride hexahydrate)	250 Mg 1 Gms	3800 7000
39671 [1774-47-6]	Trimethylsulfoxonium Iodide (TMSI) extrapure, 99%	25 Gms 100 Gms 500 Gms	880 2000 8800	55664 [51805-45-9]	Tris(2-carboxyethyl) Phosphine Hydrochloride (TCEP) extrapure AR, 98%	1 Gms 5 Gms 25 Gms	3040 8800 23000
18779 [555-45-3]	Trimyristin pure, 95%(GC)	1 Gms 5 Gms	1830 4260				

Code	Name	Packing	Price	Code	Name	Packing	Price
79175 [51364-51-3]	✓ Tris(dibenzylideneacetone)dipalladium(0) (Pd2(dba)3) extrapure, 22-25% Pd	500 Mg 1 Gms 5 Gms 25 Gms	4680 7800 36000 120000	50615 [555-43-1]	⚠ Tristearin pure, 90%(GC)	25 Gms 100 Gms	2380 8660
87326	⚠ 10X Tris-Glycine pH-8.3 Tank Buffer for molecular biology	200 ml 1000 ml	840 3150	11085 [555-43-1]	⚠ Tristearin Reference Standard, 99% (GC)	500 Mg	4870
57806	10X Tris-Glycine-SDS Buffer for molecular biology (TG-SDS Running Buffer)	200 ml 1000 ml	480 1070	48445 [2799-07-7]	⚠ S-Trityl-L-Cysteine extrapure, 98%	1 Gms	4510
83471	⚠ 10X Tris Buffered Saline (TBS) for molecular biology (10X TBS Buffer)	500 ml	1960	58026 [72-57-1]	Trypan Blue (Direct blue 14) (C.I. No. 23850)	25 Gms 100 Gms	1060 4100
63825	⚠ 10X Tris Buffered Saline Tween-20 (TBST) for molecular biology	500 ml	520	31591 [72-57-1]	Trypan Blue for tissue culture (Direct blue 14) (C.I. No. 23850)	25 Gms	1670
79091	✓ 1M Tris Hydrochloride Buffer (1M Tris HCl) pH-7.2 for molecular biology (Tris(hydroxymethyl)aminomethane, Hydrochloric Acid)	100 ml 500 ml	1110 4680	12788 [72-57-1]	Trypan Blue 0.4% Solution	50 ml 125 ml	400 950
55904	✓ 1M Tris Hydrochloride Buffer (1M Tris HCl) pH-8.0 for molecular biology (Tris(hydroxymethyl)aminomethane, Hydrochloric Acid)	100 ml 500 ml	1640 4910	60484 [9002-07-7]	■ Trypsin (3x cryst.) ex Bovine Pancreas, 7500BAEE U/mg (2500NF U/mg)	250 Mg 1 Gms 5 Gms	1180 2380 10600
37852	⚠ 10X Tris-Tricine-SDS Buffer for molecular biology (TT-SDS Running Buffer)	500 ml	1210	42657 [9035-81-8]	■ Trypsin Inhibitor ex. Soyabean, 10000 BAEE U/mg	25 Mg 100 Mg 250 Mg 500 Mg 1 Gms	3500 9000 18000 28000 51000
62850 [6850-28-8]	Tris(Hydroxymethyl) Aminomethane Acetate extrapure AR (Tris Acetate Buffer), 99%	100 Gms 500 Gms	1400 6530	12094 [343-94-2]	Tryptamine Hydrochloride extrapure, 98%	1 Gms 5 Gms 25 Gms	610 2000 9000
34969 [6850-28-8]	Tris(Hydroxymethyl) Aminomethane Acetate for molecular biology (Tris Acetate Buffer), 99%	100 Gms 500 Gms	1900 8900	67654 [7524-52-9]	⚠ L-Tryptophan Methyl Ester Hydrochloride extrapure, 99%	5 Gms 25 Gms	2140 9250
23017 [68123-29-5]	Tris(Hydroxymethyl)-Aminomethane Carbonate extrapure (Tris Carbonate), 99%	100 Gms	2070	51335 [7440-33-7]	Tungsten Metal Powder, 99.9%, -325 mesh	100 Gms 500 Gms	2580 12510
32119 [72200-76-1]	Tris(Hydroxymethyl)-Aminomethane Maleate extrapure (Tris Maleate), 99.5%	100 Gms	1550	17472 [7783-03-1]	Tungstic Acid pure, 98%	100 Gms 250 Gms	1200 2800
25913 [41521-38-4]	Tris(Hydroxymethyl)-Aminomethane Nitrate extrapure (Tris Nitrate), 99%	100 Gms	2070	55401 [7783-03-1]	Tungstic Acid extrapure AR, 99%	100 Gms 500 Gms	1350 6400
55088 [108321-13-7]	Tris(Hydroxymethyl)-Aminomethane Oxalate extrapure(Tris Oxalate), 99%	100 Gms	1450	98328 [8002-64-2]	Turpentine oil extrapure	500 ml 2500 ml 25 Ltr	550 2400 21000
68353 [108321-11-5]	Tris(Hydroxymethyl)-Aminomethane Phosphate Dibasic extrapure (Tris Phosphate Dibasic), 98%	100 Gms	1640	33541 [60-19-5]	Tyramine Hydrochloride extrapure, 98%	1 Gms 5 Gms 25 Gms	420 1060 4510
43235 [6992-39-8]	Tris(Hydroxymethyl)-Aminomethane Phosphate Monobasic extrapure (Tris Phosphate Monobasic), 98%	100 Gms	1640	94870 [9002-10-2]	■ Tyrosinase (Polyphenol Oxidase) ex. Mushroom, 800U/mg (Catechol Oxidase, Monophenol Monooxygenase, Dihydroxyphenylalanine:Oxygen Oxidoreductase)	25 K.Units 100 K.Units	7500 28500
63291 [85169-32-0]	Tris(Hydroxymethyl)-Aminomethane Succinate extrapure (Tris Succinate), 99%	100 Gms	1640	46121 [93-35-6]	⚠ Umbelliferone (7-Hydroxycoumarin) extrapure, 98%	10 Gms 25 Gms	2100 4500
47952 [6992-38-7]	Tris(Hydroxymethyl)-Aminomethane Sulphate extrapure (Tris Sulphate), 98%	100 Gms	1090	46487 [112-38-9]	⚠ Undecylenic Acid extrapure,C11-99% (GC)	100 Gms 500 Gms	650 2810
				23622 [66-22-8]	⚠ Uracil extrapure, 99%	25 Gms 100 Gms 1 Kg 5 Kg	430 1550 12000 50000

Code	Name	Packing	Price	Code	Name	Packing	Price
81405 ✓ [6159-44-0]	Uranyl Acetate Dihydrate extrapure, 98%	1 Gms 5 Gms	4550 13440	14159 [516-06-3]	DL-Valine extrapure CHR, 99%	25 Gms 100 Gms 500 Gms 1 Kg	800 2900 13500 25000
70780 [20596-93-4]	Uranyl Magnesium Acetate extrapure, 98%	1 Gms	5150	83185 ⚠ [2462-34-2]	L-Valine Benzyl Ester Hydrochloride extrapure, 98%	25 Gms	10520
74495 ✓ [13520-83-7]	Uranyl Nitrate Hexahydrate extrapure, 98%	1 Gms 5 Gms	6740 21000	38052 ⚠ [6306-52-1]	L-Valine Methyl Ester Hydrochloride extrapure, 99%	1 Gms 5 Gms 25 Gms 100 Gms	360 960 2850 8310
64807 ■ [9002-13-5]	Urease ex. Jack Beans, 200U/mg solids	3000 Units 10000 Units 25 K.Units 100 K.Units	1250 2800 6530 11270	40652 ⚠ [2001-95-8]	Valinomycin, 95%	10 Mg	7000
64632 ■ [9002-12-4]	r-Urease (Thermostable) ex. E. Coli, 150U/mg	10000 Units	13140	45344 [7440-62-2]	Vanadium Metal Powder, 99.7%	5 Gms 25 Gms	2410 11220
90739 ⚠ [69-93-2]	Uric Acid extrapure AR, 99%	25 Gms 100 Gms	2310 8930	61078 ⚠ [1404-93-9]	Vancomycin Hydrochloride (VNC), 90%	500 Mg 1 Gms 5 Gms	2710 4440 11360
95410 ■ [9002-12-4]	r-Uricase (Thermostable) ex. Yeast, 3U/mg	500 Units	6490	72241 ⚠ [2394-20-9]	Vanillylmandelic Acid extrapure, 99% (VMA, DL-4-Hydroxy-3-Methoxy Mandelic Acid)	250 Mg 1 Gms 5 Gms	1300 4360 15640
62205 ⚠ [58-96-8]	Uridine extrapure, 99%	5 Gms 25 Gms 100 Gms	870 3530 8000	11547 ⚠ [120-14-9]	n-Veratraldehyde pure, 98%	100 Gms 250 Gms	1050 2200
20964 ● [28053-08-9, 117756-22-6]	Uridine 5`-Diphosphoglucose Disodium Salt Hydrate extrapure (UDPG.2Na Hydrate), 98%	25 Mg 100 Mg 1 Gms	1950 5090 23480	96011 [91-16-7]	Veratrole pure, 98% (1,2-Dimethoxy Benzene)	100 ml 500 ml	660 2850
48301 ● [3387-36-8]	Uridine 5-Monophosphate Disodium Salt Hydrate (5-UMP-Na₂) extrapure, 98.5%	1 Gms 5 Gms 25 Gms	650 2460 7250	77472 ⚠ [68-19-9]	Vitamin B12 for molecular biology, 97% (Cyanocobalamin)	250 Mg 1 Gms 5 Gms	770 2930 12850
56613 ● [19817-92-6]	Uridine-5-Triphosphate Trisodium Salt Dihydrate (UTP-Na₃) extrapure, 96%	25 Mg 100 Mg 500 Mg	1410 3390 11450	56437 ⚠ [68-19-9]	Vitamin B12 for tissue culture, 97% (Cyanocobalamin)	250 Mg 1 Gms	1470 3860
50178 ⚠ [128-13-2]	Ursodeoxycholic Acid (UDCS) extrapure, 99%	1 Gms 5 Gms 25 Gms	950 4410 8930	54911 ⚠ [84-80-0]	Vitamin K1 extrapure, 98% (2-Methyl-3-phytyl-1,4-Napthoquinone, 3-Phytylmenadione)	1 Gms 5 Gms	1580 7140
24436 ⚠ [7562-61-0]	(+)- Usnic Acid, 98%	1 Gms 5 Gms 25 Gms	2200 6000 13440	50342 ⚠ [3153-26-2]	Vanadyl Acetylacetonate pure, 98% (Vanadyl Acetoacetate, Vanadium(IV) oxide acetylacetonate, VO(acac) ₂ , Vanadium(IV)-oxy acetylacetonate)	25 Gms 100 Gms	1310 4170
44762 [1110-62-3]	Valeraldehyde pure (Pentanal), 98% (Pentanal)	100 ml 500 ml	470 940	23761 ⚠ [123334-20-3]	Vanadyl Sulphate Hydrate pure, 97% (Vanadium (IV) Oxide Sulfate Hydrate, Oxysulphato Vanadium (IV) Hydrate, Vanadium Oxysulphate)	25 Gms 100 Gms 500 Gms	960 2760 12600
31477 [109-52-4]	n-Valeric Acid pure, C5-99% (GC)	500 ml 1000 ml	1060 1990	40996 ⚠ [83480-29-9]	Voglibose extrapure, 98% (Basen, Glustat, N-(1,3-Dihydroxy-2-propyl)valiolamine)	100 Mg 500 Mg	4870 16230
22128 [110-59-8]	Valeronitrile (Butyl Cyanide) pure, 99% (Butyl Cyanide)	100 ml 500 ml	620 1840	66532 [201058-08-4]	Wang Resin, 1% DVB, 0.4-2mmol/g, 100-200 mesh (p-Benzyloxybenzyl Alcohol Resin, DVB cross linked)	5 Gms 25 Gms 100 Gms	3210 12600 28350
80634 [1009-14-9]	Valerophenone pure, 98%	100 ml 500 ml	2670 11090	76374 ⚠ [247021-90-5]	Weinreb Linker extrapure, 98% (N-FMOC-N-Methoxy-3-Aminopropionate Acid)	1 Gms	8310
95091 [638-29-9]	Valeroyl Chloride pure, 98%	100 ml 500 ml	800 3700	13111 ⚠ [68988-92-1]	Wright Stain (Eosine Methylene Blue solution according to Wright)	25 Gms 100 Gms	600 2340
21562 [640-68-6]	D-Valine extrapure CHR, 99%	5 Gms 25 Gms 100 Gms	860 2710 8120				

Code	Name	Packing	Price	Code	Name	Packing	Price
72465 [193149-74-5]	WST-8, 95% (2-(2-Methoxy-4-Nitrophenyl)-3-(4-Nitrophenyl)-5-(2,4-Disulphophenyl)-2H-Tetrazolium Sodium Salt)	50 Mg	9350	58985 [1314-37-0]	Ytterbium (III) Oxide extrapure, 99.9%	10 Gms 50 Gms	5250 9980
52714	X-Gal Solution (20mg/ml)	1 ml	2140	61813 [252976-51-5]	Ytterbium (III) Trifluoromethanesulfonate Hydrate extrapure, 98% (Ytterbium triflate, Trifluoromethanesulfonic Acid Ytterbium Salt)	1 Gms 5 Gms 25 Gms	950 3570 11550
20748 [69-89-6]	Xanthine extrapure CHR, 99%	5 Gms 25 Gms	820 3280	63190 [10361-92-9]	Yttrium (III) Chloride anhydrous ultrapure, 99.99% (Yttrium Trichloride)	10 Gms 50 Gms	3990 11550
39607 [9002-17-9]	Xanthine Oxidase Suspension ex. Butter Milk, 1-4 U/mg protein	5 Units 25 Units	6080 12980	63390 [10025-94-2]	Yttrium (III) Chloride Hexahydrate extrapure AR, 99.9%	5 Gms 25 Gms 100 Gms	1160 2420 5460
62965 [9002-17-9]	Xanthine Oxidase ex. Microorganism, 15U/mg	250 Units	14610	51515 [13494-98-9]	Yttrium (III) Nitrate Hexahydrate extrapure AR, 99.9%	25 Gms 100 Gms	1320 3630
94623 [6754-58-1]	Xanthohumol ex. Hop (Humulus Lupulus), 94%	5 Mg	18690	21412 [52093-30-8]	Yttrium (III) Trifluoromethanesulfonate extrapure, 98% (Yttrium triflate, Trifluoromethanesulfonic Acid Yttrium Salt)	5 Gms 25 Gms	3990 13230
62630 [59-00-7]	Xanthurenic Acid extrapure, 96%	500 Mg	7250	37482	Z-L-Amino Acids Kit	1 Kit	25870
55962 [161265-03-8]	XantPhos (4,5-Bis(Diphenylphosphino)-9,9-Dimethylxanthine) extrapure, 98%	1 Gms 5 Gms 25 Gms 100 Gms	1450 5600 15000 55000	68280 [2304-94-1]	Z-b-Alanine extrapure, 99%	1 Gms 5 Gms 25 Gms	580 1480 5870
27540 [564483-18-7]	X-Phos (2-Dicyclohexylphosphino-2,4,6-Triisopropylbiphenyl) extrapure, 98%	1 Gms 5 Gms	2380 10080	15701 [26607-51-2]	Z-D-Alanine extrapure, 99%	1 Gms 5 Gms 25 Gms	600 2430 11080
91186 [9014-63-5]	Xylan from Beechwood	5 Gms 10 Gms 25 Gms	3560 6880 16010	24368 [4132-86-9]	Z-DL-Alanine extrapure, 99%	1 Gms 5 Gms 25 Gms	510 2410 11470
30565 [9014-63-5]	Xylan from Corn Cob, 95%	10 Gms 25 Gms 100 Gms 500 Gms	1200 2500 7000 24000	46096 [1142-20-7]	Z-L-Alanine extrapure, 99%	5 Gms 25 Gms 100 Gms	540 2220 7970
13814 [37278-89-0]	Xylanase ex. Aspergillus Niger, 60MU/g	25 Gms 100 Gms 500 Gms	1230 4330 20450	30211 [42918-86-5]	Z-2-Aminobutyric Acid extrapure, 99%	1 Gms 5 Gms 25 Gms	950 4200 20330
64949 [87-99-0]	Xylitol extrapure	25 Gms 100 Gms 500 Gms	210 710 2380	94475 [6382-93-0]	Z-D-Arginine extrapure, 99%	1 Gms 5 Gms 25 Gms	6080 20240 73570
84974 [58-86-6]	D-(+)-Xylose extrapure	100 Gms 500 Gms	420 1790	60020 [1234-35-1]	Z-L-Arginine extrapure, 99%	25 Gms	4210
29426 [58-86-6]	D-(+)-Xylose ExiPlus, Multi-Compendial meets compendial specs of USP, BP	100 Gms 500 Gms	510 2000	55237 [56672-63-0]	Z-L-Arginine HCl extrapure, 99%	25 Gms 100 Gms	5230 19600
98468 [609-06-3]	L-(-) Xylose extrapure, 99%	1 Gms 5 Gms	840 1890	92873 [4474-86-6]	Z-D-Asparagine extrapure, 99%	1 Gms 5 Gms 25 Gms	1090 4490 18710
31832 [65-19-0]	Yohimbine Hydrochloride extrapure, 99%	1 Gms 5 Gms	3150 9450	60164 [29880-22-6]	Z-DL-Asparagine extrapure, 98%	1 Gms 5 Gms	1520 4980
36744 [10361-91-8]	Ytterbium (III) Chloride anhydrous, 99.9%	5 Gms	7140				
24099 [10035-01-5]	Ytterbium (III) Chloride Hexahydrate extrapure, 99.9% (Ytterbium Trichloride Hexahydrate)	10 Gms 50 Gms	5250 9980				
20435 [35725-34-9]	Ytterbium (III) Nitrate Pentahydrate extrapure, 99.9%	10 Gms 50 Gms	5500 10450				

Code	Name	Packing	Price	Code	Name	Packing	Price
13328	● Z-L-Asparagine extrapure, 99%	1 Gms	310	39218	● Z-D-Lysine extrapure, 99%	1 Gms	9490
[2304-96-3]		5 Gms	990	[70671-54-4]		5 Gms	37940
		25 Gms	2590				
		100 Gms	8630	54420	● Z-L-Lysine extrapure, 99%	1 Gms	1280
32899	● Z-D-Aspartic Acid extrapure, 99%	1 Gms	640	[2212-75-1]		5 Gms	5900
[78663-07-7]		5 Gms	2660			25 Gms	24260
		25 Gms	11080	71691	● Z-N-e-Lysine Dicyclohexyl Ammonium Salt extrapure, 98%	5 Gms	5950
84275	● Z-DL-Aspartic Acid extrapure, 99%	5 Gms	700	[2212-76-2]	(Z-Lysine(BOC)-OH.Dicyclohexylamine Salt)		
[4515-21-3]		25 Gms	2400	91642	● Z-D-Methionine extrapure, 99%	1 Gms	2380
63143	● Z-L-Aspartic Acid extrapure, 99%	5 Gms	460	[28862-80-8]		5 Gms	6490
[1152-61-0]		10 Gms	860	11751	● Z-DL-Methionine extrapure, 99%	1 Gms	740
		25 Gms	2060	[4434-61-1]		5 Gms	3480
78064	● Z-L-Aspartic Acid-4-Benzyl Ester extrapure, 98%	10 Gms	13560			25 Gms	16850
[3479-47-8]	(Z-L-Asp(OBzl)-OH)	25 Gms	23730	55768	● Z-L-Methionine extrapure, 99%	1 Gms	690
97300	● Z-L-Glutamic Acid-5-Benzyl Ester extrapure, 98%	10 Gms	14130	[1152-62-1]		5 Gms	2850
[5680-86-4]		25 Gms	24720			25 Gms	9350
73971	● Z-D-Glutamic Acid extrapure, 98%	1 Gms	760	21200	● Z-4-Nitro-L-Phenylalanine extrapure, 99%	10 Gms	10840
[63648-73-7]		5 Gms	2660			25 Gms	18970
67271	● Z-L-Glutamic Acid extrapure, 99%	5 Gms	360	66829	● Z-D-Norleucine extrapure, 99%	500 Mg	4610
[1155-62-0]		25 Gms	1460	[15027-14-2]		2.5 Gms	20700
		100 Gms	5220	12185	● Z-DL-Norleucine extrapure, 99%	1 Gms	3150
83309	● Z-D-Glutamine extrapure, 99%	1 Gms	1230	[15027-13-1]			
[13139-52-1]		5 Gms	5110	90175	● Z-L-Norleucine extrapure, 99%	1 Gms	4130
		25 Gms	21270	[39608-30-5]		5 Gms	18790
44096	● Z-L-Glutamine extrapure, 99%	5 Gms	750	34201	● Z-D-Norvaline extrapure, 99%	1 Gms	2790
[2650-64-8]		25 Gms	2590			5 Gms	12660
		100 Gms	8630	21693	● Z-DL-Norvaline extrapure, 99%	1 Gms	2310
86632	● Z-Glycine extrapure, 99%	5 Gms	700	[21691-43-0]		5 Gms	10480
[1138-80-3]		25 Gms	1420	75427	● Z-L-Norvaline extrapure, 99%	1 Gms	2790
		100 Gms	4320	[21691-44-1]		5 Gms	12660
21793	● Z-DL-Histidine extrapure, 99%	1 Gms	3480	72850	● Z-L-Ornithine extrapure, 99%	1 Gms	5010
[19728-57-5]		5 Gms	16560	[3304-51-6]		5 Gms	22760
57156	● Z-L-Histidine extrapure, 99%	1 Gms	1200	24317	● Z-D-Phenylalanine extrapure, 99%	1 Gms	640
[14997-58-1]		5 Gms	5430	[2448-45-5]		5 Gms	2660
		25 Gms	21290			25 Gms	11040
14088	● Z-L-Hydroxyproline extrapure, 99%	1 Gms	1400	32900	● Z-DL-Phenylalanine extrapure, 99%	5 Gms	2310
[13504-85-3]		5 Gms	6330	[3588-57-6]		25 Gms	10480
		25 Gms	24720	42182	● Z-L-Phenylalanine extrapure, 99%	25 Gms	2240
34913	● Z-L-Isoleucine extrapure, 95%	5 Gms	2010	[1161-13-3]		100 Gms	7910
[3160-59-6]		25 Gms	6280	27486	● Z-L-Phenylalanine Methyl Ester extrapure, 98%	10 Gms	12240
46817	● Z-D-Leucine extrapure, 99%	1 Gms	1090	[35909-92-3]		25 Gms	21410
[28862-79-5]		5 Gms	4510	41739	● Z-Phenylalanine-p-Nitroanilide extrapure	1 Gms	7590
		25 Gms	18800	[19647-71-3]			
76353	● Z-DL-Leucine extrapure, 99%	5 Gms	1830	16881	● Z-L-Phenylalanine-4-Nitrophenyl Ester extrapure, 98%	10 Gms	11020
[3588-60-1]		25 Gms	8700	[2578-84-9]		25 Gms	19270
85612	● Z-L-Leucine extrapure, 98%	5 Gms	1520	12399	● Z-D-Phenylglycine extrapure, 98%	10 Gms	7400
[2018-66-8]		25 Gms	4330	[17609-52-8]		25 Gms	12940
				74157	● Z-L-Phenylglycine extrapure, 99%	10 Gms	6490
				[53990-33-3]		25 Gms	11360

Code	Name	Packing	Price	Code	Name	Packing	Price
24037 [6404-31-5]	● Z-D-Proline extrapure, 99%	500 Mg	930	80440 [6025-53-2]	↓ Zeatin Riboside extrapure, 99%	10 Mg	6300
		1 Gms	1570			25 Mg	12600
		5 Gms	6040			100 Mg	42000
		25 Gms	30180				
31688 [1148-11-4]	● Z-L-Proline extrapure, 99%	5 Gms	1260	25910 [7699-45-8]	Zinc Bromide Anhydrous, 99% (Zinc Dibromide)	100 Gms	1100
		25 Gms	3780	500 Gms	2420		
63273 [6081-61-4]	● Z-D-Serine extrapure, 99%	500 Mg	2180	56814 [62625-22-3]	Zincon Sodium Salt extrapure AR, 98%	1 Gms	630
		1 Gms	3360			5 Gms	2890
		5 Gms	14030	86849 [62625-22-3]	Zincon Sodium Salt extrapure AR, ACS, 98%	1 Gms	670
		25 Gms	58450			5 Gms	3260
75675 [1145-80-8]	● Z-L-Serine extrapure, 99%	1 Gms	420	52049 [1314-23-4]	Zirconium Dioxide pure, 99% (Zirconia, Zirconium (IV) Oxide)	100 Gms	840
		5 Gms	1450			500 Gms	3400
		25 Gms	7000	66280 [93919-41-6]	● Deoxyguansine Triphosphate Trisodium Salt (dGTP), 97% dGTP	10 Mg	2860
52287 [80384-27-6]	● Z-D-Threonine extrapure, 99%	1 Gms	1300			25 Mg	5460
		5 Gms	5200			100 Mg	19880
11228 [19728-63-3]	● Z-L-Threonine extrapure, 99%	5 Gms	1300	500 Mg	92530		
39868 [2279-15-4]	● Z-D-Tryptophan extrapure, 99%	1 Gms	2200				
		5 Gms	5500				
57591 [7432-21-5]	● Z-L-Tryptophan extrapure, 99%	5 Gms	1050				
		25 Gms	2100				
		100 Gms	7350				
59268 [64205-12-5]	● Z-D-Tyrosine extrapure, 99%	1 Gms	2580				
		5 Gms	8470				
31078 [1164-16-5]	● Z-L-Tyrosine extrapure, 99%	1 Gms	980				
		5 Gms	1950				
		25 Gms	4980				
39463 [16677-29-5]	● Z-O-Benzyl-L-Tyrosine extrapure, 98% (Z-L-Tyr(Bzl)-OH)	10 Gms	7580				
74556 [1685-33-2]	● Z-D-Valine extrapure, 99%	1 Gms	1320				
		5 Gms	5480				
		25 Gms	21050				
17520 [3588-63-4]	● Z-DL-Valine extrapure, 99%	5 Gms	2790				
		25 Gms	13250				
73743 [1149-26-4]	● Z-L-Valine extrapure, 99%	5 Gms	940				
		25 Gms	2460				
		100 Gms	4680				
92186 [10314-98-4]	● Z-Isonipecotic Acid extrapure, 99% (1-Carbobenzoxy-4-Piperidinecarboxylic Acid)	10 Gms	4000				
		25 Gms	6000				
88291 [78190-11-1]	● Z-Nipecotic Acid, 95%	10 Gms	6470				
70443 [13139-17-8]	● Z-OSu (Z-ONSu) extrapure, 99% (Z-ONSu)	5 Gms	840				
		25 Gms	3360				
81055 [13114-27-7]	↓ Zeatin mixed Isomers for tissue culture, ~95%	25 Mg	2940				
		100 Mg	8400				
67299 [13114-27-7]	↓ Zeatin mixed Isomers, ~95%	25 Mg	2160				
		100 Mg	7200				

Media for Gel Filtration and Affinity Chromatography



Gel Filtration (Molecular Sieving or Size Exclusion Chromatography) and Affinity Chromatography are rapidly becoming indispensable to biochemists and molecular biologists. Gel Filtration is used for the separation of macromolecules from smaller molecules, for fractionation of mixtures of various biopolymers on the basis of molecular size, for characterizing macromolecules and determining molecular weights and molar masses, for pathological screening of body fluids and for structure determination studies. Affinity Chromatography, besides being put to many of the above uses, is mainly employed for the isolation and purification of biologically active substances like enzymes, antibodies, antigens, lectins, viruses and toxins. Affinity Chromatography has the advantage of being rapid and highly selective.

SRL Seraloses™	Particle size in wet state (microns)	Fractionation Range (as molecular weight)		Approximate Exclusion Limits (as molecular weight)		
		Proteins	Polysaccharides	Proteins	Polysaccharides	DNA (basis pairs-bp)
seralose™ 2B seralose™ CI-2B	60-250	$7.5 \times 10^4 - 45 \times 10^6$	$1 \times 10^5 - 20 \times 10^6$	45×10^6	20×10^6	1353 bp
seralose™ 4B seralose™ CI-4B	40-190	$5 \times 10^4 - 20 \times 10^6$	$3 \times 10^4 - 5 \times 10^6$	20×10^6	5×10^6	872 bp
seralose™ 6B seralose™ CI-6B	40-190	$1 \times 10^4 - 5 \times 10^6$	$1 \times 10^4 - 1 \times 10^4 -$	5×10^6	10×10^6	194 bp

Detailed literature available on request

Seralite Products

Ion Exchange Resins


Our important range of Seralite products is very critical for ion exchange applications. These are acidic/basic exchange resins consisting of different polymers and copolymers. The particle size of these resins is between 20 – 50 mesh and are excellent for cross-linking. Typical application of these resins are for water conditioning, softening and deionisation, removal of recovery of high molecular weight anions, fractional separation of organic acids, amino acids, metals, peptides, inorganic and rare earth metals. They can also be used for the treatment of sugar solutions, amino acids and enzymes. SRL Ion exchange resins are highly recommended products for critical separation work.

Product Name	Particle Size	Ion Exchange Capacity	pH Range	Ionoc Form
Seralite SRA-400	20 – 50 mesh BSS	3.0-3.5meq/g	0-14	Cl-
Seralite SRC-120	20 – 50 mesh BSS	min 4.5meq/g	0-14	H+
Seralite SRA-400	20 – 50 mesh BSS	min 10meq/g	5-14	H+

Our Seralite series is equivalent to the Amberlite series of the Rohm and Haas Company

Part B1

Animal Cell Culture



Code	Name	Packing	Price	Code	Name	Packing	Price		
23568 [87-32-1]	N-Acetyl-DL-Tryptophan for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	5 Gms	3000	67133 [10510-54-0]	Cresyl Violet Acetate for cell culture, Endotoxin (BET) 0.05EU/mg	5 Gms	10000		
		25 Gms	9000						
52937 [3244-88-0]	Acid Fuchsin for cell culture, Endotoxin (BET) 0.05EU/mg (Acid Violet 19, Fuchsin S, Fuchsin acid, Rubine S) (C.I. No. 42685)	25 Gms	1600	29751 [548-62-9]	Crystal Violet for cell culture, Endotoxin (BET) 0.05EU/mg (Methyl Violet 10B) (C.I. No.42555)	25 Gms 100 Gms	1750 5800		
75250 [56-41-7]	L-Alanine for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms	1050	70134 [7048-04-6]	L-Cysteine Hydrochloride Monohydrate for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms	1150		
		100 Gms	2490			100 Gms	3250		
96409 [9048-46-8]	Albumin Bovine (pH 6-7) fraction V for cell culture (Bovine Serum Albumin,BSA), 98%, (BET) 0.05EU/mg (Bovine Serum Albumin, BSA)	5 Gms	900	54676 [50-99-7]	Dextrose for cell culture, Endotoxin (BET) 0.05EU/mg (D-Glucose Anhydrous)	100 Gms	11500		
		25 Gms	3500			500 Gms	1450		
		100 Gms	11500						
		500 Gms	51000						
31539 [33864-99-2]	Alcian Blue for cell culture, Endotoxin (BET) 0.05EU/mg	5 Gms 25 Gms	5500 24000	28525 [3483-12-3]	DL-Dithiothreitol (DTT) for cell culture, 98%, Endotoxin (BET) 0.05EU/mg (Clelands reagent)	1 Gms 5 Gms	2000 7000		
68860 [7784-24-9]	Aluminium Potassium Sulphate Dodecahydrate for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	500 Gms	1350	81614 [17372-87-1]	Eosin Yellow (water soluble) for cell culture, Endotoxin (BET) 0.05EU/mg	25 Gms	2250		
		1 Kg	2500			100 Gms	4500		
15875 [1397-89-3]	Amphotericin B (AMT) Solution (250ug/ml) for cell culture, Endotoxin (BET) 1EU/ml	20 ml	1860	74516 [122-99-6]	Ethylene Glycol Monophenyl Ether for cell culture, 99%, Endotoxin (BET) 0.05EU/ml (Phenyl Cellosolve, 2-Phenoxyethanol)	100 ml	2400		
		100 ml	5360			500 ml	4500		
20969 [74-79-3]	L-Arginine (free base) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms	1150	11324 [7782-63-0]	Ferrous Sulphate Heptahydrate for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg (Iron (II) Sulphate Heptahydrate)	500 Gms	1200		
		100 Gms	3550						
33468 [1405-87-4]	Bacitracin (BCT) ex. Bacillus Licheniformis for cell culture, Endotoxin (BET) 0.05EU/mg	50000 Units	1400	98131 [518-47-8]	Fluorescein Sodium Salt (C.I. No. 45350) for cell culture, Endotoxin (BET) 0.05EU/mg (Acid Yellow 73)	100 Gms	2500		
		250000 Units	4500						
36884 [10191-18-1]	BES Buffer for cell culture, 99%, Endotoxin (BET) 0.05EU/mg (N,N-bis(2-Hydroxyethyl)2-Aminoethane Sulphonic Acid)	25 Gms	1650	76611 [59-30-3]	Folic Acid for cell culture, 98%, Endotoxin (BET) 0.05EU/mg (Pteroyl-L-Glutamic acid, Vitamin M)	5 Gms	750		
		100 Gms	5400			25 Gms	3250		
92370 [3513-03-9]	Blasticidin S Hydrochloride for cell culture, 98%, Endotoxin (BET) 0.05EU/mg	10 Mg	6120	20596 [632-99-5]	Fuchsin Basic for cell culture, Endotoxin (BET) 0.05EU/mg (Basic Fuchsin) (C.I. No. 42510)	25 Gms	2200		
		25 Mg	14470			100 Gms	8000		
84483 [57-09-0]	Cetyltrimethyl Ammonium Bromide (CTAB) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms	2500	77469 [51811-82-6]	Giemsa Stain for cell culture, Endotoxin (BET) 0.05EU/mg	5 Gms	4000		
		100 Gms	6000			25 Gms	15500		
97900 [57-88-5]	Cholesterol for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	5 Gms	2400	75931 [6106-04-3]	L-Glutamic Acid Monosodium Salt Monohydrate (MSG) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg (Monosodium Glutamate, Monosodium L-Glutamate)	100 Gms	900		
		25 Gms	10500			500 Gms	2750		
		100 Gms	30000						
70553 [86393-32-0]	Ciprofloxacin Hydrochloride Hydrate (CPFX) for cell culture, 98-102%, Endotoxin (BET) 0.05EU/mg	1 Gms	690	80952 [56-85-9]	L-Glutamine for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	10 Gms	950		
		5 Gms	2300			25 Gms	1800		
81395 [11028-71-0]	Concanavalin A Lectin ex. Canavalia Ensiformis Type 1 for cell culture, 64ug/ml, (BET) 0.05EU/mg (Con A) (Jack bean)	25 Mg	3680	74693 [27025-41-8]	Glutathione Oxidized (GSSG) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	100 Mg	2000		
		40 Mg	5460			250 Mg	3700		
68722 [11028-71-0]	Concanavalin A Lectin ex. Canavalia Ensiformis Type 2 for cell culture, 20 ug/ml, (BET) 0.05EU/mg	25 Mg	2670			1 Gms	7000		
		100 Mg	6010			5 Gms	32500		
15353 [60-27-5]	Creatinine for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms	1370	65542 [56-81-5]	Glycerol (Glycerine) Anhydrous for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	500 ml	1300		
		100 Gms	4350			34268 [56-40-6]	Glycine for cell culture, 99.5%, Endotoxin (BET) 1EU/mg (Aminoacetic Acid)	100 Gms	1700
		1 Kg	36000						


Code	Name	Packing	Price	Code	Name	Packing	Price
39149 [7365-45-9]	HEPES Buffer for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg (N-(2-Hydroxyethyl)piperazine-N(2-Ethane Sulphonic Acid)	25 Gms 100 Gms 500 Gms	1950 6400 26500	69599 [1405-10-3]	Neomycin Sulphate (NMS) for cell culture, Endotoxin (BET) 0.05EU/mg	5 Gms 25 Gms	800 1900
16509 [71-00-1]	L-Histidine (base) for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	1250 3500	64257 [53-84-9]	β-Nicotinamide Adenine Dinucleotide (β-NAD,DPN) for cell culture, 98%, Endotoxin (BET) 0.05EU/mg	100 Mg 1 Gms 5 Gms	1010 4680 17250
86877 [5934-29-2]	L-Histidine Hydrochloride Monohydrate for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	1100 3500	10581 [606-68-8]	β-Nicotinamide Adenine Dinucleotide Disodium Salt(Reduced) (β-NADH.Na2,DPNH.Na2) for cell culture,98%	100 Mg 1 Gms 5 Gms	2010 10290 37830
54661 [3258-02-4]	N-Hydroxycytidine (EIDD-1931) for cell culture, 98%, Endotoxin (BET) 0.05EU/mg	10 Mg 25 Mg	7000 14000	88722 [24292-60-2]	β-Nicotinamide Adenine Dinucleotide Phosphate Disodium Salt for cell culture,95%, (BET) 0.05EU/mg	100 Mg 1 Gms	3680 21140
75054 [99011-02-6]	Imiquimod for cell culture, 98%	250 Mg	13500	28771 [1184-16-3]	β-Nicotinamide Adenine Dinucleotide Phosphate Monosodium Salt for cell culture, 98%, (BET) 0.05EU/mg	100 Mg 1 Gms	3560 13350
77379 [87-89-8]	Inositol for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	1000 3200	93517 [98-92-0]	Nicotinamide for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg (Niacinamide, Pyridine-3-Carboxylic Acid Amide)	100 Gms 500 Gms	1250 3750
72828 [11061-68-0]	r-Insulin ex. Human for cell culture, 25 USP U/mg, Endotoxin (BET) 0.05EU/mg (Recombinant Insulin)	50 Mg 100 Mg	7000 13000	63509 [1094-61-7]	β-Nicotinamide Mononucleotide (β-NMN) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Mg	6460
11894 [73-32-5]	L-Isoleucine for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	1300 4300	50275 [59-67-6]	Nicotinic Acid (Pyridine-3-Carboxylic Acid) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg (3-Picolinic Acid, Niacin, Pyridine-3-Carboxylic Acid, Vitamin B3)	100 Gms 500 Gms	950 3000
95793 [62851-42-7]	Jenners Stain (Eosin-methylene blue) for cell culture, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	3100 9800	16828 [1400-61-9]	Nystatin (Mycostatin) for cell culture, 85%, Endotoxin (BET) 0.05EU/mg (Fungicidin)	250 Mg 1 Gms 5 Gms	670 2340 8900
95173 [56-87-1]	L-Lysine (free base) Anhydrous for cell culture, 98%, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	4000 12000	17565 [1400-61-9]	Nystatin (Mycostatin) Solution (10000U/ml) for cell culture, Endotoxin (BET) 10.0EU/ml (Fungicidin)	20 ml	1240
29011 [12650-88-3]	Lysozyme (3x cryst) ex.Egg white (Muramidase) for cell culture, 15000U/mg, Endotoxin (BET) 0.05EU/mg (Muramidase)	1 Gms 5 Gms 25 Gms	3000 13500 40000	56341 [3184-13-2]	L-Ornithine Monohydrochloride for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	1600 4500
22352 [7786-30-3]	Magnesium Chloride Anhydrous for cell culture, 98%, Endotoxin (BET) 0.05EU/mg	100 Gms	1800	30917 [328-42-7]	Oxalacetic Acid for cell culture, 98%, Endotoxin (BET) 0.05EU/mg (Oxaloacetic Acid, Ketosuccinic Acid, Oxobutanedioic Acid, 2-Oxosuccinic Acid)	1 Gms 5 Gms	1400 5100
13546 [7791-18-6]	Magnesium Chloride Hexahydrate for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	500 Gms	3000	79311 [34487-61-1]	Phenol Red Sodium Salt (water soluble) for cell culture, 95%, Endotoxin (BET) 0.05EU/mg (Phenolsulfonephthalein Sodium Salt)	5 Gms 25 Gms	1100 4000
36502 [7487-88-9]	Magnesium Sulphate Dried for cell culture, 62-70% MgSO4, 99%, Endotoxin (BET) 0.05EU/mg	500 Gms	1750	68793 [63-91-2]	L-Phenylalanine for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	1100 3000
12493 [6363-53-7]	D-Maltose Monohydrate for cell culture, Endotoxin (BET) 0.05EU/mg	100 Gms 500 Gms	1000 4000	77839 [329-98-6]	Phenylmethane Sulphonyl Fluoride (PMSF) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	1 Gms 5 Gms	1300 4400
20490 [60-24-2]	2-Mercaptoethanol for cell culture, 99%, Endotoxin (BET) 0.05EU/ml	100 ml 250 ml	1300 2650	52819 [1405-20-5]	Polymyxin B Sulphate (Aerosporin, PXNS), 6000U/mg for cell culture, Endotoxin (BET) 0.05EU/mg	250 Mg 1 Gms	2200 4870
55311 [145224-94-8]	MES Monohydrate Buffer for cell culture, 99%, Endotoxin (BET) 0.05EU/mg (2-Morpholineethane Sulphonic Acid Hydrate)	25 Gms 100 Gms	3800 8500				
42125 [63-68-3]	L-Methionine for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	1100 4000				
13908 [1132-61-2]	MOPS Buffer for cell culture, 99%, Endotoxin (BET) 0.05EU/mg (3-Morpholinopropane Sulphonic Acid)	25 Gms 100 Gms 500 Gms	3200 7800 17000				

Code	Name	Packing	Price	Code	Name	Packing	Price
67209 [9005-65-6]	Polysorbate 80 (Tween 80) for cell culture, Endotoxin (BET) 0.05EU/mg (Polyoxyethylene Sorbitan Monoleate)	500 Gms	3000	24000 [92-31-9]	Toluidine Blue O for cell culture, Endotoxin (BET) 0.05EU/mg (Basic Blue 17, Blutene Chloride, Methylene Blue T50, Tolonium Chloride)	10 Gms 25 Gms	3300 6200
47425 [7447-40-7]	Potassium Chloride for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	500 Gms	3450	30766 [5704-04-1]	TRICINE Buffer for cell culture, 99%, Endotoxin (BET) 0.1EU/mg (N-Tris(Hydroxymethyl) Methylglycine)	25 Gms 100 Gms	2400 5500
65897 [147-85-3]	L-Proline for cell culture, 99%, Endotoxin (BET) 1.0EU/mg	25 Gms 100 Gms	1050 3350	35416 [38748-32-2]	Triptolide ex. Tripterigium Wilfordii for cell culture, 98% (PG 490)	5 Mg	15000
82361 [58-58-2]	Puromycin Dihydrochloride (PRM) for cell culture, Endotoxin (BET) 0.05EU/mg	10 Mg 25 Mg	3500 7000	12695 [77-86-1]	Tris Buffer for cell culture, 99.9%, Endotoxin (BET) 0.05 EU/mg (Tris(hydroxymethyl)aminomethane, Tromethamine)	100 Gms 500 Gms	950 4000
14050 [58-56-0]	Pyridoxine Hydrochloride (Vitamin B6) for cell culture, 99%, Endotoxin (BET) 0.1EU/mg	10 Gms 25 Gms	1500 3500	65972 [9002-07-7]	r-Trypsin - Type Standard ACF ex. Porcine for cell culture, 800U/mg, Endotoxin (BET) 0.05EU/mg (Recombinant Trypsin)	100 Mg 1 Gms 5 Gms	5090 16940 33880
77387 [83-88-5]	Riboflavin for cell culture, 98%, Endotoxin (BET) 0.05EU/mg (Vitamin B2)	25 Gms 100 Gms	1150 3500	74055 [9002-07-7]	Trypsin 1:250 ex. Bovine Pancreas for cell culture, 1000BAEE U/mg, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms 500 Gms	1650 4600 22000
46143 [13292-46-1]	Rifampicin (RFP) (Rifampin) for cell culture, 97-102%, Endotoxin (BET) 0.05EU/mg	1 Gms 5 Gms	4200 15000	23560 [60-18-4]	r-Trypsin 1x w/ EDTA Soln in Phosphate Buffer for cell culture (AOF), 150U/ml, Endotoxin (BET) 1EU/ml	100 ml	3340
31904 [477-73-6]	Safranin O for cell culture, Endotoxin (BET) 0.05EU/mg (Basic Red 2)	25 Gms 100 Gms	5300 9500	52682 [9002-07-7]	Trypsin ex. Bovine Pancreas for cell culture, 0.2Anson U/g (2000U/g), Endotoxin (BET) 0.05EU/mg	100 Gms 500 Gms 1 Kg	950 4640 8550
59260 [56-45-1]	L-Serine for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	2500 5300	20374 [9002-07-7]	Trypsin ex. Porcine Gastric Mucosa for cell culture, 0.2Anson U/g(2000U/g), Endotoxin(BET) 0.05EU/mg	100 Gms 500 Gms 1 Kg	990 4580 8930
16670 [156-54-7]	Sodium Butyrate for cell culture, 99%, Endotoxin (BET) 1.0EU/mg (Butyric Acid Sodium Salt)	5 Gms 100 Gms	3000 13000	80149 [60-18-4]	L-Tyrosine for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	1300 4800
89360 [7647-14-5]	Sodium Chloride for cell culture, 99.9%, Endotoxin (BET) 0.05EU/mg	500 Gms 1 Kg 5 Kg	2000 3900 12750	78168 [57-13-6]	Urea for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	500 Gms 5 Kg	2000 9500
66003 [7558-79-4]	Sodium Phosphate Dibasic Anhydrous for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg (Disodium Hydrogen Phosphate Anhydrous)	500 Gms 5 Kg	3500 32000	20451 [72-18-4]	L-Valine for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	850 3000
16120 [10028-24-7]	Sodium Phosphate Dibasic Dihydrate for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg (Disodium hydrogen phosphate Dihydrate)	500 Gms 5 Kg	1700 10000	12540 [68-19-9]	Vitamin B12 for cell culture, 97%, Endotoxin (BET) 0.05EU/mg (Cyanocobalamin)	250 Mg 1 Gms	1570 4100
27621 [7558-80-7]	Sodium Phosphate Monobasic Anhydrous for cell culture, 99%, Endotoxin (BET) 0.05EU/mg (Sodium Dihydrogen Phosphate Anhydrous)	100 Gms 500 Gms	2000 5500	18681 [111072-31-2]	XTT Sodium for cell culture, 90%, Endotoxin (BET) 0.05EU/mg	25 Mg 100 Mg 500 Mg	6500 15000 69000
68350 [18883-66-4]	Streptozotocin (STZ) for cell culture, 98%, Endotoxin (BET) 0.05EU/mg	100 Mg 1 Gms	2800 19000	30108 [7646-85-7]	Zinc Chloride for cell culture, 98%, Endotoxin (BET) 0.05EU/mg	500 Gms	2700
68250 [57-50-1]	Sucrose for cell culture, Endotoxin (BET) 0.05EU/mg	500 Gms 1 Kg 5 Kg	3000 5500 22000	92647 [7446-20-0]	Zinc Sulphate Heptahydrate for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	100 Gms 500 Gms	1600 3400
88726 [72-19-5]	L-Threonine for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	2500 7500				
53073 [4697-14-7]	Ticarcillin Disodium Salt extrapure, 85%, Endotoxin (BET) 0.05EU/mg	1 Gms 5 Gms	1950 8860				

Part C

Nanopowders & Carbon Nanotubes (CNTs)

(Carbon Nanotubes, Nanodispersants and Nanodispersions, Nanowires, Nanofilms and Nanopowders)



Code	Name	Packing	Price	Code	Name	Packing	Price
75964 [1344-28-1]	Alumina (Alpha) Nanopowder	25 Gms 100 Gms 250 Gms	2270 5670 10200	33618	CdSe/ZnS Core Shell Quantum Dots, Fluorescence 600nm, (Hydrophobic) (CdSe/ZnS600) (Hydrophobic)	10 Mg	21530
25536 [1344-28-1]	Alumina (Gamma) Nanopowder (Hydrophilic)	25 Gms 100 Gms	9250 13870	15377	CdSe/ZnS Core Shell Quantum Dots, Fluorescence 630nm, (Hydrophobic) (CdSe/ZnS639) (Hydrophobic)	10 Mg	21530
96202 [7429-90-5]	Aluminium Nanopowder (Type 1)	1 Gms 5 Gms	12130 32530	50439	CdTe Core Type COOH Functionalized Quantum Dots, Fluorescence 510 nm (Hydrophilic)	10 Mg	22050
18412 [7429-90-5]	Aluminium Nanopowder (Type 2)	1 Gms 5 Gms	12130 32530	37909	CdTe Core Type COOH Functionalized Quantum Dots, Fluorescence 610 nm (Hydrophilic)	10 Mg	22050
41892 [1318-23-6]	Aluminium Oxide (Boehmite) Nanodispersion (50nm), 20% in water	25 Gms 100 Gms	2840 8610	19960	CdTe Core Type COOH Functionalized Quantum Dots, Fluorescence 710 nm (Hydrophilic)	10 Mg	22050
29603 [1204-39-6]	Aluminium Titanate Nanopowder	2 Gms	13460	37194 [7440-44-0]	Carbon Porous Nanopowder	1 Gms 10 Gms 50 Gms	1200 4000 18000
38818 [7782-42-5]	Aminated Graphene Amino-PEG covalently linked (GnAmPG) Nanopowder (Reduced Graphene Oxide-NH ₂)	10 Mg 50 Mg	5000 16000	28186	CNT Dispersant AC	20 ml	11500
19158 [7782-42-5]	Aminated Graphene Octadecylamine covalently linked (GnAm18d) Nanopowder (Reduced Graphene Oxide-NH-(CH ₂) ₁₇ -CH ₃)	10 Mg 50 Mg	5000 16000	35210	CNT Dispersant AQ	20 ml	11500
67801 [1309-64-4]	Antimony Trioxide Nanopowder (Diantimony Trioxide, Antimony (III) Oxide)	5 Gms 25 Gms	1330 3860	59800 [308068-56-6]	TCNT Type 1- Carbon Nanotubes Thin Walled	25 Mg 100 Mg	12340 31880
10842 [12047-27-7]	Barium Titanate Nanopowder	25 Gms 100 Gms	3150 8400	73953 [308068-56-6]	SWCNT Type 1 Carbon Nanotubes Single- Walled	250 Mg 1 Gms	17950 41030
78768 [1403674-49-6]	Bis(2',4'-Bis(Hexyloxy)Biphenyl-4-yl)Amine extrapure, 95% (Z-907 Modified Red Dye)	25 Mg	12800	20770 [308068-56-6]	SWCNT Type 2 Carbon Nanotubes Single- Walled (Short)	100 Mg 250 Mg	14260 31180
14683 [1304-76-3]	Bismuth (III) Oxide Nanopowder (Dibismuth Trioxide)	25 Gms 100 Gms	6300 17850	29129 [308068-56-6]	SWCNT Type 3 Carbon Nanotubes Single- Walled COOH Functionalized	100 Mg	19010
21772 [1318-23-6]	Boehmite Nanopowder	5 Gms 25 Gms	2840 10710	18989 [308068-56-6]	SWCNT Type 4 Carbon Nanotubes Single-Walled (-COOH Functionalized)	50 Mg 250 Mg 1 Gms	9720 29150 84210
62554 [12069-32-8]	Boron Carbide Nanopowder	10 Gms 25 Gms	12600 23630	55024 [308068-56-6]	SWCNT Type 5 Carbon Nanotubes Single-Walled (-OH Functionalized)	50 Mg 250 Mg	10690 29150
50943 [10043-11-5]	Boron Nitride (hBN) Aerosol Spray (13Oz/369g) (hexagonal Boron Nitride)	1 piece	12710	27404 [308068-56-6]	SWCNT Type 6 Carbon Nanotubes Single-Walled (-NH ₂ Functionalized)	50 Mg 250 Mg	16200 62620
75454 [10043-11-5]	Boron Nitride Nanopowder	25 Gms 100 Gms	3150 8400	95425 [308068-56-6]	SWCNT Type 7 Carbon Nanotubes Single-Walled in aq. media pure (Semiconducting)	20 ml	49560
45882 [10043-11-5]	Boron Nitride Nanotubes (C) Cylindrical structure	50 Mg	32000	52710 [308068-56-6]	SWCNT Type 8 Carbon Nanotubes Single-Walled in aq. media extrapure (Semiconducting)	20 ml	68020
74899 [471-34-1]	Calcium Carbonate Nanopowder	25 Gms 100 Gms 500 Gms	1030 2730 13130	42480 [308068-56-6]	SWCNT Type 9 Carbon Nanotubes Single-Walled in aq. media pure (Metallic/Conducting)	20 ml	58300
72893 [12049-50-2]	Calcium Titanate Nanopowder	1 Gms	14490	68069 [308068-56-6]	SWCNT Type 10 Carbon Nanotubes Single-Walled in aq. media extrapure (Metallic/Conducting)	20 ml	136030
12918 [12013-47-7]	Calcium Zirconium Oxide Nanopowder	1 Gms 5 Gms	14280 45590	81868 [308068-56-6]	SWCNT Type 11 Carbon Nanotubes Single-Walled ultrapure (Semiconducting)	50 Mg	81620
69126	CdSe/ZnS Core Shell Quantum Dots, Fluorescence 560nm, (Hydrophobic) (CdSe/ZnS560) (Hydrophobic)	10 Mg	21530				

Code	Name	Packing	Price	Code	Name	Packing	Price
28989 [308068-56-6]	SWCNT Type 12 Single-Walled Carbon Nanotubes ultrapure (Metallic/Conducting)	50 Mg	81620	82903 [308068-56-6]	MWCNT Type 12 Carbon Nanotubes Multi-Walled (-OH Functionalized)	500 Mg 1 Gms 5 Gms	2700 4860 9720
36078 [308068-56-6]	DWCNT Type 1 Carbon Nanotubes Double Walled	100 Mg 500 Mg	21600 53990	28658 [308068-56-6]	MWCNT Type 13 Carbon Nanotubes Multi-Walled (-COOH Functionalized)	500 Mg 1 Gms 5 Gms 25 Gms	2380 4320 8640 28080
85143 [308068-56-6]	DWCNT Type 2 Carbon Nanotubes Double Walled (Short)	100 Mg	22630	65875 [308068-56-6]	MWCNT Type 14 Carbon Nanotubes Multi-Walled (-NH ₂ Functionalized)	50 Mg 100 Mg	10800 16200
45565 [308068-56-6]	DWCNT Type 3 Carbon Nanotubes Double-Walled (-COOH Functionalized)	50 Mg	11850	24968 [308068-56-6]	MWCNT Type 15 Carbon Nanotubes Multi-Walled (-OH Functionalized)	500 Mg 1 Gms 5 Gms	2380 3000 7000
69072 [308068-56-6]	DWCNT Type 4 Carbon Nanotubes Double-Walled (-OH Functionalized)	50 Mg 250 Mg	11850 37020	33670 [308068-56-6]	MWCNT Type 16 Carbon Nanotubes Multi-Walled Short	500 Mg 1 Gms 5 Gms	4500 7000 26990
34528 [308068-56-6]	HMWCNT Type1- Carbon Nanotubes Multi Walled Helical	250 Mg 1 Gms	12340 16660	28174 [308068-56-6]	MWCNT Type 17 Carbon Nanotubes Multi-Walled Short	500 Mg 1 Gms 5 Gms	3000 5250 20000
57743 [308068-56-6]	MWCNT Type 1 Carbon Nanotubes Multi Walled	1 Gms 5 Gms 25 Gms	3570 12390 35700	90797 [308068-56-6]	MWCNT Type 18 Carbon Nanotubes Multi-Walled Short	1 Gms 5 Gms	5400 18360
88440 [308068-56-6]	MWCNT Type 2 Carbon Nanotubes Multi Walled	1 Gms 5 Gms 25 Gms	5400 19440 68020	42927 [308068-56-6]	MWCNT Type 19 - Carbon Nanotubes Multi Walled (Conducting)	1 Gms 5 Gms	19440 64780
68465 [308068-56-6]	MWCNT Type 3 Carbon Nanotubes Multi Walled	1 Gms 5 Gms 25 Gms 100 Gms	2700 8100 23760 75580	58908 [308068-56-6]	MWCNT-Ni Type 1 Carbon Nanotubes Multi Walled, Nickel coated	1 Gms 5 Gms	11340 42110
41067 [308068-56-6]	MWCNT Type 4 Carbon Nanotubes Multi Walled	1 Gms 5 Gms 25 Gms 100 Gms	2380 6480 16200 53990	53105 [308068-56-6]	MWCNT-Ni Type 2 Carbon Nanotubes Multi Walled , Nickel coated	1 Gms 5 Gms	11340 42110
41335 [308068-56-6]	MWCNT Type 5 Carbon Nanotubes Multi Walled	1 Gms 5 Gms 25 Gms 100 Gms	2170 4320 8640 29000	90500 [308068-56-6]	MWCNT-Ni Type 3 Carbon Nanotubes Multi Walled , Nickel coated	1 Gms 5 Gms	11340 42110
96390 [308068-56-6]	MWCNT Type 6 Carbon Nanotubes Multi Walled	1 Gms 5 Gms 25 Gms 100 Gms	2170 4320 8640 21600	75288 [308068-56-6]	MWCNT-Ni Type 4 Carbon Nanotubes Multi Walled , Nickel coated	1 Gms 5 Gms	11340 42110
35203 [308068-56-6]	MWCNT Type 7 Carbon Nanotube Multi Walled (Graphitized)	1 Gms 5 Gms	8020 26720	65468 [9012-76-4]	Chitosan Nanopowder	5 Gms 25 Gms	3400 10200
73235 [308068-56-6]	MWCNT Type 8 Carbon Nanotubes Multi-Walled (Graphitized, -COOH Functionalized)	500 Mg 1 Gms	7020 10800	44316 [1308-38-9]	Chromium (III) Oxide Nanopowder (Chromia)	10 Gms	20390
46918 [308068-56-6]	MWCNT Type 9 Carbon Nanotubes Multi-Walled (Graphitized -OH Functionalized)	500 Mg 1 Gms	7020 10800	64835 [1152310-69-4]	C106 Dye, 90% (Cis-Bis(Isothiocyanato) (2,2-Bipyr-4,4-Dicarboxylato) (4,4-bis(5(Hexylthio)thiophen2yl)2,2-Bipy)Ru(II))	25 Mg	9140
58255 [308068-56-6]	MWCNT Type 10 Carbon Nanotubes Multi-Walled (-COOH Functionalized)	1 Gms 5 Gms	2400 7500	35347 [847665-45-6]	K19 Dye (Sensitizer), 85% (cis-Bis(Thiocyanato) (2,2-Bipyr-4,4-Dicarboxylic Acid)- (4,4-bis(Phexyloxystyryl) -2,2-Bipyr)Ru(II))	25 Mg	9240
29466 [308068-56-6]	MWCNT Type 11 Carbon Nanotubes Multi-Walled (-NH ₂ Functionalized)	50 Mg 100 Mg 1 Gms 5 Gms	3240 4860 16200 48590	74373 [1332-58-7]	Clay Nanopowder	5 Gms 25 Gms	6800 10200
				31570 [12052-28-7]	Cobalt Iron Oxide Nanopowder (Cobalt Ferrite)	1 Gms 5 Gms	2500 7000

Code	Name	Packing	Price	Code	Name	Packing	Price
74613	Cobalt Zinc Ferrite Nanopowder	1 Gms	6380	60703	Graphene Carboxyl (GCOOHW) Nanodispersion, 5mg/ml in water	20 ml	44000
		5 Gms	17330	[7782-42-5]			
74343	Copper Nanopowder	5 Gms	29560	88398	Graphene Film (Super Paper) (GFSP)	1 piece	150000
[7440-50-8]				[7782-42-5]			
73612	Copper Nanowires	10 Mg	35000	87185	Graphene Nitrogen-doped (GNdp) Nanopowder	50 Mg	6090
[7440-50-8]				[7782-42-5]		250 Mg	25200
28954	Cupric Oxide Nanopowder	5 Gms	1900	90251	Graphene Oxide Film (Super Paper) (GOFSP)	1 piece	112200
[1317-38-0]	(Copper (II) Oxide)	25 Gms	5440	[7782-42-5]			
		100 Gms	9970	55093	Graphene Platelet Nanopowder (GPN Type 1)	5 Gms	4500
19151	✓ Diamond Nanopowder	1 Gms	21700	[7782-42-5]		25 Gms	18000
[7782-40-3]						100 Gms	70000
85476	⚠ Diisobutyl 2,2-Bipyridine-4,4-Dicarboxylate extrapure, 95%	100 Mg	12800	36529	Graphene Platelet Nanopowder (GPN Type 2)	1 Gms	1300
[1141011-53-1]				[7782-42-5]		5 Gms	4200
91287	Ferric Oxide (Alpha) Nanopowder	5 Gms	1910	98585	Graphene Platelet Nanopowder (GPN Type 3)	5 Gms	4000
[1309-37-1]	(Iron (III) Oxide (Alpha))	25 Gms	5140	[7782-42-5]		25 Gms	16000
		100 Gms	16520	53927	Graphene Quantum Dots (1mg/ml) (GQD)	5 ml	6790
		250 Gms	23820	[7440-40-0]		25 ml	25200
51744	Ferric Oxide (Gamma) Nanopowder	5 Gms	1580	49888	Single Layer Graphene Oxide (SLGO) Nanopowder	25 Mg	5250
[1309-37-1]	(Iron (III) Oxide (Gamma))	25 Gms	4130	[7782-42-5]		100 Mg	14700
		100 Gms	12180			500 Mg	57750
		250 Gms	21700	58531	Single Layer Graphene Oxide (SLGOE) Nanodispersion, 5mg/ml in ethanol	10 ml	20830
16708	Ferrous Ferric Oxide Nanopowder (Type 1)	5 Gms	2100	[7782-42-5]			
[1317-61-9]	(Iron (II, III) Oxide)	25 Gms	4730	72536	Single Layer Graphene Oxide (SLGOW) Nanodispersion, 5mg/ml in water	10 ml	10290
47223	Ferrous Ferric Oxide Nanopowder (Type 2)	25 Gms	3300	[7782-42-5]		25 ml	17480
[1317-61-9]	(Iron (II, III) Oxide)	100 Gms	9500	68908	Graphite Nanopowder (Type 2)	1 Gms	9840
37461	Fullerene C60	250 Mg	11550	[7440-44-0]		5 Gms	37020
		1 Gms	33600	85833	Graphite Nanopowder (Type 1)	5 Gms	3500
44170	Fullerene C70	100 Mg	16640	[7782-42-5]		25 Gms	9880
		500 Mg	63010			100 Gms	34000
		1 Gms	110890	69869	Graphite Nanopowder Lubricant Grade	5 Gms	8100
84500	Gold Nanopowder	1 Gms	93620	[7782-42-5]		25 Gms	33550
[7440-57-5]				38058	Graphite Fluoride (Carbon Monofluoride) Nanopowder	1 Gms	2630
73225	⚠ Gold Nanoparticles Dispersion (Spherical) (AU05), 0.05mg/ml Citrate, 0.1mM in PBS	10 ml	5500	[51311-17-2]		5 Gms	7460
[7440-57-5]		25 ml	11500	39525	Graphite Oxide Nanopowder	100 Mg	2630
36848	⚠ Gold Nanoparticles Dispersion (Spherical) (AU10), 0.05mg/ml Citrate, 0.1mM in PBS	10 ml	5500	[7782-42-5]		500 Mg	6830
[7440-57-5]		25 ml	11500			1 Gms	12080
72123	⚠ Gold Nanoparticles Dispersion (Spherical) (AU20), 0.05mg/ml Citrate, 0.1mM in PBS	10 ml	5500	11934	Graphite Pyrolytic Micronpowder	5 Gms	8400
[7440-57-5]		25 ml	11500	[7782-42-5]			
60974	⚠ Gold Nanoparticles Dispersion (Spherical) (AU40), 0.05mg/ml Citrate, 0.1mM in PBS	10 ml	5500	69895	Hydroxyapatite Micronpowder	5 Gms	5780
[7440-57-5]		25 ml	11500	[12167-74-7]	(Calcium Hydroxyapatite, Calcium Phosphate Tribasic)	25 Gms	12130
91082	⚠ Gold Nanoparticles Dispersion (Spherical) (AU60), 0.05mg/ml Citrate, 0.1mM in PBS	10 ml	5500	13616	Hydroxyapatite Nanopowder	5 Gms	6000
[7440-57-5]		25 ml	11500	[12167-74-7]	(Calcium Hydroxyapatite, Calcium Phosphate Tribasic)	25 Gms	15230
27944	Single Layer Graphene (SLG) Nanopowder	10 Mg	6000	66614	Indium (III) Oxide Nanopowder ultrapure	1 Gms	33040
[7782-42-5]		100 Mg	18000	[1312-43-2]			
73949	Single Layer Graphene Factory (SLGF) Nanopowder	100 Mg	5250	45974	Lanthanum Oxide Nanopowder ultrapure	5 Gms	3680
[7782-42-5]		250 Mg	13130	[1312-81-8]		25 Gms	13130
89922	Graphene Carboxyl (GCOOH) Nanopowder	25 Mg	12000	52726	✓ Lithium Iron (II) Phosphate Micronpowder	5 Gms	4310
[7782-42-5]				[15365-14-7]	(Ferrous Lithium Phosphate, Iron Lithium Phosphate, LFP, Triphylite)	25 Gms	8610

Code	Name	Packing	Price	Code	Name	Packing	Price
53768 [12031-95-7]	Lithium Titanate (LTO) (Spinel) Nanopowder (Tetralithium Titanate)	5 Gms 10 Gms	11500 18000	14387 [7440-06-4]	Platinum Nanopowder	250 Mg	85800
69667 [12068-51-8]	Magnesium Aluminate (Spinel) Nanopowder	1 Gms 2 Gms	4120 7200	65469 [9002-88-4]	Polyethylene Nanospheres - Type 1 (740-4990nm)	25 Mg 100 Mg	7380 17010
71829 [1309-48-4]	Magnesium Oxide Nanopowder	5 Gms 25 Gms	2500 7500	50349 [9002-88-4]	Polyethylene Nanospheres - Type 2 (200-990nm)	25 Mg 100 Mg	6700 15650
56176 [73905-81-4]	Magnetic Iron Oxide Nanocrystals Powder	20 Mg	119620	64798 [9011-14-7]	Poly(Methyl Methacrylate) (pMMAc) Nanospheres (1500-11500nm)	100 Mg 500 Mg	4430 18150
85918 [1317-34-6]	Manganese (III) Oxide Nanopowder (Manganese Sesquioxide)	10 Gms	8400	28699 [7782-49-2]	Selenium Nanopowder in aq. media	2 ml	118760
31562 [247058-06-6]	Methyl 4,4''-Dimethyl-[2,2':6'',2''-Terpyridine]-4''-Carboxylate extrapure, 95%	50 Mg 100 Mg	11730 18120	26112 [7440-21-3]	Silicon Nanopowder	1 Gms 5 Gms	5200 24000
83005 [1317-33-5]	Molybdenum Disulfide Nanopowder Lubricant Grade	5 Gms 10 Gms	11250 21210	43362 [409-21-2]	Silicon Carbide Nanopowder	25 Gms 100 Gms	5570 19440
95822 [12316-56-2]	MXene Nanoflakes, Multilayer, 100-200nm	100 Mg 500 Mg	18000 60000	69294 [7631-86-9]	Silicon Dioxide Nanopowder	25 Gms 100 Gms	2220 7020
22701 [12363-89-2]	MXene Nanoflakes, 1-10 layers (few-layer MXene Ti3C2Tx nanoflakes)	25 Mg 100 Mg	18000 35000	22806 [7631-86-9]	Silicon Dioxide (Silica) Nanodispersion Type A (20nm), 40% in water	25 Gms 100 Gms	1950 5940
16806 ✓ [141460-19-7]	N3 Red Dye, 95% (N-3 Red Dye, Bis(Isothiocyanato)Bis(2,2-Bipyridyl-4,4-Dicarboxylato) Ruthenium(II))	100 Mg	7880	69337 [7631-86-9]	Silicon Dioxide (Silica) Nanodispersion Type B (20nm), 40% in water	25 Gms 100 Gms	1950 5940
30786 [207347-46-4]	N719 Dye, 95% Di-Tetrabutylammonium cis-Bis(Isothiocyanato)Bis(2,2-Bipyridyl-4,4-Dicarboxylato) Ruthenium(II), N-7	50 Mg 250 Mg 1 Gms	5780 11550 33600	38475 [10097-28-6]	Silicon Monoxide Nanopowder	1 Gms 5 Gms	8510 33600
52716 ⚠ [359415-47-7]	N749 Dye (Black Dye), 95% (Triisothiocyanato-(2,2:6,6-Terpyridyl-4,4,4-Tricarboxylato) Ruthenium(II) Di(Tetra-Butylammonium))	50 Mg	20790	63338 [12033-89-5]	Silicon Nitride Nanopowder	1 Gms 5 Gms	5100 16500
35001 [7440-02-0]	Nickel Nanopowder	5 Gms	28920	44416 [7440-22-4]	Silver Nanopowder (Type I)	5 Gms 10 Gms	10100 19000
32293 [1313-99-1]	Nickel (II) Oxide Nanopowder (Nickel Monoxide)	25 Gms	9500	36214 [7440-22-4]	Silver Nanopowder (Type II)	5 Gms 10 Gms	21320 34110
73985	Nickel Titanium Alloy Nanopowder	250 Mg 1 Gms	18510 55530	53941 [7440-22-4]	Silver Nanowires	10 Mg	58030
69691	Nickel Zinc Ferrite Nanopowder (NZFO)	5 Gms	15630	46912 ⚠ [7440-22-4]	Silver Nanoparticles Dispersion (Spherical) (AG20), 0.02mg/ml in Citrate (5mM)	10 ml 25 ml	5500 11500
74380 ⚠	Perovskite Quantum Dots (pQD 450), Fluorescence 450nm (Hydrophobic)	50 Mg	18900	49241 ⚠ [7440-22-4]	Silver Nanoparticles Dispersion (Spherical) (AG40), 0.02mg/ml in Citrate (2mM)	10 ml 25 ml	5500 11500
15360 ⚠	Perovskite Quantum Dots (pQD 480), Fluorescence 480nm (Hydrophobic)	50 Mg	18900	58322 ⚠ [7440-22-4]	Silver Nanoparticles Dispersion (Spherical) (AG60), 0.02mg/ml in Citrate (2mM)	10 ml 25 ml	5500 11500
77345 ⚠	Perovskite Quantum Dots (pQD 510), Fluorescence 510nm (Hydrophobic)	50 Mg	18900	15669 [18282-10-5]	Stannic Oxide Nanopowder (Tin (IV) Oxide)	5 Gms 25 Gms	4200 12080
23300 ⚠	Perovskite Quantum Dots (pQD 550), Fluorescence 550nm (Hydrophobic)	50 Mg	18900	27873 [7440-25-7]	Tantalum Nanopowder	250 Mg 1 Gms	12000 32000
22116 [7440-05-3]	Palladium Nanopowder (Type I)	100 Mg 500 Mg	13000 26000	74708 ■ [7440-25-7]	Tectomer 2-Tailed (C8H16(CH2NHGLY4)2.2HCl), 90%	5 Mg	13130
41341 [7440-05-3]	Palladium Nanopowder (Type II)	100 Mg	42040	73330 ■ [7440-25-7]	Tectomer 3-Tailed (CH3C(CH2-NH-Gly)7)3.CF3CO2H, 90%	5 Mg	13130
				27570 ■ [318286-59-8]	Tectomer 4-Tailed (C(CH2-NH-Gly)7)4.4HCl), 90%	5 Mg	13130
				72951 [7440-32-6]	Titanium Nanopowder	1 Gms	9530

Code	Name	Packing	Price	Code	Name	Packing	Price
74629 [13463-67-7]	Titanium Dioxide Photocatalyst Nanopowder (Titanium (IV) Oxide)	25 Gms 100 Gms	5100 13000	53032 [12138-09-9]	Tungsten Disulfide Micronpowder extrapure, 99.9% (Tungsten (IV) Sulphide)	25 Gms 100 Gms 500 Gms	3500 6650 31170
90885 [13463-67-7]	Titanium Dioxide Catalyst Nanopowder (Titanium (IV) Oxide)	25 Gms 100 Gms	3400 10200	78519 [12138-09-9]	Tungsten Disulfide Nanopowder	1 Gms 5 Gms	3120 11430
94632 [13463-67-7]	Titanium Dioxide Anatase Nanodispersion (15nm), 15% in water (Titanium (IV) Oxide)	25 Gms	9500	23851 [1314-35-8]	Tungsten Trioxide Nanopowder (Tungsten (VI) Oxide, Tungstic Anhydride)	5 Gms 25 Gms	2210 9450
40566 [13463-67-7]	Titanium Dioxide Ultrapure Nanopowder (Titanium (IV) Oxide)	25 Gms 100 Gms	4000 11200	82874 ✓ [502693-09-6]	Z907 Dye, 95% cis-Bis(Isothiocyanato) (2,2-Bipyridyl-4,4-Dicarboxylato) (4,4-Di-Nonyl-2-Bipyridyl) Ruthenium(II), Mo	50 Mg 250 Mg	5780 16280
35299 [13463-67-7]	Titanium Dioxide Rutile Nanopowder (Titanium (IV) Oxide)	25 Gms	3900	19366	Zeolite - Mesoporous Carbon Nanopowder (CMK-3 Type)	100 Mg 250 Mg	13130 19950
10161 [13463-67-7]	Titanium Dioxide Rutile Nanopowder	25 Gms	5500	31755	Zeolite - Mesoporous Silica Molecular Sieve KIT-5	1 Gms	12600
86729 [13463-67-7]	Titanium Dioxide Rutile Nanopowder (Hydrophilic) (Titanium (IV) Oxide)	25 Gms 100 Gms	3900 11500	65276	Zeolite - Mesoporous Silica Molecular Sieve Kit-6	1 Gms	12600
64394 [13463-67-7]	Titanium Dioxide Rutile Nanodispersion (30nm), 40% in water (Titanium (IV) Oxide)	25 Gms	7800	83881 [7631-86-9]	Zeolite - Mesoporous Silica Nanopowder (SBA-15 Type)	250 Mg 1 Gms	3150 9480
16547 [13463-67-7]	Titanium Dioxide Nanowires (Type 1) (Titanium (IV) Oxide)	50 Mg	12500	97621 [7631-86-9]	Zeolite - Mesoporous Silica Nanopowder (1D-Hexagonal SBA-41 Type)	250 Mg 500 Mg	14580 21380
22091 [13463-67-7]	Titanium Dioxide Nanowires (Type 2) (Titanium (IV) Oxide)	50 Mg	12500	63876 [7631-86-9]	Zeolite - Mesoporous Silica Nanopowder (3D-Cubic MCM-48 Type)	250 Mg 500 Mg	14580 21380
52163 [25583-20-4]	Titanium Nitride Nanopowder (Titanium (III) Nitride)	10 Gms	27970	79132	Zeolite - Molecular Sieve SAPO-11	5 Gms	9720
75513 ✓ [1392221-69-0]	FK 102 Co(II) PF6 Salt Complex, 98% (Tris(2-(1H-Pyrazol-1-yl)Pyridine)Cobalt(II) Di[hexafluorophosphate])	1 Gms 5 Gms	3680 12600	52201	Zeolite - Ultrastable Y	5 Gms	10290
51632 ✓ [1346416-71-4]	FK 102 Co(III) PF6 Salt Complex, 98% (Tris(2-(1H-Pyrazol-1-yl)pyridine)cobalt(III) Tri[Hexafluorophosphate])	1 Gms 5 Gms	4730 15750	74601 [7440-66-6]	Zinc Nanopowder	5 Gms	5500
66142 ✓ [7440-66-6]	FK 102 Co(II) TFSI Salt Complex, 98% (Tris(2-(1H-Pyrazol-1-yl)pyridine)cobalt(II) Di[bis(Trifluoromethane)sulfonimide])	1 Gms 5 Gms	3680 12600	50841	Zinc Ferrite Nanopowder	10 Gms	12700
84076 ✓ [2057441-94-6]	FK 102 Co(III) TFSI Salt Complex, 98% (Tris(2-(1H-pyrazol-1-yl)pyridine)cobalt(III) Tri[bis(Trifluoromethane)sulfonimide])	1 Gms 5 Gms	2630 8930	91148 [1314-13-2]	Zinc Oxide Nanopowder (Type I)	10 Gms 25 Gms 100 Gms 500 Gms	2190 4370 6550 27260
33139 ⚠ [1197995-33-7]	Triethyl [2,2':6'',2''-Terpyridine]-4,4',4''-Tricarboxylate extrapure, 95%	50 Mg	10660	60345 [1314-13-2]	Zinc Oxide Nanopowder (Type II)	5 Gms 25 Gms 100 Gms 500 Gms	2190 4370 6550 27260
88917 [7440-33-7]	Tungsten Nanopowder	1 Gms 5 Gms	9260 34710	64168 [1314-13-2]	Zinc Oxide Nanodispersion Type A-Nonionic (70nm), 50% in water	10 Gms	10180
51456 [12070-12-1]	Tungsten Carbide Nanopowder	25 Gms 100 Gms	7140 26710	80467 [1314-13-2]	Zinc Oxide Nanodispersion Type B-Anionic (70nm), 50% in water	10 Gms	9770
23882 [12138-09-9]	Tungsten Disulfide (WS2) Aerosol Spray (13Oz/369g)	1 piece	16360	74963 [1314-13-2]	Zinc Oxide Nanodispersion Type C-Cationic (70nm), 50% in water	10 Gms	9770
				99997 [12036-43-0]	Zinc Titanate Nanopowder	1 Gms	16820
				38501 [1314-23-4]	Zirconium Dioxide Nanopowder (Zirconia, Zirconium (IV) Oxide)	25 Gms 100 Gms	3500 9000

Part D

Dehydrated Culture Media Products

- Product Listing • Media Supplements
- ChroMed™ • Media Kits




Harmonized Culture Media



In recent years, much of the focus has started shifting to newer methods of microbiological testing, led by the leading international pharmaceutical bodies across the world, namely European Pharmacopoeia, Japanese Pharmacopoeia and US Pharmacopoeia. These new methods include harmonization in microbiological testing and this will greatly simplify drug manufacturing norms.

SRL Harmonized Culture Media are manufactured, formulated, labelled and performance tested in compliance with the new harmonized standards.

SRL is ready to face the challenges of the future, be in Biotech, Pharmaceutical R & D, Diagnostics, or any application or research in Microbiology. We offer this new range of products to cater to the new demands that we will be fulfilling through this range.



Important highlights of our Harmonized Media:

- **The usage of only the Finest Quality of Bacteriological ingredients**
- **Strict quality control of Raw Material testing**
- **Highly trained microbiologists ensure that our Harmonized media are comparable to the best international products**
- **Very sensitive and precise instrumentation and media manufacturing equipments make sure that each batch is consistent in quality**
- **Constant R & D and customer interaction helps us to design appropriate products**

With our dedicated team of highly skilled microbiologists, an ISO 9001-2008 quality management system and our CE certification.



Conformité Européenne

All **SRL** culture media products are CE certified and now meet EU consumer safety, health and environmental requirements.

All the manufacturing, testing parameters and packaging are done according to the CE norms.

Code	Name	Packing	Price	Code	Name	Packing	Price
38515	✓ A1 Broth (A-1 Medium)	100 Gms	1400	55418	✓ Aeromonas Isolation Medium Base	100 Gms	1500
		500 Gms	5900			500 Gms	5300
	For the detection of faecal coliforms in foods, treated wastewater and seawater by Most Probable Number (MPN) Method.				For the selective differentiation and isolation of Aeromonas hydrophila and other Aeromonas species from clinical specimens and foods.		
26408	✓ AATCC Bacteriostasis Agar (FDA Agar) (FDA Agar, ATCC Medium 182) APHA, FDA recommended medium for detecting plate counts of microorganisms in food, water and waste water.	100 Gms	1400	63013	⚠ Aeromonas Selective Supplement (2.5mg/vl)	5 vl	1200
		500 Gms	4000				
					For the selective isolation and cultivation of Aeromonas species.		
49025	✓ AATCC Bacteriostasis Broth (FDA Broth)	100 Gms	1100	34609	✓ Aero Pseudo Selective Agar (GSP Agar)	100 Gms	1200
		500 Gms	3900			500 Gms	4800
	For testing antibacterial activities of antiseptics and disinfectants.				Used for detection of Aeromonas and Pseudomonas in food, as well as in equipments and water supplies of food industry.		
59235	✓ Acetamide Agar	100 Gms	1100	77981	✓ Agar powder BactoBio for microbiology [9002-18-0]	100 Gms	1800
		500 Gms	4100			500 Gms	7000
	For the differentiation of non -fermentative gram negative bacteria especially Pseudomonas aeruginosa.				2.5 Kg 33400		
					Specially manufactured to provide clear, high gel strength agar, suitable for use in preparation of microbiological media.		
20605	✓ Acetamide Broth	100 Gms	1000	72439	✓ Algae Culture Broth	100 Gms	900
		500 Gms	3800			500 Gms	3900
	For the confirmation of Pseudomonas aeruginosa in bottle water.				Used for the isolation and cultivation of algae from soil, water and sewage.		
64773	✓ Acetate Differential Agar (Sodium Acetate Agar)	100 Gms	1200	36191	✓ Algae Culture Agar	100 Gms	1000
		500 Gms	3900			500 Gms	4000
	For the differentiation of Shigella species from those of the Escherichia genus.				Used for isolation and cultivation of algae from soil, water and sewage.		
31257	✓ Acetobacter Agar (Glucose)	100 Gms	1200	45712	✓ Alicyclobacillus Detection Agar (Alicyclobacillus Agar)	100 Gms	2100
		500 Gms	4200			500 Gms	7600
	Used for the cultivation and maintenance of glucose positive Acetobacter species.				Used for detection of Alicyclobacillus in fruit juices.		
85514	✓ Acid Broth	100 Gms	1100	80501	✓ Alkaline Peptone Water	100 Gms	700
		500 Gms	3700			500 Gms	2700
	For the isolation of acid tolerant bacteria from canned foods.				For the cultivation of Vibrio species from sea foods and clinical specimens.		
15126	⚠ Actinomyces Broth	100 Gms	1100	84893	✓ Alkaline Peptone Water (I)	100 Gms	700
		500 Gms	3700			500 Gms	2700
	Used for the maintenance and cultivation of Actinomyces species.				Used for the enrichment of Vibrio species.		
24729	✓ Actinomycete Isolation Agar	100 Gms	1200	83863	✓ Alkaline Peptone Water (B/S)	100 Gms	700
		500 Gms	4000			500 Gms	2700
	Used for the isolation and cultivation of Actinomyces species from soil and water.				Used for the enrichment of Vibrio species.		
31047	✓ Adams Agar	100 Gms	1000	58784	✓ Alkaline Saline Peptone Water (I)	100 Gms	900
		500 Gms	3800			500 Gms	3300
	Used for examining sporulation in yeasts.				Used for the enrichment of Vibrio species from food and water samples.		
59640	✓ A. K. Agar No. 2 (Sporulating Agar, Arret & Kirshbaum Medium)	100 Gms	1300				
		500 Gms	4300				
	Used for production of spores of Bacillus subtilis ATCC 6633.						

Code	Name	Packing	Price	Code	Name	Packing	Price
44860	✓ AC Agar (All Culture Agar)	100 Gms	900	59821	✓ Anaerobic Agar w/o Dextrose	100 Gms	1200
		500 Gms	3900			500 Gms	4200
	For growth of aerobic, anaerobic and microaerophilic organisms. Recommended for sterility testing of solutions and materials not containing mercurial preservatives.				For cultivation of variety of anaerobic bacilli, especially Clostridium species.		
87091	✓ AC Broth (All Culture Broth)	100 Gms	800	85198	✓ Anaerobic Tryptone Soya Agar	100 Gms	1200
		500 Gms	3600			500 Gms	4000
	For cultivation and isolation of aerobic, anaerobic and microaerophilic organisms. Recommended for sterility testing of solutions and materials not containing mercurial preservatives.				Used for screening of anaerobes in cosmetics (Talcum powder).		
52023	✓ Alternative Thioglycollate Medium (I/P)(U/P) (NIH Thioglycollate Broth)	100 Gms	400	70197	✓ Antibiotic Assay Medium No. 5 (Streptomycin Assay Agar w/ Yeast Extract)	100 Gms	1100
		500 Gms	1500			500 Gms	4800
	For the sterility testing of biological products which are turbid or viscous as mentioned in pharmacopeia.				For antibiotic assay testing. For the streptomycin assay using Bacillus subtilis as the test organism.		
39422	✓ Alternative Thioglycollate Medium, Sterile	100 Gms	500	24301	✓ Antibiotic Assay Medium No. 8 (Base Agar w/Low pH)	100 Gms	1100
		500 Gms	2200			500 Gms	4800
	Gamma irradiated sterile powder used for sterility testing of biological products which are turbid or viscous.				For antibiotic assay testing. Used as a base and seed agar in plate assay of tetracycline.		
98349	✓ Amies Transport Medium w/ Charcoal	100 Gms	1100	52812	✓ Antibiotic Assay Medium No. 9 (Polymyxin Base Agar)	100 Gms	1000
		500 Gms	3400			500 Gms	3900
	For the transport of swab specimens to prolong the survival of microorganisms, especially Neisseria gonorrhoeae.				Used as base agar for the plate assay of Carbenicillin, Colistimethate and Polymyxin B.		
24193	✓ Amies Transport Medium w/o Charcoal	100 Gms	1100	26751	✓ Antibiotic Assay Medium No. 10 (Polymyxin Seed Agar)	100 Gms	1300
		500 Gms	3400			500 Gms	3900
	For the transport of swab specimens to prolong the survival of microorganisms.				Used as seed agar for plate assay of Carbenicillin, Colistimethate and Polymyxin B.		
90600	✓ Ammonium Phosphate Agar	100 Gms	1200	87878	✓ Antibiotic Assay Medium No. 1 (Seed Agar) (Penassay Seed Agar, Seed Agar, Agar Medium A)	100 Gms	1000
		500 Gms	5500			500 Gms	4600
	For the detection of microorganisms that can use ammonium phosphate as nitrogen source.				For antibiotic assay testing, detection of antibiotics in milk and determination of the antimicrobial effectiveness of antibiotics.		
78162	⚠ Ampicillin Supplement (10mg/vl)	5 vl	1400	50741	✓ Antibiotic Assay Medium No. 2 (Base Agar, Penassay Base Agar) (Penassay Base Agar, Base Agar)	100 Gms	1100
	For the selective isolation of Aeromonas species.					500 Gms	4800
					For use as a base layer in antibiotic assay testing.		
12213	✓ Anaerobic Agar	100 Gms	1100	66729	✓ Antibiotic Medium No. 3 (U/P) (I/P) (Assay Broth, Penassay Broth)	100 Gms	900
		500 Gms	4400			500 Gms	3000
	For the cultivation of anaerobic bacteria, especially Clostridium species.				For microbiological assay of antibiotics.		
19422	✓ Anaerobic Egg Yolk Agar Base	100 Gms	1300	10892	✓ Antifungal Assay Agar	100 Gms	1200
		500 Gms	4600			500 Gms	4000
	For the detection of Clostridium species, especially from food samples.				For assaying antifungal activity.		
20911	✓ Anaerobic Agar (Brewer)	100 Gms	1300	12797	✓ APRY Agar Base	100 Gms	1000
		500 Gms	4400			500 Gms	3900
	For the isolation and sensitivity testing of facultative and obligatory anaerobes.				For the cultivation of acid resistant yeasts.		
				26126	✓ APT Agar (APHA)	100 Gms	1100
						500 Gms	4100
					Used for the cultivation of heterofermentative lactobacilli requiring high thiamine content.		

Code	Name	Packing	Price	Code	Name	Packing	Price
31990	✓ APT Broth (APHA)	100 Gms	1100	95670	✓ Asparagine Proline Broth BioVeg	100 Gms	1200
		500 Gms	3900			500 Gms	4500
	Used for the cultivation of heterofermentative lactobacilli requiring high thiamine content.				For cultivation of <i>Pseudomonas aeruginosa</i> by membrane filter technique.		
22599	✓ Aqua Test E.Coli Medium	100 Gms	7300	92301	✓ Ayers and Johnson Agar (Stock Culture Agar)	100 Gms	1200
						500 Gms	4300
	Aqua Test Ecoli Medium, is used for detection of faecal indicator bacteria in drinking water, especially in low-income countries and outside controlled laboratory settings.				Used for maintaining stock cultures of bacteria, particularly streptococci.		
41524	✓ Arabinose Agar Base	100 Gms	1200	94692	✓ Azide Blood Agar Base	100 Gms	1200
		500 Gms	4700			500 Gms	4200
	Used for selective isolation of <i>Enterococcus faecium</i> from faeces, sewage and water samples.				Used for isolation of streptococci and staphylococci, with added blood may be used for determination of hemolytic reactions.		
85908	✓ Arginine Dihydrolase Broth	100 Gms	1000	47479	✓ Bacillus Differentiation Agar	100 Gms	1500
		500 Gms	4200			500 Gms	4900
	Used for the detection of Arginine dihydrolase producing microorganisms.				Used for the differentiation between <i>Bacillus cereus</i> and <i>Bacillus subtilis</i> based on mannitol fermentation.		
15577	✓ Aseptic Commissioning Medium (Aseptic Packing Line Medium)	100 Gms	1100	51747	✓ Bacillus Medium	100 Gms	800
		500 Gms	4000			500 Gms	3300
	It is an ideal medium used for validation of aseptic packing and filling lines.				Used for the cultivation of <i>Bacillus licheniformis</i> .		
64778	✓ Ascospore Agar	500 Gms	4000	74664	✓ Bacillus Cereus Agar	100 Gms	1000
						500 Gms	4200
	Ascospore Agar is a solid medium recommended for use in qualitative procedures for the cultivation of ascomycetous yeasts.				Used for the isolation and enumeration of <i>Bacillus cereus</i> .		
88277	⚠ Ashby's Glucose Agar	100 Gms	1200	83141	⚠ Bacteroides Selective Supplement (50mg/vl)	5 vl	1100
		500 Gms	4300				
	For the cultivation of <i>Azotobacter</i> species that can utilize glucose as carbon and atmospheric nitrogen as nitrogen source.				Used for the selective isolation of <i>Bacteroides</i> species.		
26569	⚠ Ashby's Mannitol Agar	100 Gms	1200	50222	✓ Baird-Parker Agar, Base (U/P)(I/P) (I)	100 Gms	900
		500 Gms	4300			500 Gms	3900
	For the cultivation of <i>Azotobacter</i> species that can utilize mannitol as carbon and atmospheric nitrogen as nitrogen source.				Used as base for egg-tellurite-glycine agar for the selective isolation of coagulase positive staphylococci from food, skin, soil, air and other materials.		
75830	✓ ASLA Agar	100 Gms	1100	24562	✓ Baird-Parker Agar, Base (B/S)	100 Gms	900
		500 Gms	4100			500 Gms	3900
	Used for isolation and cultivation of <i>Propionibacterium</i> species from food.				Recommended medium for isolation and enumeration of coagulase positive staphylococci from food and other specimens.		
53903	✓ Asparagine Nitrate Medium	100 Gms	3000	21748	✓ Baird-Parker Agar Base w/Sulpha	100 Gms	1400
						500 Gms	4900
	Recommended media for isolation and cultivation of denitrifying bacteria.				Recommended medium for isolation and enumeration of coagulase-positive staphylococci from food and other specimens.		
69318	✓ Asparagine Proline Broth	100 Gms	1100	26267	✓ B.C. Motility Medium	100 Gms	1000
		500 Gms	4100			500 Gms	3500
	For the cultivation of <i>Pseudomonas aeruginosa</i> by membrane filter technique.				Used for enumeration of motility of <i>Bacillus cereus</i> strains.		

Code	Name	Packing	Price	Code	Name	Packing	Price
97676	✓ B.C.P. - D.C.L.S. Agar (Bromocresol Purple-Deoxycholic Acid-Citrate-Lactose-Sucrose Agar) Used for the selective isolation of Salmonella and Shigella species.	100 Gms	1200	50362	✓ Bile Salts BactoBio for bacteriology Used in microbiological culture media as a selectively inhibitory agent.	100 Gms	5000
		500 Gms	4400			500 Gms	18500
69574	✓ Beef Extract Agar (ex. Buffalo) For the cultivation and maintenance of a wide variety of microorganisms.	100 Gms	900	18276	✓ Bile Salts No. 3 BactoBio for bacteriology Bile salts No. 3 is a refined bile salt for use as a selective inhibitory agent in bacteriological culture media. It consist of a specially modified fraction of bile acid salts (comprising mainly of sodium cholate and sodium deoxycholate).	100 Gms	11000
		500 Gms	3800				
39359	✓ Beef Extract Broth (ex. Buffalo) For the cultivation of a wide variety of microorganisms.	100 Gms	800	69577	✓ Bile Salts Brilliant Green Starch Agar	100 Gms	2000
		500 Gms	3300			500 Gms	5400
60856	✓ Beef Extract ex. Buffalo BactoBio for bacteriology A dehydrated extract of bovine tissue, used generally to compliment the nutritive properties of peptone. It is source of nitrogen, vitamins, amino acids and carbon.	500 Gms	1800	56175	✓ Bile Salts Mixture BactoBio for bacteriology Used as an inhibitory agent for gram positive organisms in microbiological media.	100 Gms	4000
		5 Kg	16300				
57542	✓ Beijerinckia Medium Used for the isolation of Beijerinckia sps.	100 Gms	1200	79665	✓ Bile Tolerant Gram negative bacteria Test Kit Used for isolation, identification and cultivation of Bile tolerant gram negative bacteria.	1 Kit	1100
		500 Gms	4700				
29141	✓ BIGGY Agar (Nickerson Medium) (Nickerson Agar) For the detection and isolation of Candida species.	100 Gms	1000	92875	✓ Biochemical Test Kit - I Used for biochemical identification of gram negative enteric bacteria based on tests like Carbohydrate utilization, H ₂ S production, Phenylalanine deaminase and Urease production.	1 Kit	2400
		500 Gms	4300				
49319	✓ Bile Broth Base For the culture of blood clots from patients with suspected enteric fever.	100 Gms	1200	65896	✓ Biochemical Test Kit - II Used for biochemical identification of microorganisms based on tests - Nitrate reduction, Malonate utilisation, Gelatin liquefaction and Starch hydrolysis.	1 Kit	2200
		500 Gms	4800				
66013	✓ Bile Esculin Agar w/o azide (I) For the isolation and presumptive identification of group D Streptococci.	100 Gms	3200	55785	✓ Bio Peptone (Mixture of Casein & Meat Peptone) BactoBio for bacteriology Biopeptone is a mixture of enzymic digest of casein and meat peptone. It is recommended for the cultivation of fastidious microorganisms in Columbia Broth Base, Dextrose Agar and Casman Agar Base.	500 Gms	2700
		500 Gms	12300			5 Kg	21500
66572	✓ Bile Esculin Agar, Base For the isolation and presumptive identification of group D Streptococci.	100 Gms	2100	55369	✓ Bismuth Sulphite Agar (I) (Bismuth Sulfite Agar (I)) For the selective isolation and identification of Salmonella typhi and other enteric bacilli.	100 Gms	800
		500 Gms	9500			500 Gms	3400
34963	✓ Bile Esculin Azide Agar For the isolation and presumptive identification of group D Streptococci.	100 Gms	2200	48794	✓ Blood Agar Base (Infusion Agar) For the preparation of blood agar by the addition of sheep blood.	100 Gms	800
		500 Gms	8400			500 Gms	3400
79630	✓ B.D.G. Broth, Hajna For the selective enrichment and cultivation of enteric bacilli from food and in treated drinking water.	100 Gms	1100				
		500 Gms	3700				
64104	✓ Bile Salts Agar For the isolation and cultivation of bile tolerant enteric bacilli.	100 Gms	1100				
		500 Gms	4800				

Code	Name	Packing	Price	Code	Name	Packing	Price
90935	✓ Blood Agar Base (w/o sheep blood)	100 Gms	800	87864	✓ Brain Heart Infusion Broth (BHI Broth)	100 Gms	800
		500 Gms	3400			500 Gms	2900
		5 Kg	32200			5 Kg	27500
	For the isolation, cultivation and detection of haemolytic activity of streptococci and other fastidious microorganisms.			For the cultivation of variety of fastidious and non-fastidious aerobic and anaerobic microorganisms.			
67644	✓ Blood Agar Base No.2 (w/ 1.2% Agar)	100 Gms	900	82856	✓ Brain Heart Infusion Agar, Modified (BHI Agar, Modified)	100 Gms	900
		500 Gms	3400			500 Gms	3600
	For the isolation, cultivation and detection of haemolytic activity of streptococci, pneumococci and other particularly fastidious microorganisms.			For the cultivation of wide variety of fastidious bacteria, yeast and molds from clinical and non-clinical specimens.		5 Kg	32800
74999	✓ Blood Agar Base w/ Low pH (w/o sheep blood)	100 Gms	900	84560	✓ Brain Heart Infusion w/ 0.1% Agar (BHI w/ 0.1% Agar)	100 Gms	1000
		500 Gms	3500			500 Gms	3600
	For the isolation and growth of a wide variety of microorganisms. The slightly acid pH of this medium enhances distinct hemolytic reactions.			For the cultivation of fastidious pathogenic microorganisms.			
81083	✓ Blood Free Campylobacter Selectivity Agar Base	100 Gms	1400	26671	✓ Brain Heart Infusion w/ PABA and Agar (BHI Agar w/PABA)	100 Gms	1100
		500 Gms	5000			500 Gms	4400
				For the detection of fastidious microorganisms from blood containing sulfonamides.			
71476	✓ BG-11 Broth (Blue-Green Medium)	100 Gms	1400	25357	✓ Brain Heart Infusion Broth w/6.5% NaCl (BHI Broth w/6.5% NaCl)	100 Gms	900
		500 Gms	4600			500 Gms	3500
	For culture and maintenance of cyanobacteria.			Nutritive medium used for cultivation of salt tolerant microorganisms.			
85308	✓ Bordet - Gengou Agar, Base (w/o rabbit blood)	100 Gms	1200	33355	✓ Brewer Thioglycollate Medium	100 Gms	600
		500 Gms	4600			500 Gms	2600
	For the detection and isolation of Bordetella species from clinical specimens.			For sterility testing of biological products and other materials.			
15097	♣ B.P. Sulpha Supplement (50mg/vl)	5 vl	1100	65774	✓ Brilliant Green Agar	100 Gms	800
	Used for suppressing the growth of Proteus species on Baird Parker Agar Base.					500 Gms	3200
				For the selective isolation of Salmonella other than S.typhi from faeces, food and dairy products.			
91661	✓ BPL Agar (Brilliant Green Phenol Red Agar)	100 Gms	1200	14980	✓ Brilliant Green Agar, Modified (I) (Brilliant Green Agar Base w/ Phosphates)	100 Gms	800
		500 Gms	4200			500 Gms	3200
	For isolation and identification of Salmonellae except S.typhi in faeces, urine, milk and other materials.			For the selective isolation of Salmonellae from faeces, water, food and dairy products.			
64944	✓ Brain Heart Infusion Powder (BHI Powder) BactoBio for bacteriology	500 Gms	2800	18545	✓ Brilliant Green Bile Broth 2% (I) (B/S)	100 Gms	1000
		5 Kg	26300			500 Gms	4500
	Used for cultivation of highly fastidious microorganisms like Streptococci, Pneumococci, Meningococci, Haemophilus, Neisseria sp. and pathogenic fungi. A highly nutritious mixture of calf brain infusion and beef heart infusion.			Recommended medium for detection and confirmation of coliforms from water, wastewater, foods, milk and dairy products.			
94124	✓ Brain Heart Infusion Agar (BHI Agar)	100 Gms	800	98383	✓ Brilliant Green Bile Agar	100 Gms	900
		500 Gms	3200			500 Gms	3900
		5 Kg	30300				
	For the cultivation of wide variety of fastidious bacteria, yeasts and molds from clinical and non-clinical specimens.			For the detection & enumeration of coliform bacteria in materials of sanitary importance such as water, sewage & foods.			

Code	Name	Packing	Price	Code	Name	Packing	Price
39284	✓ Brilliant Green Sulfa Agar (B.G. Sulpha Agar)	100 Gms	900	72993	✓ Buffered Peptone Water	100 Gms	600
		500 Gms	4200			500 Gms	2700
	For the selective isolation of Salmonella species, other than Salmonella typhi from food, dairy products, eggs, egg products and feed.				A pre-enrichment medium for the isolation of Salmonella species, especially injured microorganisms from food sources.		
32445	✓ Bolton Broth Base	100 Gms	1000	88680	✓ Buffered Peptone Water (I/O) (B/S)	100 Gms	700
		500 Gms	4500			500 Gms	2700
	A medium for the selective pre-enrichment of Campylobacter species in food samples.				Recommended medium for pre-enrichment of injured Salmonella species from foods, before selective enrichment and isolation.		
55582	⚡ Bolton Selective Supplement	5 vl	1600	12995	✓ Buffered Peptone Water w/ NaCl	100 Gms	900
		5 x5 vl	7200			500 Gms	2700
					An isotonic agent recommended for use as a diluent in performing microbial examination of non-sterile products.		
66006	⚡ Bordetella Selective Supplement (20mg/vl)	5 vl	1300	22197	✓ Buffered Peptone Water BioVeg	100 Gms	700
	Used for the selective isolation of Bordetella species.					500 Gms	2700
26384	⚡ Bromocresol Purple Supplement (15mg/vl)	5 vl	800		A pre-enrichment medium, manufactured from animal free bases for the isolation of Salmonella, especially injured microorganisms from various food sources.		
49977	✓ Bromocresol Purple Azide Broth	100 Gms	1000	93439	✓ Buffered Peptone Water w/ Casein	100 Gms	800
		500 Gms	3800			500 Gms	3200
	For the confirmation tests for presence of faecal streptococci in water and waste water.				A pre-enrichment medium, for the isolation of Salmonella, especially from cocoa (chocolates and confectionary).		
19202	✓ Bromocresol Purple Lactose Broth (BCP Lactose Broth, Yeast Fermentation Broth Base)	100 Gms	900	85268	✓ Buffered Tryptone Glucose Yeast Extract Broth	100 Gms	1000
		500 Gms	3500			500 Gms	3600
	Used as presumptive medium for the detection of coliform bacteria in water.				Used for the isolation of Clostridium perfringens from food samples.		
53213	✓ Bromocresol Purple Lactose Broth w/o Sodium Chloride	100 Gms	900	70054	✓ Buffered Yeast Agar	100 Gms	900
		500 Gms	3300			500 Gms	3600
					For the cultivation of yeast and molds and for controlling bottle washing operations in the soft drinks and related industries.		
46172	⚡ Bromothymol Blue Supplement (20mg/vl)	5 vl	500	89637	✓ Buffered Sodium Chloride-Peptone Solution pH 7.0, Harmonized	100 Gms	700
						500 Gms	2700
	Used for differentiating microflora from urine sample.				Used as diluent in pharmaceutical testing according to harmonized methods.		
19814	✓ B.T.B. Lactose Agar (Bromothymol Blue Lactose Agar)	100 Gms	1100	73461	✓ Burk's Medium	100 Gms	1200
		500 Gms	4100			500 Gms	3800
	For the isolation and cultivation of pathogenic Staphylococci.				Used for isolation and cultivation of nitrogen fixing bacteria such as Azotobacter species from soil.		
28540	⚡ B12 Culture Agar, (U/P)	100 Gms	1600	32639	✓ Bushnell - Haas Agar	100 Gms	900
						500 Gms	3900
	For the cultivation and maintenance of Lactobacillus leichmannii ATCC 7830 to be used as the test organism in the vitamin B12 assay.				For examining fuels for microbial contamination and for studying hydrocarbon utilization by microorganisms.		
79328	⚡ B12 Inoculum Broth, (U/P)	100 Gms	1500				
		500 Gms	6700				
	For the preparation of inoculum cultures of Lactobacillus leichmannii ATCC 7830, which is used as the test organism in the vitamin B12 assay.						
21700	✓ Buffered Glycerol Saline Base	100 Gms	800				

Code	Name	Packing	Price	Code	Name	Packing	Price
14509	✓ Bushnell - Haas Broth	100 Gms	700	68806	✓ Casamino Acid (Asicase, Casein Acid Hydrolysate) BactoBio for bacteriology	500 Gms	3200
		500 Gms	3300			2 Kg	12400
	For examining fuels for microbial contamination and for studying hydrocarbon utilization by microorganisms.				Acid digest of casein, a rich source of nitrogen recommended for use in microbiological culture media that require a completely hydrolyzed protein as a nitrogen source.	5 Kg	29000
16574	✓ CAE Agar Base (Citrate Azide Enterococcus)	100 Gms	1000	95305	✓ Casein Acid Hydrolysate (Asicase) Technical for bacteriology	500 Gms	2600
		500 Gms	3900			2 Kg	10200
	Used for identification of Enterococci in meat, dairy and other food products.				Acid digest of casien; is a rich source of nitrogen.	5 Kg	23600
95845	✓ Calcium Caseinate Agar	100 Gms	1400	68211	✓ Casein Magnesium Broth (NZM Broth)	100 Gms	1300
		500 Gms	4500			500 Gms	5100
	For the detection and enumeration of proteolytic microorganism in foodstuff and other materials.				Used in the cultivation of recombinant strains of Escherichia coli.		
25867	✓ Campylobacter Agar Base	100 Gms	1200	61796	✓ Casein Peptone BactoBio for bacteriology	500 Gms	2200
		500 Gms	4600			5 Kg	21000
	Used with addition of blood and antibiotics in isolation and cultivation of Campylobacter species.				An enzymatic digest of casein, rich in amino acids and peptides. Used as a nitrogen source in microbiological media.		
36198	✓ Candida BCG Agar, Base	100 Gms	1200	72689	✓ Casitone (Casitose) BactoBio for bacteriology	500 Gms	2200
		500 Gms	4400			500 Gms	3800
	For use with added Neomycin for isolation and differentiation of Candida from primary specimens.				Used as a general purpose medium.	5 Kg	35400
95160	✓ Candida Isolation Agar (Candida Agar)	100 Gms	1200	49946	⚠ Casitose Agar w/ 1.5% Agar	500 Gms	3800
		500 Gms	4400				
	For the isolation and differentiation of Candida albicans.				Used as a general purpose medium.		
45568	✓ Candida Albicans Test Kit	1 Kit	1100	79033	✓ Casitose Soya Agar, Modified (Casein Soya Agar, Modified)	100 Gms	1200
	Used for isolation, identification and cultivation of Candida albicans.				For the growth of wide variety of organisms.	500 Gms	3900
92558	✓ Carbohydrate Fermentation Test Kit - I	1 Kit	3500	13927	✓ Casitose Soya Blood Agar Base (Casein Soya Blood Agar Base) (Trypticase Soya Blood Agar Base)	100 Gms	1200
	For the differentiation of microorganisms on the basis of various carbohydrate fermentation reactions.				Recommended for the cultivation of fastidious microorganisms and detection of their hemolytic activity.	500 Gms	4200
40071	✓ Carbohydrate Fermentation Test Kit - II	1 Kit	6800	91254	✓ Casman Agar Base	100 Gms	1000
	For the differentiation of microorganisms on the basis of various carbohydrate fermentation reactions.				Used with addition of blood, for isolation and cultivation of fastidious microorganisms from clinical specimens.	500 Gms	3900
54951	✓ Carbon Utilisation Agar	500 Gms	2100	18871	⚠ CBI Supplement	5 vI	1400
	Used for characterization of Streptomyces on the basis of carbon utilization studies.				Used for selective isolation of Clostridium botulinum.		
24715	✓ Cary - Blair Transport Medium, Base (w/o charcoal)	100 Gms	1000	90465	✓ Cetrimide Agar Base, Harmonized	100 Gms	800
		500 Gms	4100		Used for the selective isolation and identification of Pseudomonas aeruginosa in pharmaceutical testing according to harmonized methods.	500 Gms	3300
	For maintenance as a holding medium or transport medium of clinical specimens during collection or shipment.						

Code	Name	Packing	Price	Code	Name	Packing	Price
45470	✓ Cetrimide Agar, Base	100 Gms	700	42436	🚫 ChroMed Chromogenic Coliform Agar (CCA) (I)	50 Gms	3100
		500 Gms	3000			100 Gms	5800
	For the selective isolation, cultivation and identification of <i>Pseudomonas aeruginosa</i> .				For detection of <i>Escherichia coli</i> and coliforms in water samples as per ISO standards 9308-1:2014.	500 Gms	27300
93927	✓ Cetrimide Agar BioVeg	100 Gms	800	19440	🚫 ChroMed Chromogenic Coliform Agar w/ SLS (CCA w/ SLS)	50 Gms	2500
		500 Gms	3300			100 Gms	4500
	Made from Veg.based ingredients ; it is used for the selective cultivation and identification of <i>Pseudomonas aeruginosa</i> .				For detection of <i>Escherichia coli</i> and coliforms in water samples.	500 Gms	17500
31199	✓ Cetrimide Broth (U/P)	100 Gms	800	96599	🚫 ChroMed ECC Agar	100 Gms	4200
		500 Gms	3000			500 Gms	16100
	Used for the cultivation of <i>Pseudomonas aeruginosa</i> .				Differential medium recommended for presumptive identification of <i>Escherichia coli</i> and other coliforms in food and environmental samples.		
94532	🚫 Cetrinix Supplement	5 vl	1700	75955	🚫 ChroMed E.coli Agar	100 Gms	2900
		5 x5 vl	4200			500 Gms	12900
	Used for the selective isolation of <i>Pseudomonas</i> species.				A selection chromogenic medium used for the detection and enumeration of <i>Escherichia coli</i> and coliform from food samples.		
70984	🚫 CFC Supplement	5 vl	1500	46706	🚫 ChroMed Klebsiella Selective Agar Base	100 Gms	2100
		5 x5 vl	4600			500 Gms	8600
	Used for selective isolation of <i>Pseudomonas</i> species.				Used for the selective isolation and detection of <i>Klebsiella</i> species from water and other sources. This medium can also be used in membrane filtration procedure.		
11507	✓ Chapman Stone Agar	100 Gms	1000	45615	🚫 ChroMed Listeria Agar (I)	100 Gms	1800
		500 Gms	3600			500 Gms	7700
	For the isolation of staphylococci from a variety of specimens.				A selective and differential chromogenic medium recommended for rapid and direct identification of <i>Listeria</i> species.		
58323	✓ Charcoal Agar	100 Gms	1100	38284	✓ ChroMed Listeria Agar Base, Modified	100 Gms	1800
		500 Gms	3900			500 Gms	7400
	For the cultivation and maintenance of fastidious microorganisms, especially <i>Bordetella pertussis</i> , for production of vaccines.				For the selective identification and differentiation of <i>Listeria monocytogenes</i> .		
52057	✓ China Blue Lactose Agar	100 Gms	1000	65621	🚫 ChroMed MeReSA Agar	100 Gms	2800
		500 Gms	4200			500 Gms	11800
	Used for differentiating lactose fermenters and non fermenters and also in enumeration of bacteria in milk.				A chromogenic media recommended for the isolation and selective identification of Methicillin Resistant <i>Staphylococcus aureus</i> (MRSA) from clinical isolates.		
52665	🚫 Chloramphenicol Yeast Glucose Agar BioVeg	100 Gms	700	75213	🚫 Chromed M-Lauryl Sulfate Agar (MLGA) (Membrane Lactose Glucuronide Agar)	100 Gms	5200
		500 Gms	3300			500 Gms	20900
	Used for the isolation and enumeration of molds in milk and milk products.				For the differentiation and enumeration of <i>Escherichia coli</i> and other coliforms by membrane filter technique.		
27880	🚫 ChroMed Aureus Agar	100 Gms	2200	90219	🚫 ChroMed OGYE Agar Base (I)	100 Gms	3800
		500 Gms	9900			500 Gms	16600
	A chromogenic medium used for the identification of <i>Staphylococcus aureus</i> .				Selective and differential medium for isolation of yeasts and moulds from milk and milk products.		
78355	🚫 ChroMed Bacillus Cereus Agar	100 Gms	1400				
		500 Gms	5500				
	A chromogenic medium used for the isolation of <i>Bacillus</i> species from a mixed culture in foods, clinical and non-clinical samples.						

Code	Name	Packing	Price	Code	Name	Packing	Price
92671	🔑 ChroMed Salmonella Agar	100 Gms	10300	93834	🔑 Clostridium Difficile Supplement	5 vl	1200
		500 Gms	48400			5 x5 vl	3600
	A chromogenic medium used for the differentiation of Salmonella species.				Used for the selective isolation of Clostridium difficile.		
52496	🔑 ChroMed TBX Agar (E.coli Agar Modified)	100 Gms	2200	12655	✓ Clostridium Test Kit	1 Kit	1100
		500 Gms	10100				
	A selective chromogenic medium used for the detection and enumeration of Escherichia coli in food samples, animal feeds and water.				Used for isolation, identification, cultivation of Clostridium species.		
42979	🔑 ChroMed UTI Agar	100 Gms	3000	64078	🔑 CNA Supplement	5 vl	1600
		500 Gms	14300				
	A chromogenic medium used for the presumptive identification and differentiation of microorganisms causing urinary tract infections.						
80559	✓ CHO Medium, Base (Carbohydrate Medium, Base)	100 Gms	900	19156	✓ Coagulase Mannitol Agar Base	100 Gms	1000
		500 Gms	3500			500 Gms	4300
	Used as a basal medium to which carbohydrates are added for fermentation studies of anaerobic bacteria.				For the cultivation, differentiation of Staphylococcus aureus from other Staphylococcus species, based on coagulase production and mannitol fermentation.		
28850	✓ Chocolate Agar, Base	100 Gms	1100	52655	✓ Coliform Medium (CM, Coliform Broth)	100 Gms	900
		500 Gms	3900			500 Gms	3300
	For the isolation and identification of a variety of fastidious microorganisms.				For the isolation & cultivation of coliform organisms from raw milk, cream, yoghurt.		
14602	🔑 Chloramphenicol Selective Supplement (50mg/vl)	5 vl	1100	21493	✓ Columbia Agar Base, Harmonized	100 Gms	800
		5 x5 vl	3200			500 Gms	3400
	Used for the selective isolation and cultivation of yeasts and moulds.				Used for the isolation of fastidious and non-fastidious microorganisms in pharmaceutical testing according to harmonized methods.		
60822	✓ Chloramphenicol Yeast Glucose Agar (I)	100 Gms	700	45481	✓ Columbia Agar, Base	100 Gms	800
		500 Gms	3400			500 Gms	3400
	For selective enumeration of fungi, yeasts and molds in milk and milk products.				For the isolation and cultivation of fastidious and non-fastidious microorganisms.		
93306	✓ Christensen Citrate Agar	100 Gms	900	97789	✓ Columbia C.N.A. Agar Base	100 Gms	2300
		500 Gms	4100			500 Gms	9400
	For the differentiation of enteric pathogens based on their ability to utilize citrate as a carbon source.				For selective isolation and cultivation of pathogenic Gram-positive cocci from clinical and non-clinical specimens.		
55769	✓ CLED Agar (Brolacin Agar)	100 Gms	900	23588	✓ Conn's Agar	100 Gms	2000
		500 Gms	3400			500 Gms	8500
	For the isolation, enumeration and presumptive identification of microorganisms from urine.				Used for the cultivation of fungi.		
88366	✓ CLED Agar w/ Andrade Indicator	100 Gms	900	16340	✓ Corn Meal Agar w/ Dextrose	100 Gms	900
		500 Gms	3400			500 Gms	4000
	For differentiating various microorganisms depending on their colony characteristics.				Cultivation of phytopathological and other fungi.		
40980	✓ Clostridium Botulinum Isolation Agar, Base	100 Gms	1000	26998	✓ Corn Meal Agar	100 Gms	900
		500 Gms	4100			500 Gms	4000
	For the isolation, cultivation and differentiation of Clostridium botulinum from food samples.				For the chlamyospore production by Candida albicans and maintenance medium for fungal stock cultures.		
				60277	✓ Corn Meal Peptone Yeast Agar	100 Gms	1100
						500 Gms	3900

Code	Name	Packing	Price	Code	Name	Packing	Price
73398	✓ Cooke Rose Bengal Agar Base	100 Gms 500 Gms	1500 5500	61195	🧪 Dairy samples Testing Kit	1 Kit	1900
	Used for the selective cultivation and isolation of fungi.				Used for identification and enumeration of microorganisms from dairy products.		
45455	✓ CPC Agar Base	100 Gms	5800	96640	✓ Decarboxylase Test Medium Base (Falkow) (Decarboxylase Basal Medium, Decarboxylase Media, Falkow)	100 Gms 500 Gms	900 3400
	For cultivation and differentiation of Vibrio species from food samples.				For the differentiation of bacteria based on their ability to decarboxylate the amino acid.		
65165	🧪 CPC Supplement	5 vl	2100	47129	✓ Deoxycholate Agar	100 Gms 500 Gms	800 3600
48743	✓ Craigs Medium	100 Gms 500 Gms	1200 3600		Differential medium for direct counts of coliforms from dairy products and for the isolation of enteric microorganisms from clinical and non-clinical specimens.		
70952	✓ CRAMP Agar Base	100 Gms	4900	20023	✓ Deoxycholate Citrate Agar (I/P)	100 Gms 500 Gms	1300 5800
	For the cultivation of Yersinia species with plasmids.				Used for the selective isolation and cultivation of enteric pathogens, especially Salmonella and Shigella species.		
27793	✓ Cystine Tryptone Agar (Cystine Tryptic Agar)	100 Gms 500 Gms	900 3400	38695	✓ Deoxycholate Lactose Agar	100 Gms 500 Gms	1100 4000
	Used for the maintenance, subculturing and detection of motility of various bacteria.				For the isolation and differentiation of Gram-negative enteric bacilli and for enumeration of coliforms from water, waste water, milk and dairy products.		
77853	✓ Crystal Violet Agar (Crystal Violet Lactose Agar)	100 Gms 500 Gms	1100 4000	18752	✓ Dermatophyte Test Agar Base (D.T.M. Agar Base)	100 Gms 500 Gms	1100 4200
	For the differentiation of pathogenic and non- pathogenic staphylococci.				For the isolation and cultivation of dermatophytic fungi.		
57485	✓ Crystal Violet Lactose Broth	100 Gms 500 Gms	1300 3500	68650	✓ DEV Nutrient Agar	100 Gms 500 Gms	1000 3600
	For the detection of coliforms in water filtration control works.				To determine total germ count in water acc. To the "Deutschen Einheitsverfahren" regulations of drinking water.		
91022	✓ Crystal Violet Tetrazolium Agar, Base	100 Gms 500 Gms	1000 4200	22438	✓ DEV Tryptophan Broth	100 Gms 500 Gms	700 2700
	Used for the detection of gram-negative psychrotrophic bacteria causing food spoilage.				Used for sub-cultivation for coliform differentiation and for indole testing in the bacteriological examination of water as per German Standard methods.		
29212	✓ Czapek - Dox Agar	100 Gms 500 Gms	800 3000	15923	✓ Dextrose Agar	100 Gms 500 Gms	800 3500
	For the cultivation of fungi and bacteria capable of utilizing sodium nitrate as the sole source of nitrogen.				For the cultivation of a wide variety of microorganisms and used as a base for blood agar and for general laboratory purposes.		
93812	✓ Czapek - Dox Agar Modified	100 Gms 500 Gms	1100 3900	64098	✓ Dextrose Broth	100 Gms 500 Gms	700 2500
	For the cultivation and maintenance of numerous fungal species, also for chlamydo-spore production by Candida albicans.				For the isolation and enrichment of fastidious or damaged microorganisms.		
74367	✓ Czapek - Dox Broth	100 Gms 500 Gms	700 2700				
	For the cultivation of fungi and bacteria capable of utilizing sodium nitrate as the sole source of nitrogen.						
95417	✓ Czapek Malt Agar	100 Gms 500 Gms	800 3400				
	For the isolation and cultivation of saprophytic fungi.						

Code	Name	Packing	Price	Code	Name	Packing	Price
83607	✓ Dextrose Mannitol Agar (Gillies Agar No.1)	100 Gms	1200	14912	✓ Diluting Fluid A	100 Gms	700
		500 Gms	4300			500 Gms	2800
	Recommended medium for primary isolation of Salmonella and Shigella species, by detection of urease production, dextrose and mannitol fermentation.				Used for sterility testing of pharmaceuticals.		
98009	✓ Dextrose Proteose Peptone Agar Base	100 Gms	1000	23121	✓ Diluting Fluid D	100 Gms	800
		500 Gms	3600			500 Gms	3100
	Used in combination with blood and tellurite for the isolation of Corynebacterium diphtheriae.				Used for sterility testing of pharmaceutical products in accordance with USP.		
11581	✓ Dextrose Salt Agar	100 Gms	1000	53277	✓ Diluting Fluid K	100 Gms	900
		500 Gms	4000			500 Gms	2800
	For the enumeration of yeasts and molds in butter and dairy products.				Used as diluting or rinsing fluid, when performing sterility testing of pharmaceuticals.		
87461	✓ Dextrose Salt Broth	100 Gms	900	82965	✓ Disinfectant Test Broth, AOAC	100 Gms	900
		500 Gms	3300			500 Gms	3500
	For the enumeration of yeasts and molds in butter and dairy products.				For the determination of phenol coefficient of disinfectants.		
44486	✓ Dextrose Starch Agar	100 Gms	1100	82359	✓ DNase Test Agar Base	100 Gms	3400
		500 Gms	3900			500 Gms	14400
	For the cultivation and maintenance of Neisseria gonorrhoeae and other fastidious microorganisms.				Used for differentiation of microorganisms based on their production of deoxyribonuclease.		
50223	✓ Dextrose Tryptone Agar (Dextrose Casein Peptone Agar)	100 Gms	1000	78317	✓ DNase Test Agar w/Methyl Green	100 Gms	3900
		500 Gms	3800			500 Gms	15000
	For the isolation and cultivation of mesophilic and thermophilic aerobic microorganisms related to food spoilage.				Used for differentiation of microorganisms based on deoxyribonuclease activity.		
78209	✓ Dey-Engley Neutralizing Broth	100 Gms	1100	88941	✓ Drakes Medium 10	100 Gms	1400
		500 Gms	4100			500 Gms	4700
	For the testing and neutralization of antiseptics and disinfectants.				Recommended for isolation of Pseudomonas species from water samples.		
73318	✓ Diamalt Agar	100 Gms	1300	53292	✓ DRBC Agar (Dichloran Rose Bengal Chloramphenicol Agar) Base	100 Gms	1400
		500 Gms	4800			500 Gms	5000
					Used for the selective isolation and enumeration of yeasts and moulds of significance in food spoilage.		
66473	✓ Differential Reinforced Clostridial Agar	100 Gms	1100	84127	✓ Drigalski Lactose Agar	100 Gms	1500
		500 Gms	3900			500 Gms	4600
	For the cultivation of Clostridia from water samples.						
27548	✓ Differential Reinforced Clostridial Broth, Base	100 Gms	700	56107	✓ Drigalski Litmus Lactose Agar	100 Gms	1200
		500 Gms	2600			500 Gms	4100
	For the cultivation of Clostridia from water samples.						
52978	✓ Differential Reinforced Clostridial Broth, Base (I)	100 Gms	800	49763	✓ E. Coli Test Kit	1 Kit	1300
		500 Gms	3000				
	For the cultivation of Clostridia from water samples.				Used for isolation, identification and cultivation of Escherichia coli.		
88167	✓ Differential Reinforced Clostridial Broth, Base BioVeg	100 Gms	800	25549	✓ EC Medium (EC Broth)	100 Gms	800
		500 Gms	3200			500 Gms	3300
	For the cultivation of Clostridia from water samples.				For the differentiation and enumeration of coliforms in water, wastewater, shellfish and foods.		
63899	✓ Dihydrolase Broth, Base	100 Gms	1200	66389	✓ EC Medium w/MUG	100 Gms	1300
		500 Gms	3800			500 Gms	5200
					Used for the fluorogenic detection of Escherichia coli in water, food and milk.		

Code	Name	Packing	Price	Code	Name	Packing	Price
54723	✓ Elliker Broth (Lactobacilli Broth)	100 Gms	900	71611	✓ Enterobacteria Enrichment Broth Mossel (EE Broth Mossel), Harmonized	100 Gms	1000
		500 Gms	3500			500 Gms	4500
	Used for cultivation of streptococci and lactobacilli, especially in dairy procedures.						
11983	✓ Eijkman Lactose Medium (Eijkman Lactose Broth)	100 Gms	1000	58444	✓ Enterococcus Confirmatory Agar	100 Gms	900
		500 Gms	3300			500 Gms	3700
	For the cultivation and differentiation of Escherichia coli from other coliform organisms based on their ability to ferment lactose and produce gas.						
95514	✓ EMB Agar (Eosin Methylene Blue Agar)	100 Gms	700	64819	✓ Enterococcus Confirmatory Broth	100 Gms	800
		500 Gms	3200			500 Gms	3400
	For the isolation, cultivation and differentiation of gram negative enteric bacteria based on lactose fermentation.						
46675	✓ EMB Agar, Levine (Eosin Methylene Blue Agar, Levine)	100 Gms	700	47082	⚠ Enterococcus Selective Supplement	5 vl	1500
		500 Gms	3200			5 x5 vl	5100
	For the isolation, cultivation and differentiation of Gram-negative enteric bacteria based on lactose fermentation.						
51207	✓ EMB Broth (Eosin Methylene Blue Broth)	100 Gms	700	60312	✓ Esculin Iron Agar	100 Gms	3800
		500 Gms	2900			500 Gms	16700
	For the differentiation of gram negative enteric bacteria from clinical and non clinical specimens.						
65512	✓ Emerson Agar	100 Gms	1200	27131	⚠ Esculin Supplement (0.5gm/vl)	5 vl	2600
		500 Gms	4000				
	Used for isolation and cultivation of Actinomycetaceae, Streptomycetaceae, fungi and moulds.						
85046	✓ Endo Agar	100 Gms	800	69404	✓ Ethyl Violet Azide Broth (E.V.A. Broth)	100 Gms	1000
		500 Gms	3100			500 Gms	3200
	For the selective isolation, cultivation and differentiation of coliforms and other enteric microorganisms based on their ability to ferment lactose.						
81496	✓ Endo DEV Agar	100 Gms	1000	48357	✓ Eugonic Agar (B/S)	100 Gms	1100
		500 Gms	3600			500 Gms	4200
	Used for selection and differentiation of E.coli acc. To the "Deutschen Einheitsverfahren" regulations for drinking water.						
95904	✓ Enriched Thioglycollate Broth (Thioglycollate Medium, Enriched, Thioglycollate Medium, Base)	100 Gms	700	66070	✓ Eugonic Broth	100 Gms	1100
		500 Gms	3400			500 Gms	3500
	For the isolation, cultivation and identification of a wide variety of obligate anaerobic bacteria.						
33945	✓ Enteric Fermentation Media	100 Gms	900	78507	⚠ FGTC Antibiotic Supplement (2.5mg/vl)	5 vl	1100
		500 Gms	2700				
	For the cultivation and differentiation of a variety of bacteria based on their ability to ferment different carbohydrates.						
				93466	✓ Fluid Sabouraud Medium	100 Gms	500
						500 Gms	2000
				93023	✓ Fluid Thioglycollate Medium, Clear (U/P)	100 Gms	500
						500 Gms	1700

Code	Name	Packing	Price	Code	Name	Packing	Price
42917	✓ Fluid Thioglycollate Medium, (U/P) (I/P)	100 Gms	500	72464	✓ GC Agar Base	100 Gms	800
		500 Gms	1700			500 Gms	3100
	Used for the cultivation of anaerobic, microaerophilic and aerobic organisms. For use in sterility testing of a variety of samples.				Used for isolation and cultivation of Gonococci.		
46990	✓ Fluid Thioglycollate Medium, Harmonized	100 Gms	500	10474	✓ Gelatin Agar DEV	100 Gms	900
		500 Gms	1700			500 Gms	3500
	Used for sterility testing of variety of samples in pharmaceutical testing according to harmonized methods.				Used in water and waste water testing for the determination of total microbial count and detection of gelatin liquefying microorganisms.		
76037	✓ FNA Medium (Fluorescein Denitrification Agar)	100 Gms	1000	23942	✓ Gelatin Iron Agar	100 Gms	900
		500 Gms	3800			500 Gms	4000
	Used for differentiation of Pseudomonas sps. from other bacilli by their ability to reduce nitrates or nitrites to nitrogen gas (denitrification) and detection of fluorescein pigment.				For the detection of gelatin liquefaction and H ₂ S production.		
46142	✓ Forget Fredette Agar	100 Gms	1100	75750	✓ Gelatin Peptone BactoBio for bacteriology	500 Gms	1850
		500 Gms	4200			5 Kg	18000
					Gelatin peptone, prepared by enzymatic digest of Gelatin; is used as an ingredient in media for fermentation studies and to support growth of non-fastidious microorganisms. It is characterised by low Cystine, Tryptophan and Carbohydrate content .		
33696	✓ Formate Ricinoleate Broth	100 Gms	1100	43172	✓ Gelatin Powder Special ex. Porcine (Type B), 120g Bloom BactoBio for bacteriology	500 Gms	1400
		500 Gms	4400			[9000-70-8]	
					Gelatin is a collagenous protein which finds its application for the solidification of cultural media. It is also used for detection and differentiation of certain proteolytic bacteria. A bacteriological grade, readily soluble in water.		
37593	✓ Fraser Broth Base	100 Gms	900	24426	✓ Gelatin Powder Special Clear ex. Bovine (Type B), 200-250g Bloom BactoBio for bacteriology	500 Gms	2000
		500 Gms	3900			[9000-70-8]	
	Recommended selective, enrichment medium for the isolation of Listeria species.				Gelatin for bacteriology is a special bacteriological grade product, readily soluble in water to give a clear solution.		
97539	✓ Fraser Supplement (250mg/vl)	5 vl	1100	78334	⚡ Gentamicin Selective Supplement (20mg/vl)	5 vl	900
52071	⚡ Fraser Selective Supplement	5 vl	1400	50084	⚡ Genta-Oxy Selective Supplement	5 vl 5 x5 vl	1500 3500
	Used for selective isolation and cultivation of Listeria monocytogenes from food and environmental specimens.				Used for the selective isolation and enumeration of yeast and moulds.		
83831	✓ Fuchsin Lactose Broth	100 Gms	900	39238	✓ General Purpose Kit - I	1 Kit	1000
		500 Gms	3600				
					Nutrient agar cultivates a wide variety of microorganism and MacConkey agar is used in isolation of gram negative enteric bacteria.		
37346	✓ Fungal Agar (Mycological Agar)	100 Gms	1100	84905	✓ General Purpose Kit - II	1 Kit	1300
		500 Gms	4300				
					Nutrient agar cultivates a wide variety of microorganisms, MacConkey agar aids in isolation of gram negative enteric bacteria and Blood Agar Base is used in detecting hemolytic of fastidious microorganisms.		
93411	✓ Fungal Agar w/ low pH (Mycological Agar with Low pH)	100 Gms	1100				
		500 Gms	4300				
68653	✓ Fungal Agar with Low pH (Mycological Agar w/ low pH)	100 Gms	1100				
		500 Gms	4400				
	For the selective isolation, cultivation and maintenance of pathogenic fungi.						
62729	✓ Fungal Broth (Mycological Broth)	500 Gms	4000				
	For cultivation and maintenance of fungi.						
90195	✓ Fungi Cultivation Kit	1 Kit	1300				
	Used for cultivation and isolation of fungi, yeast and moulds.						
94016	✓ Gassner Lactose Agar	100 Gms	1000				
		500 Gms	4100				

Code	Name	Packing	Price	Code	Name	Packing	Price
15628	✓ Giollotti Cantoni Broth Base	100 Gms	1200	28551	✓ Heart Infusion Powder (HI Powder) BactoBio for bacteriology	500 Gms	2300
		500 Gms	3700			2.5 Kg	10300
	Used for the cultivation and enrichment of <i>Staphylococcus aureus</i> from foods.				It is rich in amino acids, peptides and other nutrients required by highly fastidious microorganisms like Streptococci, Pneumococci, Meningococci and Brucella species.		
68382	✓ Gluconate Test Medium	100 Gms	800	68100	✓ Hektoen Enteric Agar	100 Gms	1100
		500 Gms	3300			500 Gms	5100
					Used for the isolation and cultivation of gram negative enteric microorganisms from a variety of clinical and non clinical specimens.		
35070	✓ Glucose Salt Teepol Broth (Twin Pack)	100 Gms	900	20852	✓ Hemmes Medium Base	100 Gms	2100
		500 Gms	4000			500 Gms	6700
	Liquid medium, used for the detection of <i>Vibrio parahaemolyticus</i> in foodstuffs.						
58174	✓ Glucose Yeast Extract Agar	100 Gms	1100	52740	✓ Hofers Alkaline Medium	100 Gms	1400
		500 Gms	4100			100 Gms	1400
	For the cultivation of lactobacilli, especially in pharmaceutical preparations.						
17991	✓ Glucose Yeast Peptone Agar	100 Gms	1100	67658	✓ Horie Arabinose Ethyl Violet Broth	100 Gms	1200
		500 Gms	4100			500 Gms	4700
	For the isolation of yeasts from soil specimens.						
79127	✓ GN Broth, Hajna (Gram-Negative Broth, Hajna)	100 Gms	700	46946	✓ Hoyle Medium, Base	100 Gms	900
		500 Gms	2700			500 Gms	3700
	For the selective cultivation of gram negative microorganisms.				For the isolation and differentiation of <i>Corynebacterium diphtheriae</i> .		
30963	🧪 GTC Supplement (1.25mg/vl)	5 vl	800	79035	✓ High Plate Count Agar	100 Gms	1100
						500 Gms	4400
	Used for the selective isolation and cultivation of enterococci.						
11266	✓ Glutamate Starch Phenol Red Agar Base	100 Gms	1100	64068	✓ High Salt Nutrient Agar (I)	100 Gms	900
		500 Gms	3700			500 Gms	3600
61655	✓ Gum Listeria Medium	100 Gms	1000	37353	✓ High Salt Nutrient Agar (B/S)	100 Gms	900
		500 Gms	4000			500 Gms	3600
	Recommended for the isolation of <i>Listeria monocytogenes</i> from clinical and non-clinical samples.						
72275	✓ H Broth	100 Gms	1100	39147	✓ High Salt Peptone Yeast Extract Agar (I)	100 Gms	900
		500 Gms	3700			500 Gms	3500
	For the preparation of H agglutination antigen used in the differentiation and identification of <i>Salmonella</i> species types and subtypes.						
85012	✓ Hartley's Digest Broth	100 Gms	800	77707	✓ HS Medium (Hydrosulphite of Sodium Medium)	100 Gms	900
		500 Gms	3300			500 Gms	3000
					Used for the cultivation of aerobic and anaerobic bacteria. It is also used for sterility testing.		
41861	🧪 Haemoglobin Powder	50 Gms	1300	26221	✓ Hugh Leifson Medium (B/S)	100 Gms	1000
						500 Gms	4000
					Used to distinguish between anaerobic and aerobic breakdown of carbohydrate (Dextrose).		
47704	✓ Heart Infusion Agar (HI Agar)	100 Gms	1000	79544	✓ HYA Agar	100 Gms	1500
		500 Gms	4200			500 Gms	5800
75134	✓ Heart Infusion Broth (HI Broth)	100 Gms	900	21128	✓ Hydrolysate BioVeg BactoBio for bacteriology	500 Gms	2300
		500 Gms	3800			5 Kg	18500
	Used for isolation and cultivation of a wide variety of fastidious microorganisms. Also used as a base for preparation of Blood Agar in determining haemolytic reactions.				Prepared by enzymatic hydrolysis of vegetable proteins under controlled conditions. Used as a nutritive source for growth of bacteria and fungi.		

Code	Name	Packing	Price	Code	Name	Packing	Price
36873	✓ IMVIC Test Kit	1 Kit	1100	41924	✓ Kimmig Agar Base (Fungi Agar Base Kimmig)	100 Gms 500 Gms	1100 4400
	Used for biochemical identification of gram negative enteric bacteria based on Indole production, Methyl Red and Voges Proskauer reactions and Citrate Utilization test.			42820	⚡ Kimmig Selective Supplement	5 vl	2000
					Used for selective isolation of fungi.		
12139	✓ Indole Nitrate Medium (Tryptone Nitrate Medium)	100 Gms 500 Gms	800 2900	11411	✓ King's Medium A Base	100 Gms 500 Gms	800 3600
	For the identification of microorganisms by means of nitrate reduction and indole tests.				For the non selective isolation, cultivation and pigment production of Pseudomonas.		
54336	✓ ISP Medium No. 1 (Tryptone Yeast Extract Broth)	100 Gms 500 Gms	1200 5200	21694	✓ King's Medium B Base	100 Gms 500 Gms	800 3600
76920	✓ ISP Medium No.4 (Inorganic Salt Starch Agar)	100 Gms 500 Gms	1400 5600	29760	⚡ Klebsiella Selective Supplement (25mg/vl)	5 vl	1200
					Used for the selective isolation and detection of Klebsiella species.		
91875	✓ ITC Broth	100 Gms 500 Gms	1200 4500	33943	✓ Kligler Iron Agar	100 Gms 500 Gms	800 3200
42882	✓ IUT Medium, Base	100 Gms 500 Gms	1300 5800		For the differentiation and identification of gram-negative bacilli based upon the fermentation of dextrose and lactose and production of H ₂ S.		
70916	✓ Jensen's Medium (Jensen's Agar)	100 Gms 500 Gms	900 3600	61860	✓ Kligler Iron Agar (I)	100 Gms 500 Gms	800 3600
	Used for the cultivation of nitrogen fixing bacteria.				For the differentiation and identification of gram-negative bacilli based upon the fermentation of dextrose and lactose and production of H ₂ S. For identification of Pseudomonas species.		
87806	✓ Jensens Broth	100 Gms 500 Gms	1200 4300	25844	✓ Kligler Iron Agar BioVeg	100 Gms 500 Gms	800 3200
	Recommended for the detection and cultivation of nitrogen fixing bacteria.				For the differentiation and identification of gram-negative bacilli based upon the fermentation of dextrose and lactose and production of H ₂ S.		
55886	✓ Jensen Seedling Agar	100 Gms 500 Gms	1000 3800	44000	✓ Kohn Two Tube Medium No. 1 Base	100 Gms 500 Gms	2300 6200
	Used for growing plants for collection of root exudates and to study the nodulating ability of Rhizobium isolates.			58578	✓ Kohn Two Tube Medium No. 2 Base	100 Gms 500 Gms	5800 21800
44485	✓ Kanamycin Esculin Azide Agar	100 Gms 500 Gms	2700 7000	65373	✓ Koser Citrate Medium	100 Gms 500 Gms	800 3100
	Used for the isolation of enterococci in foodstuffs.				For the differentiation of Escherichia coli and Enterobacter aerogenes based on citrate utilization.		
60649	⚡ Kanamycin Sulphate Selective Supplement (10mg/vl)	5 vl	1200	77760	✓ Kundrat Agar	100 Gms 500 Gms	1200 4300
	Used for the selective isolation and cultivation of enterococci.			70663	⚡ KV Supplement	5 vl	1600
96343	✓ Kaper's Medium	100 Gms 500 Gms	1100 4500	52911	✓ Lachica's Medium Base	100 Gms	3800
33613	✓ Kenknight and Munaier's Medium	100 Gms 500 Gms	1100 4400				
	Used for the isolation of Actinomyces species from soil samples.						
75772	✓ Ketogluconate Broth	100 Gms 500 Gms	1100 3300				
64342	✓ KF Streptococcus Agar Base (APHA)	100 Gms 500 Gms	900 3900				
	For the selective cultivation and enumeration of faecal streptococci.						

Code	Name	Packing	Price	Code	Name	Packing	Price
63026	✓ Lactalbumin Hydrolysate BactoBio for bacteriology A hydrolysate obtained by enzymatic digestion of protein, Lactalbumin. It is used primarily in the preparation of tissue culture media, fermentation media, media for the growth of Lactobacilli, Campylobacter sps, etc..	500 Gms	4000	27750	✓ Lactobacillus MRS Broth BioVeg Used for the cultivation of lactobacilli.	100 Gms 500 Gms	800 3400
24806	⚡ L-Lactic Acid 10% Solution (10ml/vl) Used for adjusting pH in acidic range.	5 vl 5 x5 vl	1000 3200	97354	✓ Lactose Broth For the detection of lactose fermenting gram-negative coliforms, as pre-enrichment broth for Salmonella species.	100 Gms 500 Gms	500 2300
37985	✓ Lactic Agar Recommended for enumeration and identification of lactic Streptococci and Lactobacilli by pour plate method.	100 Gms	1500	77121	✓ Lactose Gelatin Medium (I) For the cultivation of Clostridium perfringens.	100 Gms 500 Gms	900 3600
68888	✓ Lactic Bacteria Differential Agar	100 Gms 500 Gms	1100 4200	24171	✓ Lactose Lecithin Agar	100 Gms 500 Gms	1300 4400
84282	⚡ Lactic Supplement	5 vl	1300	88539	Lactose Monohydrate sterile (gamma irradiated) [10039-26-6, 64044-51-5] Lactose monohydrate, Sterile (Gamma Irradiated) is used for Media Fill Runs in dry injectable in pharmaceutical industry.	500 Gms 5 Kg	900 8500
39785	⚡ Lactobacilli Supplement (50mg/vl)	5 vl 5 x5 vl	1500 4600	62367	✓ Lactose Peptone Broth	100 Gms 500 Gms	900 3200
79562	⚡ Lactobacillus MRS Agar (I) Used for the isolation and enumeration of lactic acid bacteria from meat and meat products.	100 Gms 500 Gms	900 3400	71135	✓ Lactose Sulphite Broth Base (I)	100 Gms 500 Gms	900 3300
50871	✓ Lactobacillus MRS Agar BioVeg Used for the isolation and enumeration of lactic acid bacteria from meat and meat products.	100 Gms 500 Gms	900 4000	70637	✓ Lactose TTC Agar (w/ Tergitol 7) (I) (Lactose Triphenyltetrazolium Chloride Agar)	100 Gms 500 Gms	900 3400
46812	✓ Lactobacillus MRS Broth w/o Dextrose Used for the selective isolation and enumeration of lactobacilli from various sources including feces and dairy.	100 Gms 500 Gms	800 3200	92343	✓ Lauryl Sulfate Broth w/MUG	100 Gms 500 Gms	1100 4200
47192	✓ Lactobacilli Agar, AOAC For the cultivation and maintenance of stock cultures used in microbiological assays of vitamins and amino acids.	100 Gms 500 Gms	1800 5400	44956	✓ Lauryl Sulfate Broth (Lauryl Tryptose Broth) (I)(B/S) For the detection of coliform bacteria in a variety of specimens. Also for the enumeration of coliform bacteria by the multiple tube fermentation technique.	100 Gms 500 Gms	700 2700
18659	⚡ Lactobacillus Selection Agar Used for isolation, cultivation and enumeration of lactobacilli.	100 Gms 500 Gms	1100 4300	94906	✓ Lauryl Tryptose Mannitol Broth w/Tryptophan	100 Gms 500 Gms	1100 3800
66749	✓ Lactobacillus Selection Oxgall Agar Base (LBS Oxgall Agar) Used for the cultivation and enumeration of lactobacilli.	100 Gms 500 Gms	1200 4200	10517	✓ Lead Acetate Agar	100 Gms 500 Gms	1000 3800
49190	⚡ Lactobacillus MRS Broth (MRS Broth) For the cultivation of lactobacilli.	100 Gms 500 Gms	800 3200	82632	✓ Leptospira Medium Base	100 Gms 500 Gms	900 3700
				59326	✓ Lethen Agar To determine the phenol coefficient of quaternary ammonium compounds using Escherichia coli or Staphylococcus aureus ATCC 6538.	500 Gms	4900
				28685	✓ Listeria Enrichment Medium Base (UVM Medium) Recommended medium for use in qualitative procedures for the isolation of Listeria monocytogenes from food samples.	100 Gms 500 Gms	1400 6400

Code	Name	Packing	Price	Code	Name	Packing	Price
96310	✓ Listeria Identification Agar Base (PALCAM)	100 Gms	1500	98858	✓ Liver Meat Glucose Cysteine Broth	100 Gms	1100
		500 Gms	7000			500 Gms	4300
	Used for isolation of Listeria sp. from clinical and non-clinical samples.						
96155	✓ Listeria Motility Medium (I)	100 Gms	1000	79612	✓ LM Agar (Meat Liver Agar)	500 Gms	3900
		500 Gms	4000				Used for the cultivation of anaerobic microorganisms, specially for the sulphite reducing Clostridia and Clostridium perfringens in water and milk.
15650	🔗 Listeria Moxalactum Supplement	5 vI	1500	69741	✓ Lowenstein - Jensen Medium, Base (L.J. Medium Base)	100 Gms	700
76366	✓ Listeria Oxford Medium Base (Oxford Agar)	100 Gms	1000			500 Gms	2600
		500 Gms	4700		For the cultivation and differentiation of Mycobacterium species. This medium is also used for cultivation and maintenance of Gordona species, Nocardia species, Rhodococcus species and Tsukamurella paurometabolum.		
90345	🔗 Listeria Selective Supplement (PALCAM)	5 vI	1100	27888	✓ LPM Agar Base	100 Gms	3000
	Used for the isolation of Listeria monocytogenes and other species of Listeria from food products.						
51864	🔗 Listeria UVM Supplement I	5 vI	1000	46502	✓ Luria Bertani Agar, Lennox (Luria Agar, LB Agar, Lennox)	100 Gms	900
72547	🔗 Listeria UVM Supplement II	5 vI	1000			500 Gms	3700
	Used for maintaining and cultivating recombinant strains of Escherichia coli.						
59797	✓ Litmus Lactose Agar	100 Gms	1000	47436	✓ Luria Bertani Agar, Miller	100 Gms	800
		500 Gms	3900			500 Gms	3500
	For the differentiation of lactose fermenting and non-lactose fermenting bacteria.						
96658	✓ Litmus Milk (Litmus SM Broth)	100 Gms	1000	14593	✓ Luria Bertani Broth, Lennox (Luria Broth)	100 Gms	800
		500 Gms	3700			500 Gms	3100
	For the maintenance of Lactobacilli and the differentiation of several bacteria, based on their action on milk.						
50037	✓ Liquid Broth	100 Gms	1100			2 Kg	10100
		500 Gms	3800		Used for maintaining and propagating Escherichia coli in molecular biology procedures.		
54004	✓ Littman Oxgall Agar Base	100 Gms	1100	29817	✓ Luria Bertani Broth, Miller (LB Broth, Miller)	100 Gms	800
		500 Gms	4000			500 Gms	3100
	Used for maintaining and propagating Escherichia coli in molecular biology procedures.						
87566	✓ Liver Extract Powder BactoBio for bacteriology	500 Gms	1700	40826	✓ Luria Bertani Agar, Miller BioVeg (LB Agar, Miller BioVeg)	100 Gms	800
		5 Kg	14500			500 Gms	3500
	Nutritive characteristic are good in Liver extract so used for cultivation of anaerobic bacteria such as Brucellae and Clostridia,, also used for cultivation of pathogenic bacteria.						
81322	✓ Liver Hydrolysate BactoBio for bacteriology (Peptone from Liver, Liver Peptone)	500 Gms	2700	17320	✓ Luria Bertani Broth, Miller BioVeg (LB Broth, Miller BioVeg)	100 Gms	800
						500 Gms	3100
	Used as source of nutrients in microbiology culture media.Water soluble; being derived from liver contains relatively high levels of iron.						
68861	✓ Liver Infusion Agar (LI Agar)	100 Gms	900			2 Kg	10100
		500 Gms	3500		Used for maintaining and propagating Escherichia coli in molecular microbiology procedures.		
96453	✓ Liver Infusion Broth (LI Broth)	100 Gms	800	97970	✓ Luria Bertani Agar w/o Sodium Chloride	100 Gms	1200
		500 Gms	2900			500 Gms	4200
	Used for cultivation of Brucella and other pathogenic anaerobic bacteria.						
	Used for maintaining and propagating Escherichia coli in molecular microbiology procedures.						

Code	Name	Packing	Price	Code	Name	Packing	Price
22006	✓ Luria Bertani Broth w/o Sodium Chloride (LB Growth Medium w/o Sodium Chloride) Used for maintaining and propagating Escherichia coli in molecular microbiology procedures.	100 Gms	800	71117	✓ MacConkey Agar (B/S)	100 Gms	700
		500 Gms	3500			500 Gms	3000
90769	✓ Lysine Arginine Iron Agar (LAI Agar) For the cultivation and differentiation of bacteria based on their ability to decarboxylate lysine, arginine and produce H ₂ S.	100 Gms	800	83870	✓ MacConkey Agar, Base	100 Gms	700
		500 Gms	3100			500 Gms	3000
16624	✓ Lysine Decarboxylase Broth w/o Peptone (I) For distinguishing Salmonella serotype Arizonae from the Bethesda Ballerup group of Enterobacteriaceae.	100 Gms	700	26823	✓ MacConkey Agar Medium	100 Gms	800
		500 Gms	2900			500 Gms	3100
71125	✓ Lysine Iron Agar For the differentiation of enteric organisms, especially Salmonella, based upon lysine decarboxylation/ deamination and H ₂ S production.	100 Gms	800	95199	✓ MacConkey Agar, Modified	100 Gms	2800
		500 Gms	2900			500 Gms	2800
82502	✓ M2 Agar A semisynthetic culture medium, used as a general purpose plate count agar.	100 Gms	1000	98384	✓ MacConkey Agar w/ Bromothymol Blue	100 Gms	900
		500 Gms	3900			500 Gms	3400
24415	✓ M17 Agar Base For improved growth of lactic streptococci and their bacteriophages.	100 Gms	1000	58370	✓ MacConkey Agar w/ 0.15% Bile salts, C.V. and NaCl (U/P) Selective medium for gram-negative organisms by suppressing the growth of a number of gram positive bacteria.	100 Gms	700
		500 Gms	3800			500 Gms	3300
13297	✓ M17 Broth Base For improved growth of lactic streptococci and their bacteriophages.	100 Gms	800	33759	✓ MacConkey Agar w/o C.V., w/ 1.2% Agar For the selective isolation and differentiation of enteric bacteria on the basis of lactose fermentation.	100 Gms	900
		500 Gms	3500			500 Gms	3600
76875	✓ MacConkey Agar For the selective isolation, cultivation and differentiation of coliforms and enteric pathogens based on the ability to ferment lactose.	100 Gms	700	50372	✓ MacConkey Agar w/o C.V., NaCl w/ 0.5% Sodium Taurocholate Differential medium for detection and isolation of enteric organisms by restricting the swarming of Proteus species.	100 Gms	1100
		500 Gms	3000			500 Gms	3600
96871	✓ MacConkey Agar BioVeg For the selective isolation, cultivation and differentiation of coliforms and enteric pathogens based on ability to ferment lactose.	100 Gms	700	79447	✓ MacConkey Agar w/o C.V. w/ 0.15% Bile Salts	100 Gms	700
		500 Gms	3000			500 Gms	2700
37775	✓ MacConkey Agar, Harmonized Used for the selective isolation and differentiation of Escherichia coli and coliform bacteria in pharmaceutical testing according to harmonized methods.	100 Gms	700	64300	✓ MacConkey Agar w/o C.V. w/ 0.5% Bile Salts For isolation and detection of coliforms and enteric pathogens.	100 Gms	700
		500 Gms	3000			500 Gms	3100
80302	✓ MacConkey Agar w/ MUG	100 Gms	1400	64024	✓ MacConkey Agar w/o C.V., NaCl, w/ 0.0075% NR, 1.2% Agar BioVeg	100 Gms	800
		500 Gms	5700			500 Gms	3000
				64030	✓ MacConkey Agar w/o C.V., NaCl w/ 0.5% Bile Salts	100 Gms	700
						500 Gms	3100
				72074	✓ MacConkey Agar No.3 For the selective isolation, cultivation and differentiation between coliforms and non-lactose fermentors.	100 Gms	1100
						500 Gms	3700
				74726	✓ MacConkey Broth (MacConkey Broth w/ Neutral Red) For the selective isolation and cultivation of coliforms in milk and water.	100 Gms	700
						500 Gms	2600
				44448	✓ MacConkey Broth, Harmonized Used for the identification of coliforms in pharmaceutical testing according to harmonized methods.	100 Gms	700
						500 Gms	2600
				54056	✓ MacConkey Broth w/ Neutral Red (B/S)	100 Gms	700
						500 Gms	2600

Code	Name	Packing	Price	Code	Name	Packing	Price
20309	✓ MacConkey Broth Double Strength w/ Neutral Red	100 Gms	600	66805	✓ M-Endo Agar LES	100 Gms	900
		500 Gms	2400			500 Gms	3500
	For the selective isolation and cultivation of coliforms in milk and water from large samples.				For the enumeration of coliform in water by the membrane filter method.		
92933	✓ M-MacConkey Broth	100 Gms	700	57906	✓ M-Endo Broth	100 Gms	900
		500 Gms	3000			500 Gms	3600
	For detecting and enumerating lactose fermenting enteric bacteria from milk and water by the membrane filter method.						
42944	✓ MacConkey Broth Purple	100 Gms	700	33919	✓ M-Enrichment Broth	100 Gms	900
		500 Gms	2700			500 Gms	3600
	Selective medium for isolation and cultivation of coliforms in milk and water.						
38989	✓ MacConkey Broth Purple w/BCP (I)	100 Gms	600	52295	✓ M-FC Agar Base	100 Gms	1100
		500 Gms	2400			500 Gms	4400
90084	✓ MacConkey Broth Purple w/BCP (I/P)	100 Gms	600	76439	✓ M-FC Broth Base	100 Gms	1100
		500 Gms	2400			500 Gms	3700
51545	✓ MacConkey Broth Purple w/BCP (B/S)	100 Gms	600	51072	✓ M-HPC Agar, Base (Heterotrophic Plate Count Agar, Base)	100 Gms	900
		500 Gms	2400			500 Gms	3900
					For the cultivation and enumeration of heterotrophic organisms from potable water sources, swimming pools and other water specimens by the membrane filter method.		
57608	✓ MacConkey Broth Purple Double Strength w/ BCP	100 Gms	800	14750	✓ M-Lauryl Sulfate Broth (I)	100 Gms	1100
		500 Gms	2900			500 Gms	3700
	For the primary isolation of coliforms from large water and wastewater samples.						
98664	✓ MacConkey Sorbitol Agar (Sorbitol Agar)	100 Gms	1200	21051	✓ M-Staphylococcus Broth	100 Gms	900
		500 Gms	4000			500 Gms	3200
	For the isolation and identification of pathogenic Escherichia coli.						
57340	✓ MacConkey Sorbitol Agar, Base (I)	100 Gms	1100	51416	✓ MLCB Agar Mannitol Lysine Crystal Violet Brilliant Green Agar (Mannitol Lysine Agar)	100 Gms	1100
		500 Gms	3900			500 Gms	4300
	For the selective isolation and detection of Escherichia coli 0157:H7 from food and animal feeds stuff.						
99130	✓ Malachite Green Broth	100 Gms	900	99505	✓ Malonate Broth	100 Gms	3800
		500 Gms	3000				Used for differentiating Enterobacter and Escherichia coli based on malonate utilization.
	Used for cultivation of Pseudomonas aeruginosa.						
51517	✓ M-Brilliant Green Broth	100 Gms	1100	76507	✓ Malt Agar	100 Gms	1300
		500 Gms	3700			500 Gms	5100
	For the selective isolation and differentiation of Salmonella from polluted water by the membrane filter method.				For the cultivation of yeasts and molds.		
10054	✓ McBride Listeria Agar Base	100 Gms	1100	84980	✓ Malt Extract Agar	100 Gms	1100
		500 Gms	4400			500 Gms	4300
	Moderately selective medium for isolation of Listeria monocytogenes.				For the isolation, cultivation and enumeration of yeasts and molds.		
70317	⚠ McBride Listeria Supplement	5 vI	1300	42936	✓ Malt Extract Agar Base, Modified as per Thom and Church	100 Gms	1200
						500 Gms	4600
50642	✓ McClung Toabe Agar Base	100 Gms	1100	83358	✓ Malt Extract BactoBio for bacteriology	500 Gms	1100
		500 Gms	4500			5 Kg	10600
87015	✓ M-EC Test Agar	100 Gms	1000		Malt extract contain high concentration of carbohydrates particularly maltose. It also provides an acidic environment, carbon, protein and nutrients for the isolation and cultivation of yeasts and molds, restricting the growth of bacteria and also for the cultivation of yeasts and molds.		
		500 Gms	3700	67973	✓ Malt Extract Broth Base	100 Gms	1200
						500 Gms	4800

Code	Name	Packing	Price	Code	Name	Packing	Price
40828 [69-65-8]	D-Mannitol Sterile (Gamma Irradiated)	500 Gms 5 Kg	3300 31000				
	For use in microbiological applications using D-Mannitol (gamma irradiated) and in Media Fill Runs in dry injectables.						
48330	✓ Mannitol Agar w/ Prillion	100 Gms 500 Gms	4400 17400				
75485	✓ Mannitol Lysine Agar	100 Gms 500 Gms	1000 4100				
62331	✓ Mannitol Selenite Broth Base (Selenite Mannitol Broth)	100 Gms 500 Gms	1100 4400				
92493	✓ Mannitol Motility Test Medium	100 Gms 500 Gms	1000 3400				
48939	✓ Mannitol Nitrate Motility Medium	100 Gms 500 Gms	900 3300				
	Used for the rapid identification of Enterobacteria based on motility, mannitol utilization and nitrate reduction.						
60062	✓ Mannitol Salt Agar (U/P)	100 Gms 500 Gms	700 2700				
	Used for the selective isolation, cultivation and enumeration of staphylococci from clinical and non-clinical specimens.						
23626	✓ Mannitol Salt Agar, Harmonized	100 Gms 500 Gms	700 2700				
	Used for the isolation and cultivation of staphylococci in pharmaceutical testing according to harmonized methods.						
55066	✓ Mannitol Salt Broth	100 Gms 500 Gms	800 2900				
	Used for the selective isolation and cultivation of staphylococci.						
25511	✓ Marine Agar 2216 (Zobell)	100 Gms 500 Gms	1100 4400				
	Used for cultivation of heterotrophic marine bacteria.						
54174	✓ Marine Broth 2216 (Zobell)	100 Gms 500 Gms	1000 4200				
34832	✓ Maximum Recovery Diluent	100 Gms 500 Gms	900 3100				
	Physiologically isotonic and protective medium for maximum recovery of microorganisms from a variety of sources.						
78784	✓ Meat Extract BactoBio for bacteriology	500 Gms 5 Kg	2600 22700				
	Meat extract, manufactured from lean meat used to complement nutritive properties of peptone.						
70117	✓ Meat Extract Powder BioVeg BactoBio for bacteriology	500 Gms 5 Kg	2300 18500				
	Meat extract, (animal free) manufactured from vegetable/plant source, is used to complement nutritive properties of peptone. It is equivalent to animal based Meat extract. Its distribution of various peptides meets the requirements for replacing Meat extract (animal based) to yield optimum growth of microorganisms.						
17585	✓ Meat Extract w/ Peptone (Pepted Meat Broth)	100 Gms 500 Gms	1000 3800				
11980	✓ Meat Peptone BactoBio for bacteriology	500 Gms	2700				
	A highly nutritious, enzymatic digest of lean meat. Used as a ingredient in various general purpose media for cultivation and isolation of wide variety of microorganisms.						
91980	✓ Meat Peptone Type P BactoBio for bacteriology	500 Gms	3600				
	It is obtained by proteolytic digestion of meat with pepsin to retain nutritive properties of peptone. Suitable for growth of fastidious microorganisms.						
11828	✓ Meat Peptone Type T BactoBio for bacteriology	500 Gms	3700				
28238	✓ Micro Inoculum Broth (Micro Vitamin Test Inoculum Broth)	100 Gms 500 Gms	1000 4800				
	For the preparation of inocula in microbiological assay and cultivation of lactobacilli.						
63261	✓ Microbial Content Test Agar	100 Gms 500 Gms	1400 5700				
61200	✓ Milk Agar (Modified Plate Count Agar)	100 Gms 500 Gms	1200 4500				
	For differentiation of Enterobacteriaceae based on their motility, indole production and ornithine decarboxylase activity.						
18789	✓ Milk Agar w/Cetrimide (Twin Pack) (Modified Pseudomonas Selective Agar w/Cetrimide)	100 Gms 500 Gms	1200 5000				
	For detection and enumeration of Pseudomonas aeruginosa in water samples.						
93957	✓ Milk Medium w/Reducing Agent (Modified Litmus Medium w/Reducing Agent)	100 Gms 500 Gms	900 4100				
17595	✓ Milk Salt Agar Base (Modified Salt Agar Base for Staphylococci)	100 Gms 500 Gms	1200 4300				
20767	✓ Minimal Agar, Davis	100 Gms 500 Gms	1200 4700				
39821	✓ Minimal Broth, Davis	100 Gms 500 Gms	1000 3400				
24911	✓ Minimal Broth, Davis w/o Dextrose	100 Gms 500 Gms	1000 3400				

Code	Name	Packing	Price	Code	Name	Packing	Price
88736	✓ MIO Medium (Motility Indole Ornithine Medium)	100 Gms	900	34452	✓ Monsur Medium Base	100 Gms	900
		500 Gms	3700			500 Gms	3800
	For differentiation of Enterobacteriaceae based on their motility, indole production and ornithine decarboxylase activity.						
46584	✓ Mitis Salivaris Agar Base	500 Gms	4200	68957	✓ M9CA Medium	100 Gms	2500
						500 Gms	10100
	Selective medium for the isolation of streptococci and enterococci from clinical specimens.						
16309	✓ MIU Medium Base (Motility Indole Urea Medium)	100 Gms	1100	23184	✓ M9 Minimal Salts 5X	100 Gms	1700
		500 Gms	4100			500 Gms	5800
	Used for detection of motility, urease and indole production.						
79667	✓ M-TEC Agar	100 Gms	1100	42853	✓ Motility GI Medium	100 Gms	2200
		500 Gms	3900			500 Gms	8800
	Recommended medium for isolation, differentiation and enumeration of Escherichia coli from water by membrane filtration.						
62811	✓ M-Nutrient Broth	100 Gms	1100	90174	✓ Motility Medium S, Base (Motility Nitrate Medium)	100 Gms	800
		500 Gms	3500			500 Gms	3300
					For the determination of bacterial motility by means of TTC reduction.		
85769	✓ Modified Rappaport Vassiliadis Medium	100 Gms	1200	21740	✓ Motility Sulphide Medium	100 Gms	900
		500 Gms	4300			500 Gms	3700
	Used as a selective enrichment medium for the isolation of Salmonella species from food and environmental specimens.						
82453	✓ Modified Skim Milk Agar (Modified SM Agar)	100 Gms	1600	64421	✓ Motility Test Medium	100 Gms	900
		500 Gms	4900			500 Gms	3500
	For cultivation and enumeration of microorganisms encountered in dairy industries.				For the determination of bacterial motility.		
89414	✓ Modified Tergitol-7 Agar, Base (I) (Tergitol-7 Agar, Base, Modified)	100 Gms	1200	17624	✓ MPH Agar (Milk Protein Hydrolysate Agar)	100 Gms	1300
		500 Gms	4500			500 Gms	5300
					For the enumeration of bacteria in water and dairy products.		
30066	✓ Moeller Decarboxylase Broth Base (Decarboxylase Broth Base, Moeller)	100 Gms	1900	14833	✓ MR-VP Medium (Glucose Phosphate Broth, Buffered Glucose Broth)	100 Gms	600
		500 Gms	7800			500 Gms	2600
	With the addition of L-Lysine/ L-Arginine/ L-Ornithine used for the differentiation of bacteria on the basis of their ability to decarboxylate the amino acid.				(MRVP Broth)		
18124	✓ Moeller Decarboxylase Broth w/ Lysine Hydrochloride	100 Gms	2700				
		500 Gms	13000				
	Used for differentiation of bacteria on the basis of their ability to decarboxylate L-lysine hydrochloride.				For the differentiation of bacteria based on acid production (Methyl Red test) and acetoin production (Voges-Proskauer reaction).		
27510	✓ Moeller Decarboxylase Broth w/ Ornithine Hydrochloride	100 Gms	2800	14443	✓ Multipurpose Test Kit	1 Kit	3700
		500 Gms	13400				
					Used for isolation, identification and cultivation of a wide variety of microorganism.		
69483	✓ Moeller Decarboxylase Broth w/ Arginine Hydrochloride	100 Gms	2700	24756	✓ Mueller Hinton Agar (MH Agar)	100 Gms	800
		500 Gms	13000			500 Gms	3300
	Used for differentiation of bacteria on the basis of their ability to decarboxylate L-Arginine hydrochloride.					2 Kg	11000
					For antimicrobial susceptibility testing of a variety of microorganisms. For the cultivation and maintenance of Moraxella osloensis and Neisseria meningitidis.		
				26351	✓ Mueller Kauffman Tetrathionate Broth Base	100 Gms	800
			500 Gms			2600	
					An improved enrichment medium for the isolation of Salmonellae and the suppression of Proteus species.		
				76135	✓ Mueller Kauffman Tetrathionate Novobiocin Broth Base (MKTTn)	100 Gms	1000
			500 Gms			3700	
					Used for selective enrichment for the isolation of Salmonella, when used with MKTT Novobiocin supplement.		
				29465	✓ Mucate Broth	100 Gms	6100
			500 Gms			28600	

Code	Name	Packing	Price	Code	Name	Packing	Price
38800	✓ Mucate Control Broth	500 Gms	3300	48541	✓ Nitrate Broth (I) (B/S)	100 Gms 500 Gms	900 3700
	Used for identification of enteropathogenic Escherichia coli and Salmonella species from milk and milk products.				For the differentiation of aerobic and facultative gram negative organisms based on their ability to reduce nitrate.		
49550	✓ Mueller Hinton Broth (MH Broth)	100 Gms 500 Gms 2 Kg	800 3000 9200	44388	✓ Nitrofurantoin Broth Base	100 Gms 500 Gms	1000 4100
	For the cultivation of a wide variety of organisms and for antimicrobial susceptibility testing.				Used for the enrichment and isolation of Pseudomonas species.		
24698	⚡ MUG EC Broth	100 Gms 500 Gms	2200 6300	34350	⚡ Non-Spore Anaerobic Supplement	5 vl	1400
26834	⚡ MUG Supplement (50mg/vl)	5 vl	1900	31601	⚡ Novobiocin MKTT Supplement(40mg/vl)	5 vl	1700
26706	✓ Mycological Peptone BactoBio for bacteriology	500 Gms 5 Kg	2700 19700		Recommended for selective enrichment and isolation of Salmonellae.		
	Used as a nutritive source for the isolation, cultivation and identification of saprophytic, dermatophytic fungi-yeast and moulds.			18352	⚡ Novobiocin Supplement(5mg/vl)	5 vl 5 x5 vl	1200 3300
66739	✓ MYP Agar, Base (B/S) (Phenol Red Egg Yolk Polymyxin Agar, Base)	100 Gms 500 Gms	1000 3900		Used to enhance inhibition of Gram-positive organisms.		
	For the isolation and identification of pathogenic staphylococci and bacilli.			63971	✓ Nutrient Agar	100 Gms 500 Gms	700 3000
74997	✓ MYP Agar, Base (I) (Phenol Red Egg Yolk Polymyxin Agar, Base)	100 Gms 500 Gms	1000 3900		For the cultivation and maintenance of a wide variety of microorganisms.		
	For isolation and identification of pathogenic staphylococci and bacilli.			18953	✓ Nutrient Agar (I)	100 Gms 500 Gms	800 3200
67124	⚡ Nalidixic Selective Supplement (15mg/vl)	5 vl	1100		For the cultivation and maintenance of a wide variety of microorganisms.		
	Used for the selective isolation of Pseudomonas aeruginosa.			73478	✓ Nutrient Agar BioVeg	100 Gms 500 Gms	700 3000
77316	⚡ Neomycin Supplement (30mg/vl)	5 vl	1100		General purpose (animal origin free) medium for the cultivation of microorganisms.		
	Used for selective isolation of various microorganisms.			18876	✓ Nutrient Agar 1.5% (I)	100 Gms 500 Gms	1000 3700
44697	✓ Neopeptone BactoBio for bacteriology (Peptone Special)	500 Gms	2200		100 Gms 500 Gms	800 3500	
	Neopeptone, an enzymatic digest of protein is well suited for the growth of many delicate and fastidious bacteria like Group A Streptococci. It also facilitates the development of mucoid colonies of the hemolytic Streptococci.			48275	✓ Nutrient Agar for Oxidase (I)	100 Gms 500 Gms	1000 3700
79989	✓ Neutral Red Chalk Lactose Agar	100 Gms 500 Gms	900 4200		100 Gms 500 Gms	900 3600	
65466	✓ NIH Agar	100 Gms 500 Gms	800 3700	73153	✓ Nutrient Agar w/ MUG	100 Gms 500 Gms	1900 7800
23527	✓ Nitrate Agar	100 Gms 500 Gms	1300 5600		100 Gms 500 Gms	800 3000	
	For the differentiation of aerobic and facultative Gram-negative organisms based on their ability to reduce nitrate.			50427	✓ Nutrient Agar w/ 1% Peptone	100 Gms 500 Gms	800 3000
					A general purpose medium used for the cultivation of a wide variety of microorganisms, by addition of blood or other biological fluids.		
				70955	✓ Nutrient Agar No. 2 (B/S)	100 Gms 500 Gms	800 3400
					Used for the cultivation and maintenance of a wide variety of bacteria.		

Code	Name	Packing	Price	Code	Name	Packing	Price
17137	✓ Nutrient Agar No. 2	100 Gms	800	25916	✓ Oatmeal Powder BactoBio for bacteriology	100 Gms	1000
		500 Gms	3400			500 Gms	4100
	For the cultivation and maintenance of a wide variety of bacteria.				Oatmeal powder is obtained from oat grains and manufactured under controlled conditions. It is highly nutritious source for growth of fungi in media.		
58561	✓ Nutrient Agar, pH 6.8	100 Gms	900	83951	✓ OF Basal Medium	100 Gms	800
		500 Gms	3400			500 Gms	3300
	For the cultivation and enumeration of organisms in water, sewage, faeces and other materials.				For use with added carbohydrate for differentiation of gram negative microorganisms based on oxidation-fermentation patterns.		
96434	✓ Nutrient Agar, pH 7.0 (I)	100 Gms	900	13566	✓ OGYE Agar Base (Oxytetracycline Glucose Yeast Extract Agar Base)	100 Gms	1300
		500 Gms	3600			500 Gms	3700
38009	✓ Nutrient Agar, pH 7.0 (B/S)	100 Gms	900	14427	✓ Orange Serum Agar	100 Gms	1100
		500 Gms	3600			500 Gms	4100
67948	✓ Nutrient Agar pH 6 w/ 0.8 % NaCl	100 Gms	900				
		500 Gms	3500				
55427	✓ Nutrient Broth	100 Gms	600				
		500 Gms	2400				
	For the cultivation and maintenance of a wide variety of microorganisms.				Used for the isolation and enumeration of spoilage organisms of citrus products and for examining fruit beverages.		
39905	✓ Nutrient Broth BioVeg	100 Gms	600	57925	✓ Orchid Agar	100 Gms	1100
		500 Gms	2400			500 Gms	4500
	An animal origin free media, for the cultivation and maintenance of a wide variety of microorganisms .			34235	✓ Ornithine Decarboxylase Broth	100 Gms	3000
97327	✓ Nutrient Broth No. 2	100 Gms	600	14792	✓ L-Ornithine Decarboxylase Broth (I)	100 Gms	3100
		500 Gms	2600				
	For the cultivation and maintenance of less fastidious bacteria.			57253	⚠ Oxacillin Resistant Selective Supplement	5 vl	1300
63679	✓ Nutrient Broth w/ 1% Peptone (B/S)	100 Gms	600	99455	✓ Ox Bile (Ox Gall) Powder BactoBio for bacteriology	100 Gms	3900
		500 Gms	2600			500 Gms	18800
	Used as a general purpose culture medium.				Dehydrated ox bile, used is preparation of microbiological culture media as a selectively inhibitory agent.It inhibits bacteria not growing in enteric environment and favours growth of enteric microorganisms.		
93063	✓ Nutrient Broth w/ 1% Peptone (I/P) (B/P)	100 Gms	600	42116	⚠ Oxford Listeria Supplement	5 vl	1300
		500 Gms	2600				
	For microbial limit test and sterility testing.				Used for selective isolation of Listeria species.		
66363	✓ Nutrient Broth, pH 6.9 w/o NaCl	100 Gms	600	51521	⚠ Oxytetra Selective Supplement (50mg/vl)	5 vl	900
		500 Gms	2600			5 x5 vl	2900
	A general purpose medium for cultivation of a wide variety of microorganisms.				Used for the selective isolation of yeast and moulds.		
94007	✓ Nutrient Broth w/ 1% Yeast Extract	100 Gms	900	35973	✓ Pagano Levin Base (Pagano Levin Candida Test Medium)	100 Gms	800
		500 Gms	3500			500 Gms	3100
	For the cultivation and maintenance of a wide variety of microorganisms.			39992	✓ Pantothenate Culture Agar	100 Gms	1500
22583	✓ Nutrient Gelatin	100 Gms	800			500 Gms	7000
		500 Gms	2900				
50540	✓ N Z Broth	100 Gms	5300	50769	✓ PE 2 Medium	100 Gms	1100
		500 Gms	9000			500 Gms	3900
73438	✓ Oatmeal Agar	100 Gms	1100	89858	⚠ PEMBA Supplement (10KU/vl)	5 vl	900
		500 Gms	4400				
	Used for the cultivation of fungi, particularly for macrospore formation.						

Code	Name	Packing	Price	Code	Name	Packing	Price
95292	✓ Peptone BactoBio for bacteriology	500 Gms	1600	70376	✓ Peptonized Milk (Peptonized SM Powder) BactoBio for microbiology	100 Gms	900
		5 Kg	14500			500 Gms	3000
		25 Kg	63900				
	Used in various general and diagnostic media, also for large-scale production of enzymes, vaccines, antibiotics, etc. Peptic digest of animal tissue also used in microbiological culture media.						
51960	✓ Peptone BioVeg BactoBio for bacteriology	500 Gms	2000	17511	✓ Peptonized Milk Agar (Peptonized SM Agar)	100 Gms	1200
		5 Kg	16700			500 Gms	4800
		10 Kg	32200				
	Peptone derived from vegetable/plant source; is alternative to traditional animal based peptones. It contains polypeptides and amino acids which provides readily available source of nitrogen and minerals for the growth of bacteria and fungi.						
23136	✓ Peptone Granulated BactoBio for bacteriology	500 Gms	2600	66916	✓ Perfringens Agar Base (O.P.S.P.)	100 Gms	1200
		5 Kg	25000			500 Gms	4500
	A peptic digest of animal tissue used in various general and diagnostic media also for large scale production of enzyme, vaccines, antibiotics, etc.						
95672	✓ Peptone Special BactoBio for bacteriology	500 Gms	2300	11976	ⓘ Perfringens Supplement-I (50mg/vl)	5 vl	900
		5 Kg	21500			5 x5 vl	2400
		10 Kg	40000				
	Peptic digest of animal tissue used in microbiological culture media.						
65059	✓ Peptone Iron Agar	100 Gms	2100	62598	ⓘ Perfringens Supplement-II	5 vl	1200
		500 Gms	5800			5 x5 vl	3200
	For the cultivation and differentiation of microorganisms based on their ability to produce H ₂ S.						
21025	✓ Peptone Sorbitol Bile Broth	100 Gms	1200	92096	ⓘ Perfringens S.F.P. Supplement (S.F.P. Supplement)	5 vl	1100
		500 Gms	4100			4 x5 vl	3700
	Used for the selective isolation of Clostridium perfringens.						
55010	✓ Peptone Water	100 Gms	700	55688	ⓘ Perfringens T.S.C. Supplement (T.S.C Supplement) (200mg/vl)	5 vl	1200
		500 Gms	2600			4 x5 vl	3400
	For the cultivation of non-fastidious microorganisms, for carbohydrate fermentation tests and also for performing the indole tests.						
11522	✓ Peptone Water BioVeg	100 Gms	800	23504	✓ Pikovskaya` s Agar	100 Gms	1000
		500 Gms	3000			500 Gms	4100
	General purpose growth medium and as the base of carbohydrate fermentation media.						
56562	✓ Peptone Water w/ Phenol Red	100 Gms	700	52133	✓ Pikovskaya` s Broth	100 Gms	900
		500 Gms	3000			500 Gms	4000
	For cultivation of non-fastidious microorganisms and as a base for carbohydrate fermentation tests.						
				59048	✓ Phenol Red Agar, Base	100 Gms	1000
						500 Gms	3800
				14517	✓ Phenol Red Broth Base	100 Gms	1100
						500 Gms	3200
				79054	✓ Phenol Red Dextrose Broth	100 Gms	900
						500 Gms	3700
				35850	✓ Phenol Red Lactose Broth	100 Gms	1000
						500 Gms	3700
				15572	✓ Phenol Red Tartrate Agar (Jordan Tartrate Agar)	100 Gms	3100
						500 Gms	14700

Code	Name	Packing	Price	Code	Name	Packing	Price
12168	✓ Phenolphthalein Phosphate Agar	100 Gms	1100	25496	✓ PM Indicator Agar (Penicillin in Milk Indicator Agar) (Penicillin in Milk Indicator Agar)	100 Gms	1200
		500 Gms	4400			500 Gms	4200
92335	✓ Phenylalanine Agar (Phenylalanine Deaminase Medium)	100 Gms	1000	35980	⚠ Polymyxin B Selective Supplement (50KU/vl)	5 vl	900
		500 Gms	4200			5 x5 vl	3100
	For the differentiation of enteric gram-negative bacilli on the basis of their ability to produce phenyl pruvic acid from phenylalanine.				Used for the selective isolation of various microorganisms.		
63532	✓ Phenylalanine Malonate Broth (Shaw and Clarke)	100 Gms	4400	81798	✓ Polysorbate 80 Agar (Twin Pack)	100 Gms	900
		500 Gms	10200			500 Gms	3600
	Used as a test medium to detect the utilization of malonate and phenylalanine deamination.			14644	⚠ Potassium Lactate 50% (10ml/vl)	5 vl	1400
34115	✓ P.E.A. (Phenylethyl Alcohol) Agar	100 Gms	2300	12370	⚠ Potassium Sorbate 10% (10 ml/vl)	5 vl	1200
		500 Gms	10500			5 vl	1200
21418	✓ Phosphate Buffer pH 7.2 (APHA)	100 Gms	700	91488	⚠ Potassium Tellurite 1% Supplement (1ml/vl)	5 vl	800
		500 Gms	2100			5 x5 vl	2700
	Used for preparation of dilutions and blanks in the examination of specimens like water, dairy products, foods, etc.				Used for Selective Isolation for Corynebacteria and Staphylococci.		
69049	✓ Phosphate Buffer, pH 8.0	100 Gms	800	99482	⚠ Potassium Tellurite 3.5% Supplement (1ml/vl)	5 vl	800
		500 Gms	3500				
	Recommended for preparation of dilutions and blanks as per methods specified in pharmacopoeia.				Used for the isolation of corynebacteria and staphylococci.		
10453	✓ Plate Count Agar	100 Gms	900	15344	✓ Potato Carrot Agar	100 Gms	1100
		500 Gms	3900			500 Gms	4700
	For the enumeration of viable bacteria in milk and dairy products, heterotrophic bacteria in water by pour plate technique.			17235	✓ Potato Carrot Broth	100 Gms	1000
52192	✓ Plate Count Agar BioVeg	100 Gms	900	500 Gms	4500		
		500 Gms	3900				
	For the enumeration of viable bacteria in milk and dairy products, heterotrophic bacteria in water by pour plate technique.				Recommended Broth media for the reproduction of Pyronema domesticum.		
36879	✓ Plate Count Agar w/MUG	100 Gms	1900	71788	✓ Potato Dextrose Agar (PDA)	100 Gms	700
		500 Gms	8100			500 Gms	2900
					2 Kg	11000	
21699	✓ Plate Count Agar (I) (Standard Methods Agar)	100 Gms	1000	5 Kg	26300		
		500 Gms	4300				
	APHA, FDA recommended medium for detecting plate counts of microorganisms in food, water and waste water.				For the isolation, cultivation and enumeration of yeasts and molds from dairy and food products.Used to induce sporulation in many fungi.		
88393	✓ Plate Count Agar (B/S)	100 Gms	1000	94111	✓ Potato Dextrose Agar (PDA), Harmonized	100 Gms	800
		500 Gms	4100			500 Gms	3000
	Used for determination of plate counts of microorganisms in milk and dairy products by pour plate technique or spread plate technique.			91338	✓ Potato Dextrose Agar (PDA) BioVeg	100 Gms	700
78609	✓ Plate Count Agar, Special	100 Gms	1600	500 Gms	2900		
		500 Gms	6500				
					For the isolation, cultivation and enumeration of yeasts and molds from dairy and food products. Used to induce sporulation in many fungi.		
45218	✓ Plate Count Agar w/ BCP	100 Gms	1100	63506	✓ Potato Dextrose Agar w/ Chloramphenicol (0.1g/lit) (PDA w/ 0.01% Chloramphenicol)	100 Gms	1000
		500 Gms	4100			500 Gms	4000
					Recommended as a general purpose medium for cultivation and isolation of yeasts and molds from foods, dairy and cosmetics.		
				72704	✓ Potato Dextrose Agar w/2% Glucose and 60% Sucrose (PDA w/2% Glucose and 60% Sucrose)	100 Gms	1100
						500 Gms	4400

Code	Name	Packing	Price	Code	Name	Packing	Price
35208	✓ Potato Dextrose Broth (PDB)	100 Gms	700	55523	✓ Pseudomonas Isolation Agar, Base	100 Gms	900
		500 Gms	2700			500 Gms	3900
	For the isolation, cultivation and enumeration of yeasts and molds from dairy and food products.				For the isolation and cultivation of Pseudomonas species.		
74474	✓ Potato Dextrose Broth (PDB) BioVeg	100 Gms	900	36124	✓ Pseudomonas Isolation Agar BioVeg	100 Gms	900
		500 Gms	3000			500 Gms	3900
	For the cultivation and enumeration of yeasts and molds.				For the isolation and cultivation of Pseudomonas species.		
69190	✓ Potato Dextrose Rose Bengal Agar	100 Gms	800	47758	✓ Pseudomonas Test Kit	1 Kit	3200
		500 Gms	3800				Used for isolation, identification and cultivation of Pseudomonas species.
60040	✓ Potato Infusion Powder (PI Powder) BactoBio for bacteriology	100 Gms	800	69827	✓ Purple Agar Base	100 Gms	1200
		500 Gms	2500			500 Gms	5000
	Potato infusion, is a high quality infusion powder for use as an ingredient in microbiological culture media, for enhanced sporulation and growth of fungal microorganisms.						
43921	✓ Potato Malt Agar	100 Gms	1000	98775	✓ Purple Broth Base	100 Gms	900
		500 Gms	3700			500 Gms	3900
74426	✓ Presence - Absence Broth (PA Broth)	100 Gms	900	10666	✓ Pyridoxine Assay Medium	100 Gms	3400
		500 Gms	3300				For the microbiological assay of pyridoxine using Neurospora sitophila as the test organism.
	For the detection of coliform bacteria in water from treatment plants or distribution systems using the presence-absence coliform test.						
41406	✓ Protease Peptone BactoBio for bacteriology	500 Gms	2300	29051	✓ PYR Agar	100 Gms	1300
		2 Kg	7200			500 Gms	4800
	Enzymatic digest of protein, high in proteases. Used in microbiological culture media and in bacterial toxin production and also in microbiological media for bacteria requiring varying nutritional properties.				Used for enumerating heterotrophic bacteria from drinking water.		
93788	✓ Protose BactoBio for bacteriology	100 Gms	900	50846	✓ R2A Agar	100 Gms	1200
		500 Gms	2800			500 Gms	4300
90912	✓ Pseudomonas Agar Base (I)	100 Gms	800	16437	✓ R3A Agar	100 Gms	1400
		500 Gms	3700			500 Gms	4500
49698	✓ Pseudomonas Agar for Fluorescein	100 Gms	900	39167	✓ Rappaport Vassiliadis R 10 Broth	100 Gms	900
		500 Gms	3400			500 Gms	3700
	For the cultivation and observation of fluorescein production in Pseudomonas species.				Used for the selective enrichment of Salmonella from meat and dairy products, faeces and sewage polluted water.		
80358	✓ Pseudomonas Agar for Pyocyanin (Pseudomonas Agar-P)	100 Gms	800	59912	✓ Rappaport Vassiliadis Salmonella Enrichment Broth, Harmonized	100 Gms	800
		500 Gms	3100			500 Gms	3300
	For the isolation, cultivation and differentiation of Pseudomonas species on the basis of pyocyanin production.				Used for selective enrichment of Salmonella species in pharmaceutical testing according to harmonized methods.		
40976	✓ Pseudomonas Asparagine Broth (APHA)	100 Gms	3200	22140	✓ Rappaport Vassiliadis Soyabean Meal Broth (RVSM Broth)	100 Gms	1100
		500 Gms	10500			500 Gms	3800
					Used for enrichment and isolation of Salmonella species.		
				18530	✓ Razi's Medium	100 Gms	1100
			500 Gms			4400	
				78777	✓ Reinforced Clostridial Agar	100 Gms	800
			500 Gms			3300	
					Used for the cultivation and enumeration of Clostridium species and other anaerobes from clinical specimens and foods.		

Code	Name	Packing	Price	Code	Name	Packing	Price
11999	✓ Reinforced Medium for Clostridia, Harmonized	100 Gms	700	88999	✓ Sabouraud Dextrose Agar BioVeg	100 Gms	700
		500 Gms	2700			500 Gms	3000
	Used for the cultivation and enumeration of Clostridia in pharmaceutical testing according to harmonized methods.				Used for the cultivation of dermatophytes, yeasts and filamentous fungi.		
71467	✓ Rhizobium Medium	100 Gms	1300	24835	✓ Sabouraud Dextrose Broth, Harmonized	100 Gms	500
		500 Gms	4000			500 Gms	1800
					For the cultivation and isolation of yeasts, molds and aciduric microorganisms in pharmaceutical testing according to harmonized methods.		
63380	✓ Ringer Salt Solution Powder	100 Gms	1500	64402	✓ Sabouraud Dextrose Maltose Broth	100 Gms	1100
		500 Gms	6600			500 Gms	4300
	Used as an isotonic diluent during food, milk and dairy products microbiological examination.				Used for the cultivation of moulds, yeasts and aciduric organisms as well as testing of antimycotic substances.		
57672	⚠ Rosolic Acid Supplement (0.1gm/vl)	5 vl	1200	14506	✓ Sabouraud Glucose Broth (Sabouraud Dextrose Broth)	100 Gms	400
	Used for the selective isolation of coliforms.					500 Gms	1400
					For the cultivation of dermatophytes, yeasts and filamentous fungi.		
76126	✓ SA Agar Base	100 Gms	1700	57791	✓ Sabouraud Maltose Agar	100 Gms	1100
		500 Gms	5400			500 Gms	4200
	Used for isolation and differentiation of Aeromonas hydrophila from foods based on starch hydrolysis (as per APHA).				For the cultivation and maintenance of yeasts, molds and a variety of fungi.		
99752	✓ S. Aureus Test Kit	1 Kit	3700	33387	✓ Sabouraud Maltose Broth	100 Gms	900
	Used for isolation, identification and cultivation of Staphylococcus aureus.					500 Gms	3800
67506	✓ SABHI Agar Base	100 Gms	1300	36370	✓ Saline Agar	100 Gms	1100
		500 Gms	4200			500 Gms	3900
44970	✓ Sabouraud Chloramphenicol Agar	100 Gms	1000	39930	✓ SS Agar (Salmonella Shigella Agar)	100 Gms	800
		500 Gms	3900			500 Gms	3300
	For the cultivation of yeasts and molds.				For the selective isolation and differentiation of pathogenic enteric bacilli especially Salmonella and Shigella species.		
55941	✓ Sabouraud Chloramphenicol Agar BioVeg	100 Gms	1000	36856	✓ SS Agar, Modified (Salmonella-Shigella Agar, Modified)	100 Gms	1000
		500 Gms	3900			500 Gms	3900
	For the cultivation of yeasts and molds.				(Salmonella Shigella Agar) A modified medium, which provides better growth of Salmonella and Shigella species.		
19427	✓ Sabouraud Dextrose Agar (U/P) (I/P)	100 Gms	700	55521	✓ Salmonella Test Kit	1 Kit	2000
		500 Gms	3000				
	(Sabouraud Glucose Agar) For the cultivation of dermatophytes, yeasts and filamentous fungi.				Used for isolation, identification and cultivation of Salmonella species.		
28055	✓ Sabouraud Dextrose Agar	100 Gms	700	48589	✓ Salt Polymyxin Broth, Base (I)	100 Gms	900
		500 Gms	2900			500 Gms	3600
	Used for the cultivation of dermatophytes, yeasts & filamentous fungi.				(Polymyxin Salt Broth)		
95430	⚠ Sabouraud Dextrose Agar Cycloheximide and Chloramphenicol (Mycobiotic Agar)	50 Gms	3900	22887	✓ Salt Polymyxin Broth, Base (B/S)	100 Gms	900
		100 Gms	7200			500 Gms	3600
	For the selective isolation and cultivation of fungi.						
24613	✓ Sabouraud Dextrose Agar, Harmonized	100 Gms	700	58249	✓ Schaedler Agar w/o Thioglycollate	100 Gms	1500
		500 Gms	3000			500 Gms	4400
	For the cultivation and isolation of yeasts, molds and aciduric microorganisms in pharmaceutical testing according to harmonized methods.				(Schaedler Anaerobic Agar w/o Thioglycollate)		
16164	✓ Schaedler Agar	100 Gms	1000			100 Gms	1000
		500 Gms	4000			500 Gms	4000
					(Schaedler Anaerobic Agar)		

Code	Name	Packing	Price	Code	Name	Packing	Price
87213	✓ Selenite Broth w/ Dulcitol (Twin Pack) Used for enrichment of Salmonella species.	500 Gms	6700	28582	✓ Skim Milk Powder (SM Powder) BactoBio for bacteriology Specially made from Fat free milk, high in protein. Suitable as ingredient in microbiology media.	500 Gms	1100
16709	✓ Selenite Cystine Broth, Base w/o Selenite	100 Gms 500 Gms	700 3000	69372	✓ Skim Milk Plate Count Agar (SM Plate Count Agar) For the enumeration of bacteria in milk and dairy products.	100 Gms 500 Gms	2200 5400
38926	✓ Selenite F Broth, Base w/ Selenite (Twin Pack)	100 Gms 500 Gms	1000 4100	41023	✓ Sorbitol Iron Agar	100 Gms 500 Gms	1300 4700
83179	✓ Selenite F Broth, Base w/o Selenite	100 Gms 500 Gms	700 3000	77892	✓ Soyabean Casein Digest Agar (SCDA) (Tryptone Soya Agar, TSA), Harmonized For isolation and cultivation of fastidious and non-fastidious microorganisms in pharmaceutical testing according to harmonized methods.	100 Gms 500 Gms 2 Kg	700 3000 11200
17458	✓ Semi-Solid Nutrient Agar (I)	100 Gms 500 Gms	1000 4100	33291	✓ Soyabean Casein Digest Agar (SCDA) (Tryptone Soya Agar, TSA) Used for the isolation and cultivation of fastidious & non fastidious microorganisms.	100 Gms 500 Gms 2 Kg	700 3000 11200
75917	✓ Semi-Solid Nutrient Agar (B/S)	100 Gms 500 Gms	1000 4100	10935	✓ Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB), Harmonized Used for cultivation of a wide variety of fastidious and non-fastidious microorganisms in pharmaceutical testing according to harmonized methods.	100 Gms 500 Gms 2 Kg	500 1600 5500
37963	✓ Semi-solid Rappaport Vassiliadis (MSRV) Medium Base	100 Gms 500 Gms	1100 4000	47404	✓ Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB), Sterile (Gamma Irradiated) Gamma irradiated sterile powder used for the growth of wide variety of bacteria and fungi.	500 Gms	2000
84809	✓ Sensitest Agar For the performance of antibiotic sensitivity test.	100 Gms 500 Gms	1900 7900	51993	✓ Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB) BioVeg (Soyabean Medium BioVeg) For the cultivation of a wide variety of microorganisms.	100 Gms 500 Gms	500 1800
11580	✓ S.F.P Agar Base (Shahidi Ferguson Perfringens Agar Base) Used for the isolation and enumeration of Clostridium perfringens from foods.	100 Gms 500 Gms	1000 4700	44520	✓ Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB), BioVeg Sterile (Gamma Irradiated) A nutritious general purpose medium, prepared by replacing animal based peptones with vegetable based peptones. It is gamma irradiated sterile powder, used in evaluation of sterility in manufacturing process.	500 Gms	2500
94074	✓ Shigella Broth Base Used for the isolation and cultivation of Shigella species from food.	100 Gms 500 Gms	1000 3700				
45290	✓ Shigella Selective Supplement (0.55mg/vl)	5 vl	1100				
91694	✓ Slanetz and Bartley Medium For the detection and enumeration of enterococci by membrane filtration method.	100 Gms 500 Gms	1000 4000				
49810	✓ SIM Medium (Sulfite Indole Motility Medium) For the differentiation of members of the Enterobacteriaceae, based on H ₂ S production, indole production & motility.	100 Gms 500 Gms	800 3200				
57309	✓ SIM Medium BioVeg Used for the differentiation of members of the Enterobacteriaceae, based on H ₂ S production, indole production and motility.	100 Gms 500 Gms	800 3200				
59437	✓ Simmon's Citrate Agar For the differentiation of gram-negative bacteria on the basis of citrate utilization.	100 Gms 500 Gms	800 3600				

Code	Name	Packing	Price	Code	Name	Packing	Price
28501	✓ Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB)	100 Gms	500	37547	✓ Starch Agar	100 Gms	1000
		500 Gms	1600			500 Gms	4100
		2 Kg	5500				
	A nutritious general purpose medium used for the growth of a wide variety of bacteria and fungi.				For detection of starch hydrolyzing microorganisms.		
89320 [8002-43-5]	✓ Soya Lecithin (30%) BactoBio for bacteriology	100 Gms	1700	78486 [9005-84-9]	✓ Starch Soluble Special (Cold Water Soluble) BactoBio for microbiology	100 Gms	1600
		500 Gms	3600			500 Gms	3600
	A natural phospholipid made from non-GMO soya beans.				A special grade of Starch, suitable for media preparations in microbiology since it is cold water soluble due to its special preparation method. The solution characteristics being clear, make it especially suitable for such use in labs.		
20626	✓ Soyatone BactoBio for bacteriology (Soya peptone)	500 Gms	1300	76043	✓ Sterility Test Kit	1 Kit	1000
		5 Kg	11200				
	Papaic digest of soyabean meal phytone, a peptone of plant origin. Contains high concentration of carbohydrates and nitrogen constituents, hence making it suitable for growth of fastidious microorganisms.				Used for sterility testing of products as per Pharmacopoeial standards.		
24205	✓ Special YM Medium	100 Gms	1000	11475	⚠ Strepto Supplement	5 vl	1200
		500 Gms	3800			5 x5 vl	3800
39778	✓ Spirit Blue Agar	100 Gms	1200	35140	⚠ Streptococcus Selective Supplement	5 vl	1600
		500 Gms	4900			5 x5 vl	3900
54880	✓ Sporulation Broth	100 Gms	900	31025	✓ Streptococcus Thermophilus Isolation Agar	100 Gms	1200
		500 Gms	3500			500 Gms	4200
					For determining the ratio of Streptococcus thermophilus and Lactobacillus bulgaricus in yoghurt.		
31363	✓ SPS Agar	100 Gms	1100	77304	✓ Streptomyces Agar	100 Gms	1000
		500 Gms	3900			500 Gms	4000
	For the detection and enumeration of Clostridium perfringens in foods.				For the cultivation and maintenance of Streptomyces.		
14041	✓ Standard Methods Agar w /Tween 80 and Lecithin	100 Gms	2400	43048	✓ Stuart Transport Medium	100 Gms	1300
		500 Gms	9700			500 Gms	5400
92654	✓ Standard Nutrient Agar No.1	100 Gms	1000			For the preservation of Neisseria species and other fastidious organisms during their transport from clinic to laboratory.	
		500 Gms	4100				
	Used for the cultivation of fastidious bacteria and also for the isolation and enumeration of bacteria.			14840	✓ Sucrose Salicin Agar (Gillies Agar No.2)	100 Gms	5500
72899	✓ Standard Nutrient Agar No.2	100 Gms	1200	69237	✓ Sugar Free Agar (Count Agar Sugar-free)	100 Gms	1100
		500 Gms	5100			500 Gms	3900
					For the enumeration of psychotropic and mesophilic gram- negative rods in butter and other dairy products as per formula described by the International Dairy Federation.		
68818	✓ Standard Nutrient Broth (H.S. Vaccine Medium)	100 Gms	800	49778	✓ Sulphite Agar (Sulfite Agar)	100 Gms	1400
		500 Gms	2400			500 Gms	4300
	Recommended nutritive medium for mass cultivation of bacteria for vaccine production.				84524		
18247	⚠ Staph-Strepto Selective Supplement	5 vl	1500	✓ Iron Sulphite Agar (Sulfite Iron Agar)		100 Gms	900
		5 x5 vl	3700			500 Gms	3900
39726	✓ Staphylococcus Medium 110 (Stone Gelatin Agar, Gelatin Mannitol Salt Agar)	100 Gms	900			Used for the detection of Clostridia in the examination of meat and meat products.	
		500 Gms	3200				
	For the isolation & enumeration of Staphylococci based on mannitol fermentation, pigment formation & gelatinase activity.			34050	⚠ Sulpha Supplement	5 vl	1600
				68041	✓ Syncase Broth	100 Gms	1100
						500 Gms	4400

Code	Name	Packing	Price	Code	Name	Packing	Price
23635	✓ T1N1 Agar (Tryptone Salt Agar) (Tryptone Salt Agar)	100 Gms	1100	86908	✓ Thiobacillus Agar	100 Gms	1700
		500 Gms	4200			500 Gms	5500
65235	✓ T1N1 Broth (Tryptone Salt Broth)	100 Gms	600	65489	✓ Thioglycollate Agar	100 Gms	1000
		500 Gms	2700			500 Gms	4000
15600	✓ T.A.T. Broth Base (Tryptone-Azolectin-Tween Broth Base)	100 Gms	800	Used for the growth and cultivation of anaerobic microorganisms.			
		500 Gms	3800	38136	✓ Thioglycollate Broth w/ Liver Extract (B.Q. Vaccine Medium)	100 Gms	800
86626	✓ TCBS Agar (Thiosulphate Citrate Bile Salts Sucrose Agar) For the selective isolation of <i>Vibrio cholerae</i> and <i>Vibrio parahaemolyticus</i> from a variety of clinical specimens.	100 Gms	900			500 Gms	2200
		500 Gms	3800	91690	✓ Thioglycollate Medium w/o Indicator (Diagnostic Thioglycollate Medium)	100 Gms	800
50165	✓ TCBS Agar (B/S) (Thiosulfate Citrate Bile Salts Sucrose Agar) Used for selective isolation of Enteropathogenic <i>Vibrio</i> species.	100 Gms	900			500 Gms	2600
		500 Gms	3800	63270	✓ Thiol Broth	100 Gms	1200
68331	✓ TCBS Agar BioVeg For the selective isolation of <i>Vibrio cholerae</i> and <i>Vibrio parahaemolyticus</i> from clinical specimens.	100 Gms	1000			500 Gms	3500
		500 Gms	4200	5 vl	1200		
15297	⚡ Tellurite Cefixime Supplement	5 vl	1300	29536	✓ TN Agar	100 Gms	1100
30431	✓ Tellurite Glycine Agar Base	100 Gms	900			500 Gms	4200
		500 Gms	4500	100 Gms	800		
97630	✓ Tergitol- 7 Agar, Base (B/S) (T7 Agar)	100 Gms	1000	500 Gms	3400	95197	✓ Toluidine Blue DNA Agar (Dnase Test Agar with Toluidine Blue)
		500 Gms	4700	100 Gms	7000		
67662	✓ Tergitol-7 Agar H, Base (T7 Agar, H)	100 Gms	1300	500 Gms	33400	74398	✓ Tomato Juice Agar
		500 Gms	5300	100 Gms	1600		
99371	✓ Tergitol-7 Broth (T7 Broth)	100 Gms	900	500 Gms	4600	33544	✓ Transport Charcoal Medium
		500 Gms	3800	100 Gms	1100		
30086	✓ Terrific Broth (Tartoff-Hobbs Broth) For the cultivation of recombinant strains of <i>Escherichia coli</i> .	100 Gms	800	500 Gms	4600	87704	⚡ Tributylin Supplement (10ml/vl)
		500 Gms	3000	5 vl	1600		
40873	⚡ Tetracycline Selective Supplement	5 vl	1400	5 x5 vl	6400	30842	✓ Tributylin Agar Base w/o Tributyrin
		13112	✓ Tetrathionate Broth Base w/o Iodine & BG (TT Broth Base) For the enrichment of <i>Salmonella</i> species.	100 Gms	600		
500 Gms	2300			100 Gms	1100		
81902	✓ Tetrathionate Broth Base (I) (TT Broth Base) Recommended for enrichment of <i>Salmonellae</i> .	100 Gms	700	500 Gms	4500	12081	✓ Triple Sugar Iron Agar (I) (TSI Agar) Used for the differentiation of members of Enterobacteriaceae on the basis of fermenting of glucose, lactose, sucrose and H ₂ S production.
		500 Gms	2300	100 Gms	700		
13727	✓ TGB Agar (Tryptone Glucose Beef Extract Agar)	100 Gms	900	500 Gms	3200		
		500 Gms	4000	44521	✓ Thayer-Martin Medium, Base (Thayer-Martin Agar, Modified) For the isolation of <i>Neisseria</i> species from specimens containing mixed flora of bacteria and fungi.	100 Gms	800
500 Gms	3400	500 Gms					

Code	Name	Packing	Price	Code	Name	Packing	Price
55720	✓ Triple Sugar Iron Agar (B/S)	100 Gms	700	32068	✓ Tryptone Soya Agar (TSA) (Soyabean Casein Digest Agar, SCDA) BioVeg	100 Gms	900
		500 Gms	3200			500 Gms	3400
	Used for the differentiation of Enterobacteriaceae on the basis of fermenting of glucose, lactose, sucrose and H ₂ S production.				For isolation and cultivation of fastidious and non-fastidious microorganisms with or without addition of blood. Semisolid medium recommended for testing of motility of <i>Listeria monocytogenes</i> , as recommended by ISO committee.		
69309	✓ Triple Sugar Iron Agar BioVeg	100 Gms	700	21794	✓ Tryptone Soya Agar (TSA) w/MUG (Soyabean Casein Digest Agar w/MUG, SCDA MUG)	100 Gms	1300
		500 Gms	3200			500 Gms	5700
	Used for the differentiation of members of Enterobacteriaceae on the basis of fermenting of glucose, lactose, sucrose and H ₂ S production.						
32007	✓ Tryptone BactoBio for bacteriology (Casitose)	500 Gms	1900	24392	✓ Tryptone Soya Broth (TSB) (Soyabean Casein Digest Medium, SCDM)	100 Gms	500
		5 Kg	17500			500 Gms	1600
	Pancreatic Digest Of Casein used for cultivation of fastidious and non-fastidious bacteria and fungi.				For the cultivation of a variety of microorganisms.	2 Kg	5500
10396	✓ Tryptone Bile Agar (I)	100 Gms	1000	32347	✓ Tryptone Soya Broth (TSB) /SPS (Soyabean Casein Digest Medium w/SPS, SCDM w/SPS)	100 Gms	800
		500 Gms	4200			500 Gms	3200
	Used for rapid detection and enumeration of <i>Escherichia coli</i> in foods.						
62600	✓ Tryptone Broth (Tryptone Water)	100 Gms	600	16684	✓ Tryptone Soya Broth (TSB) (Soyabean Casein Digest Medium, SCDM) BioVeg	100 Gms	500
		500 Gms	2700			500 Gms	1800
	For the cultivation of production of Indole by microorganisms.				For the cultivation of a variety of microorganisms.		
11947	✓ Tryptone Broth BioVeg (Tryptone Water BioVeg)	100 Gms	700	45511	✓ Tryptone Soya Yeast Extract Broth	100 Gms	900
		500 Gms	2700			500 Gms	3200
	For the cultivation of production of indole by microorganisms.						
62087	✓ Tryptone Glucose Yeast Extract Broth	100 Gms	1000	83009	✓ Tryptone Tellurite Agar Base	100 Gms	1000
		500 Gms	3400			500 Gms	4400
45227	✓ Tryptone Phosphate Broth	100 Gms	600	18528	✓ Tryptone Type I (Casitose) BactoBio for bacteriology (Casein Enzymatic Hydrolysate (Type I))	500 Gms	2700
		500 Gms	2600				
	For the cultivation of enteropathogenic <i>Escherichia coli</i> .				Tryptone Type I is an enzymatic digest of milk protein, rich in amino nitrogen source; used in microbiological and fermentation media.		
73825	✓ Tryptone Salt Broth	100 Gms	600	20483	✓ Tryptone Type II (Casitose) BactoBio for bacteriology (Casein Enzymatic Hydrolysate (Type II))	500 Gms	2700
		500 Gms	2700				
					Tryptone Type II is an enzymatic digest of lactose free milk protein, rich in amino nitrogen source used especially in Antibiotic assay medium.		
53226	✓ Tryptone Soya Agar (TSA) w/Lecithin and Polysorbate 80 (SCDA Lecithin & Tween 80) (Soyabean Casein Digest Agar w/Lecithin & Tween 80, SCDA Lecithin & Tween 80)	100 Gms	1000	69165	✓ Tryptone Water Broth w/BCP	100 Gms	900
		500 Gms	4300			500 Gms	3000
18039	✓ Tryptone Soya Broth (TSB) w/ 6.5% Sodium Chloride (Soyabean Casein Digest Medium (SCDM) w/ NaCl)	100 Gms	1200		Recommended for the cultivation of <i>Salmonella</i> species from food samples.		
		500 Gms	2500				
21091	✓ Tryptone Sucrose Tetrazolium Agar, Base (I) (TSTA)	100 Gms	1000	79223	✓ Tryptone Yeast Extract Agar w/BCP (I) (B/S)	100 Gms	1100
		500 Gms	4100			500 Gms	4600
20407	✓ Tryptone Soya Agar (TSA) (Soyabean Casein Digest Agar, SCDA)	100 Gms	700	15965	✓ Tryptophan Broth (I) (Tryptophan Medium (I))	100 Gms	700
		500 Gms	3000			500 Gms	2600
		2 Kg	11200				
	For the cultivation and maintenance of a wide variety of microorganisms.				Used for differentiation of bacteria on the basis of indole production.		

Code	Name	Packing	Price	Code	Name	Packing	Price
40626	✓ Tryptophan Broth (Tryptophan Medium) BioVeg	100 Gms	800	32249	⚡ VCNT Supplement	5 vl	2300
		500 Gms	2900			5 x5 vl	8100
	Used for the differentiation of bacteria on the basis of indole production.						
47253	✓ Tryptose Blood Agar Base	100 Gms	1200	78604	✓ V Infusion Agar (Veal Infusion Agar)	100 Gms	1300
		500 Gms	4700			500 Gms	3900
	For the cultivation and maintenance of a wide variety of fastidious microorganisms.						
12514	✓ Tryptose BactoBio for bacteriology	100 Gms	1200	86771	✓ V Infusion Broth (Veal Infusion Broth)	100 Gms	1000
		500 Gms	4700			500 Gms	3600
	For the cultivation and maintenance of a wide variety of fastidious microorganisms.				Recommended for cultivation of fastidious pathogenic bacteria.		
48200	✓ Tryptose Phosphate Broth	100 Gms	700	67389	✓ Veg Extract Agar BioVeg	500 Gms	4100
		500 Gms	2900			500 Gms	4100
	For the cultivation of a variety of fastidious bacteria.						
45989	✓ Tryptose Phosphate Broth BioVeg	100 Gms	800	55605	✓ Veg Extract Broth BioVeg	500 Gms	4100
		500 Gms	3000			500 Gms	4100
	For the cultivation of a variety of fastidious bacteria.						
55052	⚡ TTC Solution 1% (10ml/vl)	5 vl	1100	53818	✓ Violet Red Bile Agar (B/S)	100 Gms	800
		5 x5 vl	3300			500 Gms	3300
					Recommended medium for selective isolation, detection and enumeration of coliforms in water, milk and other dairy products.		
18339	✓ Urea Agar, Base (I) (B/S)	100 Gms	1100	57081	✓ Violet Red Bile Agar (1.2%) (I)	100 Gms	1000
		500 Gms	3900			500 Gms	3400
	Used for the detection of urease production by Proteus species and for identification of other members of Enterobacteriaceae.				Recommended medium for selective isolation, detection and enumeration of coliforms in water, milk and other dairy products.		
88708	✓ Urea Agar Base	100 Gms	900	33690	✓ Violet Red Bile Agar w/ MUG	100 Gms	1500
		500 Gms	3400			500 Gms	6700
					For detection and enumeration of coliforms from water and foods.		
42465	✓ Urea Agar Base (Christensen) BioVeg	100 Gms	900	88966	✓ Violet Red Bile Broth	100 Gms	800
		500 Gms	3500			500 Gms	3000
	Used for the detection of urease production by Proteus species and for identification of other members of Enterobacteriaceae.				For detection and enumeration of coliforms from water and foods.		
97438	✓ Urea Broth, Base	100 Gms	800	43459	✓ Violet Red Bile Dextrose Agar BioVeg	100 Gms	1100
		500 Gms	3400			500 Gms	3400
	For identifying bacteria on the basis of urea utilization, for the differentiation of Proteus species from Salmonella and Shigella species.				Used for detection and enumeration of Enterobacteriaceae from foods.		
58028	✓ Urea Indole Medium	100 Gms	1000	55373	✓ Violet Red Bile Glucose Agar (I) (Violet Red Bile Glucose Agar w/o Lactose)	100 Gms	800
		500 Gms	4000			500 Gms	3200
					Used for detection and enumeration of Enterobacteriaceae from foods.		
80192	⚡ 40% Urea Solution (5ml/vl)	5 vl	500	89912	✓ Violet Red Bile Glucose Agar, Harmonized	100 Gms	800
		5 x5 vl	2000			500 Gms	3100
	Used for the detection of urease activity.						
26117	⚡ Vancomycin Supplement (3mg/vl)	5 vl	1600	34326	⚡ Vitamin K1 Supplement (10mg/vl)	5 vl	1100
34123	⚡ VCN Supplement	5 vl	2300				
		5 x5 vl	8100		A vitamin growth supplement used for the isolation of anaerobic organisms.		
				38907	✓ Vogel and Johnson Agar, Base (U/P)(I/P) (V.J. Agar, Base)	100 Gms	700
					For the detection of coagulase positive Staphylococcus aureus.	500 Gms	2900

Code	Name	Packing	Price	Code	Name	Packing	Price
56055	✓ Water Agar	100 Gms	1100	22176	⚠ Yeast Autolysate Supplement	5 vl	1100
		500 Gms	3700			5 x5 vl	3600
	Used for cultivation and observation of sporulation of some fungi and also for the enumeration of fungi according to MPN method.						
23892	✓ Water (Faecal coliforms) Testing Kit	1 Kit	1700	51089	✓ Yeast and Mould Agar	100 Gms	1100
	For the enumeration and identification of faecal coliforms from water and waste water samples.					500 Gms	4300
55014	✓ Wilkins-Chalgren Agar (Anaerobic Agar)	100 Gms	1100	34266	✓ Yeast Extract BactoBio for bacteriology	100 Gms	800
	For cultivation and maintenance of anaerobic bacteria. In susceptibility testing to determine minimum inhibitory concentrations (MICs) of antibiotics for anaerobic bacteria.	500 Gms	4100			500 Gms	2300
					Water soluble portion of autolysed yeast especially rich in B-complex vitamins used in microbiological and fermentation media.	5 Kg	22700
91753	✓ Willis and Hobbs Medium Base	100 Gms	1100	89463	✓ Yeast Extract for bacteriology	100 Gms	600
		500 Gms	4400			500 Gms	1100
31560	✓ WL Differential Agar	100 Gms	1000			5 Kg	10700
		500 Gms	3700		Low pH, slightly turbid, extract of autolysed yeast cells used generally for technical purposes.		
45086	✓ WL Nutrient Agar (Wallerstein Laboratory Medium)	100 Gms	1100	52184	✓ Yeast Extract for cell culture	100 Gms	1100
		500 Gms	3800			500 Gms	2900
78176	✓ WL Nutrient Broth (Wallerstein Laboratory Nutrient Broth)	100 Gms	1100	36504	✓ Yeast Extract Agar	100 Gms	1500
		500 Gms	3300			500 Gms	5200
47617	✓ Wort Agar	100 Gms	900		For the enumeration of microorganisms in potable and fresh water samples.		
	For the cultivation and enumeration of yeasts. Its low pH inhibits bacterial growth.	500 Gms	4100	62332	✓ Yeast Lactose Agar	100 Gms	2000
26434	✓ Wurtz Medium	100 Gms	1000			500 Gms	8400
		500 Gms	3900	49723	✓ Yeast Malt Agar (YM Agar)	100 Gms	1000
53556	✓ Xylose Lysine Deoxycholate Agar (XLD Agar)(U/P) (I/P)	100 Gms	900			500 Gms	4200
	Used for the isolation and differentiation of enteric pathogens, especially Shigella and Providencia.	500 Gms	3500	63973	✓ Yeast Malt Extract Broth (YM Broth)	100 Gms	800
70791	✓ Xylose Lysine Deoxycholate Agar (XLD Agar)	100 Gms	900			500 Gms	3300
	Used for the isolation and identification of Salmonellae and Shigellae.	500 Gms	3500	40965	✓ Yeast Mannitol Agar	100 Gms	1100
89660	✓ XLT 4 Agar Base	100 Gms	1200			500 Gms	5100
		500 Gms	5100	56342	✓ Yeast Mannitol Broth	100 Gms	800
73111	✓ Xylose Lysine Deoxycholate Agar (XLD Agar), Harmonized	100 Gms	900			500 Gms	3500
	For cultivation and isolation of Salmonella species in pharmaceutical testing according to harmonized methods.	500 Gms	3600	54250	✓ YPD Agar (Yeast Peptone Dextrose Agar, YEPD Agar)	100 Gms	900
67146	✓ Yeast Autolysate (Yeast Peptone) BactoBio for microbiology	100 Gms	700			500 Gms	3800
	Water soluble portion of autolysed yeast especially rich in B-complex vitamins, used in microbiological and fermentation media.	500 Gms	2600	51830	✓ Yersinia Isolation Agar	100 Gms	1200
						500 Gms	4300
				27810	✓ Yersinia Selective Agar Base	100 Gms	1200
						500 Gms	4300
				15061	⚠ Yersinia Selective (C.I.N.) Supplement	5 vl	1400
						5 x5 vl	4100

Code	Name	Packing	Price	Code	Name	Packing	Price
83385	✓ Yeast Glucose Chloramphenicol Agar (YGC Agar, Chloramphenicol Agar)	100 Gms	1200				
		500 Gms	4100				
	Used for the isolation and enumeration of molds in milk and dairy products.						
66995	✓ YPD Broth (Yeast Peptone Dextrose Broth, YEPD Broth)	100 Gms	1100				
		500 Gms	4600				
	For maintenance and propagation of yeasts in molecular microbiology procedures.						
98271	✓ YT Broth (2X YT Broth)	100 Gms	900				
		500 Gms	3400				
	Used for the cultivating of recombinant strains of Escherichia coli.						
19510	✓ YXT Agar Base	100 Gms	1000				
		500 Gms	4000				

Part E

BioLit[®]

(DNA & Protein Tools and Kits)



code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

BioLit® PCR Products (Taq Polymerase, Buffers & Kits)

BioLit® TAQ Polymerases

Taq DNA Polymerases (offered in different concentrations) are enzymes used in Routine PCR. They are thermostable recombinant DNA polymerases derived from thermophilic bacterium *Thermus aquaticus*. They can amplify DNA target up to 5 kb (simple template) and have a 5' to 3' polymerase activity but lack 3' to 5' exonuclease activity that result in a 3'-dA overhang PCR product.

BioLit® Routine PCR

Applications - PCR amplification of DNA fragments as long as 5 kb, DNA labeling, DNA sequencing, PCR for cloning.

61524	TAQ DNA Polymerase (1U/μl)	Includes Taq DNA Polymerase (1U/μl) 10X PCR Buffer (MgCl ₂ free), 25mM MgCl ₂	500 units	2280.00
			1000 units	4320.00
			5000 units	21010.00
32976	TAQ DNA Polymerase (3U/μl)	Includes Taq DNA Polymerase (3U/μl) 10X PCR Buffer (MgCl ₂ free), 25mM MgCl ₂	500 units	2280.00
			1000 units	4320.00
			5000 units	21010.00
82487	TAQ DNA Polymerase (5U/μl)	Includes Taq DNA Polymerase (5U/μl) 10X PCR Buffer (MgCl ₂ free), 25mM MgCl ₂	500 units	2280.00
			1000 units	4320.00
			5000 units	21010.00
12816	TAQ DNA Polymerase (5U/μl) (w/6X Buffer)	Includes Taq DNA Polymerase (5U/μl) 10X PCR Buffer (Mg ²⁺ Plus) 6X Loading Buffer	500 units	2840.00
			1000 units	4890.00
			5000 units	22150.00
51613	TAQ DNA Polymerase (5U/μl) (w/6X Buffer, w/dNTP)	Includes Taq DNA Polymerase (5U/μl) 10X PCR Buffer (Mg ²⁺ Plus) 6X Loading Buffer dNTP mix (each 2.5 mM)	500 units	3070.00
			1000 units	5120.00
			5000 units	23280.00

A Thermostable recombinant DNA polymerase, useful in amplification of DNA fragments upto 6 kb from genomic DNA with high purity and specificity. Sources of template - plant genomic DNA, mouse cDNA, bacterial colony DNA, bacterial plasmid DNA, viral DNA and zygosity PCR templates. No loading buffers or tracking dyes required. Samples may be added directly to an agarose gel after PCR and visualized.

57694	Red TAQ DNA Polymerase (1U/μl)	Includes Red Taq DNA Polymerase (1U/μl) 10X Red Taq Buffer, 25 mM MgCl ₂	500 units	3980.00
			1000 units	6930.00
12192	Roseate Taq DNA		500 units	3030.00
			1000 units	4980.00

Roseate Taq DNA Polymerase is a thermostable recombinant DNA polymerase derived from thermophilic bacterium *Thermus aquaticus*. Its molecular weight is 94 kDa. Taq DNA Polymerase can amplify DNA targets up to 5 kb (simple template). The elongation velocity is 0.9~1.2kb/min (70~75°C). It has 5' to 3' polymerase activity but lacks of 3' to 5' exonuclease activity that result ion a 3'-dA overhangs PCR product.

The buffer given is 10X Rosette PCR Buffer with Mg²⁺. This buffer has a roseate coloured dye enabling the researcher to load the sample directly after PCR into an agarose gel for electrophoresis.

Other different polymerases described below are useful when there is a need for higher specificity for primer incorporation, high fidelity with proof reading capability, amplifying long and complex templates & need for efficient and fast elongation, and DNA Polymerase which is suitable for Hot Start PCR. The polymerases here each have one of these features and can be chosen to suit the needs of the researcher.

BioLit® Hot Start PCR

This product is a DNA Polymerase coated with antibody, which is suitable for Hot Start PCR. There is no activity of this enzyme at room temperature, and the antibody can be inactivated rapidly at 70°C or above. This ensures that the enzyme is active only during PCR and prolonged heating or denaturation steps can be avoided.

81646	Hot Start Taq Polymerase (5U/μl)	Includes Includes HotStart Taq Polymerase (5U/μl) 10X HotStart buffer with Mg ²⁺ , 2.5mM dNTP Mix	250 units	7730.00
			1000 units	29530.00

code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

BioLit® High Specificity PCR

Can amplify DNA target up to 5 kb. The elongation velocity is 0.9~1.2kb/min. It has 5' to 3' polymerase activity but lacks 3' to 5' exonuclease activity that results in a 3'-dA overhang PCR product.

Applications - PCR amplification of DNA fragments as long as 5 kb, DNA labeling, DNA sequencing, PCR for cloning.

46033	HSP TAQ DNA	Includes HSP Taq DNA Polymerase (5U/μl)	500 units	4780.00
	Polymerase (5U/μl)	10X HSP PCR Buffer (with Mg ²⁺) 6×Loading Buffer	1000 units	8860.00

BioLit® High Fidelity PCR

Pfu DNA polymerase, derived from the hyperthermophilic archae Pyrococcus furiosus, has superior thermostability and proofreading properties. It can amplify DNA target up to 2 kb (simple template), possesses 3' to 5' exonuclease proofreading activity, generates PCR fragments will have fewer errors, results in blunt-ended PCR products, which are ideal for cloning into blunt-ended vectors

Applications - High-fidelity PCR and primer-extension reactions, High fidelity PCR for cloning into blunt-ended vectors, Site-directed mutagenesis.

22774	Pfu DNA	Includes Pfu DNA Polymerase (5U/μl)	250 units	6480.00
	Polymerase (5U/μl)	10X Pfu Buffer (Mg ²⁺) 6X Loading Buffer	1000 units	22720.00

49069	Pfu DNA	Includes Pfu DNA Polymerase (5U/μl)	250 units	6710.00
	Polymerase (5U/μl) (w/dNTP)	10X Pfu Buffer (Mg ²⁺) 6X Loading Buffer dNTP mix (each 2.5mM)	1000 units	23850.00

Taq Plus DNA Polymerase is a mixture of Taq and Pfu DNA polymerase that allows amplification of higher fidelity and longer templates Ideal for amplifying complex template, such as GC-rich template.

Applications - Amplification of long template up to 20kb, Amplification of complex template, High fidelity PCR

85737	TAQ Plus DNA	Includes Taq plus DNA Polymerase (2.5U/μl)	250 units	4090.00
	Polymerase (2.5U/μl)	10X PCR Buffer (Mg ²⁺ Plus) 6X Loading Buffer	1000 units	14770.00

93561	TAQ Plus DNA	Includes Taq plus DNA Polymerase (2.5U/μl)	250 units	4320.00
	Polymerase (2.5U/μl) (w/dNTP)	10X PCR Buffer (Mg ²⁺) 6X Loading Buffer dNTP mix (each 2.5mM)	1000 units	15220.00

BioLit® Long PCR

Long Taq DNA Polymerase, a combination of two thermostable DNA polymerases, Taq and Pfu, is a special formulation designed for amplifying large fragments. This specially formulated Long Taq was shown to amplify long templates from λ phage genome of up to 40 kb. It is also a better choice for amplifying complex template, such as GC-rich template. Long Taq is suitable as a direct replacement for ordinary Taq Polymerase in most applications. Using Long Taq in your PCR results in PCR products with 3'-dA overhangs which can be used in TA clone.

15367	Long TAQ DNA	Includes Long Taq DNA Polymerase (5U/μl)	250 units	3300.00
	Polymerase (5U/μl)	10X Long Taq Buffers I & II (Mg ²⁺) 6X Loading Buffer PCR Enhancer	1000 units	12000.00

94126	Long TAQ DNA	Includes Long Taq DNA Polymerase (5U/μl)	250 units	5000.00
	Polymerase (5U/μl) (w/dNTP)	10X Long Taq Buffers I & II (Mg ²⁺) 6X Loading Buffer PCR Enhancer dNTP mix (each 2.5mM)	1000 units	15000.00

code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

BioLit® Fast PCR

FSP Taq DNA polymerase is the latest generation Taq-based DNA polymerase. It possesses high amplification efficiency as Taq polymerase and with fast elongation ability, it can be used in a variety of PCR. The FSP PCR Buffer, designed for FSP Taq DNA polymerase, can be used in fast amplification reactions.

The elongation rate of FSP Taq DNA polymerase is 2-fold higher than the one of regular Taq DNA polymerase, which shortens the amplification time by half.

58235	FSP TAQ DNA Polymerase (5U/μl)	Includes FSP Taq DNA Polymerase (5U/μl)	250 units	3640.00
		10X FSP Taq Buffer (with Mg ²⁺) 6X Loading Buffer	1000 units	11360.00
70073	FSP TAQ DNA Polymerase (5U/μl) (w/dNTP)	Includes FSP Taq DNA Polymerase (5U/μl)	250 units	3870.00
		10X FSP Taq Buffer (with Mg ²⁺) 6X Loading Buffer dNTP mix (each 2.5 mM)	1000 units	11820.00

BioLit® PCR Mixes

Routine PCR Master Mixes

Ready-to-use solutions containing the specific DNA Polymerase, dNTP, Mg²⁺ and Reaction Buffer at optimal concentrations for efficient amplification of DNA templates by PCR. This pre-mixed formulation saves time and reduces contamination due to the fewer pipetting steps. Includes Specific DNA Polymerase Mix, Water Nuclease Free.

50900	Taq Mix (2X) (PCR Master Mix (2X))	1ml (40 rxns)	2730.00
		5 × 1ml (200 rxns)	12040.00
46503	Roseate PCR Master Mix (2X) (Taq Mix (2X))	1ml (40 rxns)	2930.00
		5 × 1ml (200 rxns)	12440.00
94531	Pfu Mix (2X)	1ml (40 rxns)	7330.00
		5 × 1ml (200 rxns)	28900.00
23782	Plus Mix (2X)	1ml (40 rxns)	7460.00
		5 × 1ml (200 rxns)	28900.00
66677	HSP Mix (2X)	1ml (40 rxns)	3670.00
		5 × 1ml (200 rxns)	15160.00
36250	Long Taq Mix (2X)	1ml (40 rxns)	7330.00
		5 × 1ml (200 rxns)	18120.00
11307	FSP Taq Mix (2X)	1ml (40 rxns)	4890.00
		5 × 1ml (200 rxns)	21890.00
84729	FSP Taq Mix Direct for blood (2X)	1ml (40 rxns)	7390.00
		5 × 1ml (200 rxns)	30660.00
20220	FSP Taq Mix Direct for tissue (2X)	1ml (40 rxns)	7390.00
		5 × 1ml (200 rxns)	30660.00

Realtime PCR Master Mix (qPCR)

2X Master Mix for Real-Time PCR, contains all components, except the primer & template. This reagent is applicable for intercalation assay with FluroGreen dye which is similar to SYBR Green I. Reagent can be used in various detection devices. Also available with passive reference dye of low or high concentrations.

Includes FluroGreen qPCR Mix(2X)w/wt passive reference dye, Nuclease Free Water .

60159	BioLit FluroGreen qPCR Master Mix (2X)	0.5ml (20 amps)	5630.00
		1ml (40 amps)	9740.00
78797	BioLit FluroGreen qPCR Master Mix (Low CAR) (2X)	0.5ml (20 amps)	5950.00
		1ml (40 amps)	10600.00

code	product name	application/description	unit	price
38151	BioLit FluroGreen qPCR Master Mix (High CAR) (2X)		0.5ml (20 amps) 1ml (40 amps)	6710.00 11690.00
BioLit® PCR Accessory Reagents				
Ready-to-use reagents for PCR for the user's convenience.				
61318	10X PCR Buffer with KCl (Mg ²⁺ free)		4×1.25ml	1460.00
41212	10X PCR Buffer with 15mM Mg ²⁺		4×1.25ml	1460.00
43386	10X PCR Buffer with Mg ²⁺ set		6×1.25ml	1800.00
90508	10X Roseate PCR Buffer with Mg ²⁺	Ready-to-use reagent having two tracking dyes along with the buffer & MgCl ₂ . After PCR, samples can be loaded directly onto the agarose gel for electrophoresis.	4×1.25ml	1410.00
86687	25mM MgCl ₂		4×1.25ml	1650.00
66886	DEPC-Treated Water	Suitable in any application where RNA is involved and all molecular biology applications.	100 ml 500 ml	550.00 1710.00
96370	Water, nuclease-free	Suitable for use in all molecular biology applications.	5×1ml 100ml 500 ml	290.00 550.00 1710.00
20870	PCR Enhancer	Useful to optimize PCR of problematic and/or GC-rich templates. Offers higher primer specificity, and improved thermostability of DNA polymerases.	0.5ml	3870.00
52531	PCR Sample Preparation Solution	Simple, all-inclusive sample preparation solutions for varied samples suitable for direct PCR techniques.	50 preps 200 preps	1710.00 6590.00
48044	Glycogen (20mg/ml) Aq. Solution Ultrapure		2×0.25 ml 1 ml	8400.00 13650.00
79326	Shrimp Alkaline Phosphatase (rSAP) (1U/ul)		500 units 1000 units	8660.00 16230.00

Shrimp Alkaline Phosphatase (r-SAP) is a heat labile alkaline phosphatase purified from a recombinant source. rSAP is identical to the native enzyme and contains no affinity tags or other modifications. rSAP nonspecifically catalyzes the dephosphorylation of 5' and 3' ends of DNA and RNA phosphomonoesters.

BioLit® NTP and dNTP Sets, Mixes & Solutions

NTP Set & Solutions (100mM each)

The set and individual solutions consist of 100mM aqueous solutions of ATP, TTP, CTP and GTP each supplied in separate vials. These ready-to-use solutions offer maximum flexibility for various molecular biology applications *viz. in vitro* transcription, RNA amplification. Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

65240	NTP Set Ultrapure (100mM each)		4x0.25ml	7950.00
89889	ATP Solution Ultrapure (100mM)		0.25ml	1820.00
71636	CTP Solution Ultrapure (100mM)		0.25ml	1820.00
88705	GTP Solution Ultrapure (100mM)		0.25ml	1820.00
93633	UTP Solution Ultrapure (100mM)		0.25ml	1820.00

code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

dNTP Sets (100mM, 10mM)

The sets consists of 10mM/100mM aqueous solutions of dATP, dTTP, dCTP and dGTP, pH 7.0, each supplied in a separate vial. The dNTP Set offers maximum flexibility in preparation of reaction mixes for different molecular biology applications.

Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

94903	dNTP Set Ultrapure (100mM each)		4×0.25ml	7840.00
			4×1ml	27260.00
69478	dNTP Set Ultrapure(10mM each)		4×0.1ml	1710.00
			4×0.5ml	4550.00
			5x(4x0.2ml)	9090.00

dNTP Mixes

dNTP Mix is an aqueous solution at pH 7.0 containing dATP, dCTP, dGTP and dTTP, each at a final concentration of 2.5 mM/10mM/25mM. They are ready-to-use solutions designed to save time, provide higher reproducibility in PCR and other applications, reduce the number of pipetting steps and the risk of reaction set-up errors.

Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

70596	dNTP Mix Ultrapure (2.5mM each)		1ml	2390.00
			5×1ml	8520.00
18821	dNTP Mix Ultrapure (10mM each)		1ml	3190.00
			5×1ml	9660.00
14464	dNTP Mix Ultrapure (25mM each)		1ml	3750.00
			5×1ml	14770.00

dNTP Solutions

Each individual dNTP is supplied as a 100mM solution in sterile, deionized water at pH 7.0 and is prepared from monosodium salts of the free nucleotides.

Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

72009	dATP (100mM Solution)		0.2 ml	2500.00
			0.5 ml	4550.00
19809	dCTP (100mM Solution)		0.2 ml	2500.00
			0.5 ml	4550.00
47435	dGTP (100mM Solution)		0.2 ml	2500.00
			0.5 ml	4550.00
91474	dTTP (100mM Solution)		0.2 ml	2500.00
			0.5 ml	4550.00
71411	dUTP (100mM Solution)		0.25ml	11250.00

BioLit® RNA Accessory Reagents

75044	Oligo (dT) 15 primer (50µM)	A synthetic single-stranded 15-mer oligonucleotide with 5'- and 3'-hydroxyl ends. Supplied as an aqueous solution. Used for first strand cDNA synthesis synthesis in presence of reverse transcriptase	50 µl	2050.00
53704	Random Hexamer Primer 6-mer (50µM)	A mixture of single-stranded random hexanucleotides with 5'- and 3'-hydroxyl ends. Used during cDNA synthesis to produce cDNAs randomly scattered through mRNA resulting in short strands of cDNA.	50 µl	2050.00
96710	Ribonuclease A Solution ex. Bovine Pancreas (RNase A Soln) (10mg/ml) (DNase, Protease Free)		3 x1 ml	3640.00
			10 ml	11360.00
38080	Ribonuclease H (RNase H) (5U/ul)		50 units	7580.00
			250 units	22720.00
92030	RNasin (RNase inhibitor) (40U/µl)	Ribonuclease inhibitor purified from human placenta. It inhibits ribonuclease (RNase) activity of common eukaryotic enzymes such as RNaseA, RNase B, RNase C. Inhibits RNA degradation in the following procedures: in vitro transcription, cDNA synthesis, in vitro translation, isolation of mammalian cell fractions that contain mRNA-protein complex etc.	1000 units	4090.00

code	product name	application/description	unit	price
71969	RNA Stabilizing Solution	An aqueous tissue storage reagent that stabilizes and protects cellular RNA in intact, unfrozen tissue samples. It eliminates the need to immediately process tissue samples or to freeze samples in liquid nitrogen. It does not jeopardize the quality or quantity of RNA in the sample.	5 x1 ml	2520.00
			100 ml	3360.00
			500 ml	7880.00
20310	RNA Loading Buffer (5X)	It is used to load RNA sample on a formaldehyde agarose gel. It consists of two tracking dyes, Bromophenol blue and Xylene cyanol.	1 ml 5 x1ml	1200.00 5500.00
98343	T7 RNA Polymerase (50U/ul) (w/10X IVT Buffer)	T7 RNA polymerase is a monomeric bacteriophage encoded DNA directed RNA polymerase which catalyzes the formation of RNA in the 5'-3' direction.	1000 units	8000.00
			5000 units	39000.00
76516	M-MLV (Recombinant) (200U/μl)	A Reverse Transcriptase enzyme that generates first strand cDNA for use in PCR, real-time. Includes 10X Reaction Buffer	5000 units	9000.00
			10000 units	16000.00
94837	RT-PCR Kit (First Strand cDNA Synthesis Kit)	Reverse Transcriptase -PCR Kit is optimized to synthesize first-strand cDNA from purified poly (A)+ or total RNA. Includes - M-MLV (200U/μl), RNasin (40U/μl), Oligo(dT)15 (50μM), 100 preps Random hexamer primer (50μM), 5X First-strand Buffer, RNase-free Water, dNTP mix (10mM each)	20 preps	7100.00
			40 preps	11930.00
			100 preps	28390.00
41066	TRIzol-C Reagent	Ready-to-use reagent for the isolation of high yields of total RNA from cells and tissues. As it is differently buffered from TRIzol-T reagent, the isolated RNA may interact with these metal ions if involved in downstream processes.	20 ml	1820.00
			100 ml	6360.00
99359	TRIzol-T Reagent	Ready-to-use reagent for the isolation of high yields of total RNA from cells and tissues. Differs in the buffer of TRIzol-T reagent, and is innocuous to all downstream processes.	20 ml	1600.00
			100 ml	6140.00

BioLit® Tracking dyes & Buffers

6x Gel Loading Dyes are pre-mixed loading buffers with tracking dye/s to be added to the nucleic acid samples for agarose and non-denaturing polyacrylamide gel electrophoresis.

78591	6X Blue Loading Dye	Contains Bromophenol blue as tracking dye.	5×1 ml	2770.00
83184	6X DNA Loading Dye	Contains Bromophenol blue and Xylene Cyanol FF as tracking dyes.	5×1 ml	2770.00
56885	6X DNA Loading Dye & SDS solution	Contains Bromophenol blue and Xylene Cyanol FF as tracking dyes. The buffer also contains SDS which results in sharper bands as some restriction enzymes remain bound to DNA following cleavage	5×1 ml	3120.00
46200	6X Orange Loading Dye	Contains Orange G and Xylene Cyanol FF as tracking dyes	5×1 ml	2770.00
55895	6X TriColor Loading Dye	Contains Orange G, Bromophenol Blue and Xylene Cyanol FF as tracking dyes	5×1 ml	2770.00
73530	20X DoubleQuick DNA Electrophoresis Buffer	An exceptionally 'swift' agarose gel tank buffer that electrophoreses the DNA samples in less than 10 minutes. Three times more effective as compared to TAE or TBE buffer.	250 ml	4160.00
			500 ml	7530.00

BioLit® Staining Dyes for Nucleic Acids

Nucleic acid & protein staining dyes.

50358	BioLit FluroBronze Stain	A non-carcinogenic nucleic acid stain that is eco-friendly and replaces the use of ethidium bromide. Used for viewing nucleic acids on agarose gel.	50 μl	1140.00
			250 μl	3640.00
			1 ml	11360.00
Advantage: The stain is not added to the gel matrix or the running buffers, but is mixed as a 6X loading buffer with the nucleic acid samples prior to loading onto the gel.				
21156	SafeDye Green Stain (20000X in Water)		100 μl	6930.00
			500 μl	28350.00
			1 ml	50400.00

code	product name	application/description	unit	price
25834	BioLit SafeDye Stain	SafeDye is a new, safe nucleic acid stain for the detection of double-stranded DNA, single-stranded DNA and RNA in Agarose gels. This dye replaces Ethidium Bromide (toxic, potential mutagen) commonly used in Agarose gel electrophoresis and assists in determining the size of PCR product, insert and restriction analysis. SafeDye emits green fluorescence when bound to dsDNA, ssDNA and RNA. This stain has a fluorescence excitation maxima when bound to nucleic acid at approx. 290-320nm and emits at 490nm.	50 μ l	1030.00
			250 μ l	3410.00
			1 ml	10230.00

BioLit® Reference Digests/Markers

87978	ProxiB Lambda HindIII Digest Marker Size range: 2.0 to 23kb	Lambda DNA is used routinely for measurement of restriction enzyme activities. Lambda-Hind III digestion is a useful demonstration experiment for restriction analysis and it is a substrate for checking DNA ligase. This is a ready-to-load marker and contains Bromophenol Blue as the tracking dye. (bands at 0.1 & 0.5kb although present, are very faint.)	50 μ g	2220.00
			100 μ g	3860.00
90023	ProxiB Lambda-EcoRI Digest Marker Size range: 3.5 to 21kb	Lambda-EcoRI digest is a popular teaching tool to demonstrate the activity of restriction enzymes. This is a ready-to-load marker and contains Bromophenol Blue as the tracking dye.	50 μ g	2460.00
			100 μ g	3980.00
53625	ProxiB Lambda Double Digest Marker Size range: 0.5 to 23kb	Lambda DNA double digest of Hind III/EcoRI is a popular teaching tool to demonstrate double-digests (i.e., the simultaneous use of two restriction enzymes). This is a ready-to-load marker and contains Bromophenol Blue as the tracking dye.	50 μ g	2600.00
			100 μ g	4320.00
46658	ProxiB Lambda BstEII Digest Marker Size range: 0.1-8.4 kb		50 μ g	3240.00
93663	Lambda PstI Digest Marker Size range: 0.25-11.5 kb		50 μ g	3030.00

BioLit® Nucleic Acid

64438	DH5α Competent Cells for Subcloning		2 x0.1 ml	2630.00
			4 x0.5 ml	18900.00
67291	Lambda DNA	Lambda DNA is a double stranded linear DNA of 48,502 base pairs in length. It is isolated from bacteriophage Lambda. The Lambda Phage is a bacterial virus (bacteriophage), that infects the bacterial species <i>E. coli</i> . The phage is isolated from the heat inducible lysogen <i>E. coli</i> strain. This NA is useful as size markers, in restriction enzyme assays and cloning. Concentration — 250ng/ μ l	100 μ g	4200.00
			250 μ g	10000.00
12658 new	Autoinduction Medium (AIM) Solution	AIM-LB medium w/o Trace elements is used to grow IPTG-inducible expression in bacterial strains	500 ml	1600.00

code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

BioLit® Cloning Vectors

A cloning vector is a small piece of DNA into which a foreign DNA fragment can be inserted. The insertion of the fragment into the cloning vector is carried out by treating the vehicle and the foreign DNA with the same restriction vector, then ligating the fragments together. There are many types of cloning vectors. Genetically engineered plasmids are most commonly used for this purpose.

55912	pBR322 pBR322 was the first artificial plasmid. It is a 4361 bp long plasmid and was originally developed for cloning. This low copy number plasmid contains tetracycline and ampicillin resistance-conferring genes. pBR322 remains a popular teaching aid for demonstration of plasmid isolation, restriction digestion and cloning.	50 µg	4800.00
		100 µg	9080.00
93116	pUC18 pUC18 vector is a circular double stranded DNA and is 2686 base pairs long. This plasmid possesses – i) ampicillin resistance gene ii) the origin of replication derived from pBR322 and iii) the lac Z gene derived from <i>E. coli</i> . Within the lac region is also found a polylinker sequence having unique restriction sites. It is a popular teaching aid for demonstrating plasmid DNA isolation, restriction digestion and cloning.	50 µg	4800.00
		100 µg	9080.00
48402	pUC19 pUC19 vector is also a circular double stranded DNA and is 2686 base pairs long. It is similar to pUC18, but possesses different restriction sites. This plasmid possesses – i) ampicillin resistance gene ii) the origin of replication derived from pBR322 and iii) the lac Z gene derived from <i>E. coli</i> . Within the lac region is also found a polylinker sequence having unique restriction sites. It is a popular teaching aid for demonstrating plasmid DNA isolation, restriction digestion and cloning.	50 µg	4800.00
		100 µg	9080.00


code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

BioLit® Ready-to-use DNA Molecular Weight Standards

BioLit DNA markers come in many useful ranges to cover most of the requirements of researchers and students. The markers are provided in a ready-to-use format for convenience and high reproducibility. We recommend a volume of 10 µL (~1 µg total DNA) per load to ensure that distinct, prominent DNA bands are observed even with a less sensitive UV transilluminator or in a less than optimal dark chamber. Users might be able to load a volume less than that recommended (without compromising results) if a high-sensitivity gel documentation system is available.

The markers have been carefully prepared under sterile conditions and stored in 10 mM Tris-HCl, pH 7.5, 1 mM EDTA and 1 mg/ml sodium azide and are unstained markers. Stocks will be stable for several months if properly stored frozen or even refrigerated.


10344	Low-Range DNA Marker: 0.1 – 1kb	This marker range has been designed to assist in determining the size of PCR product, insert and restriction analysis. These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Size range: 103 to 1074bp	15 µg	2050.00
			50 µg	5800.00
			100 µg	10910.00
12447	Mid-Range DNA Marker: 0.5 – 5kb	This marker range should facilitate the analysis of inserts cloned into commonly used plasmids and restriction digests. These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Size range: 448 to 5024bp	15 µg	2050.00
			50 µg	5800.00
			100 µg	10910.00
45587	Hi-Range DNA Marker: 2.0 – 25kb	This marker range is useful for experiments involving mega plasmids or genomic analysis. These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Size range: 2.0 to 25kb	15 µg	2050.00
			50 µg	3190.00
			100 µg	5800.00




These DNA markers are packaged in ready-to-use convenient quantities, 150, 500 & 1000µL, containing 15, 50 & 100 µg respectively, recommended for 15, 50 & 100 loadings respectively.

code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------


BLM013




BLM014



BLM015



BLM016



54882	ProxiO DNA Marker 1 : 0.1-0.6kb	Size range: 100 to 600bp These ready-to load DNA markers contain Bromophenol Blue and Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X Orange Loading Dye.	50 µg	7320.00
48234	ProxiO DNA Marker 2 : 0.1-1.2kb	Size range: 100 to 1200bp These ready-to load DNA markers contain Bromophenol Blue and Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X Orange Loading Dye.	50 µg 3x50 µg	9060.00 23750.00
30219	ProxiO DNA Marker 3 : 0.2-4.5kb	Size range: 200 to 4500bp These ready-to load DNA markers contain Bromophenol Blue and Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X Orange Loading Dye.	50 µg	7320.00
20082	ProxiO DNA Marker 4 : 0.5-10kb	Size range: 500 to 15000bp These ready-to load DNA markers contain Bromophenol Blue and Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X Orange Loading Dye.	50 µg 3x50 µg	5710.00 15340.00

BioLit® FluroBronze™ DNA Marker Packs

The varying range of specially prepared DNA marker packs (ready-to-load) contain in addition to the tracking dyes, a non-carcinogenic nucleic acid stain (BioLit® FluroBronze™ Stain) for detection of the marker bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus simplifying the preparation of agarose gel sans a potentially mutagenic dye.

57939	FluroBronze™ DNA Marker 1	Size range: 100 to 600bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking dye along with FluroBronze stain as the fluorescent dye. Accompanied by a vial of 6X FluroBronze Stain.	50 µg	12630.00
35412	FluroBronze™ DNA Marker 4	Size range: 500 to 15000bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking dye along with FluroBronze stain as the fluorescent dye. Accompanied by a vial of 6X FluroBronze Stain.	50 µg	12630.00

code	product name	application/description	unit	price
32462	FluroBronze™ Mid Range DNA Marker	Size range: 448 to 5,024bp These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye along with FluroBronze stain as the fluorescent dye. Accompanied by a vial of 6X FluroBronze Stain	50 µg	10750.00
99331	FluroBronze™ Hi-Range DNA Marker	Size range: 2.0 to 25kb These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye along with FluroBronze stain as the fluorescent dye. Accompanied by a vial of 6X FluroBronze Stain	50 µg	14370.00

BioLit® SafeDye DNA Marker Packs


The varying range of DNA marker packs (ready-to-load) are accompanied by a vial of SafeDye Stain, a non-carcinogenic nucleic acid stain mixed in a 6X loading buffer, for detection of the marker bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus eliminating a potentially mutagenic dye.

57493	SafeDye™ DNA Marker 1	Size range: 100 to 600bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X SafeDye Stain.	50 µg	11210.00
21054	SafeDye™ DNA Marker 4	Size range: 500 to 15000bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X SafeDye Stain.	50 µg	11210.00
81685	SafeDye™ Mid range DNA Marker	Size range: 448 to 5,024 bp These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Accompanied by a vial of 6X SafeDye Stain.	50 µg	12960.00
56678	SafeDye™ Hi-range DNA Marker	Size range: 2.0 to 25kb These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Accompanied by a vial of 6X SafeDye Stain.	50 µg	12960.00

code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

BioLit® DNA Ladders


These ready-to-load ladders are designed with precise DNA fragments for accurate quantification by agarose gel electrophoresis. The concentration of each band is kept uniform to give sharp bands. A single or multiple bands in the ladders are made intense to orient the user to the other bands in the ladder. Recommended Loading volume 3-5µl. The products are unstained DNA Ladders.




ProxiO 10bp DNA Ladder




ProxiO 20bp DNA Ladder




ProxiO Low DNA Ladder



ProxiO 50bp DNA Ladder




ProxiO 50bp DNA Ladder Plus




Store at -20°C

code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------


ProxiO 100bp DNA Ladder




ProxiO 100bp DNA Ladder Plus




ProxiO 200bp DNA Ladder




ProxiO 500bp DNA Ladder




ProxiO 1kb DNA Ladder




ProxiO 1kb DNA Ladder Plus




D2000 Ladder




D5000 Ladder



D10000 Ladder



D15000 Ladder



code old/new	product name	application/description	unit	price
-----------------	--------------	-------------------------	------	-------

44897	ProxiO 10bp DNA Ladder	Size range: 80 to 300 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg	9930.00
98628	ProxiO 20bp DNA Ladder	Size range: 60 to 300 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg	8910.00
68905	ProxiO Low DNA Ladder	Size range: 25 to 700 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg 5X 50 µg	7500.00 36770.00
82208	ProxiO 50bp DNA Ladder	Size range: 50 to 500 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg 5X 50 µg	7070.00 23240.00
88417	ProxiO 50bp DNA Ladder Plus	Size range: 50 to 1,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg 5X 50 µg	6770.00 23690.00
92972	ProxiO 100bp DNA Ladder	Size range: 100 to 1,500 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg 5X 50 µg	5680.00 21990.00

code	product name	application/description	unit	price
84628	ProxiB 100bp DNA Ladder	Size range: 100 to 1,500 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes.	50 µg 5X 50 µg	5680.00 21990.00
52075	ProxiO 100bp DNA Ladder Plus	Size range: 100 to 3,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg 5X 50 µg	5680.00 21990.00
50255	ProxiB 100bp DNA Ladder Plus	Size range: 100 to 3,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes.	50 µg 5X 50 µg	5680.00 21990.00
37217	ProxiO 200bp DNA Ladder	Size range: 200 to 4,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg	8680.00
93121	ProxiO 500bp DNA Ladder	Size range: 500 to 5,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg	9130.00
48290	ProxiO 1kb DNA Ladder	Size range: 500 to 10,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg 5X 50 µg	5560.00 23790.00
93406	ProxiO 1kb DNA Ladder Plus	Size range: 100 to 10,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 µg 5X 50 µg	5560.00 23790.00
77305	PCR Ladder	This size marker covers the most common range encountered in PCR and shows an aesthetically pleasing ladder of five bands (50, 150, 300, 500, and 800 bp) that separate uniformly as shown. Contains Bromophenol Blue as the tracking dye.	10 µg 50 µg	1860.00 5910.00

BioLit® FluroBronze™ DNA Ladder Packs

The varying range of specially prepared DNA ladder packs (ready-to-load) contain in addition to the tracking dyes, a non-carcinogenic nucleic acid stain (BioLit FluroBronze Stain) for detection of the ladder bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus simplifying the preparation of agarose gel sans a potentially mutagenic dye.

76195	FluroBronze™ PCR Ladder	Size range: 50 to 800 bp Contains Bromophenol Blue as the tracking dye along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 µg	11070.00
39563	FluroBronze™ 50bp Ladder Plus	Size range: 50 to 1,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 µg	12050.00
97958	FluroBronze™ 100bp Ladder	Size range: 100 to 1,500 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 µg	10790.00

code	product name	application/description	unit	price
72601	FluroBronze™ 100bp Ladder Plus	Size range: 100 to 3,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 µg	10720.00
54896	FluroBronze™ 500bp Ladder	Size range: 500 to 5,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 µg	14290.00
23416	FluroBronze™ 1kb Ladder Plus	Size range: 100 to 10,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 µg	10230.00

BioLit® SafeDye™ DNA Ladder Packs

The varying range of DNA ladder packs (ready-to-load) contain DNA ladders accompanied by the BioLit SafeDye Stain, a non-carcinogenic nucleic acid stain mixed in a 6X loading buffer, for detection of the ladder bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus eliminating a potentially mutagenic dye.

64935	SafeDye™ PCR Ladder	Size range: 50 to 800 bp Contains Bromophenol Blue as the tracking dye. Also accompanied by a vial of 6X SafeDye Stain.	50 µg	10370.00
19262	SafeDye™ 50bp Ladder Plus	Size range: 50 to 1,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 µg	10650.00
33902	SafeDye™ 100bp Ladder	Size range: 100 to 1,500 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 µg	10790.00
53261	SafeDye™ 100bp Ladder Plus	Size range: 100 to 3,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 µg	9110.00
27107	SafeDye™ 500bp Ladder	Size range: 500 to 5,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 µg	12890.00
29877	SafeDye™ 1kb Ladder Plus	Size range: 100 to 10,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 µg	10230.00

Surface Decontamination Spray

69341	DNA Decontam Surface Decontamination Spray	Eliminate unwanted DNA and DNase from glassware and plastic ware without affecting subsequent DNA samples and plastic ware without affecting subsequent DNA samples. Supplied in a spray bottle	250ml	3500.00
27248	RNase Decontam Surface Decontamination Spray	A surface decontamination solution that destroys RNases on contact. Spray the Solution onto surfaces to be decontaminated and rinse off with RNase-free-water. Supplied in a spray bottle format.	250ml	4000.00

code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

BioLit® Restriction Enzymes

BioLit® Restriction Enzymes are highly purified and ensure that the integrity of your DNA is not compromised, making them the enzymes of choice for even the most demanding applications. All the Restriction Enzymes are accompanied with their specific reaction buffer to enable 100% enzyme activity.

85844	AluI (10U/μl)		100 unit	3860.00
51914	BamHI (10U/μl)		2500 unit	3000.00
32338	BglI (10U/μl)		1500 unit	6420.00
24848	BglII (10U/μl)		250 unit	2800.00
78895	BspTI (MspCI, AflII) (10U/μl)		500 unit	5200.00
23203	Eco91I (BstEII) (10U/μl)		250 unit	2140.00
			500 unit	3000.00
99402	DraI (10U/μl)		1000 unit	4710.00
91290	EcoRI (10U/μl)		4000 unit	3500.00
90279	EcoRV (Eco321) (10U/μl)		1500 unit	4280.00
61338	HaeIII (BsuRI, BshFI) (10U/μl)		3000 unit	3680.00
			10000 units	11550.00
44261	HincII (HindII) (10U/μl)		250 units	3150.00
			1000 units	11030.00
77976	HindIII (10U/μl)		2500 units	3600.00
			5000 units	7000.00
36322	HinfI (10U/μl)		750 unit	3210.00
15100	KspAI (HpaI) (10U/μl)		200 unit	3000.00
			500 unit	6000.00
47167	KpnI (10U/μl)		1000 unit	2730.00
			2000 unit	5140.00
65301	MboI (10U/μl)		300 unit	5520.00
			1100 unit	18900.00
79971	NcoI (10U/μl)		125 unit	3000.00
			300 unit	6800.00
75760	NdeI (10U/μl)		500 unit	2940.00
			2500 unit	13130.00
97361	NotI (10U/μl)		100 unit	3210.00
			250 unit	7490.00
94651	PstI (10U/μl)		1500 unit	2040.00
			4500 unit	5140.00
72649	PvuII (10U/μl)		2000 unit	6400.00
97505	RsaI (10U/μl)		250 unit	3590.00
			1000 unit	9210.00
27301	SacI (10U/μl)		750 unit	3780.00
			1250 unit	5780.00
10190	SalI (10U/μl)		500 unit	2570.00
			750 unit	3750.00

code	product name	application/description	unit	price
74952	Sau3AI (Bsp143I) (10U/μl)		300 unit	4830.00
			1500 unit	22050.00
15231	Smal (10U/μl)		500 unit	4710.00
49365	SpeI (Bcul) (10U/μl)		200 unit	4310.00
			400 unit	8190.00
40653	SspI (10U/μl)		250 unit	3360.00
			500 unit	6300.00
96600	XbaI (10U/μl)		750 unit	2890.00
			1250 unit	4600.00
71245	XhoI (SlaI) (10U/μl)		1000 unit	1680.00
			5000 unit	7560.00
46448	Universal Restriction Enzyme Buffer (10X)		5 x1 ml	1200.00

BioLit® QuickRxn Restriction Enzymes

These restriction enzymes reduce digestion time and speed up the downstream processes.

15723	QuickRxn HindIII		250 units	3590.00
15918	QuickRxn EcoRI		250 units	3710.00


BioLit® Ligases

This DNA ligase, an ATP-dependent recombinant enzyme, isolated from Escherichia coli, is used for DNA cloning

85315	T4 DNA Ligase VLC (20CEU/μl or 0.1 Weiss Unit/μl)	T4 DNA ligase is a polypeptide that catalyzes the formation of phosphodiester bonds between adjacent 3'-hydroxyl and 5'- phosphate termini in DNA. The enzyme is active on double-stranded DNA, nicked DNA and RNA substrates. One Weiss unit is equivalent to approximately 200 cohesive end ligation units (CEU) (Includes Reaction Buffer)	10000 Units (CEU)	2500.00
			40000 Units (CEU)	5680.00
41686	T4 DNA Ligase LC (200CEU/μl or 1 Weiss Unit/μl)	T4 DNA ligase is a polypeptide that catalyzes the formation of phosphodiester bonds between adjacent 3'-hydroxyl and 5'- phosphate termini in DNA. The enzyme is active on double-stranded DNA, nicked DNA and RNA substrates. One Weiss unit is equivalent to approximately 200 cohesive end ligation units (CEU) (Includes Reaction Buffer)	200 Units (Weiss)	2840.00
			1000 Units (Weiss)	5120.00
			5000 Units (Weiss)	8520.00
67428	T4 DNA Ligase RC (1000CEU/μl or 5 Weiss Unit/μl)	T4 DNA ligase is a polypeptide that catalyzes the formation of phosphodiester bonds between adjacent 3'-hydroxyl and 5'- phosphate termini in DNA. The enzyme is active on double-stranded DNA, nicked DNA and RNA substrates. One Weiss unit is equivalent to approximately 200 cohesive end ligation units (CEU) (Includes Reaction Buffer)	250 Units (Weiss)	5680.00
			1000 Units (Weiss)	9660.00
			5000 Units (Weiss)	36340.00
32581	Tth DNA Ligase Swift (5U/μl) Thermostable	An enzyme isolated from Escherichia Coli strain containing plasmid carrying the Thermus thermophilus DNA ligase, ligates DNA fragments within 15 minutes. Works on sticky ends only.	100 Units (Weiss)	11000.00
			200 Units (Weiss)	22000.00

code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

BioLit® Ready-to-use Unstained Protein Molecular Weight Standards




BioLit protein molecular weight standards cover the useful range of protein sizes that a researcher or student requires for routine experiments. The recommended loading volume is 20 μ l, giving approximately 5 μ g of each protein sufficient for detection by Coomassie blue staining. The products are unstained markers. The proteins have been dissolved and denatured in the standard SDS-PAGE sample-loading buffer. Prepared under sterile conditions, these markers have appropriate additives to ensure long-term stability when they are stored in a refrigerator or freezer and even with brief exposure to room temperature. Although boiling is not required prior to loading, doing so will not affect results.

33203

Mid-Range 1 Protein Marker: 14-80kDa

This ready-to-use marker covers the useful range of protein sizes of 14 - 80 kDa and contains Bromophenol Blue as the tracking dye. It has nine bands of varying molecular sizes that a researcher or student requires for routine experiments.

0.5 ml	2440.00
1 ml	4400.00
2.5 ml	9260.00




Profile in SDS-12% PAGE
(20 μ l in a mini gel)

58511

Mid-Range 3 Protein Marker: 14-95kDa

This ready-to-use marker covers a slightly higher range of protein sizes of 14 - 95 kDa and contains Bromophenol Blue as the tracking dye. It has eight bands of varying molecular sizes that a researcher or student requires for routine experiments.

0.5 ml	2440.00
1 ml	4400.00
2.5 ml	9260.00



Profile in SDS-12% PAGE
(20 μ l in a mini gel)

78084




Popular-Range Protein Marker: 14-66kDa

This molecular weight marker covers a general range of protein sizes 14-66 kDa that is typically used by a researcher. It contains Bromophenol Blue as the tracking dye.

0.5 ml	2440.00
1 ml	4400.00



Profile in SDS-12% PAGE
(20 μ l in a mini gel)

code	product name	application/description	unit	price
59893	Low-Range Protein Marker: 3-40kDa	This protein molecular weight standard includes proteins in the range of 2.5 - 40 kDa and contains Bromophenol Blue as the tracking dye. With the advent of proteomics and identification of many low molecular weight proteins and domains being involved in important functions, there is an emerging interest in polypeptides in this range. This is also a useful range for electrophoresis based peptide mapping, especially using Tricine SDS - PAGE.	0.5 ml	2440.00
			1 ml	4400.00
			2.5 ml	9260.00
				
	Profile in Tricine SDS-18% PAGE (20 µl in a mini gel)			
12986	High-Range 1 Protein Marker: 20-220kDa	This molecular range marker covers a larger range of molecular sizes - 20 to 220kDa and is helpful to researchers working on higher molecular weight proteins. It contains Bromophenol Blue as the tracking dye.	0.5 ml	2780.00
			1 ml	5210.00
				
	Profile in SDS-10% PAGE (20 µl in a mini gel)			
99625	High-Range 2 Protein Marker: 14-220kDa	This molecular range marker covers a larger range of molecular sizes - 14 to 220kDa and is helpful to researchers working on higher molecular weight proteins. It contains Bromophenol Blue as the tracking dye.	0.5 ml	2780.00
			1 ml	5210.00
				
	Profile in SDS-10% PAGE (20 µl in a mini gel)			

Ready-to-use Prestained Protein Molecular Weight Standards

68894	PreStained Blue Protein Marker: 14 - 66kDa	Blue Prestained Protein Molecular Weight Standard, contains a mix of proteins, coupled with a blue chromophore. This marker has 6 bands in range of 14 to 66kDa.	0.5 ml	2550.00
93675	PreStained Dual Coloured Protein Marker: 14 - 66kDa	This Protein Molecular Weight Standard, contains a mix of proteins, coupled with blue and red chromophore. This marker has 6 bands in range of 14 to 66kDa.	0.25 ml	2520.00
			0.5 ml	4200.00
27839	PreStained High Range 1 Tri-Coloured Protein Ladder: 10-180kDa	This Protein Ladder is a three-color protein standard with 10 bands in the range of 10 to 180 kDa. Proteins are covalently coupled with a blue chromophore except for two reference bands (one green and one red band at 25 kDa and 75 kDa respectively) when separated on SDS-PAGE (Tris-glycine buffer).	0.25 ml	12150.00
			1 ml	35050.00

code	product name	application/description	unit	price
67792	PreStained High Range 2 Tri-Coloured Protein Ladder: 10-245kDa	This Protein Ladder is a three-color protein standard with 12 bands in the range of 10 to 245 kDa. Proteins are covalently coupled with a blue chromophore except for two reference bands (one green and one red band at 25 kDa and 75 kDa respectively) when separated on SDS-PAGE (Tris-glycine buffer).	0.25 ml	11450.00
			1 ml	43220.00
49772	PreStained High Range 3 Tri-Coloured Protein Marker: 10-315kDa	A ready-to-use Prestained protein marker giving 12 discrete fragments (in kDa): 315 (orange), 250, 180, 130, 95 (Blue), 72 (orange), 52 (green), 43, 34, 26, 17 (blue), and 10 (green).	0.25 ml	42000.00

BioLit® Staining Dyes for Proteins

25437	BioLit SpryBlue Stain for SDS PAGE	A snappy stain for Polyacrylamide gels that accelerates the staining of proteins and eliminates the need for destains.	250 ml	2440.00
			500 ml	4330.00

Buffers

85074	Borate Buffer (20X) (Amine-free)	Ideal buffer solution that is used in protein modification procedures requiring amine-free buffer at alkaline pH.	100 ml	2200.00
			500 ml	7500.00
88480	SDS PAGE Sample Buffer (2X) (Reducing) (Laemmli Buffer 2X)	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 2X solution. It can be used for SDS-PAGE protein loading of conventional proteins.	5 ml	390.00
			20 ml	1500.00
99573	SDS PAGE Sample Buffer (5X) (Reducing) (Laemmli Buffer 5X)	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 5X solution. It can be used for SDS-PAGE protein loading of conventional proteins.	5 ml	480.00
			20 ml	1800.00
98786	SDS PAGE Sample Buffer (5X) (Reducing) w/ DTT w/ BPB	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 5X solution. It can be used for SDS-PAGE protein loading of conventional proteins.	5 ml	2500.00
35974	SDS PAGE Sample Buffer (5X) (Non-Reducing) w/o DTT w/ BPB	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 5X solution. It can be used for SDS-PAGE protein loading of conventional proteins.	5 ml	2500.00

BioLit® SDS PAGE Accessory Reagents

Ready-to-use Separating gel mix in a various percentage ranges and Stacking gel mix to simplify the process of SDS PAGE preparation and eliminate pipetting errors.

91574	Ready-To-Use Stacking Gel mix - 4%		250 ml	2170.00
86325	Ready-To-Use Stacking Gel mix - 4% (Coloured)		100 ml	1040.00
24723	Ready-To-Use Separating Gel mix - 10%		100 ml	2440.00
80306	Ready-To-Use Separating Gel mix - 12%		100 ml	2440.00
88394	Ready-To-Use Separating Gel mix - 15%		100 ml	2440.00

BioLit® Protease for Recombinant Protein Fusion Tag Cleavage

86851	TEV Protease (1U/µl)	A highly sequence-specific cysteine protease from Tobacco Etch Virus (TEV). Removes affinity tags from purified recombinant fusion proteins and its specificity gives controlled cleavage. Effective over a broad range of temperature	1000 Units	10230.00
			5000 Units	39750.00

code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

Antibodies

41262	Express Coating Buffer (1X, pH 6.4) for Antigen & Antibodies	A special coating buffer for rapid adsorptive immobilization of proteins, enzymes, antigens or antibodies on any plastic surface including ELISA plates. It coats the surface within 10-15mins.	100 ml	2500.00
			500 ml	8000.00
91754 new	Express Coating Buffer (1X, pH 8.5) for Antigen & Antibodies	A special coating buffer for rapid adsorptive immobilization of proteins, enzymes, antigens or antibodies on any plastic surface including ELISA plates. It coats the surface within 10-15mins.	100 ml	3500.00
			500 ml	9000.00
37971	Goat anti-Human IgG (affinity purified) (2mg/ml)	Antiserum is produced in Goat using highly purified human IgG as the immunogen. Whole antiserum is fractionated and then further purified by affinity chromatography to provide the IgG fraction of antiserum.	1 ml	4820.00
77924	Goat anti-Human IgG-HRP (1mg/ml)	Purified IgG conjugated to Horseradish Peroxidase (HRP). Pooled antisera from goats hyperimmunized with human IgG	1 ml	12840.00
57404	Goat anti-Mouse IgG-HRP (1mg/ml)	Polyclonal Goat antibodies conjugated with HRP. Pooled antisera from goats hyperimmunized with Mouse IgG	1 ml	12840.00
54537	Goat anti-Rabbit IgG (whole serum) (3mg/ml)	Antiserum is produced in Rabbit using highly purified bovine IgG as the immunogen. Whole antiserum is fractionated and then further purified by affinity chromatography to provide the IgG fraction of antiserum.	1 ml	3210.00
			5 ml	12840.00
88495	Goat anti-Rabbit IgG-HRP (1mg/ml)	Polyclonal Goat antibodies conjugated with HRP. Pooled antisera from goats hyperimmunized with Rabbit IgG.	1 ml	12840.00
68977	Rabbit anti-Bovine IgG (whole serum) (2mg/ml)	Antiserum is produced in Rabbit using highly purified bovine IgG as the immunogen. Whole antiserum is fractionated and then further purified by affinity chromatography to provide the IgG fraction of antiserum.	1 ml	2570.00
21105	Rabbit anti-Bovine IgG-HRP (whole serum) (1mg/ml)	Anti-Bovine secondary antibodies conjugated with HRP. Pooled antisera from cows hyperimmunized with rabbit IgG	1 ml	12840.00
57919	Rabbit anti-Chicken IgY (whole serum)		1 ml	7490.00
			5 ml	23540.00
26249	Rabbit Anti-Human IgG (whole serum)		1 ml	4280.00
			5 ml	19260.00

code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

BioLit® Research Kits

A column based quick and easy method for DNA Extraction from bacteria/ tissue/whole blood yielding pure DNA useful for down-stream processes.

51826	BioLit Genomic DNA Extraction Mini Kit (Research)	Isolation of high quality genomic DNA using the silica spin columns from various sources - plasma, serum, body fluids, cultured cells, sputum and other body fluids. Kit contents : ● Spin Columns ● Buffers ● Proteinase K	25 Extractions	7080.00
			50 Extractions	13680.00
56860 new	BioLit Plant DNA Extraction Mini Kit (Research)	Kit works to efficiently extract genomic DNA from various plant and tissue samples rapidly. Mini silica columns deliver high quality genomic DNA without use of expensive reagents and time consuming processes. Kit contents : ● Spin Columns ● Buffers	25 Extractions	5000.00
			50 Extractions	9000.00
75718	BioLit Tissue DNA Extraction Mini Kit (Research)	Isolation of high quality tissue DNA using the silica spin columns from soft and hard tissues samples like liver, spleen, thymus, heart, kidney, brain, etc Kit contents : ● Spin Columns ● Buffers ● Proteinase K	25 Extractions	9040.00
			50 Extractions	15460.00
94733	BioLit Whole Blood DNA Extraction Mini Kit (Research)	Isolation of high quality DNA using the silica spin columns from human whole blood. Kit contents : ● Spin Columns ● Buffers	25 Extractions	9280.00
			50 Extractions	17830.00
33981	BioLit Tissue RNA Extraction Mini Kit (Research)	Tissue RNA can be purified from soft and hard tissues samples like liver, spleen, thymus, heart, kidney, brain, etc Kit contents : ● Spin Columns ● Collection Tubes ● Buffers ● Carrier RNA -Poly A	25 Extractions	13680.00
			50 Extractions	23540.00
87883	BioLit Viral RNA Extraction Mini Kit (Research)	Viral RNA can be purified from plasma, serum and other cell body fluids. Kit contents : ● Spin Columns ● Collection Tubes ● Buffers ● Carrier RNA -Poly A	25 Extractions	5740.00
			50 Extractions	9920.00
			1000 Extractions	18190.00
76108	BioLit Whole Blood RNA Extraction Mini Kit (Research)	A fast, easy method for the preparation of total cellular RNA from human whole blood. Multiple blood samples can be processed simultaneously in less than 1 hour. Kit contents : ● Spin Columns ● Collection Tubes ● Buffers ● β-mercaptoethanol	25 Extractions	10700.00
			50 Extractions	20810.00
91210	BioLit Animal Tissue Direct PCR Kit (Research)	Amplifies DNA directly from a wide variety of animal tissues including mice, fish, birds and insects. Kit contents : ● 2X Taq mix ● Buffers ● Sterile Water	50 Preps	25990.00
74578	BioLit Gel Extraction Kit (Research)	Kit for quick and easy extraction of DNA fragment from Low melting agarose. Useful for various downstream processes. Kit contents : ● Silica Spin Columns ● Buffers	50 Preps	10500.00

code	product name	application/description	no. of experiments	unit	price
23512	BioLit PCR and DNA Fragment Purification Kit (Research)		50 Preps		11000.00
			100 Preps		21460.00
62606	BioLit Total RNA Extraction Kit from Plant (Research) Kit contents : ● Spin Columns ● Buffers	Quick Total RNA extraction kit using silica gel columns. Purifies RNA from Plants and Fungi.	50 Preps		23000.00
86792	BioLit Total RNA extraction Kit From Various Sources (Research) Kit contents : ● Spin Columns ● Buffers	Isolates RNA from various sources - whole blood, animal and plant tissue, cultured cells and bacteria.	50 Preps		23000.00

BioLit® Teaching Kits

66602	Agarose Gel Electrophoresis Kit (Teaching) Kit contents : ● DNA Samples ● Loading Dye ● Agarose ● Ethidium Bromide ● Tank Buffer ● DNA Size Marker	The overall goal is to view different plasmid DNAs by their movement through a matrix viz agarose gel.	15	1 Kit	5150.00
64279	Bacterial Transformation Kit - 1 (Teaching) Kit contents : ● Host Cells ● Sterile LB Media ● LB agar mix ● Ampicillin ● CaCl ₂ ● Plasmid DNA	Transformation is central to recombinant DNA technology. This highly self-contained Transformation Kit provides all the necessary materials including starter culture, sterile media, antibiotic & LB agar mix to perform competent cell preparation by CaCl ₂ treatment and transformation within a day. Overnight incubation will reveal transformed colonies. Competent cells are provided as internal control.	15	1 Kit	9210.00
			30	1 Kit	13040.00
28660	Bacterial Transformation Kit – 2 (with blue white screening) (Teaching) Kit contents : ● Host Cells ● Sterile LB Media ● LB agar mix ● Ampicillin ● X-gal ● IPTG ● CaCl ₂ ● Plasmid DNA	Transformation is central to recombinant DNA technology. This highly self-contained Transformation Kit provides all the necessary materials including starter culture, sterile media, antibiotic & LB agar mix to perform competent cell preparation by CaCl ₂ treatment and transformation within a day. Overnight incubation will reveal transformed colonies. Competent cells are provided as internal control. Blue white screening is also seen with the use of the X-Gal	15	1 Kit	10470.00
			30	1 Kit	14920.00
95043	DNA Ligation Kit (Teaching) Kit contents : ● Lambda DNA Digested with Appropriate Restriction Enzymes ● T4 DNA Ligase ● Ligase Buffer ● Agarose ● TAE buffer ● Gel Loading Dye ● Ethidium Bromide ● DNA Molecular Size Marker	This DNA ligation Kit contains reagents for ligation of two Lambda digests using T4 DNA ligase These experiments constitute essential learning experiences for a student interested in cloning and recombinant DNA strategies.	10	1 Kit	6840.00

code	product name	application/description	no. of experiments	unit	price
76941	FITC Conjugation Kit (Teaching)	Fluorescein isothiocyanate (FITC) is a fluorescent dye used in labeling antibodies and proteins. FITC is a derivative of fluorescein and reacts with the amines and sulphhydryl groups on proteins. This kit provides components for conjugation of fluorescein isothiocyanate with antibodies or other proteins in a quick and easy manner. Kit contents : ● FITC isomer I ● Buffers	5	1 Kit	8360.00
19317	BioLit Gene Amplification Kit - PCR (Teaching)	PCR or Polymerase Chain Reaction has become a mainstay in modern recombinant DNA technology. BioLit's PCR kit has been specifically designed and standardized to eliminate the initial pitfalls so that even a beginner can be successful in the first try itself. The kit allows students to vary cycle conditions and find their effects on yield of the amplified product, an E.coli gene Kit contents : ● Template ● Reaction Mix: containing dNTP mix, Buffer, primers and MgCl ₂ ● TAQ DNA Polymerase ● Enzyme Diluent Buffer ● Dye ● Agarose ● TAE buffer ● Ethidium Bromide ● Marker	10 25	1 Kit 1 Kit	12180.00 17290.00
83462	BioLit Genomic DNA Extraction (from bacteria) Kit (Teaching)	This genomic DNA extraction kit uses a rapid and simple technique. Kit contents : ● Bacterial Cell Pellets ● Lysis Buffer ● Saturated Phenol ● Chloroform ● DNA Precipitation Solution ● TE Buffer ● Ethidium Bromide ● Agarose ● Gel Loading Dye ● Marker	15	1 Kit	7480.00
61498	BioLit Genomic DNA Extraction (from leaves) Kit (Teaching)	This genomic DNA extraction kit uses a rapid and simple technique ideal for school and college students. Kit contents : ● Bacterial Cell Pellets ● Lysis Buffer ● Saturated Phenol ● Chloroform ● DNA Precipitation Solution ● TE Buffer ● Ethidium Bromide ● Agarose ● Gel Loading Dye ● Marker	15	1 Kit	10440.00
27725	Plasmid Isolation Kit from Bacterial cells (Teaching)	This plasmid mini-prep kit facilitates the rapid (~ 2 h) isolation of plasmid DNA from bacterial cells already transformed with a plasmid. The detailed instructions which accompany the kit will allow typical school and college students to use the kit with no additional assistance. Kit contents : ● Bacterial Cell Pellets ● Alkaline lysis Reagents ● DNA Precipitation Solution ● Wash Solution ● TE Buffer, Gel Loading Dye ● Agarose ● TAE Buffer ● Ethidium Bromide ● Plasmid Control	15 25	1 Kit 1 Kit	6780.00 9200.00
31377	Protoplast Fusion Kit from Plants (Teaching)	Protoplast fusion kit is used as a means to generate hybrids with useful characteristics in plants. The method requires careful manipulations of plant parts like leaves, petals etc. to be digested with cell wall breaking enzymes. The separated and digested cells round up and in presence of polyethylene glycol fuse together which can be viewed under a microscope Kit contents : ● Osmotic Buffer ● Macrozyme ● PEG	15	1 Kit	9370.00

code	product name	application/description	no. of experiments	unit	price
18450	Restriction Digestion Kit (Teaching)	This kit contains materials to teach the use of restriction enzymes HindIII and EcoRI & demonstrate restriction mapping of lambda DNA mapping.	10	1 Kit	8440.00
		These experiments constitute essential learning experiences for a student interested in cloning and genetic mapping.	50	1 Kit	16480.00
Kit contents : ● Lambda DNA ● Agarose ● Restriction Enzymes ● Reaction Buffer ● Ethidium Bromide ● Gel Loading Dye ● TAE buffer ● DNA Molecular Size Marker					
83775	SDS PAGE Kit (Teaching)	This kit teaches the technique of separation of proteins based on their size under denaturing conditions using sodium dodecyl sulphate (SDS) and beta mercaptoethanol (BME). SDS cleaves non ionic interactions while BME cleaves disulphide bonds. SDS also imparts a strong negative charge to the polypeptides thereby their charge to mass ratio is rendered uniform. This allows the polypeptides to be separated on the basis of only their size, which is read by comparison with a standard marker	15	1 Kit	9990.00
Kit contents : ● Bis Acrylamide Solution ● Separating and Stacking Buffer Solutions ● APS ● TEMED ● Protein Marker ● Protein Samples ● Stain and Destain Solutions					
31105	Silver Staining Kit (Teaching)	Silver staining is a rapid, easy and sensitive method used for staining proteins, DNA and RNA after polyacrylamide gel electrophoresis. Silver staining is a far more sensitive method of staining than Coomassie Brilliant blue and can detect protein & even polypeptides as low as 0.05 ng in concentration. Reagents sufficient for 15 reactions are enclosed.	15	1 Kit	11870.00
Kit contents : ● Fixing solution ● Silver nitrate ● Developing solution ● Stop solution					
46037	Southern Blotting Kit (Teaching)	E. M. Southern invented a technique to transfer separated DNA molecules to a membrane, which is capable of binding the DNA, and immobilizing it for further analysis. The technique named as Southern blotting, after its inventor, involves placing either a nitrocellulose or nylon membrane in contact with the agarose gel and facilitating the transfer process by capillary action. By drawing buffer from the gel to the membrane, the DNA fragments are forced to move with the buffer and deposit on the membrane. (Hybridization not included)	5	1 Kit	11990.00
Kit contents : ● NC Membranes ● SSPE Buffer ● Filter Paper Wicks and Strips ● DNA Samples ● Marker ● Agarose ● Ethidium Bromide					
52166	SpinCol Plasmid Miniprep kit from Bacterial cells (Teaching)	A new teaching kit for isolation of plasmid DNA from E.coli cultures based on silica - membrane technology on a mini spin columns. This is a fast and efficient method and yields high quality plasmid DNA.	20	1 Kit	5000.00
			50	1 Kit	7090.00
Kit contents : ● Spin column ● Lysis buffer ● precipitating buffer ● wash buffer ● elution buffer					

Part L

Laboratory Accessories



code	product name	unit	price
------	--------------	------	-------

Buffer capsules

87767	Buffer capsules pH 4	10 caps	210
95323	Buffer capsules pH 6	10 caps	210
18533	Buffer capsules pH 7	10 caps	210
74399	Buffer capsules pH 9.2	10 caps	210



Indicator Papers

74183	Brilliant Yellow Indicator Papers	10 Books	360
11902	Bromothymol Blue Indicator Papers	10 Books	340
84795	Chlorine Test Indicator Papers	10 Books	390
54494	Congo Red Indicator Papers	10 Books	330
72874	Indicator Papers pH 1.0 - 14.0	10 Books	400
12794	Indicator Papers pH 1.0 - 10.0	4 Books	790
47603	Indicator Papers pH 2.0 - 4.5	10 Books	430
27671	Indicator Papers pH 2.0 - 10.5	10 Books	380
84794	Indicator Papers pH 3.5 - 6.0	10 Books	380
82811	Indicator Papers pH 3.8 - 5.3	10 Books	400
98044	Indicator Papers pH 3.8 - 5.4	10 Books	400
36120	Indicator Papers pH 5.0 - 7.5	10 Books	380
61169	Indicator Papers pH 6.5 - 9.0	10 Books	380
94744	Indicator Papers pH 8.0 - 10.5	10 Books	410
76345	Litmus Blue Indicator Papers	10 Books	310
67562	Litmus Red Indicator Papers	10 Books	310
48758	Phenolphthalein Indicator Papers	10 Books	360
27893	Starch Indicator Papers	10 Books	490
75672	Starch Iodide Indicator Papers	10 Books	410
45438	Turmeric Indicator Papers	10 Books	450



Petri Plates

High quality disposable Petri Dishes, suitable for all microbiological applications manufactured as per ISO 24998. Dimensional accuracy of 90 mm ensures compatibility with most automated systems. Extremely high optical clarity for easy viewing on a microscope. Petri Dishes have elevated lids (vented) that allows for superior gas exchange and evaporation. Convenient & easy to stack.

90226	Petri Plates (90mm)	100 nos	1350
		500 nos	6650



code	product name	unit	price
------	--------------	------	-------

Spin Columns

A purification aid set comprising of Silica membrane spin column and a collection tube. Silica membrane in a column form is used for purifying/ extracting nucleic acids (DNA or RNA) of high quality. These columns are compatible with in-house buffers as well as Store-bought ones.

39738	Mini Silica Spin Column Set A (2ml SC w/ CT each) Binding capacity — 45µg Supplied with 2ml Collection Tube (CT) Used in purifying nucleic acids of 65bp to 10kb size from PCR amplifications and agarose gel extractions.	50 nos	5240
		100 nos	9760
89887	Mini Silica Spin Column Set B (2ml SC w/ CT each) Binding capacity — 50µg Supplied with 2ml Collection Tube (CT) Used in purifying nucleic acids of less than 10kb size from lysed cell cultures.	50 nos	5240
		100 nos	9760
69516	Mini Silica Spin Column Set C (2ml SC w/ CT each) Binding capacity — 55µg Supplied with 2ml Collection Tube (CT) Used in purifying nucleic acids of less than 10kb size from lysed cell cultures.	50 nos	5600
		100 nos	10470
37351	RNA Mini Spin Column Set (2ml SC w/ CT each) Binding capacity — 40µg Supplied with 2ml Collection Tube (CT) Used in purifying RNA from agarose gel extractions.	50 nos	7050
		100 nos	11930

Tubes and Screw Caps

31635	Microcentrifuge Tube and Screw Cap (0.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade • Capacity - 0.5 ml • Self Standing Tube With Screw Cap & O-Ring • Sterile - Gamma Irradiated. • Operating range: -196 °C to +121°C. • Autoclavable at 121 °C • Withstands Maximum RCF of 20000X G • No Graduation	500 Nos	7350
60838	Microcentrifuge Tube and Screw Cap (1.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged ,Sterile, Molecular Grade • Capacity - 1.5 ml • Self Standing Tubes With Screw Cap & O-Ring • Sterile - Gamma Irradiated. • Operating range: -196°C to +121°C • Autoclavable at 121°C • Withstands maximum of 20000X G • No Graduations	500 Nos	7880
41425	Collection Tubes (CT) for DNA, RNA purification (2ml)	50 nos	440
		500 nos	4110
11876	Centrifuge Tube and Screw Cap (15ml)	50 nos	850
		250 nos	4000
		500 nos	7200
11876	Centrifuge Tube and Screw Cap (50ml)	50 nos	1000
		250 nos	4900
		500 nos	9600

code	product name	unit	price
------	--------------	------	-------

Crucible Tall Form

These crucibles are made of high quality Porcelain for basic laboratory use to heat chemical compounds. Each product is well tested for its strength, thermal performance, and enhanced chemical resistance with low water absorbance. Widely suitable for burning solid matter, evaporation, concentration or crystallization of solutions.

45866	Crucible Porcelain, 5 ml, Tall with Lid	6 Nos	720
14903	Crucible Porcelain, 10 ml, Tall with Lid	6 Nos	750
61275	Crucible Porcelain, 15 ml, Tall with Lid	4 Nos	650
55162	Crucible Porcelain, 30 ml, Tall with Lid	4 Nos	750
94977	Crucible Porcelain, 40 ml, Tall with Lid	1 Nos	200



Capacity	Top OD	Height	Wall Thickness	Weight	Lid Dia
5 ml	24 mm	20 mm	1.7 mm	8 gm	26 mm
10 ml	31 mm	26 mm	1.8 mm	12 gm	34 mm
15 ml	35 mm	29 mm	1.8 mm	13 gm	38 mm
30 ml	45 mm	36 mm	1.8 mm	18.5 gm	47 mm
40 ml	50 mm	40 mm	1.8 mm	23 gm	53 mm

Crucible Wide Form

These crucibles are made of high quality Porcelain for basic laboratory use to heat chemical compounds. Each product is well tested for its strength, thermal performance, and enhanced chemical resistance with low water absorbance. Widely suitable for burning solid matter, evaporation, concentration or crystallization of solutions.

16024	Crucible Porcelain, 2 ml, Wide with Lid	6 Nos	735
97090	Crucible Porcelain, 8 ml, Wide with Lid	6 Nos	820
97897	Crucible Porcelain, 17 ml, Wide with Lid	4 Nos	680
71099	Crucible Porcelain, 30 ml, Wide with Lid	4 Nos	770
13057	Crucible Porcelain, 50 ml, Wide with Lid	1 Nos 4 Nos	250 900



Capacity	Top OD	Height	Wall Thickness	Weight	Lid Dia
2 ml	18 mm	12 mm	1.3 mm	3 gm	26 mm
8 ml	32 mm	20 mm	1.6 mm	10 gm	34 mm
17 ml	41 mm	26 mm	1.6 mm	18 gm	47 mm
30 ml	50 mm	31 mm	1.8 mm	25 gm	53 mm
50 ml	61 mm	37 mm	1.8 mm	35 gm	69 mm

code	product name	unit	price
------	--------------	------	-------

Mortar & Pestle

Mortar & Pestle are made from high quality Porcelain for basic laboratory application such as crushing, grinding, etc. They are designed with a spout which enables easy pouring.

44249	Mortar & Pestle Set, Porcelain, 60 ml	1 Nos	260
41278	Mortar & Pestle Set, Porcelain, 100 ml	1 Nos	300
13968	Mortar & Pestle Set, Porcelain, 150 ml	1 Nos	500
51686	Mortar & Pestle Set, Porcelain, 275 ml	1 Nos	600



Mortar						Pestle		
Capacity	Top OD	Top ID	Outer Height	Wall Thickness	Weight	Length	Head OD	Weight
60 ml	80 mm	60 mm	44 mm	7.5 mm	200 gm	98 mm	27 mm	50 gm
100 ml	90 mm	75 mm	48 mm	10 mm	280 gm	98 mm	27 mm	50 gm
150 ml	105 mm	85 mm	72 mm	9 mm	490 gm	114 mm	30 mm	90 gm
275 ml	125 mm	100 mm	70 mm	11.5 mm	650 gm	130 mm	36 mm	130-140 gm

Evaporating Dish

These evaporating dishes are made from high quality Porcelain with spout for easy pouring of liquids. These have wide applications in scientific laboratories such as evaporating, drying & crystallizing. They are highly suitable for critical laboratory use.

11443	Dish Evaporating Porcelain, 20 ml	6 Nos	800
42418	Dish Evaporating Porcelain, 40 ml	6 Nos	830
96704	Dish Evaporating Porcelain, 100 ml	6 Nos	1000



Capacity	Top OD	Height	Wall Thickness	Weight
20 ml	50 mm	22 mm	1.3 mm	19 gm
40 ml	60 mm	27 mm	1.3 mm	25 gm
100 ml	75 mm	35 mm	2 mm	51 gm

code	product name	unit	price
------	--------------	------	-------

Buchner Funnel

Each Buchner funnel is autoclavable, made from high quality Porcelain with fixed perforated plate & a thick stem. It is commonly used in chemistry labs for filtration purposes to eliminate unwanted particles.

53092	Funnel Buchner, Porcelain, 6 ml	1 Nos	280
64702	Funnel Buchner, Porcelain, 30 ml	1 Nos	300
38635	Funnel Buchner, Porcelain, 87 ml	1 Nos	320
59425	Funnel Buchner, Porcelain, 186 ml	1 Nos	440



Capacity	Top OD	FP Dia	Height	Perforated Dia	Wall Thickness	Weight
6 ml	35 mm	20 mm	72 mm	23 mm	3 mm	32 gm
30 ml	50 mm	35-40 mm	89 mm	23 mm	3 mm	48 gm
87 ml	60 mm	50-55 mm	110 mm	38 mm	3 mm	110 gm
186 ml	84 mm	70 mm	143 mm	62 mm	3.5 mm	180 gm

Bio-Indenta[®]



Global searching station for Unlisted Compounds





Our Indenting division, "Bio-Indenta" has completed its third successful year of operation. Headquartered in Mumbai, we have been able to master the art of supply chain and global sourcing for our valued scientific researchers. We have contributed to the scientific community by making available complex niche chemicals and biochemicals to our Institutional and Industrial customers. We have efficient logistics systems in place and offer you the transparency and trust you need to make most well informed decisions for your R&D & production needs.






Bio-Indenta exists to connect you to your Principal product provider. We offer you the option of

- importing the products yourself or
- allowing Bio-Indenta to import them and supply them to you.

Transactions can be conducted in Indian Rupees or in any foreign currency.

Through Bio-Indenta, we have established Partnerships and Distributorships with selected pioneer biotech companies for their complete range of biochemicals, diagnostics and fine chemicals to serve scientific and R&D community.

Our partners in this endeavor are,

-  **1. Carbosynth** (UK)
-  **2. Biosynth** (Switzerland)
-  **3. Bachem** (Switzerland)
-  **4. Elicityl SA** (France)
-  **5. ACS Materials**(USA)

And Multiple Chinese and European specialty chemical companies who can supply a range of specialty chemicals and intermediates with all required documentations. Now you can choose your most preferred supplier. Take command of your sourcing...



All your inquiries can be mailed to bio-indenta@srchem.com for immediate quotes and delivery schedules. Our offices are standing by to assist you in your requirements.

Authorized Distributors for



Carbosynth
UK

(www.carbosynth.com)

Carbosynth



Carbosynth Limited was established to provide the most comprehensive product range in the fields of carbohydrates and nucleosides for the international Life Science R&D communities. Carbosynth aims to support its clients from discovery to launch by offering cost effective solutions to their carbohydrate and nucleoside requirements.

Carbosynth offers over 2500 carbohydrates and nucleosides. This range includes monosaccharides, enzyme substrates, D- and L-sugars, oligosaccharides, detergents and nucleosides. The Carbosynth catalogue offers quantities for R&D, but many are produced in bulk. For example methyl- α -D-glucopyranoside, n-octyl- β -D-glucopyranoside, 3,4,6-tri-acetyl-D-galactal, gulon's-1000's of kilos.

Carbosynth also offers a range of allied fine chemicals many of which are versatile building blocks or have specialist applications ranging from biochemical reagents to natural antioxidants. Included in their product range are coupling agents, such as EDAC, or activators in peptide and oligonucleotide synthesis.

Custom synthesis is one of Carbosynths' fastest growing business sectors and they are committed to providing in-time development and delivery of quality compounds. Carbosynth is able to draw upon a wide range of chemical reactions and processes especially in the fields of carbohydrates and nucleosides.

The Carbosynth product range broadly includes –

- **Carbohydrates and Derivatives of Carbohydrates.**
- **Unnatural Sugars and Carbohydrate Building Blocks.**
- **Nucleosides and Nucleotide Building Blocks.**
- **Oligosaccharides and a range of other Fine Chemicals and Enzyme Substrates.**

Carbosynth Prominent Products

Carbosynth Prod. Code	Product Name
EA06838	O-(2-Acetamido-2-deoxy-D-glucopyranosylidene)amino N-phenyl carbamate
OA08244	N-Acetyl-D-lactosamine
MA00746	N-Acetylneuraminic acid
FA02773	2-Amino-3-chloropyrazine
MA03786	1,6-Anhydro- β -D-galactopyranose
EB06680	5-Bromo-4-chloro-3-indolyl β -D-galactopyranoside
FC06230	6-Chloro-2-cyano-3-nitropyridine
MC02788	1-Chloro-2-deoxy-3,5-di-o-toluoyl- α -D-ribofuranose
EC05990	2-Chloro-4-nitrophenyl α -L-fucopyranoside
ND04237	2'-Deoxy-2',2'-difluoro-D-cytidine
MD04977	2-Deoxy-D-ribose
FD06223	4,4'-Dibromo-2,2'-bipyridine
FD04039	R)-2,5-Dihydro-3,6-dimethoxy-2-isopropylpyrazine
FD06273	Diphenylcyclopropanone
FD05800	N-Ethyl-N'-(3-dimethylaminopropyl)carbodiimide HCl
MG05201	D-Galactose
MG05247	L-Glucose
MD05002	1,2:5,6-Di-O-isopropylidene- α -D-allofuranose
MD06795	1,2:5,6-Di-O-isopropylidene- α -D-glucofuranose
EN06363	2-Nitrophenyl β -D-galactopyranoside
DO05161	Octyl β -D-glucopyranoside
MP06689	1,2,3,4,6-Penta-O-acetyl- β -D-galactopyranose
FQ02772	R-(-)-3-Quinuclidinol
FQ06985	S-(+)-3-Quinuclidinol
FT04400	2,2,6,6-Tetramethylpiperidine 1-oxyl, free radical - solid melt
MT04086	2,3,4,6-Tetra-O-benzyl-D-galactopyranose
MT06691	2,3,4,6-Tetra-O-benzyl-D-glucopyranose
MT05853	3,4,6-Tri-O-acetyl-D-galactal
MT00681	3,4,6-Tri-O-acetyl-D-glucal

Please inquire with us for their latest product catalogues & quotations

Authorized Distributors for



Bachem
Switzerland

www.bachem.com



Bachem is an independent, technology-based, public biochemicals company providing full service to the pharma and biotech industry. Bachem is specialized in the process development and the manufacturing of peptides and complex organic molecules as active pharmaceutical ingredients (APIs), as well as innovative biochemicals for research purposes. With headquarters in Bubendorf, Switzerland, and affiliates in Europe and the US, Bachem works on a global scale and holds a leading position in the field of peptides.

Bachem are world leaders in Peptides and in large scale GMP Peptide production. The product range includes,

- **Peptides and Bio-chemicals — Bioactive peptides and proteins, Enzyme substrates and Inhibitors, Organic compounds.**
- **Building Blocks — Amino acids, Amino acid derivatives, Linkers, Resins and Reagents.**
- **Immunochemicals — Antibodies, Antisera and Assay Kits.**

Product Lines

Amyloid β -Protein Fragments and Related Peptides
Adrenomedullins
Amylins and Fragments
Angiotensins and Related Peptides
Bradykinins, Analogs and Sequences
Caspase-1 Inhibitors
Corticotropin-Releasing Factor (CRF) and Analogs
Endothelins and Related Peptides
f,...-Diaminobutyric Acid
Fibronectin Fragments and Analogs
Ghrelin
HIV Proteases
Hydroxyproline
Isoleucine, allo-Isoleucine
Luteinizing Hormone-Releasing Hormone (LHRH) and Analogs
Melanin-Concentrating Hormones (MCH) and Related Peptides
Neuropeptide Y (NPY), Analogs and Fragments
Orexins
Ornithine

p-Alkoxybenzyl Alcohol Resin (-R)-Linked Fmoc-Amino Acids

pTH, Sequences and Analogs

Somatostatin and Analogs

Threonine, allo-Threonine

Vasopressin and Analogs

Authorized Distributors for



Elicityl SA
France

www.elicityl-oligotech.com



Based near Grenoble, France, ELICITYL is a biotech company devoted to complex sugar engineering and production. The company mission is to supply oligosaccharides and polysaccharides for biological applications targeting plant health, pharmacy, nutraceuticals and cosmetics.

A few highlighted products offered

ABO, Lewis & P Histo-Blood Group Antigens
Human milk oligosaccharides - HMOs
Neutral, Acidic, Minor HMO's
Oligosaccharides from other Mammalian species (cow, goat, sheep)
Human & Bacterial Lectins
Functionalized Oligosaccharides
Functionalized Blood group & Lewis antigens
Functionalized Ganglio-Series
Functionalized Globo-Series antigens
Functionalized Fucosylated Oligosaccharides
Functionalized Core structure
Tumor-associated carbohydrate antigens - TACAs
Natural polysaccharides and Oligosaccharides extracted from Biomass
Glycobricks® Building Blocks (Biotin,...)
Neoglycoproteins
Aminoglycoside derivatives

Please inquire with us for their latest product catalogues & quotations

Authorized Distributors for



Biosynth

Switzerland

(www.biosynth.com)



Biosynth is leading swiss specialty reagents manufacturer operating out of its plants in Switzerland and China. It began operations in 1966 as one of the few biochemical manufacturers of the world. It manufactures specialty products for the life-science and biotech industry. It's main core business areas include the production of chromogenic & fluorogenic substrates, organic synthesis products, API's, molecular biology, microbiology, biochemistry, cell science and genetic research products. Bio-Indenta is an exclusive channel partner of Biosynth in India.

A few highlighted products offered

API's

Chromogenic & Fluorogenic Substrates

Luminogenic Substrates

Organic Synthesis Products

Biochemistry, Molecular Biology & Genetic Research Products

Microbiology, Cell Science & In-Vitro Diagnostic Reagents

Imaging Probes

Dyes For Forensic Research

Products for Biomedical Research

Veterinary Science Products

Plant Biotechnology Products

Nutrition Research Products

Cosmetic Research Products

Authorized Distributors for



ACS Materials

USA

(www.acsmaterial.com)



ACS Materials is a high-tech enterprise, based in Pasadena, California (USA), involved in advanced nanomaterials development and production. The Company provides high quality nanomaterial products, service or technical products for research and allied applications.

A few highlighted products offered

Graphene (single-layer graphene, graphene oxide, graphene nanoplates, carboxyl graphene, graphite oxide)

Molecular sieves (SBA-15, MCM-41, MCM-48, SBA-3, ZSM-5)

Carbon series (activated carbon, graphite nanopowder, order mesoporous carbon CMK-3, High-order 3-D mesoporous carbon (la3d), porous carbon)

Metal nanomaterials (antioxidation dispersible copper nanoparticles, copper colloids, nickel nanoparticles, silver nanoparticles, silver nanowires)

Battery Materials (Si/C Composite, Silicon Monoxide, Silicon Nanoparticles)

Terms & Conditions of Sale

Prices: The Prices offered are net & subject to change without notice. Good shall be delivered subject to the availability of stocks & will be invoiced at prices ruling on the date of dispatch. The prices are unit prices exclusive of GST taxes & any levies.

Taxes: GST taxes & any other levies or charges in lieu of levies as applicable shall be charged extra as and where applicable at the prevailing rates. Customers seeking any exemption must submit the required form along with their orders. All Order must specify your GST registration number.

Delivery: Customers based in cities where SRL Depot's are located, are responsible to collect their ordered/invoiced goods from the respective SRL Depot. For all others customers in India, invoiced goods will be supplied C.P.T. destination by the cheapest mode of transport for invoice value of Rs. 20,000/- net or more. All invoice(s) below Rs. 20,000/- shall be executed on ex-godown basis, all expenses will be charged extra. In case of remote areas, please inform the nearest station of address where goods/correspondence can be sent by courier. We reserve the right to make part supplies unless otherwise specified by the customers.

For invoices of temperature sensitive products below Rs. 5,000/- net, customers shall be charged additionally for dry ice, packing material, freight/courier, etc.

Special License Products: Methanol/Carbinol and all Pharmacopoeial labelled products of all grades required special permissions and are separately dispatched directly from our factory or respective warehouses which hold valid applicable licenses. Orders for Pharmacopoeial Grade Products must be accompanied with drug license no, date & validity. NMR Solvents require special End-Use certificates from customers and shall be supplied only against receipt of the same.

Shortage / Breakage: All products are packed with utmost care & forwarded at customer's risk. No claim for shortage / breakage, delay or damage will not be entertained if not informed to us in writing within seven days from the date of receipt of goods along with relevant evidences. Many of the products are very labile and likely to be damaged on prolonged storage. Many-a-times the products may get damaged during transit due to extreme condition of temperature, humidity, etc. Improper handling may also cause degradation of quality. Products should be stored in required conditions & protected from temperature, humidity, light, etc. Any complaint on quality of products should be intimated to us within 30 days from receipt of goods beyond which we shall not entertain complaints. No goods should be returned without our prior written consent. It is understood that buyers are aware of storage and handling condition of the products.

Amendment / Cancellation: Goods once sold will not be taken back. No amendment or cancellation of orders will be accepted once the goods have been packed for dispatch.

Warranty: In case of failure or rejection of any of our products for whatsoever reasons, our liability is expressly limited to the extent of its replacement or its cost and we shall not be responsible for any other damages or losses incurred directly or indirectly. All recommendation, information and description supplied with respect to any product are believed to be accurate and reliable, but do not constitute warranties.

Insurance: If expressly desired, goods can be insured at customer's cost at 1% premium on the invoice value.

Force Majeure Clause: Notwithstanding whatever is specified by the customers or mentioned herein, in the event due to reasons beyond our control such as war, riots, strikes, civil commotion, shortage of raw materials, natural calamities, Govt. restrictions, change in fiscal policies and budgetary changes by the Govt., etc. we or our authorised stockist/s will not be liable for any penalization for delay or non-supply of the products.

Products appearing in this catalogue are meant for laboratory use only.

All disputes are subject to Mumbai Jurisdiction.

Sisco Research Laboratories Pvt.Ltd.

The Electrophoresis Leaders of India

We are India's best company in the field of molecular biology since the last 40 years. Our expertise lies in the manufacture of reagents and buffers used in gel electrophoresis for nucleic acid, DNA/RNA and protein separation. Having the most extensive range of protein and nucleic acid electrophoresis applications, we are 100% sure that our products will be very important for you to conduct most critical molecular biology techniques such as electrophoresis of DNA and RNA, PFGE for large fragment analysis, PCR fragment analysis, cloning and recovery of DNA and RNA and various blotting techniques such as Northern & Southern blotting.

SRL is manufacturing few products in bulk scale to meet the following applications in molecular biology for critical applications:

- Gel Electrophoresis
- SDS Page Electrophoresis
- Pulse Field Gel Electrophoresis
- Immunoelectrophoresis
- Counter Current Electrophoresis
- Tissue Culture & Cell Culture Studies
- Forensic & Diagnostic Analysis
- Antigen Antibody Reaction Studies
- Molecular Weight Screening

SRL Special
Agarose Low-6 & Agarose Low-8 have been specially developed for molecular screening applications and improves resolution of small DNA fragments & PCR products



Product code	Agarose	Sulphate %	Gel strength (1.5% gel) gm/cm ²	Gelling temperature (1.5% soln)	Melting temperature (1.5% gel)	Electro-endosmosis (EEO)
60645	High EEO for MB	<0.3	>800	36°C (±1.5)	85 - 90°C	0.25 - 0.30
10423	Medium EEO for MB	<0.2	>1500	36°C (±1.5)	85 - 90°C	0.16 - 0.19
91466	Low EEO Regular grade (100bp-25kb)	<0.15	>1200	36°C (±1.5)	85 - 90°C	0.09 - 0.13
36601	Low EEO for MB (100bp-25kb)	<0.15	>1200	36°C (±1.5)	85 - 90°C	0.09 - 0.13
23287	Low EEO Superior grade for MB (100bp-25kb)	<0.15	>1500	36°C (±1.5)	85 - 90°C	0.09 - 0.13
Product code	Agarose (for Low Base Pairs)	Sulphate %	Gel strength (3% gel) gm/cm ²	Gelling temperature (3% soln)	Melting temperature (3% gel)	Electro-endosmosis (EEO)
32417	Low Melting for MB (10-1200bp)	<0.2	min 300	35°C (±1.5)	~ 65°C	max 0.1
27813	Metaphor (10-1200bp)	—	min 300	<35°C	<75°C	max 0.1
78711	Low-6 (10-1200bp)	<0.1	min 800	< 35°C	< 75°C	max 0.12
52734	Low-8 (10-1200bp)	<0.11	min 1500	<35.5°C	<80°C	max 0.12

Product code	Acrylamide	Solubility	Assay (Nitrogen)	pH (5% aq. soln)	A1% aq. 290nm
89314	1× Cryst. extrapure	30% aq. Clear & colourless	99.5%	min. 5.0	—
15657	3× Cryst. extrapure AR	60% aq. Clear & colourless	99.9%	min. 5.0	max. 0.5
61346	3× Cryst. for MB	30% aq. Clear & colourless	99.5%	min. 5.0	max. 0.5

Product code	Acrylamide/ Bis-acrylamide Premix	Solubility	pH (5% aq. soln)	Specific conductance (5% aq. soln)
24263	19:1	10% aq. Clear & colourless	5 - 8	min. 10μ mho/cm
10762	29:1	10% aq. Clear & colourless	5 - 8	min. 10μ mho/cm
74379	37.5:1	10% aq. Clear & colourless	5 - 8	min. 10μ mho/cm

Product code	N,N'-Methylene Bis Acrylamide	Solubility	Assay (CG)	pH (2.5% aq. soln)	A1% aq. 290nm
38516	3× Cryst. extrapure AR	2.5% aq.	99.5%	min. 5.0	max. 0.2
67320	3× Cryst. for MB	2.5% aq.	99.5%	min. 5.0	max. 0.1



SISCO RESEARCH LABORATORIES PVT. LTD.

Administrative Office:

608-B, Satellite Gazebo, Near Solitaire Corporate Park, Andheri Ghatkopar Link Road, Chakala, Andheri (East), Mumbai 400 099. India
Tel.: +91-22-4268 5800 • E-mail: info@srchem.com, marketing@srchem.com

Website: www.srlchem.com